



Appendix C. Radiated Spurious Emission

Test Engineer :	John Chuang, JC Liang and Howard Huang	Temperature :	18.2~22.4°C
		Relative Humidity :	66.8~69.1%

<Sample 1>

2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		2389.275	51.05	-22.95	74	41.1	27.38	18.63	36.06	400	18	P	H
		2389.905	40.73	-13.27	54	30.78	27.38	18.63	36.06	400	18	A	H
	*	2412	113.32	-	-	103.26	27.45	18.67	36.06	400	18	P	H
	*	2412	110.01	-	-	99.95	27.45	18.67	36.06	400	18	A	H
		2389.8	49.71	-24.29	74	39.76	27.38	18.63	36.06	400	271	P	V
		2389.905	39.25	-14.75	54	29.3	27.38	18.63	36.06	400	271	A	V
	*	2412	108.32	-	-	98.26	27.45	18.67	36.06	400	271	P	V
	*	2412	105.32	-	-	95.26	27.45	18.67	36.06	400	271	A	V
													V
802.11b CH 06 2437MHz		2390	51.13	-22.87	74	41.18	27.38	18.63	36.06	400	22	P	H
		2389.68	40.71	-13.29	54	30.76	27.38	18.63	36.06	400	22	A	H
	*	2437	112.49	-	-	102.29	27.55	18.72	36.07	400	22	P	H
	*	2437	109.31	-	-	99.11	27.55	18.72	36.07	400	22	A	H
		2489.76	51.84	-22.16	74	41.34	27.76	18.83	36.09	400	22	P	H
		2484.24	41.01	-12.99	54	30.54	27.74	18.82	36.09	400	22	A	H
		2359.76	49.94	-24.06	74	40.1	27.32	18.57	36.05	400	289	P	V
		2389.68	39.35	-14.65	54	29.4	27.38	18.63	36.06	400	289	A	V
	*	2437	107.96	-	-	97.76	27.55	18.72	36.07	400	289	P	V
	*	2437	104.8	-	-	94.6	27.55	18.72	36.07	400	289	A	V
		2493.84	51.29	-22.71	74	40.76	27.78	18.84	36.09	400	289	P	V
		2484.08	39.51	-14.49	54	29.04	27.74	18.82	36.09	400	289	A	V



WIFI Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 11 2462MHz	*	2462	114.3	-	-	103.96	27.65	18.77	36.08	300	31	P	H
	*	2462	111.14	-	-	100.8	27.65	18.77	36.08	300	31	A	H
		2483.64	53.4	-20.6	74	42.94	27.73	18.82	36.09	300	31	P	H
		2483.64	42.59	-11.41	54	32.13	27.73	18.82	36.09	300	31	A	H
													H
													H
	*	2462	109.83	-	-	99.49	27.65	18.77	36.08	400	266	P	V
	*	2462	106.66	-	-	96.32	27.65	18.77	36.08	400	266	A	V
		2490.2	50.5	-23.5	74	40	27.76	18.83	36.09	400	266	P	V
		2483.52	40.14	-13.86	54	29.68	27.73	18.82	36.09	400	266	A	V
													V
													V
802.11b CH 12 2467MHz	*	2467	112.14	-	-	101.77	27.67	18.78	36.08	300	21	P	H
	*	2467	108.98	-	-	98.61	27.67	18.78	36.08	300	21	A	H
		2483.52	57.71	-16.29	74	47.25	27.73	18.82	36.09	300	21	P	H
		2483.92	43.92	-10.08	54	33.45	27.74	18.82	36.09	300	21	A	H
													H
													H
	*	2467	105.61	-	-	95.24	27.67	18.78	36.08	300	259	P	V
	*	2467	102.39	-	-	92.02	27.67	18.78	36.08	300	259	A	V
		2483.68	52.43	-21.57	74	41.97	27.73	18.82	36.09	300	259	P	V
		2483.92	40.64	-13.36	54	30.17	27.74	18.82	36.09	300	259	A	V
													V
													V



WIFI Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 13 2472MHz	*	2472	109.63	-	-	99.23	27.69	18.79	36.08	298	14	P	H
	*	2472	106.61	-	-	96.21	27.69	18.79	36.08	298	14	A	H
		2483.52	70.52	-3.48	74	60.06	27.73	18.82	36.09	298	14	P	H
		2483.52	52.67	-1.33	54	42.21	27.73	18.82	36.09	298	14	A	H
													H
													H
	*	2472	105.09	-	-	94.69	27.69	18.79	36.08	389	271	P	V
	*	2472	101.91	-	-	91.51	27.69	18.79	36.08	389	271	A	V
		2483.52	66.32	-7.68	74	55.86	27.73	18.82	36.09	389	271	P	V
		2483.52	48.32	-5.68	54	37.86	27.73	18.82	36.09	389	271	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 01 2412MHz		4824	50.71	-23.29	74	42.54	32.44	12.95	37.22	250	293	P	H
		4824	45.72	-8.28	54	37.55	32.44	12.95	37.22	250	293	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4824	48.44	-25.56	74	40.27	32.44	12.95	37.22	100	263	P	V
		4824	42.26	-11.74	54	34.09	32.44	12.95	37.22	100	263	A	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 06 2437MHz		4874	43.97	-30.03	74	35.49	32.65	13.09	37.26	-	-	P	H
		7311	52.42	-21.58	74	37.85	36.86	15.88	38.17	300	181	P	H
		7311	45.44	-8.56	54	30.87	36.86	15.88	38.17	300	181	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4874	44.44	-29.56	74	35.96	32.65	13.09	37.26	-	-	P	V
		7311	49.65	-24.35	74	35.08	36.86	15.88	38.17	100	166	P	V
		7311	40.57	-13.43	54	26	36.86	15.88	38.17	100	166	A	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 11 2462MHz		4924	51.47	-22.53	74	42.74	32.8	13.23	37.3	250	343	P	H
		4924	47.48	-6.52	54	38.75	32.8	13.23	37.3	250	343	A	H
		7386	54.83	-19.17	74	40.51	36.56	15.98	38.22	200	182	P	H
		7386	49.61	-4.39	54	35.29	36.56	15.98	38.22	200	182	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		4924	49.45	-24.55	74	40.72	32.8	13.23	37.3	100	240	P	V
		4924	43.83	-10.17	54	35.1	32.8	13.23	37.3	100	240	A	V
		7386	51.43	-22.57	74	37.11	36.56	15.98	38.22	400	43	P	V
		7386	44.07	-9.93	54	29.75	36.56	15.98	38.22	400	43	A	V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 0	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 12 2467MHz		4934	44.75	-29.25	74	35.96	32.84	13.26	37.31	-	-	P	H
		7401	53.41	-20.59	74	39.15	36.5	15.99	38.23	200	184	P	H
		7401	47.39	-6.61	54	33.13	36.5	15.99	38.23	200	184	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4934	43.69	-30.31	74	34.9	32.84	13.26	37.31	-	-	P	V
		7401	51	-23	74	36.74	36.5	15.99	38.23	100	167	P	V
		7401	43.52	-10.48	54	29.26	36.5	15.99	38.23	100	167	A	V
													V
													V
													V
													V
													V
													V
													V

[illegible]

**2.4GHz 2400~2483.5MHz****WIFI 802.11b (Band Edge @ 3m)**

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b CH 01 2412MHz		2389.59	52.36	-21.64	74	42.41	27.38	18.63	36.06	100	202	P	H
		2389.905	42.23	-11.77	54	32.28	27.38	18.63	36.06	100	202	A	H
	*	2412	115.32	-	-	105.26	27.45	18.67	36.06	100	202	P	H
	*	2412	111.81	-	-	101.75	27.45	18.67	36.06	100	202	A	H
													H
													H
		2389.59	52.02	-21.98	74	42.07	27.38	18.63	36.06	350	289	P	V
		2389.275	39.77	-14.23	54	29.82	27.38	18.63	36.06	350	289	A	V
	*	2412	109.76	-	-	99.7	27.45	18.67	36.06	350	289	P	V
	*	2412	106.55	-	-	96.49	27.45	18.67	36.06	350	289	A	V
													V
													V
802.11b CH 06 2437MHz		2388.72	51.26	-22.74	74	41.31	27.38	18.63	36.06	100	214	P	H
		2388.56	41.21	-12.79	54	31.26	27.38	18.63	36.06	100	214	A	H
	*	2437	116.38	-	-	106.18	27.55	18.72	36.07	100	214	P	H
	*	2437	112.97	-	-	102.77	27.55	18.72	36.07	100	214	A	H
		2485.44	51.62	-22.38	74	41.15	27.74	18.82	36.09	100	214	P	H
		2483.52	40.95	-13.05	54	30.49	27.73	18.82	36.09	100	214	A	H
		2368.24	49.56	-24.44	74	39.68	27.34	18.59	36.05	303	311	P	V
		2387.12	38.97	-15.03	54	29.04	27.37	18.62	36.06	303	311	A	V
	*	2437	108.93	-	-	98.73	27.55	18.72	36.07	303	311	P	V
	*	2437	105.87	-	-	95.67	27.55	18.72	36.07	303	311	A	V
		2485.6	50.27	-23.73	74	39.8	27.74	18.82	36.09	303	311	P	V
		2483.52	39.31	-14.69	54	28.85	27.73	18.82	36.09	303	311	A	V



WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 11 2462MHz	*	2462	115.32	-	-	104.98	27.65	18.77	36.08	330	202	P	H
	*	2462	112.09	-	-	101.75	27.65	18.77	36.08	330	202	A	H
		2484.92	52.88	-21.12	74	42.41	27.74	18.82	36.09	330	202	P	H
		2483.52	42.51	-11.49	54	32.05	27.73	18.82	36.09	330	202	A	H
													H
													H
	*	2462	103.71	-	-	93.37	27.65	18.77	36.08	126	132	P	V
	*	2462	100.48	-	-	90.14	27.65	18.77	36.08	126	132	A	V
		2496.28	50.61	-23.39	74	40.07	27.79	18.84	36.09	126	132	P	V
		2486.56	39.4	-14.6	54	28.92	27.75	18.82	36.09	126	132	A	V
													V
													V
802.11b CH 12 2467MHz	*	2467	115.58	-	-	105.21	27.67	18.78	36.08	200	197	P	H
	*	2467	112.36	-	-	101.99	27.67	18.78	36.08	200	197	A	H
		2483.88	58.37	-15.63	74	47.9	27.74	18.82	36.09	200	197	P	H
		2484.24	51.58	-2.42	54	41.11	27.74	18.82	36.09	200	197	A	H
													H
													H
	*	2467	107.82	-	-	97.45	27.67	18.78	36.08	400	305	P	V
	*	2467	104.6	-	-	94.23	27.67	18.78	36.08	400	305	A	V
		2483.96	53.25	-20.75	74	42.78	27.74	18.82	36.09	400	305	P	V
		2484.28	44.66	-9.34	54	34.19	27.74	18.82	36.09	400	305	A	V
													V
													V



WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 13 2472MHz	*	2472	114.54	-	-	104.14	27.69	18.79	36.08	200	200	P	H
	*	2472	111.4	-	-	101	27.69	18.79	36.08	200	200	A	H
		2483.56	72.64	-1.36	74	62.18	27.73	18.82	36.09	200	200	P	H
		2483.52	52.39	-1.61	54	41.93	27.73	18.82	36.09	200	200	A	H
													H
													H
	*	2472	102.98	-	-	92.58	27.69	18.79	36.08	400	240	P	V
	*	2472	99.93	-	-	89.53	27.69	18.79	36.08	400	240	A	V
		2483.52	64.44	-9.56	74	53.98	27.73	18.82	36.09	400	240	P	V
		2483.52	44.89	-9.11	54	34.43	27.73	18.82	36.09	400	240	A	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

[illegible]



WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 06 2437MHz		4874	48.46	-25.54	74	39.98	32.65	13.09	37.26	215	191	P	H
		4874	42.82	-11.18	54	34.34	32.65	13.09	37.26	215	191	A	H
		7311	48.42	-25.58	74	33.85	36.86	15.88	38.17	188	234	P	H
		7311	39.45	-14.55	54	24.88	36.86	15.88	38.17	188	234	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		4874	48.55	-25.45	74	40.07	32.65	13.09	37.26	400	272	P	V
		4874	42.63	-11.37	54	34.15	32.65	13.09	37.26	400	272	A	V
		7311	49.69	-24.31	74	35.12	36.86	15.88	38.17	300	117	P	V
		7311	39.9	-14.1	54	25.33	36.86	15.88	38.17	300	117	A	V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 11 2462MHz		4924	44	-30	74	35.27	32.8	13.23	37.3	-	-	P	H
		7386	48.48	-25.52	74	34.16	36.56	15.98	38.22	200	153	P	H
		7386	37.94	-16.06	54	23.62	36.56	15.98	38.22	200	153	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4924	44.7	-29.3	74	35.97	32.8	13.23	37.3	-	-	P	V
		7386	47.67	-26.33	74	33.35	36.56	15.98	38.22	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11b CH 12 2467MHz		4934	43.81	-30.19	74	35.02	32.84	13.26	37.31	-	-	P	H
		7401	49.6	-24.4	74	35.34	36.5	15.99	38.23	400	59	P	H
		7401	38.66	-15.34	54	24.4	36.5	15.99	38.23	400	59	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4934	44.15	-29.85	74	35.36	32.84	13.26	37.31	-	-	P	V
		7401	48.31	-25.69	74	34.05	36.5	15.99	38.23	300	42	P	V
		7401	38.39	-15.61	54	24.13	36.5	15.99	38.23	300	42	A	V
													V
													V
													V
													V
													V
													V
													V

[illegible]



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		2390	65.3	-8.7	74	55.35	27.38	18.63	36.06	215	176	P	H
		2390	51.34	-2.66	54	41.39	27.38	18.63	36.06	215	176	A	H
	*	2412	118.87	-	-	108.81	27.45	18.67	36.06	215	176	P	H
	*	2412	111.45	-	-	101.39	27.45	18.67	36.06	215	176	A	H
													H
													H
		2387.7	54.81	-19.19	74	44.86	27.38	18.63	36.06	304	295	P	V
		2388.33	43.63	-10.37	54	33.68	27.38	18.63	36.06	304	295	A	V
	*	2412	113.61	-	-	103.55	27.45	18.67	36.06	304	295	P	V
	*	2412	105.71	-	-	95.65	27.45	18.67	36.06	304	295	A	V
													V
													V
802.11g CH 06 2437MHz		2387.76	55.13	-18.87	74	45.18	27.38	18.63	36.06	254	171	P	H
		2389.68	45.21	-8.79	54	35.26	27.38	18.63	36.06	254	171	A	H
	*	2437	119.48	-	-	109.28	27.55	18.72	36.07	254	171	P	H
	*	2437	111.77	-	-	101.57	27.55	18.72	36.07	254	171	A	H
		2483.76	55.88	-18.12	74	45.41	27.74	18.82	36.09	254	171	P	H
		2483.52	45.61	-8.39	54	35.15	27.73	18.82	36.09	254	171	A	H
		2390	51.29	-22.71	74	41.34	27.38	18.63	36.06	400	290	P	V
		2390	40.93	-13.07	54	30.98	27.38	18.63	36.06	400	290	A	V
	*	2437	110.67	-	-	100.47	27.55	18.72	36.07	400	290	P	V
	*	2437	103.23	-	-	93.03	27.55	18.72	36.07	400	290	A	V
		2484.8	51.77	-22.23	74	41.3	27.74	18.82	36.09	400	290	P	V
		2483.76	41.66	-12.34	54	31.19	27.74	18.82	36.09	400	290	A	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 11 2462MHz	*	2462	117.52	-	-	107.18	27.65	18.77	36.08	250	206	P	H
	*	2462	109.98	-	-	99.64	27.65	18.77	36.08	250	206	A	H
		2483.52	65.45	-8.55	74	54.99	27.73	18.82	36.09	250	206	P	H
		2483.68	51.7	-2.3	54	41.24	27.73	18.82	36.09	250	206	A	H
													H
													H
	*	2462	111.1	-	-	100.76	27.65	18.77	36.08	400	293	P	V
	*	2462	103.37	-	-	93.03	27.65	18.77	36.08	400	293	A	V
		2483.6	59.82	-14.18	74	49.36	27.73	18.82	36.09	400	293	P	V
		2483.52	46.61	-7.39	54	36.15	27.73	18.82	36.09	400	293	A	V
													V
													V
802.11g CH 12 2467MHz	*	2467	117.34	-	-	106.97	27.67	18.78	36.08	221	210	P	H
	*	2467	109.59	-	-	99.22	27.67	18.78	36.08	221	210	A	H
		2484.56	64.59	-9.41	74	54.12	27.74	18.82	36.09	221	210	P	H
		2484.32	52.83	-1.17	54	42.36	27.74	18.82	36.09	221	210	A	H
													H
													H
	*	2467	110	-	-	99.63	27.67	18.78	36.08	400	296	P	V
	*	2467	102.25	-	-	91.88	27.67	18.78	36.08	400	296	A	V
		2484.16	59.47	-14.53	74	49	27.74	18.82	36.09	400	296	P	V
		2484.2	47.34	-6.66	54	36.87	27.74	18.82	36.09	400	296	A	V
													V
													V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 13 2472MHz	*	2472	103.91	-	-	93.51	27.69	18.79	36.08	200	210	P	H
	*	2472	96.2	-	-	85.8	27.69	18.79	36.08	200	210	A	H
		2483.52	66.78	-7.22	74	56.32	27.73	18.82	36.09	200	210	P	H
		2483.52	52.82	-1.18	54	42.36	27.73	18.82	36.09	200	210	A	H
													H
													H
	*	2472	97.02	-	-	86.62	27.69	18.79	36.08	400	298	P	V
	*	2472	89.4	-	-	79	27.69	18.79	36.08	400	298	A	V
		2483.52	59.25	-14.75	74	48.79	27.73	18.82	36.09	400	298	P	V
		2483.52	46.92	-7.08	54	36.46	27.73	18.82	36.09	400	298	A	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**2.4GHz 2400~2483.5MHz****WIFI 802.11g (Harmonic @ 3m)**

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 01 2412MHz		4824	44.66	-29.34	74	36.49	32.44	12.95	37.22	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4824	44.9	-29.1	74	36.73	32.44	12.95	37.22	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 06 2437MHz		4874	44.59	-29.41	74	36.11	32.65	13.09	37.26	-	-	P	H
		7311	53.17	-20.83	74	38.6	36.86	15.88	38.17	150	183	P	H
		7311	42.24	-11.76	54	27.67	36.86	15.88	38.17	150	183	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4874	45.65	-28.35	74	37.17	32.65	13.09	37.26	-	-	P	V
		7311	49.8	-24.2	74	35.23	36.86	15.88	38.17	200	277	P	V
		7311	39.79	-14.21	54	25.22	36.86	15.88	38.17	200	277	A	V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 11 2462MHz		4924	45.67	-28.33	74	36.94	32.8	13.23	37.3	-	-	P	H
		7386	52.52	-21.48	74	38.2	36.56	15.98	38.22	150	185	P	H
		7386	42.02	-11.98	54	27.7	36.56	15.98	38.22	150	185	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4924	45.46	-28.54	74	36.73	32.8	13.23	37.3	-	-	P	V
		7386	48.5	-25.5	74	34.18	36.56	15.98	38.22	200	281	P	V
		7386	39.26	-14.74	54	24.94	36.56	15.98	38.22	200	281	A	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11g CH 12 2467MHz		4934	44	-30	74	35.21	32.84	13.26	37.31	-	-	P	H
		7401	49.72	-24.28	74	35.46	36.5	15.99	38.23	150	186	P	H
		7401	40.33	-13.67	54	26.07	36.5	15.99	38.23	150	186	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4934	44.02	-29.98	74	35.23	32.84	13.26	37.31	-	-	P	V
		7401	47.83	-26.17	74	33.57	36.5	15.99	38.23	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

[illegible]



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Full CH 01 2412MHz		2389.485	67.04	-6.96	74	57.09	27.38	18.63	36.06	100	163	P	H
		2389.905	51.79	-2.21	54	41.84	27.38	18.63	36.06	100	163	P	H
	*	2412	119.04	-	-	108.98	27.45	18.67	36.06	100	163	P	H
	*	2412	109.72	-	-	99.66	27.45	18.67	36.06	100	163	A	H
													H
													H
		2389.38	57.97	-16.03	74	48.02	27.38	18.63	36.06	400	59	P	V
		2390	44.45	-9.55	54	34.5	27.38	18.63	36.06	400	59	A	V
	*	2412	111.45	-	-	101.39	27.45	18.67	36.06	400	59	P	V
	*	2412	102.46	-	-	92.4	27.45	18.67	36.06	400	59	A	V
													V
													V
802.11ax HE20 Full CH 06 2437MHz		2390	53.66	-20.34	74	43.71	27.38	18.63	36.06	178	203	P	H
		2390	44.2	-9.8	54	34.25	27.38	18.63	36.06	178	203	A	H
	*	2437	121.84	-	-	111.64	27.55	18.72	36.07	178	203	P	H
	*	2437	111.91	-	-	101.71	27.55	18.72	36.07	178	203	A	H
		2483.52	54.19	-19.81	74	43.73	27.73	18.82	36.09	178	203	P	H
		2483.52	44.54	-9.46	54	34.08	27.73	18.82	36.09	178	203	A	H
		2389.84	50.89	-23.11	74	40.94	27.38	18.63	36.06	333	309	P	V
		2389.84	40.67	-13.33	54	30.72	27.38	18.63	36.06	333	309	A	V
	*	2437	116.63	-	-	106.43	27.55	18.72	36.07	333	309	P	V
	*	2437	105.99	-	-	95.79	27.55	18.72	36.07	333	309	A	V
		2484.4	50.79	-23.21	74	40.32	27.74	18.82	36.09	333	309	P	V
		2483.52	40.91	-13.09	54	30.45	27.73	18.82	36.09	333	309	A	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 11 2462MHz	*	2462	119.26	-	-	108.92	27.65	18.77	36.08	231	158	P	H
	*	2462	109.95	-	-	99.61	27.65	18.77	36.08	231	158	A	H
		2483.56	68.32	-5.68	74	57.86	27.73	18.82	36.09	231	158	P	H
		2483.52	51.8	-2.2	54	41.34	27.73	18.82	36.09	231	158	A	H
													H
													H
	*	2462	114.53	-	-	104.19	27.65	18.77	36.08	325	293	P	V
	*	2462	104.43	-	-	94.09	27.65	18.77	36.08	325	293	A	V
		2483.96	59.99	-14.01	74	49.52	27.74	18.82	36.09	325	293	P	V
		2483.64	45.47	-8.53	54	35.01	27.73	18.82	36.09	325	293	A	V
													V
													V
802.11ax HE20 Full CH 12 2467MHz	*	2467	118.88	-	-	108.51	27.67	18.78	36.08	200	168	P	H
	*	2467	109.41	-	-	99.04	27.67	18.78	36.08	200	168	A	H
		2483.72	69.47	-4.53	74	59.01	27.73	18.82	36.09	200	168	P	H
		2484.96	52.82	-1.18	54	42.35	27.74	18.82	36.09	200	168	A	H
													H
													H
	*	2467	109.3	-	-	98.93	27.67	18.78	36.08	400	138	P	V
	*	2467	98.83	-	-	88.46	27.67	18.78	36.08	400	138	A	V
		2483.52	59.28	-14.72	74	48.82	27.73	18.82	36.09	400	138	P	V
		2485.84	42.43	-11.57	54	31.96	27.74	18.82	36.09	400	138	A	V
													V
													V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 13 2472MHz	*	2472	103.9	-	-	93.5	27.69	18.79	36.08	200	158	P	H
	*	2472	94.26	-	-	83.86	27.69	18.79	36.08	200	158	A	H
		2483.52	71.83	-2.17	74	61.37	27.73	18.82	36.09	200	158	P	H
		2483.52	51.48	-2.52	54	41.02	27.73	18.82	36.09	200	158	A	H
													H
													H
	*	2472	92.45	-	-	82.05	27.69	18.79	36.08	400	289	P	V
	*	2472	83.64	-	-	73.24	27.69	18.79	36.08	400	289	A	V
		2483.8	59.46	-14.54	74	48.99	27.74	18.82	36.09	400	289	P	V
		2483.52	43.58	-10.42	54	33.12	27.73	18.82	36.09	400	289	A	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE20 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 06 2437MHz		4874	45	-29	74	36.52	32.65	13.09	37.26	-	-	P	H
		7311	53.74	-20.26	74	39.17	36.86	15.88	38.17	100	183	P	H
		7311	40.64	-13.36	54	26.07	36.86	15.88	38.17	100	183	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4874	44.43	-29.57	74	35.95	32.65	13.09	37.26	-	-	P	V
		7311	48.85	-25.15	74	34.28	36.86	15.88	38.17	121	95	P	V
		7311	40.22	-13.78	54	25.65	36.86	15.88	38.17	121	95	A	V
													V
													V
													V
													V
													V
													V
													V

[illegible]



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 12 2467MHz		4934	44.23	-29.77	74	35.44	32.84	13.26	37.31	-	-	P	H
		7401	49.46	-24.54	74	35.2	36.5	15.99	38.23	100	184	P	H
		7401	38.98	-15.02	54	24.72	36.5	15.99	38.23	100	184	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4934	43.41	-30.59	74	34.62	32.84	13.26	37.31	-	-	P	V
		7401	47.9	-26.1	74	33.64	36.5	15.99	38.23	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

[illegible]



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 26/0 CH 01 2412MHz		2389.59	50.46	-23.54	74	40.51	27.38	18.63	36.06	208	145	P	H
		2390	39.97	-14.03	54	30.02	27.38	18.63	36.06	208	145	A	H
	*	2412	118.54	-	-	108.48	27.45	18.67	36.06	208	145	P	H
	*	2412	108.44	-	-	98.38	27.45	18.67	36.06	208	145	A	H
													H
													H
		2390	49.69	-24.31	74	39.74	27.38	18.63	36.06	347	288	P	V
		2389.905	39.3	-14.7	54	29.35	27.38	18.63	36.06	347	288	A	V
	*	2412	116.7	-	-	106.64	27.45	18.67	36.06	347	288	P	V
	*	2412	107	-	-	96.94	27.45	18.67	36.06	347	288	A	V
													V
													V
802.11ax HE20 Partial 26/4 CH 06 2437MHz		2386.48	49.83	-24.17	74	39.9	27.37	18.62	36.06	237	156	P	H
		2390	39.65	-14.35	54	29.7	27.38	18.63	36.06	237	156	A	H
	*	2437	119.51	-	-	109.31	27.55	18.72	36.07	237	156	P	H
	*	2437	111.25	-	-	101.05	27.55	18.72	36.07	237	156	A	H
		2483.92	50.37	-23.63	74	39.9	27.74	18.82	36.09	237	156	P	H
		2483.52	40.26	-13.74	54	29.8	27.73	18.82	36.09	237	156	A	H
		2334.96	49.54	-24.46	74	39.76	27.3	18.52	36.04	390	292	P	V
		2389.84	38.85	-15.15	54	28.9	27.38	18.63	36.06	390	292	A	V
	*	2437	112.86	-	-	102.66	27.55	18.72	36.07	390	292	P	V
	*	2437	104.78	-	-	94.58	27.55	18.72	36.07	390	292	A	V
		2486.72	50.75	-23.25	74	40.27	27.75	18.82	36.09	390	292	P	V
		2483.68	39.18	-14.82	54	28.72	27.73	18.82	36.09	390	292	A	V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 26/8 CH 11 2462MHz	*	2462	123.68	-	-	113.34	27.65	18.77	36.08	203	167	P	H
	*	2462	115.23	-	-	104.89	27.65	18.77	36.08	203	167	A	H
		2485.72	55.56	-18.44	74	45.09	27.74	18.82	36.09	203	167	P	H
		2483.52	42.77	-11.23	54	32.31	27.73	18.82	36.09	203	167	A	H
													H
													H
	*	2462	113.01	-	-	102.67	27.65	18.77	36.08	400	128	P	V
	*	2462	104.52	-	-	94.18	27.65	18.77	36.08	400	128	A	V
		2492.48	50.08	-23.92	74	39.57	27.77	18.83	36.09	400	128	P	V
		2483.52	39.49	-14.51	54	29.03	27.73	18.82	36.09	400	128	A	V
													V
													V
802.11ax HE20 Partial 26/8 CH 12 2467MHz	*	2467	122.27	-	-	111.9	27.67	18.78	36.08	203	167	P	H
	*	2467	113.37	-	-	103	27.67	18.78	36.08	203	167	A	H
		2483.96	72.66	-1.34	74	62.19	27.74	18.82	36.09	203	167	P	H
		2483.52	51.91	-2.09	54	41.45	27.73	18.82	36.09	203	167	A	H
													H
													H
	*	2467	108.05	-	-	97.68	27.67	18.78	36.08	338	264	P	V
	*	2467	100.14	-	-	89.77	27.67	18.78	36.08	338	264	A	V
		2483.52	60.25	-13.75	74	49.79	27.73	18.82	36.09	338	264	P	V
		2483.52	41.64	-12.36	54	31.18	27.73	18.82	36.09	338	264	A	V
													V
													V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 26/8 CH 13 2472MHz	*	2472	98.54	-	-	88.14	27.69	18.79	36.08	228	160	P	H
	*	2472	90.09	-	-	79.69	27.69	18.79	36.08	228	160	A	H
		2483.64	72.38	-1.62	74	61.92	27.73	18.82	36.09	228	160	P	H
		2483.52	52.39	-1.61	54	41.93	27.73	18.82	36.09	228	160	A	H
													H
													H
	*	2472	88.45	-	-	78.05	27.69	18.79	36.08	289	264	P	V
	*	2472	79.96	-	-	69.56	27.69	18.79	36.08	289	264	A	V
		2483.56	61.86	-12.14	74	51.4	27.73	18.82	36.09	289	264	P	V
		2483.52	44.02	-9.98	54	33.56	27.73	18.82	36.09	289	264	A	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 26 (Harmonic @ 3m)

[illegible]



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 26/4 CH 06 2437MHz		4874	43.75	-30.25	74	35.27	32.65	13.09	37.26	-	-	P	H
		7311	48.84	-25.16	74	34.27	36.86	15.88	38.17	300	316	P	H
		7311	38.39	-15.61	54	23.82	36.86	15.88	38.17	300	316	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4874	44.94	-29.06	74	36.46	32.65	13.09	37.26	-	-	P	V
		7311	49.18	-24.82	74	34.61	36.86	15.88	38.17	100	102	P	V
		7311	38.44	-15.56	54	23.87	36.86	15.88	38.17	100	102	A	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 26/8 CH 11 2462MHz		4924	43.81	-30.19	74	35.08	32.8	13.23	37.3	-	-	P	H
		7386	48.58	-25.42	74	34.26	36.56	15.98	38.22	100	178	P	H
		7386	37.86	-16.14	54	23.54	36.56	15.98	38.22	100	178	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4924	43.65	-30.35	74	34.92	32.8	13.23	37.3	-	-	P	V
		7386	48.67	-25.33	74	34.35	36.56	15.98	38.22	203	38	P	V
		7386	37.93	-16.07	54	23.61	36.56	15.98	38.22	203	38	A	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 26/8 CH 12 2467MHz		4934	47.28	-26.72	74	38.49	32.84	13.26	37.31	-	-	P	H
		7401	47.35	-26.65	74	33.09	36.5	15.99	38.23	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4934	44.23	-29.77	74	35.44	32.84	13.26	37.31	-	-	P	V
		7401	47.59	-26.41	74	33.33	36.5	15.99	38.23	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

[illegible]



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 52/37 CH 01 2412MHz		2389.59	55.08	-18.92	74	45.13	27.38	18.63	36.06	238	200	P	H
		2390	41.47	-12.53	54	31.52	27.38	18.63	36.06	238	200	A	H
	*	2412	120.15	-	-	110.09	27.45	18.67	36.06	238	200	P	H
	*	2412	111.68	-	-	101.62	27.45	18.67	36.06	238	200	A	H
													H
													H
		2384.655	49.3	-24.7	74	39.37	27.37	18.62	36.06	348	301	P	V
		2390	39.91	-14.09	54	29.96	27.38	18.63	36.06	348	301	A	V
	*	2412	116.1	-	-	106.04	27.45	18.67	36.06	348	301	P	V
	*	2412	106.62	-	-	96.56	27.45	18.67	36.06	348	301	A	V
													V
													V
802.11ax HE20 Partial 52/40 CH 11 2462MHz	*	2462	123.44	-	-	113.1	27.65	18.77	36.08	200	171	P	H
	*	2462	114.7	-	-	104.36	27.65	18.77	36.08	200	171	A	H
		2484.96	69.21	-4.79	74	58.74	27.74	18.82	36.09	200	171	P	H
		2483.52	47.24	-6.76	54	36.78	27.73	18.82	36.09	200	171	A	H
													H
													H
	*	2462	109.97	-	-	99.63	27.65	18.77	36.08	301	267	P	V
	*	2462	101.54	-	-	91.2	27.65	18.77	36.08	301	267	A	V
		2484.24	59.95	-14.05	74	49.48	27.74	18.82	36.09	301	267	P	V
		2483.68	40.03	-13.97	54	29.57	27.73	18.82	36.09	301	267	A	V
													V
													V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 52/40 CH 12 2467MHz	*	2467	120.93	-	-	110.56	27.67	18.78	36.08	226	169	P	H
	*	2467	112.22	-	-	101.85	27.67	18.78	36.08	226	169	A	H
		2483.84	72.04	-1.96	74	61.57	27.74	18.82	36.09	226	169	P	H
		2483.52	51.6	-2.4	54	41.14	27.73	18.82	36.09	226	169	A	H
													H
													H
	*	2467	105.35	-	-	94.98	27.67	18.78	36.08	291	263	P	V
	*	2467	96.85	-	-	86.48	27.67	18.78	36.08	291	263	A	V
		2483.84	53.3	-20.7	74	42.83	27.74	18.82	36.09	291	263	P	V
		2483.52	40.46	-13.54	54	30	27.73	18.82	36.09	291	263	A	V
													V
													V
802.11ax HE20 Partial 52/40 CH 13 2472MHz	*	2472	99.76	-	-	89.36	27.69	18.79	36.08	229	158	P	H
	*	2472	90.2	-	-	79.8	27.69	18.79	36.08	229	158	A	H
		2483.52	72.48	-1.52	74	62.02	27.73	18.82	36.09	229	158	P	H
		2483.52	52.5	-1.5	54	42.04	27.73	18.82	36.09	229	158	A	H
													H
													H
	*	2472	88.9	-	-	78.5	27.69	18.79	36.08	334	260	P	V
	*	2472	80.59	-	-	70.19	27.69	18.79	36.08	334	260	A	V
		2483.56	62.83	-11.17	74	52.37	27.73	18.82	36.09	334	260	P	V
		2483.52	44.27	-9.73	54	33.81	27.73	18.82	36.09	334	260	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 52 (Harmonic @ 3m)

[illegible]



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 52/40 CH 11 2462MHz		4924	43.54	-30.46	74	34.81	32.8	13.23	37.3	-	-	P	H
		7386	47.97	-26.03	74	33.65	36.56	15.98	38.22	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		4924	44.37	-29.63	74	35.64	32.8	13.23	37.3	-	-	P	V
		7386	47.55	-26.45	74	33.23	36.56	15.98	38.22	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 52/40 CH 12 2467MHz		4934	46.91	-27.09	74	38.12	32.84	13.26	37.31	-	-	P	H
		7401	47.9	-26.1	74	33.64	36.5	15.99	38.23	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 106/53 CH 01 2412MHz		2389.905	65.26	-8.74	74	55.31	27.38	18.63	36.06	240	175	P	H
		2390	43	-11	54	33.05	27.38	18.63	36.06	240	175	A	H
	*	2412	121.09	-	-	111.03	27.45	18.67	36.06	240	175	P	H
	*	2412	112.38	-	-	102.32	27.45	18.67	36.06	240	175	A	H
													H
													H
		2390	55.51	-18.49	74	45.56	27.38	18.63	36.06	348	299	P	V
		2390	40.3	-13.7	54	30.35	27.38	18.63	36.06	348	299	A	V
	*	2412	115.44	-	-	105.38	27.45	18.67	36.06	348	299	P	V
	*	2412	106.3	-	-	96.24	27.45	18.67	36.06	348	299	A	V
													V
													V
802.11ax HE20 Partial 106/54 CH 11 2462MHz	*	2462	119.27	-	-	108.93	27.65	18.77	36.08	193	204	P	H
	*	2462	110.37	-	-	100.03	27.65	18.77	36.08	193	204	A	H
		2483.92	67.27	-6.73	74	56.8	27.74	18.82	36.09	193	204	P	H
		2483.52	43.64	-10.36	54	33.18	27.73	18.82	36.09	193	204	A	H
													H
													H
	*	2462	114.1	-	-	103.76	27.65	18.77	36.08	331	304	P	V
	*	2462	104.22	-	-	93.88	27.65	18.77	36.08	331	304	A	V
		2483.76	61.31	-12.69	74	50.84	27.74	18.82	36.09	331	304	P	V
		2483.52	40.56	-13.44	54	30.1	27.73	18.82	36.09	331	304	A	V
													V
													V



WIFI Ant. 0+1	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 106/54 CH 12 2467MHz	*	2467	120.72	-	-	110.35	27.67	18.78	36.08	288	180	P	H
	*	2467	110.28	-	-	99.91	27.67	18.78	36.08	288	180	A	H
		2483.6	71.3	-2.7	74	60.84	27.73	18.82	36.09	288	180	P	H
		2483.52	52.68	-1.32	54	42.22	27.73	18.82	36.09	288	180	A	H
													H
													H
	*	2467	113.24	-	-	102.87	27.67	18.78	36.08	365	299	P	V
	*	2467	103.17	-	-	92.8	27.67	18.78	36.08	365	299	A	V
		2483.6	65.33	-8.67	74	54.87	27.73	18.82	36.09	365	299	P	V
		2483.52	43.54	-10.46	54	33.08	27.73	18.82	36.09	365	299	A	V
													V
													V
802.11ax HE20 Partial 106/54 CH 13 2472MHz	*	2472	100.52	-	-	90.12	27.69	18.79	36.08	259	166	P	H
	*	2472	90.79	-	-	80.39	27.69	18.79	36.08	259	166	A	H
		2483.6	71.92	-2.08	74	61.46	27.73	18.82	36.09	259	166	P	H
		2483.52	52.95	-1.05	54	42.49	27.73	18.82	36.09	259	166	A	H
													H
													H
	*	2472	90.58	-	-	80.18	27.69	18.79	36.08	293	268	P	V
	*	2472	81.46	-	-	71.06	27.69	18.79	36.08	293	268	A	V
		2483.52	65.36	-8.64	74	54.9	27.73	18.82	36.09	293	268	P	V
		2483.52	44.57	-9.43	54	34.11	27.73	18.82	36.09	293	268	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 106 (Harmonic @ 3m)

[illegible]

[illegible]

Emission above 18GHz

2.4GHz WIFI 802.11ax Partial 106 (SHF)

[illegible]

Emission below 1GHz

2.4GHz WIFI 802.11ax HE20 Partial 106 (LF)

[illegible]



<Sample 2>

2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Partial 106/54 CH 13 2472MHz	*	2472	101.7	-	-	91.3	27.69	18.79	36.08	200	163	P	H
	*	2472	92.53	-	-	82.13	27.69	18.79	36.08	200	163	A	H
		2483.56	72.51	-1.49	74	62.05	27.73	18.82	36.09	200	163	P	H
		2483.52	52.94	-1.06	54	42.48	27.73	18.82	36.09	200	163	A	H
													H
													H
	*	2472	91.89	-	-	81.49	27.69	18.79	36.08	232	143	P	V
	*	2472	82.8	-	-	72.4	27.69	18.79	36.08	232	143	A	V
		2483.52	63.67	-10.33	74	53.21	27.73	18.82	36.09	232	143	P	V
		2483.52	44.86	-9.14	54	34.4	27.73	18.82	36.09	232	143	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 106 (Harmonic @ 3m)

[illegible]

Emission above 18GHz

2.4GHz WIFI 802.11ax HE20 Partial 106 (SHF)

[illegible]

Emission below 1GHz

2.4GHz WIFI 802.11ax HE20 Partial 106 (LF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2.4GHz 802.11ax HE20 Partial 106/54 LF		30	24.83	-15.17	40	34.89	24.56	1.14	35.76	-	-	P	H
		99.84	31.59	-11.91	43.5	49.21	16.12	1.93	35.67	-	-	P	H
		159.01	37.25	-6.25	43.5	53.84	16.58	2.41	35.58	-	-	P	H
		210.42	36.92	-6.58	43.5	54.39	15.28	2.71	35.46	100	325	Q	H
		268.62	33.15	-12.85	46	45.95	19.48	3.08	35.36	-	-	P	H
		971.87	35.01	-18.99	54	31.39	30.95	5.73	33.06	-	-	P	H
													H
													H
													H
													H
													H
													H
		30	33.75	-6.25	40	43.81	24.56	1.14	35.76	100	90	Q	V
		41.64	30.88	-9.12	40	46.76	18.57	1.3	35.75	-	-	P	V
		98.87	28.5	-15	43.5	46.31	15.94	1.92	35.67	-	-	P	V
		159.01	33.77	-9.73	43.5	50.36	16.58	2.41	35.58	-	-	P	V
		208.48	37.34	-6.16	43.5	54.81	15.3	2.7	35.47	-	-	P	V
		266.68	27.23	-18.77	46	39.67	19.85	3.07	35.36	-	-	P	V
													V
													V
												V	
												V	
												V	
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against limit line. 3. The emission position marked as “-” means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.												



<Sample 3>

2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Partial 106/54 CH 13 2472MHz	*	2472	101.26	-	-	90.86	27.69	18.79	36.08	200	165	P	H
	*	2472	91.71	-	-	81.31	27.69	18.79	36.08	200	165	A	H
		2483.52	71.07	-2.93	74	60.61	27.73	18.82	36.09	200	165	P	H
		2483.52	51.6	-2.4	54	41.14	27.73	18.82	36.09	200	165	A	H
													H
													H
	*	2472	89.92	-	-	79.52	27.69	18.79	36.08	300	47	P	V
	*	2472	80.69	-	-	70.29	27.69	18.79	36.08	300	47	A	V
		2483.56	60.89	-13.11	74	50.43	27.73	18.82	36.09	300	47	P	V
		2483.52	43.08	-10.92	54	32.62	27.73	18.82	36.09	300	47	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 106 (Harmonic @ 3m)

[illegible]

Emission above 18GHz

2.4GHz WIFI 802.11ax Partial 106 (SHF)

[illegible]

Emission below 1GHz

2.4GHz WIFI 802.11ax Partial 106 (LF)

[illegible]



<Sample 4>

2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Partial 106/54 CH 13 2472MHz	*	2472	100.12	-	-	89.72	27.69	18.79	36.08	300	169	P	H
	*	2472	90.76	-	-	80.36	27.69	18.79	36.08	300	169	A	H
		2483.52	72.94	-1.06	74	62.48	27.73	18.82	36.09	300	169	P	H
		2483.52	52.89	-1.11	54	42.43	27.73	18.82	36.09	300	169	A	H
													H
													H
	*	2472	87.11	-	-	76.71	27.69	18.79	36.08	300	46	P	V
	*	2472	79.27	-	-	68.87	27.69	18.79	36.08	300	46	A	V
		2483.56	62.76	-11.24	74	52.3	27.73	18.82	36.09	300	46	P	V
		2483.52	43.98	-10.02	54	33.52	27.73	18.82	36.09	300	46	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 106 (Harmonic @ 3m)

[illegible]

Emission above 18GHz

2.4GHz WIFI 802.11ax HE20 Partial 106 (SHF)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2.4GHz 802.11ax HE20 Partial 106/54 SHF		26211	43.78	-30.22	74	36.93	39.78	20.25	53.18	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
</													

Emission below 1GHz

2.4GHz WIFI 802. 11ax HE20 Partial 106 (LF)

[illegible]



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is Margin line.
P/A	Peak or Average
H/V	Horizontal or Vertical

A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
0+1		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11b		2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
CH 01													
2412MHz		2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)

2. Level(dBμV/m) =

Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)

3. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

1. Level(dBμV/m)

= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)

= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)

= 55.45 (dBμV/m)

2. Margin (dB)

= Level(dBμV/m) – Limit Line(dBμV/m)

= 55.45(dBμV/m) – 74(dBμV/m)

= -18.55(dB)

For Average Limit @ 2390MHz:

1. Level(dBμV/m)

= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)

= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)

= 43.54 (dBμV/m)

2. Margin (dB)

= Level(dBμV/m) – Limit Line(dBμV/m)

= 43.54(dBμV/m) – 54(dBμV/m)

= -10.46(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.



Appendix D. Radiated Spurious Emission Plots

Test Engineer :	John Chuang, JC Liang and Howard Huang	Temperature :	18.2~22.4°C
		Relative Humidity :	66.8~69.1%





Note symbol

-L	Low channel location
-R	High channel location











<Sample 1>

2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
0	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
0	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
0	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
0	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Left blank
Avg.	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
0	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
0	Vertical	Fundamental
Peak		Left blank
Avg.		Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
0	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
0	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
0	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
0	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition : : PEAK_BE_74 3m 91200_02360_221104 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH20-HY Condition : : PEAK_74 3m 91200_02360_221104 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	Site : 03CH20-HY Condition : : AV6_BE_54 3m 91200_02360_221104 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Site : 03CH20-HY Condition : : AV6_54 3m 91200_02360_221104 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
0	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
0	Vertical	Fundamental
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		







2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
0	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-05-23 Site : 03CH20-4Y Condition : PEAK_74 3m 9120D_02360_221104 HORIZONTAL	Level (dBuV/m) Date: 2023-05-23 Site : 03CH20-4Y Condition : PEAK_74 3m 9120D_02360_221104 VERTICAL



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
0	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :
	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :
17.7G ~18G Avg		





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
0	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-05-09 Site : 03CH20-HY Condition : PEAK_74 3m 9120b_02360_221104 HORIZONTAL :	Level (dBuV/m) Date: 2023-05-09 Site : 03CH20-HY Condition : PEAK_74 3m 9120b_02360_221104 VERTICAL :







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
0	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) Date: 2023-05-09 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL Frequency (MHz)	Level (dBuV/m) Date: 2023-05-09 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL Frequency (MHz)
	Level (dBuV/m) Date: 2023-05-09 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL Frequency (MHz)	Level (dBuV/m) Date: 2023-05-09 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL Frequency (MHz)



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
0	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK_74 3m 9120b_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK_74 3m 9120b_02360_221104 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
0	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :
	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :

17.7G
~18G
Avg





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH12 2467MHz	
0	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-05-10 Site : 03CH20-HY Condition : PEAK_74 3m 9120b_02360_221104 HORIZONTAL :	Level (dBuV/m) Date: 2023-05-10 Site : 03CH20-HY Condition : PEAK_74 3m 9120b_02360_221104 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH12 2467MHz	
0	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is visible at approximately 55 dBuV/m. The plot date is 2023-05-10. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is visible at approximately 55 dBuV/m. The plot date is 2023-05-10. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :
	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is visible at approximately 55 dBuV/m. The plot date is 2023-05-10. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is visible at approximately 55 dBuV/m. The plot date is 2023-05-10. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH13 2472MHz	
0	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK_74 3m 9120d_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK_74 3m 9120d_02360_221104 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH13 2472MHz	
0	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is visible at approximately 55 dBuV/m. The plot date is 2023-05-10. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is visible at approximately 55 dBuV/m. The plot date is 2023-05-10. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :
	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is visible at approximately 55 dBuV/m. The plot date is 2023-05-10. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is visible at approximately 55 dBuV/m. The plot date is 2023-05-10. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :







2.4GHz 2400~2483.5MHz
WIFI 802.11b (Band Edge @ 3m)



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH01 2412MHz	
1	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto	Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - L	
1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH06 2437MHz - R	
1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto	Left blank







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
1	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto	Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH11 2462MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
1	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH12 2467MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
1	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11b CH13 2472MHz	
1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		







2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
1	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-4Y Condition : PEAK_74 3m 9120D_02360_221104 HORIZONTAL :	 Site : 03CH20-4Y Condition : PEAK_74 3m 9120D_02360_221104 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH01 2412MHz	
1	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :
	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :

17.7G
~18G
Avg



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
1	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-05-24 Site : 03CH20-HY Condition : PEAK_74 3m 9120b_02360_221104 HORIZONTAL :	Level (dBuV/m) Date: 2023-05-24 Site : 03CH20-HY Condition : PEAK_74 3m 9120b_02360_221104 VERTICAL :







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH06 2437MHz	
1	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is visible at approximately 55 dBuV/m. The plot date is 2023-05-24. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is visible at approximately 55 dBuV/m. The plot date is 2023-05-24. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is visible at approximately 55 dBuV/m. The plot date is 2023-05-24. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is visible at approximately 55 dBuV/m. The plot date is 2023-05-24. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
1	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-05-10 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL :	Level (dBuV/m) Date: 2023-05-10 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH11 2462MHz	
1	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :
	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :

17.7G
~18G
Avg





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH12 2467MHz	
1	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-05-24 Site : 03CH20-HY Condition : PEAK_74 3m 9120b_02360_221104 HORIZONTAL :	Level (dBuV/m) Date: 2023-05-24 Site : 03CH20-HY Condition : PEAK_74 3m 9120b_02360_221104 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH12 2467MHz	
1	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is visible at approximately 50 dBuV/m. The plot date is 2023-05-24. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is visible at approximately 50 dBuV/m. The plot date is 2023-05-24. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :
	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is visible at approximately 50 dBuV/m. The plot date is 2023-05-24. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is visible at approximately 50 dBuV/m. The plot date is 2023-05-24. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH13 2472MHz	
1	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK_74 3m 9120b_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK_74 3m 9120b_02360_221104 VERTICAL :







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11b CH13 2472MHz	
1	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is visible at approximately 50 dBuV/m. The plot date is 2023-05-11. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is visible at approximately 50 dBuV/m. The plot date is 2023-05-11. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL
	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is visible at approximately 50 dBuV/m. The plot date is 2023-05-11. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is visible at approximately 50 dBuV/m. The plot date is 2023-05-11. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL







2.4GHz 2400~2483.5MHz
WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH01 2412MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
0+1	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto	Left blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - L	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH06 2437MHz - R	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left Blank
Avg.	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto	Left Blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AV6_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH11 2462MHz	
0+1	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Site : 03CH20-HY Condition : AV6_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH12 2467MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH12 2467MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH13 2472MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11g CH13 2472MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto



2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 2412MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 2412MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - L	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - R	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - L	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH06 2437MHz - R	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH11 2462MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH11 2462MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AV6_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH12 2467MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH12 2467MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH13 2472MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.030KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.030KHz SWT:Auto
Avg.		





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH13 2472MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto







2.4GHz 2400~2483.5MHz



WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/0 CH01 2412MHz	
0+1	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/0 CH01 2412MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/4 CH06 2437MHz - L	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/4 CH06 2437MHz - R	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left blank
Avg.	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto	Left blank





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/4 CH06 2437MHz - L	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/4 CH06 2437MHz - R	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Left Blank
Avg.	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000kHz VBW:0.010kHz SWT:Auto	Left Blank

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/8 CH11 2462MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/8 CH11 2462MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/8 CH12 2467MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/8 CH12 2467MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/8 CH13 2472MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 26/8 CH13 2472MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		







2.4GHz 2400~2483.5MHz





WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 52/37 CH01 2412MHz	
0+1	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 52/37 CH01 2412MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		











WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 52/40 CH11 2462MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : : PEAK_74 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : : AV6_BE_54 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : : AV6_54 3m 91200_02360_221104 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m	
ANT	802.11ax HE20 Partial 52/40 CH11 2462MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 52/40 CH12 2467MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m	
ANT	802.11ax HE20 Partial 52/40 CH12 2467MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 52/40 CH13 2472MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		











WIFI	2.4GHz 2400~2483.5MHz Fundamental @ 3m	
ANT	802.11ax HE20 Partial 52/40 CH13 2472MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto











2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/53 CH01 2412MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/53 CH01 2412MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AV6_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/54 CH11 2462MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/54 CH11 2462MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/54 CH12 2467MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/54 CH12 2467MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto
Avg.		



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/54 CH13 2472MHz	
0+1	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AV6_BE_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/54 CH13 2472MHz	
0+1	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition : PEAK_BE_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
	 Site : 03CH20-HY Condition : AVG_BE_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto	 Site : 03CH20-HY Condition : AVG_54 3m 91200_02360_221104 VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto







2.4GHz 2400~2483.5MHz



WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH01 2412MHz	
0+1	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-4Y Condition : PEAK_74 3m 9120D_02360_221104 HORIZONTAL :	 Site : 03CH20-4Y Condition : PEAK_74 3m 9120D_02360_221104 VERTICAL :







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH01 2412MHz	
0+1	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :
	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :
17.7G ~18G Avg		





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH06 2437MHz	
0+1	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH06 2437MHz	
0+1	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :
	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :

17.7G
~18G
Avg



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH11 2462MHz	
0+1	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH11 2462MHz	
0+1	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) Date: 2023-05-24 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL Frequency (MHz)	Level (dBuV/m) Date: 2023-05-24 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL Frequency (MHz)
	Level (dBuV/m) Date: 2023-05-24 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL Frequency (MHz)	Level (dBuV/m) Date: 2023-05-24 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL Frequency (MHz)





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH12 2467MHz	
0+1	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-06-15 Frequency (MHz) Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL :	Level (dBuV/m) Date: 2023-06-15 Frequency (MHz) Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL :







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH12 2467MHz	
0+1	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) Date: 2023-05-11 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL Frequency (MHz)	Level (dBuV/m) Date: 2023-05-11 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL Frequency (MHz)
	Level (dBuV/m) Date: 2023-05-11 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL Frequency (MHz)	Level (dBuV/m) Date: 2023-05-11 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL Frequency (MHz)



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH13 2472MHz	
0+1	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL :





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11g CH13 2472MHz	
0+1	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :
	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :

17.7G
~18G
Avg







2.4GHz 2400~2483.5MHz

WIFI 802.11 ax HE20 Full (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE20 Full CH01 2412MHz	
0+1	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK_74 3m 9120D_02360_221104 HORIZONTAL	 Site : 03CH20-HY Condition : PEAK_74 3m 9120D_02360_221104 VERTICAL







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE20 Full CH01 2412MHz	
0+1	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :
	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE20 Full CH06 2437MHz	
0+1	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-05-23 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL :	Level (dBuV/m) Date: 2023-05-23 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE20 Full CH06 2437MHz	
0+1	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :
	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE20 Full CH11 2462MHz	
0+1	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-05-24 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL :	Level (dBuV/m) Date: 2023-05-24 Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL :







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE20 Full CH11 2462MHz	
0+1	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 54 dBuV/m. The plot shows a flat line with minor noise. Date: 2023-05-24 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is at approximately 54 dBuV/m. The plot shows a flat line with minor noise. Date: 2023-05-24 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :
	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 54 dBuV/m. The plot shows a flat line with minor noise. Date: 2023-05-24 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is at approximately 54 dBuV/m. The plot shows a flat line with minor noise. Date: 2023-05-24 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE20 Full CH12 2467MHz	
0+1	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-05-12 Frequency (MHz) Site : 03CH20-HY Condition : PEAK_74 3m 9120b_02360_221104 HORIZONTAL :	Level (dBuV/m) Date: 2023-05-12 Frequency (MHz) Site : 03CH20-HY Condition : PEAK_74 3m 9120b_02360_221104 VERTICAL :







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE20 Full CH12 2467MHz	
0+1	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :
	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :

17.7G
~18G
Avg



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE20 Full CH13 2472MHz	
0+1	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-05-12 Frequency (MHz) Site : 03CH20-HY Condition : PEAK_74 3m 9120d_02360_221104 HORIZONTAL :	Level (dBuV/m) Date: 2023-05-12 Frequency (MHz) Site : 03CH20-HY Condition : PEAK_74 3m 9120d_02360_221104 VERTICAL :





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE20 Full CH13 2472MHz	
0+1	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :
	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	 Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :

17.7G
~18G
Avg



2.4GHz 2400~2483.5MHz



WIFI 802.11ax HE20 Partial 26 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11ax HE20 Partial 26/0 CH01 2412MHz	
0+1	Horizontal	Vertical
Peak Avg.	 Site : 03CH20-HY Condition : PEAK_74 3m 9120D_02360_221104 HORIZONTAL	 Site : 03CH20-HY Condition : PEAK_74 3m 9120D_02360_221104 VERTICAL



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11ax HE20 Partial 26/0 CH01 2412MHz	
0+1	Horizontal	Vertical
14.47G ~14.5G Avg.	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is visible at approximately 55 dBuV/m. The plot shows a relatively flat spectrum with some minor fluctuations. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 14470 to 14500 MHz. A red line labeled 'AVG_54' is visible at approximately 55 dBuV/m. The plot shows a relatively flat spectrum with some minor fluctuations. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :
	Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is visible at approximately 55 dBuV/m. The plot shows a relatively flat spectrum with some minor fluctuations. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The y-axis ranges from 10.0 to 140.0 dBuV/m, and the x-axis ranges from 17700 to 18000 MHz. A red line labeled 'AVG_54' is visible at approximately 55 dBuV/m. The plot shows a relatively flat spectrum with some minor fluctuations. Site : 03CH20-HY Condition : AV6_54 3m 91200_02360_221104 VERTICAL :



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11ax HE20 Partial 26/4 CH06 2437MHz	
0+1	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2023-05-24  Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 HORIZONTAL :	Level (dBuV/m) Date: 2023-05-24  Site : 03CH20-HY Condition : PEAK_74 3m 91200_02360_221104 VERTICAL :