


<u>Auto</u>

Freq Offset




No.: BCTC/RF-EMC-005 Page: 182 of 195 Edition: B.2

#VBW 8.0 MHz




<u>Auto</u>


Freq Offset



No.: BCTC/RF-EMC-005 Page: 183 of 195 / / / / Edition: B₁2








No.: BCTC/RF-EMC-005 Page: 184 of 195




5.8G


Condition	Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor (dB)
NVNT	а	5745	100	0
NVNT	n20	5745	100	0
NVNT	n40	5755	100	0
NVNT	ac20	5745	100	0
NVNT	ac40	5755	100	0
NVNT	ac80	5775	100	0
NVNT	ax20	5745	100	0
NVNT	ax40	5755	100	0
NVNT	ax80	5775	100	0



No.: BCTC/RF-EMC-005 Page: 185 of 19











Freq Offset



No.: BCTC/RF-EMC-005 Page: 187 of 195 / / / / Edition: Bi2




Freq Offset



No.: BCTC/RF-EMC-005 Page: 188 of 195 / / / / Edition: B;2





Freq Offset



No.: BCTC/RF-EMC-005 Page: 189 of 195 / / / / Edition: Bi2







No.: BCTC/RF-EMC-005 Page: 190 of 195




15. Antenna Requirement

15.1 Limit

15.203 requirement: For intentional device, according to 15.203: an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

15.2 Test Result

The EUT antenna is Internal antenna (antenna gain: 5.1G: -3.01 dBi, 5.8G: -0.42 dBi). It comply with the standard requirement.



No.: BCTC/RF-EMC-005 Page: 191 of 195



16. EUT Photographs

EUT Photo 1



EUT Photo 2



NOTE: Appendix-Photographs Of EUT Constructional Details.

No.: BCTC/RF-EMC-005 Page: 192 of 195 / / / Edition: B₁2




17. EUT Test Setup Photographs

Conducted Measurement Photo




Radiated Measurement Photos



No.: BCTC/RF-EMC-005 Page: 193 of 195 / / / Edition: B2







No.: BCTC/RF-EMC-005 Page: 194 of 195



STATEMENT

- 1. The equipment lists are traceable to the national reference standards.
- 2. The test report can not be partially copied unless prior written approval is issued from our lab.
- 3. The test report is invalid without the "special seal for inspection and testing".
- 4. The test report is invalid without the signature of the approver.
- 5. The test process and test result is only related to the Unit Under Test.
- 6. Sample information is provided by the client and the laboratory is not responsible for its authenticity.
- 7. The quality system of our laboratory is in accordance with ISO/IEC17025.
- 8. If there is any objection to this test report, the client should inform issuing laboratory within 15 days from the date of receiving test report.

Address:

1-2/F., Building B, Pengzhou Industrial Park, No.158, Fuyuan 1st Road, Zhancheng, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, China

TEL: 400-788-9558

P.C.: 518103

FAX: 0755-33229357

Website: http://www.chnbctc.com

Consultation E-mail: bctc@bctc-lab.com.cn

Complaint/Advice E-mail: advice@bctc-lab.com.cn

**** END ****

No.: BCTC/RF-EMC-005 Page: 195 of 195 / / / Edition: Biz