

## 1.Effective (Isotropic) Radiated Power Output Data

| LTE Band 13                                                          |            |         |           | Conducted Power(dBm) |         |         | ERP (dBm) |         |         | Limit | Verdict |
|----------------------------------------------------------------------|------------|---------|-----------|----------------------|---------|---------|-----------|---------|---------|-------|---------|
| Bandwidth                                                            | Modulation | RB size | RB offset | Channel              | Channel | Channel | Channel   | Channel | Channel |       |         |
|                                                                      |            |         |           | 23205                | 23230   | 23255   | 23205     | 23230   | 23205   |       |         |
| 5MHz                                                                 | QPSK       | 1       | 0         | 22.1                 | 23      | 21.91   | 21.05     | 21.95   | 20.86   | 34.77 | Pass    |
|                                                                      |            | 1       | 2         | 22.03                | 23.11   | 21.93   | 20.98     | 22.06   | 20.88   | 34.77 | Pass    |
|                                                                      |            | 1       | 5         | 22.08                | 23.07   | 21.87   | 21.03     | 22.02   | 20.82   | 34.77 | Pass    |
|                                                                      |            | 3       | 0         | 22.03                | 23.01   | 21.89   | 20.98     | 21.96   | 20.84   | 34.77 | Pass    |
|                                                                      |            | 3       | 2         | 22.1                 | 22.96   | 22      | 21.05     | 21.91   | 20.95   | 34.77 | Pass    |
|                                                                      |            | 3       | 3         | 22.08                | 23.04   | 21.94   | 21.03     | 21.99   | 20.89   | 34.77 | Pass    |
|                                                                      |            | 6       | 0         | 21.1                 | 22.03   | 20.84   | 20.05     | 20.98   | 19.79   | 34.77 | Pass    |
|                                                                      | 16QAM      | 1       | 0         | 21.3                 | 21.69   | 21.08   | 20.25     | 20.64   | 20.03   | 34.77 | Pass    |
|                                                                      |            | 1       | 2         | 21.3                 | 21.58   | 21.11   | 20.25     | 20.53   | 20.06   | 34.77 | Pass    |
|                                                                      |            | 1       | 5         | 21.26                | 21.59   | 21      | 20.21     | 20.54   | 19.95   | 34.77 | Pass    |
|                                                                      |            | 3       | 0         | 21.37                | 22.01   | 20.79   | 20.32     | 20.96   | 19.74   | 34.77 | Pass    |
|                                                                      |            | 3       | 2         | 21.37                | 22.07   | 20.79   | 20.32     | 21.02   | 19.74   | 34.77 | Pass    |
|                                                                      |            | 3       | 3         | 21.31                | 22      | 20.75   | 20.26     | 20.95   | 19.7    | 34.77 | Pass    |
|                                                                      |            | 6       | 0         | 20.06                | 21.05   | 19.91   | 19.01     | 20      | 18.86   | 34.77 | Pass    |
| Bandwidth                                                            | Modulation | RB size | RB offset | Channel              | Channel | Channel | Channel   | Channel | Channel | Limit | Verdict |
|                                                                      |            |         |           | N/A                  | 23230   | N/A     | N/A       | 23230   | N/A     |       |         |
| 10MHz                                                                | QPSK       | 1       | 0         | N/A                  | 22.99   | N/A     | N/A       | 21.94   | N/A     | 34.77 | Pass    |
|                                                                      |            | 1       | 2         | N/A                  | 23.09   | N/A     | N/A       | 22.04   | N/A     | 34.77 | Pass    |
|                                                                      |            | 1       | 5         | N/A                  | 23.06   | N/A     | N/A       | 22.01   | N/A     | 34.77 | Pass    |
|                                                                      |            | 3       | 0         | N/A                  | 23.03   | N/A     | N/A       | 21.98   | N/A     | 34.77 | Pass    |
|                                                                      |            | 3       | 2         | N/A                  | 23.02   | N/A     | N/A       | 21.97   | N/A     | 34.77 | Pass    |
|                                                                      |            | 3       | 3         | N/A                  | 23.01   | N/A     | N/A       | 21.96   | N/A     | 34.77 | Pass    |
|                                                                      |            | 6       | 0         | N/A                  | 22.02   | N/A     | N/A       | 20.97   | N/A     | 34.77 | Pass    |
|                                                                      | 16QAM      | 1       | 0         | N/A                  | 22.08   | N/A     | N/A       | 21.03   | N/A     | 34.77 | Pass    |
|                                                                      |            | 1       | 2         | N/A                  | 22.01   | N/A     | N/A       | 20.96   | N/A     | 34.77 | Pass    |
|                                                                      |            | 1       | 5         | N/A                  | 22.09   | N/A     | N/A       | 21.04   | N/A     | 34.77 | Pass    |
|                                                                      |            | 3       | 0         | N/A                  | 22.07   | N/A     | N/A       | 21.02   | N/A     | 34.77 | Pass    |
|                                                                      |            | 3       | 2         | N/A                  | 22.05   | N/A     | N/A       | 21      | N/A     | 34.77 | Pass    |
|                                                                      |            | 3       | 3         | N/A                  | 22.06   | N/A     | N/A       | 21.01   | N/A     | 34.77 | Pass    |
|                                                                      |            | 6       | 0         | N/A                  | 21.05   | N/A     | N/A       | 20      | N/A     | 34.77 | Pass    |
| Note1: ERP=Conducted Power+Antenna Gain-2.15<br>Antenna Gain: 1.1dBi |            |         |           |                      |         |         |           |         |         |       |         |

## 2. Peak-Average Ratio& Bandwidth& Band Edge Compliance& Band Edge Compliance

### 2.1 99% & 26dB Bandwidth

| Test Band: 13 5MHz Bandwidth |               |        |                              |         |        |       |         |
|------------------------------|---------------|--------|------------------------------|---------|--------|-------|---------|
| Test Mode                    | RB Allocation |        | 99% Occupied Bandwidth (MHz) |         |        | Limit | Verdict |
|                              | Size          | Offset | LCH                          | MCH     | HCH    |       |         |
| QPSK                         | 6             | 0      | 1.0862                       | 1.0792  | 1.0790 | N/A   | PASS    |
| 16QAM                        | 6             | 0      | 0.91210                      | 0.91040 | 1.0788 | N/A   | PASS    |

| Test Band: 13 5MHz Bandwidth |               |        |                      |       |       |       |         |
|------------------------------|---------------|--------|----------------------|-------|-------|-------|---------|
| Test Mode                    | RB Allocation |        | 26dB Bandwidth (MHz) |       |       | Limit | Verdict |
|                              | Size          | Offset | LCH                  | MCH   | HCH   |       |         |
| QPSK                         | 6             | 0      | 1.262                | 1.238 | 1.238 | N/A   | PASS    |
| 16QAM                        | 6             | 0      | 1.088                | 1.087 | 1.237 | N/A   | PASS    |

| Test Band: 13 10MHz Bandwidth |               |        |                              |       |         |
|-------------------------------|---------------|--------|------------------------------|-------|---------|
| Test Mode                     | RB Allocation |        | 99% Occupied Bandwidth (MHz) | Limit | Verdict |
|                               | Size          | Offset | MCH                          |       |         |
| QPSK                          | 6             | 0      | 1.0858                       | N/A   | PASS    |
| 16QAM                         | 6             | 0      | 0.90922                      | N/A   | PASS    |

| Test Band: 13_10MHz Bandwidth |               |        |                      |       |         |
|-------------------------------|---------------|--------|----------------------|-------|---------|
| Test Mode                     | RB Allocation |        | 26dB Bandwidth (MHz) | Limit | Verdict |
|                               | Size          | Offset | MCH                  |       |         |
| QPSK                          | 6             | 0      | 1.256                | N/A   | PASS    |
| 16QAM                         | 6             | 0      | 1.100                | N/A   | PASS    |


## 2.2 Peak-Average Ratio

| Test Band: 13    5MHz Bandwidth |               |        |                  |      |      |            |         |
|---------------------------------|---------------|--------|------------------|------|------|------------|---------|
| Test Mode                       | RB Allocation |        | Test result (dB) |      |      | Limit (dB) | Verdict |
|                                 | Size          | Offset | LCH              | MCH  | HCH  |            |         |
| QPSK                            | 6             | 0      | 9.69             | 9.68 | 9.66 | 13         | PASS    |
| 16QAM                           | 6             | 0      | 10.00            | 9.94 | 9.55 | 13         | PASS    |


| Test Band: 13    10MHz Bandwidth |               |        |                  |            |         |
|----------------------------------|---------------|--------|------------------|------------|---------|
| Test Mode                        | RB Allocation |        | Test result (dB) | Limit (dB) | Verdict |
|                                  | Size          | Offset | MCH              |            |         |
| QPSK                             | 6             | 0      | 9.60             | 13         | PASS    |
| 16QAM                            | 6             | 0      | 9.55             | 13         | PASS    |

5M

### B13-5M-Low CH-PAPR-Q16




### B13-5M-Low CH-PAPR-QPSK




### B13-5M-Low CH-OBW-Q16




### B13-5M-Low CH-OBW-QPSK




### B13-5M-Low CH-BE-Q16-1 RB 0




### B13-5M-Low CH-BE-Q16-Full RB 0




B13-5M-Low CH-BE-QPSK-1 RB 0




B13-5M-Low CH-BE-QPSK-Full RB 0




B13-5M-Low CH-CSE-1-Q16-1 RB 0




B13-5M-Low CH-CSE-1-QPSK-1 RB 0



B13-5M-Mid CH-PAPR-Q16




B13-5M-Mid CH-PAPR-QPSK




### B13-5M-Mid CH-OBW-Q16




### B13-5M-Mid CH-OBW-QPSK




### B13-5M-Mid CH-CSE-1-Q16-1 RB 0




### B13-5M-Mid CH-CSE-1-QPSK-1 RB 0



### B13-5M-High CH-PAPR-Q16




### B13-5M-High CH-PAPR-QPSK






# B13-5M-High CH-CSE-1-Q16-1 RB 0




# B13-5M-High CH-CSE-1-QPSK-1 RB 0




10M

B13-10M-Mid CH-PAPR-Q16




B13-10M-Mid CH-PAPR-QPSK




B13-10M-Mid CH-OBW-Q16




B13-10M-Mid CH-OBW-QPSK




B13-10M-High CH-BE\_1-Q16-Full RB 0




B13-10M-High CH-BE\_1-QPSK-Full RB 0




B13-10M-High CH-BE\_2-Q16-Full RB 0




B13-10M-High CH-BE\_2-QPSK-Full RB 0







B13-10M-Mid CH-CSE-1-Q16-1 RB 0



B13-10M-Mid CH-CSE-1-QPSK-1 RB 0



### 3. Frequency Stability

#### 3.1 B13\_5MHz

##### 3.1.1 Test Result

| Band: 13 / Bandwidth: 5MHz |                 |               |        |            |               |                  |                       |             |         |
|----------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                 | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                            |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                       | 779.5           | 6             | 0      | 20         | 5.4           | -25.821          | -0.0331               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 6.0           | -25.206          | -0.0323               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 6.6           | -24.219          | -0.0311               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -30        | 6.0           | -23.146          | -0.0297               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -20        | 6.0           | -21.758          | -0.0279               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -10        | 6.0           | -20.385          | -0.0262               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 0          | 6.0           | -19.383          | -0.0249               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 10         | 6.0           | -18.067          | -0.0232               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 30         | 6.0           | -16.680          | -0.0214               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 40         | 6.0           | -15.736          | -0.0202               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 50         | 6.0           | -14.176          | -0.0182               | -2.5 to 2.5 | Pass    |
|                            | 782             | 6             | 0      | 20         | 5.4           | -1.502           | -0.0019               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 6.0           | -1.502           | -0.0019               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        |            | 6.6           | -1.144           | -0.0015               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -30        | 6.0           | -0.529           | -0.0007               | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -20        | 6.0           | -0.014           | 0.0000                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | -10        | 6.0           | 0.472            | 0.0006                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 0          | 6.0           | 1.116            | 0.0014                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 10         | 6.0           | 1.431            | 0.0018                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 30         | 6.0           | 1.888            | 0.0024                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 40         | 6.0           | 1.945            | 0.0025                | -2.5 to 2.5 | Pass    |
|                            |                 |               |        | 50         | 6.0           | 2.346            | 0.0030                | -2.5 to 2.5 | Pass    |

|       |       |   |   |     |     |         |         |             |      |
|-------|-------|---|---|-----|-----|---------|---------|-------------|------|
|       | 784.5 | 6 | 0 | 20  | 5.4 | -5.279  | -0.0067 | -2.5 to 2.5 | Pass |
|       |       |   |   |     | 6.0 | -6.194  | -0.0079 | -2.5 to 2.5 | Pass |
|       |       |   |   |     | 6.6 | -5.980  | -0.0076 | -2.5 to 2.5 | Pass |
|       |       |   |   | -30 | 6.0 | -5.536  | -0.0071 | -2.5 to 2.5 | Pass |
|       |       |   |   | -20 | 6.0 | -5.507  | -0.0070 | -2.5 to 2.5 | Pass |
|       |       |   |   | -10 | 6.0 | -5.121  | -0.0065 | -2.5 to 2.5 | Pass |
|       |       |   |   | 0   | 6.0 | -4.835  | -0.0062 | -2.5 to 2.5 | Pass |
|       |       |   |   | 10  | 6.0 | -5.150  | -0.0066 | -2.5 to 2.5 | Pass |
|       |       |   |   | 30  | 6.0 | -4.478  | -0.0057 | -2.5 to 2.5 | Pass |
|       |       |   |   | 40  | 6.0 | -4.263  | -0.0054 | -2.5 to 2.5 | Pass |
|       |       |   |   | 50  | 6.0 | -4.020  | -0.0051 | -2.5 to 2.5 | Pass |
| 16QAM | 779.5 | 6 | 0 | 20  | 5.4 | -12.388 | -0.0159 | -2.5 to 2.5 | Pass |
|       |       |   |   |     | 6.0 | -11.373 | -0.0146 | -2.5 to 2.5 | Pass |
|       |       |   |   |     | 6.6 | -10.114 | -0.0130 | -2.5 to 2.5 | Pass |
|       |       |   |   | -30 | 6.0 | -9.241  | -0.0119 | -2.5 to 2.5 | Pass |
|       |       |   |   | -20 | 6.0 | -8.154  | -0.0105 | -2.5 to 2.5 | Pass |
|       |       |   |   | -10 | 6.0 | -7.339  | -0.0094 | -2.5 to 2.5 | Pass |
|       |       |   |   | 0   | 6.0 | -6.251  | -0.0080 | -2.5 to 2.5 | Pass |
|       |       |   |   | 10  | 6.0 | -5.708  | -0.0073 | -2.5 to 2.5 | Pass |
|       |       |   |   | 30  | 6.0 | -5.507  | -0.0071 | -2.5 to 2.5 | Pass |
|       |       |   |   | 40  | 6.0 | -4.377  | -0.0056 | -2.5 to 2.5 | Pass |
|       |       |   |   | 50  | 6.0 | -3.805  | -0.0049 | -2.5 to 2.5 | Pass |
|       | 782   | 6 | 0 | 20  | 5.4 | 2.847   | 0.0036  | -2.5 to 2.5 | Pass |
|       |       |   |   |     | 6.0 | 2.832   | 0.0036  | -2.5 to 2.5 | Pass |
|       |       |   |   |     | 6.6 | 3.147   | 0.0040  | -2.5 to 2.5 | Pass |
|       |       |   |   | -30 | 6.0 | 3.490   | 0.0045  | -2.5 to 2.5 | Pass |
|       |       |   |   | -20 | 6.0 | 3.648   | 0.0047  | -2.5 to 2.5 | Pass |
|       |       |   |   | -10 | 6.0 | 4.005   | 0.0051  | -2.5 to 2.5 | Pass |

|  |       |   |   |     |     |        |         |             |      |
|--|-------|---|---|-----|-----|--------|---------|-------------|------|
|  |       |   |   | 0   | 6.0 | 4.549  | 0.0058  | -2.5 to 2.5 | Pass |
|  |       |   |   | 10  | 6.0 | 4.420  | 0.0057  | -2.5 to 2.5 | Pass |
|  |       |   |   | 30  | 6.0 | 4.749  | 0.0061  | -2.5 to 2.5 | Pass |
|  |       |   |   | 40  | 6.0 | 5.007  | 0.0064  | -2.5 to 2.5 | Pass |
|  |       |   |   | 50  | 6.0 | 5.035  | 0.0064  | -2.5 to 2.5 | Pass |
|  | 784.5 | 6 | 0 | 20  | 5.4 | -3.533 | -0.0045 | -2.5 to 2.5 | Pass |
|  |       |   |   |     | 6.0 | -2.389 | -0.0030 | -2.5 to 2.5 | Pass |
|  |       |   |   |     | 6.6 | -1.817 | -0.0023 | -2.5 to 2.5 | Pass |
|  |       |   |   | -30 | 6.0 | -2.103 | -0.0027 | -2.5 to 2.5 | Pass |
|  |       |   |   | -20 | 6.0 | -1.631 | -0.0021 | -2.5 to 2.5 | Pass |
|  |       |   |   | -10 | 6.0 | -1.259 | -0.0016 | -2.5 to 2.5 | Pass |
|  |       |   |   | 0   | 6.0 | -1.016 | -0.0013 | -2.5 to 2.5 | Pass |
|  |       |   |   | 10  | 6.0 | -0.701 | -0.0009 | -2.5 to 2.5 | Pass |
|  |       |   |   | 30  | 6.0 | -0.772 | -0.0010 | -2.5 to 2.5 | Pass |
|  |       |   |   | 40  | 6.0 | -0.787 | -0.0010 | -2.5 to 2.5 | Pass |
|  |       |   |   | 50  | 6.0 | -0.429 | -0.0005 | -2.5 to 2.5 | Pass |

## 3.2 B13\_10MHz

### 3.2.1 Test Result

| Band: 13 / Bandwidth: 10MHz |                 |               |        |            |               |                  |                       |             |         |
|-----------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                  | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                             |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                        | 782             | 6             | 0      | 20         | 5.4           | -14.119          | -0.0181               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 6.0           | -15.135          | -0.0194               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 6.6           | -15.063          | -0.0193               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 6.0           | -15.249          | -0.0195               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 6.0           | -15.121          | -0.0193               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 6.0           | -14.334          | -0.0183               | -2.5 to 2.5 | Pass    |

|  |       |     |   |     |     |         |         |             |             |
|--|-------|-----|---|-----|-----|---------|---------|-------------|-------------|
|  |       |     |   | 0   | 6.0 | -13.361 | -0.0171 | -2.5 to 2.5 | Pass        |
|  |       |     |   | 10  | 6.0 | -12.817 | -0.0164 | -2.5 to 2.5 | Pass        |
|  |       |     |   | 30  | 6.0 | -11.945 | -0.0153 | -2.5 to 2.5 | Pass        |
|  |       |     |   | 40  | 6.0 | -11.501 | -0.0147 | -2.5 to 2.5 | Pass        |
|  |       |     |   | 50  | 6.0 | -10.915 | -0.0140 | -2.5 to 2.5 | Pass        |
|  | 782   | 6   | 0 | 20  | 5.4 | -6.309  | -0.0081 | -2.5 to 2.5 | Pass        |
|  |       |     |   |     | 6.0 | -6.123  | -0.0078 | -2.5 to 2.5 | Pass        |
|  |       |     |   |     | 6.6 | -5.651  | -0.0072 | -2.5 to 2.5 | Pass        |
|  |       |     |   | -30 | 6.0 | -5.064  | -0.0065 | -2.5 to 2.5 | Pass        |
|  |       |     |   | -20 | 6.0 | -4.635  | -0.0059 | -2.5 to 2.5 | Pass        |
|  |       |     |   | -10 | 6.0 | -4.449  | -0.0057 | -2.5 to 2.5 | Pass        |
|  |       |     |   | 0   | 6.0 | -4.220  | -0.0054 | -2.5 to 2.5 | Pass        |
|  |       |     |   | 10  | 6.0 | -3.791  | -0.0048 | -2.5 to 2.5 | Pass        |
|  |       |     |   | 30  | 6.0 | -3.147  | -0.0040 | -2.5 to 2.5 | Pass        |
|  |       |     |   | 40  | 6.0 | -2.589  | -0.0033 | -2.5 to 2.5 | Pass        |
|  |       |     |   | 50  | 6.0 | -2.289  | -0.0029 | -2.5 to 2.5 | Pass        |
|  | 782   | 6   | 0 | 20  | 5.4 | 1.130   | 0.0014  | -2.5 to 2.5 | Pass        |
|  |       |     |   |     | 6.0 | 1.302   | 0.0017  | -2.5 to 2.5 | Pass        |
|  |       |     |   |     | 6.6 | 1.516   | 0.0019  | -2.5 to 2.5 | Pass        |
|  |       |     |   | -30 | 6.0 | 2.017   | 0.0026  | -2.5 to 2.5 | Pass        |
|  |       |     |   | -20 | 6.0 | 2.303   | 0.0029  | -2.5 to 2.5 | Pass        |
|  |       |     |   | -10 | 6.0 | 2.375   | 0.0030  | -2.5 to 2.5 | Pass        |
|  |       |     |   | 0   | 6.0 | 3.033   | 0.0039  | -2.5 to 2.5 | Pass        |
|  |       |     |   | 10  | 6.0 | 3.691   | 0.0047  | -2.5 to 2.5 | Pass        |
|  |       |     |   | 30  | 6.0 | 3.877   | 0.0050  | -2.5 to 2.5 | Pass        |
|  |       |     |   | 40  | 6.0 | 4.134   | 0.0053  | -2.5 to 2.5 | Pass        |
|  |       |     |   | 50  | 6.0 | 4.578   | 0.0059  | -2.5 to 2.5 | Pass        |
|  | 16QAM | 782 | 6 | 0   | 20  | 5.4     | -10.099 | -0.0129     | -2.5 to 2.5 |

|  |     |   |   |     |     |        |         |             |      |
|--|-----|---|---|-----|-----|--------|---------|-------------|------|
|  |     |   |   |     | 6.0 | -9.584 | -0.0123 | -2.5 to 2.5 | Pass |
|  |     |   |   |     | 6.6 | -9.027 | -0.0115 | -2.5 to 2.5 | Pass |
|  |     |   |   | -30 | 6.0 | -8.698 | -0.0111 | -2.5 to 2.5 | Pass |
|  |     |   |   | -20 | 6.0 | -8.597 | -0.0110 | -2.5 to 2.5 | Pass |
|  |     |   |   | -10 | 6.0 | -8.168 | -0.0104 | -2.5 to 2.5 | Pass |
|  |     |   |   | 0   | 6.0 | -7.839 | -0.0100 | -2.5 to 2.5 | Pass |
|  |     |   |   | 10  | 6.0 | -7.124 | -0.0091 | -2.5 to 2.5 | Pass |
|  |     |   |   | 30  | 6.0 | -6.909 | -0.0088 | -2.5 to 2.5 | Pass |
|  |     |   |   | 40  | 6.0 | -6.952 | -0.0089 | -2.5 to 2.5 | Pass |
|  |     |   |   | 50  | 6.0 | -6.423 | -0.0082 | -2.5 to 2.5 | Pass |
|  | 782 | 6 | 0 | 20  | 5.4 | -1.545 | -0.0020 | -2.5 to 2.5 | Pass |
|  |     |   |   |     | 6.0 | -0.844 | -0.0011 | -2.5 to 2.5 | Pass |
|  |     |   |   |     | 6.6 | -0.601 | -0.0008 | -2.5 to 2.5 | Pass |
|  |     |   |   | -30 | 6.0 | -0.687 | -0.0009 | -2.5 to 2.5 | Pass |
|  |     |   |   | -20 | 6.0 | -0.086 | -0.0001 | -2.5 to 2.5 | Pass |
|  |     |   |   | -10 | 6.0 | 0.515  | 0.0007  | -2.5 to 2.5 | Pass |
|  |     |   |   | 0   | 6.0 | 0.644  | 0.0008  | -2.5 to 2.5 | Pass |
|  |     |   |   | 10  | 6.0 | 0.658  | 0.0008  | -2.5 to 2.5 | Pass |
|  |     |   |   | 30  | 6.0 | 0.801  | 0.0010  | -2.5 to 2.5 | Pass |
|  |     |   |   | 40  | 6.0 | 0.830  | 0.0011  | -2.5 to 2.5 | Pass |
|  |     |   |   | 50  | 6.0 | 0.944  | 0.0012  | -2.5 to 2.5 | Pass |
|  | 782 | 6 | 0 | 20  | 5.4 | 4.964  | 0.0063  | -2.5 to 2.5 | Pass |
|  |     |   |   |     | 6.0 | 5.236  | 0.0067  | -2.5 to 2.5 | Pass |
|  |     |   |   |     | 6.6 | 5.951  | 0.0076  | -2.5 to 2.5 | Pass |
|  |     |   |   | -30 | 6.0 | 5.965  | 0.0076  | -2.5 to 2.5 | Pass |
|  |     |   |   | -20 | 6.0 | 5.937  | 0.0076  | -2.5 to 2.5 | Pass |
|  |     |   |   | -10 | 6.0 | 6.123  | 0.0078  | -2.5 to 2.5 | Pass |
|  |     |   |   | 0   | 6.0 | 6.323  | 0.0081  | -2.5 to 2.5 | Pass |

|  |  |  |  |    |     |       |        |             |      |
|--|--|--|--|----|-----|-------|--------|-------------|------|
|  |  |  |  | 10 | 6.0 | 6.723 | 0.0086 | -2.5 to 2.5 | Pass |
|  |  |  |  | 30 | 6.0 | 7.310 | 0.0093 | -2.5 to 2.5 | Pass |
|  |  |  |  | 40 | 6.0 | 7.353 | 0.0094 | -2.5 to 2.5 | Pass |
|  |  |  |  | 50 | 6.0 | 7.911 | 0.0101 | -2.5 to 2.5 | Pass |