

LTE Conducted Power (P-Sensor OFF)							
LTE Band 66							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		132072	132322	132572	
		Frequency (MHz)		1720	1745	1770	
20M	QPSK	1	0	24.11	24.27	24.16	0
		1	50	23.90	23.96	23.88	0
		1	99	23.89	23.95	23.87	0
		50	0	23.08	23.14	23.06	1
		50	25	23.00	23.06	22.98	1
		50	50	22.92	22.98	22.90	1
		100	0	23.01	23.07	22.99	1
20M	16QAM	1	0	23.49	23.55	23.47	1
		1	50	23.27	23.33	23.25	1
		1	99	23.20	23.26	23.18	1
		50	0	22.21	22.27	22.19	2
		50	25	22.08	22.14	22.06	2
		50	50	22.05	22.11	22.03	2
		100	0	22.12	22.18	22.10	2
20M	64QAM	1	0	22.33	22.39	22.31	2
		1	50	22.17	22.23	22.15	2
		1	99	22.15	22.21	22.13	2
		50	0	21.19	21.25	21.17	3
		50	25	21.13	21.19	21.11	3
		50	50	21.07	21.13	21.05	3
		100	0	21.18	21.24	21.16	3
BW	MCS Index	Channel		132047	132322	132597	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	QPSK	1	0	24.08	24.22	24.07	0
		1	37	23.90	23.87	23.85	0
		1	74	23.88	23.92	23.86	0
		36	0	23.04	23.06	23.05	1
		36	19	23.00	22.97	22.90	1
		36	39	22.92	22.95	22.87	1
		75	0	22.94	23.04	22.95	1
15M	16QAM	1	0	23.40	23.53	23.40	1
		1	37	23.22	23.28	23.23	1
		1	74	23.11	23.22	23.09	1
		36	0	22.13	22.21	22.10	2
		36	19	22.01	22.12	21.96	2
		36	39	22.04	22.10	22.02	2
		75	0	22.09	22.14	22.05	2
15M	64QAM	1	0	22.29	22.34	22.29	2
		1	37	22.09	22.18	22.13	2
		1	74	22.07	22.11	22.03	2
		36	0	21.11	21.17	21.15	3
		36	19	21.13	21.09	21.10	3
		36	39	21.03	21.08	21.02	3
		75	0	21.10	21.14	21.11	3

LTE Conducted Power (P-Sensor OFF)							
LTE Band 66							
BW	MCS Index	Channel		132022	132322	132622	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	QPSK	1	0	23.99	24.18	24.04	0
		1	24	23.89	23.82	23.80	0
		1	49	23.77	23.91	23.65	0
		25	0	23.01	22.99	22.87	1
		25	12	22.88	22.99	22.87	1
		25	25	22.79	22.90	22.75	1
		50	0	22.98	22.94	22.96	1
10M	16QAM	1	0	23.27	23.40	23.34	1
		1	24	23.13	23.33	23.16	1
		1	49	23.12	23.16	23.11	1
		25	0	22.14	22.04	22.06	2
		25	12	21.99	22.08	21.96	2
		25	25	21.83	22.06	21.89	2
		50	0	21.96	22.04	22.01	2
10M	64QAM	1	0	22.19	22.33	22.27	2
		1	24	22.10	22.06	22.03	2
		1	49	22.04	22.07	22.07	2
		25	0	21.02	21.15	21.05	3
		25	12	20.95	21.12	20.99	3
		25	25	20.90	21.08	20.94	3
		50	0	21.00	21.08	21.01	3
BW	MCS Index	Channel		131997	132322	132647	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	QPSK	1	0	23.95	24.21	23.96	0
		1	12	23.85	23.84	23.68	0
		1	24	23.65	23.83	23.73	0
		12	0	23.01	23.04	22.92	1
		12	6	22.87	22.96	22.67	1
		12	13	22.86	22.90	22.73	1
		25	0	22.90	23.03	22.79	1
5M	16QAM	1	0	23.28	23.51	23.29	1
		1	12	23.09	23.18	23.02	1
		1	24	23.14	23.10	23.05	1
		12	0	22.14	22.08	22.11	2
		12	6	21.96	22.06	21.92	2
		12	13	21.90	21.90	21.93	2
		25	0	22.09	22.09	21.98	2
5M	64QAM	1	0	22.16	22.31	22.17	2
		1	12	22.01	22.05	22.02	2
		1	24	22.08	22.07	22.04	2
		12	0	21.08	21.02	20.95	3
		12	6	20.92	20.97	21.09	3
		12	13	20.89	21.08	20.88	3
		25	0	21.04	21.15	21.10	3

LTE Conducted Power (P-Sensor OFF)							
LTE Band 66							
BW	MCS Index	Channel		131987	132322	132657	3GPP MPR
		Frequency (MHz)		1711.5	1745	1778.5	
3M	QPSK	1	0	23.97	24.11	24.00	0
		1	7	23.73	23.81	23.70	0
		1	14	23.69	23.79	23.67	0
		8	0	22.95	23.00	22.92	1
		8	3	22.76	22.94	22.85	1
		8	7	22.68	22.80	22.76	1
		15	0	22.93	23.03	22.94	1
3M	16QAM	1	0	23.28	23.45	23.31	1
		1	7	23.17	23.18	23.10	1
		1	14	23.05	23.11	22.94	1
		8	0	22.15	22.17	21.99	2
		8	3	22.01	22.04	21.82	2
		8	7	21.83	21.91	21.99	2
		15	0	22.02	22.06	21.87	2
3M	64QAM	1	0	22.11	22.19	22.20	2
		1	7	21.97	22.18	22.08	2
		1	14	21.94	21.98	22.03	2
		8	0	20.99	21.25	21.01	3
		8	3	21.06	21.07	20.92	3
		8	7	20.98	21.02	20.92	3
		15	0	21.10	21.10	21.08	3
BW	MCS Index	Channel		131979	132322	132665	3GPP MPR
		Frequency (MHz)		1710.7	1745	1779.3	
1.4M	QPSK	1	0	23.96	24.16	24.05	0
		1	2	23.71	23.90	23.65	0
		1	5	23.74	23.77	23.76	0
		3	0	23.99	24.03	23.88	0
		3	1	23.91	23.95	23.80	0
		3	3	23.71	23.92	23.77	0
		6	0	22.90	22.85	22.78	1
1.4M	16QAM	1	0	23.27	23.51	23.29	1
		1	2	23.16	23.16	23.10	1
		1	5	23.09	23.17	22.96	1
		3	0	23.13	23.20	22.97	1
		3	1	22.98	23.00	23.02	1
		3	3	22.94	23.01	22.80	1
		6	0	21.99	21.96	21.92	2
1.4M	64QAM	1	0	22.22	22.22	22.30	2
		1	2	22.04	22.16	21.98	2
		1	5	21.99	22.16	22.04	2
		3	0	22.02	22.18	22.01	2
		3	1	22.11	22.10	21.98	2
		3	3	21.91	22.00	21.90	2
		6	0	20.99	21.03	21.06	3

WCDMA Conducted Power (P-Sensor ON)									
Band	WCDMA II			WCDMA IV			WCDMA V		
TX Channel	9262	9400	9538	1312	1413	1513	4132	4182	4233
Rx Channel	9662	9800	9938	1537	1638	1738	4357	4407	4458
Frequency	1852.4	1880	1907.6	1712.4	1732.6	1752.6	826.4	836.4	846.6
RMC 12.2K	14.95	14.74	14.87	14.36	14.42	14.35	19.59	19.79	19.45
HSDPA Subtest-1	13.68	13.94	13.56	13.34	13.26	13.03	18.55	18.74	18.47
HSDPA Subtest-2	13.73	13.99	13.53	13.36	13.28	12.99	18.55	18.69	18.51
HSDPA Subtest-3	13.15	13.42	13.12	12.87	12.78	12.47	18.04	17.91	18.05
HSDPA Subtest-4	13.14	13.45	13.08	12.90	12.78	12.53	18.06	18.23	18.00
DC-HSDPA Subtest-1	13.56	13.82	13.44	13.23	13.15	12.92	18.42	18.61	18.34
DC-HSDPA Subtest-2	13.61	13.87	13.41	13.25	13.17	12.88	18.42	18.56	18.38
DC-HSDPA Subtest-3	13.03	13.30	13.00	12.76	12.67	12.36	17.91	17.78	17.92
DC-HSDPA Subtest-4	13.02	13.33	12.96	12.79	12.67	12.42	17.93	18.10	17.87
HSUPA Subtest-1	13.26	12.89	13.11	12.24	12.25	12.00	18.54	18.71	18.39
HSUPA Subtest-2	11.90	11.94	11.68	11.28	11.21	11.02	16.51	16.74	16.37
HSUPA Subtest-3	12.78	12.82	12.74	12.28	12.23	11.95	17.52	17.74	17.39
HSUPA Subtest-4	11.83	11.89	11.63	11.26	11.24	11.00	16.54	16.70	16.42
HSUPA Subtest-5	14.00	13.80	13.61	13.30	13.30	13.00	18.50	18.70	18.40

LTE Conducted Power (P-Sensor ON)							
LTE Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		18700	18900	19100	
		Frequency (MHz)		1860	1880	1900	
20M	QPSK	1	0	14.21	14.14	14.16	0
		1	50	13.89	13.84	13.86	0
		1	99	13.88	13.83	13.85	0
		50	0	14.18	14.13	14.15	0
		50	25	14.03	13.98	14.00	0
		50	50	13.94	13.89	13.91	0
		100	0	14.01	13.96	13.98	0
20M	16QAM	1	0	14.20	14.15	14.17	0
		1	50	14.19	14.14	14.16	0
		1	99	14.15	14.10	14.12	0
		50	0	14.12	14.07	14.09	0
		50	25	14.09	14.04	14.06	0
		50	50	14.03	13.98	14.00	0
		100	0	14.06	14.01	14.03	0
20M	64QAM	1	0	14.20	14.15	14.17	0
		1	50	14.16	14.11	14.13	0
		1	99	14.15	14.10	14.12	0
		50	0	14.17	14.12	14.14	0
		50	25	14.06	14.01	14.03	0
		50	50	14.05	14.00	14.02	0
		100	0	14.10	14.05	14.07	0
BW	MCS Index	Channel		18675	18900	19125	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	QPSK	1	0	14.18	14.13	14.06	0
		1	37	13.87	13.77	13.79	0
		1	74	13.88	13.74	13.79	0
		36	0	14.16	14.08	14.06	0
		36	19	13.93	13.94	13.93	0
		36	39	13.85	13.89	13.81	0
		75	0	13.91	13.86	13.96	0
15M	16QAM	1	0	14.10	14.12	14.17	0
		1	37	14.11	14.04	14.06	0
		1	74	14.14	14.06	14.12	0
		36	0	14.09	14.02	13.99	0
		36	19	14.02	14.04	13.99	0
		36	39	14.02	13.92	14.00	0
		75	0	14.01	13.93	13.96	0
15M	64QAM	1	0	14.15	14.07	14.15	0
		1	37	14.07	14.11	14.13	0
		1	74	14.15	14.09	14.02	0
		36	0	14.11	14.10	14.10	0
		36	19	13.96	13.98	13.94	0
		36	39	13.99	13.95	14.02	0
		75	0	14.03	13.98	13.98	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 2							
BW	MCS Index	Channel		18650	18900	19150	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	QPSK	1	0	14.07	14.02	14.03	0
		1	24	13.81	13.68	13.72	0
		1	49	13.73	13.72	13.74	0
		25	0	14.03	14.00	13.99	0
		25	12	13.98	13.85	13.87	0
		25	25	13.91	13.82	13.90	0
		50	0	13.97	13.77	13.86	0
10M	16QAM	1	0	14.08	14.04	14.17	0
		1	24	14.05	13.92	14.07	0
		1	49	14.00	13.99	14.05	0
		25	0	14.01	13.91	14.02	0
		25	12	13.97	14.00	13.87	0
		25	25	13.88	13.76	13.84	0
		50	0	14.00	13.84	13.89	0
10M	64QAM	1	0	14.07	14.00	14.04	0
		1	24	14.04	14.09	14.01	0
		1	49	13.99	14.07	14.01	0
		25	0	14.14	13.96	13.99	0
		25	12	13.89	13.88	13.90	0
		25	25	13.89	13.75	13.81	0
		50	0	14.09	13.87	13.91	0
BW	MCS Index	Channel		18625	18900	19175	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	QPSK	1	0	14.05	13.93	14.08	0
		1	12	13.81	13.68	13.69	0
		1	24	13.76	13.78	13.83	0
		12	0	14.07	13.95	14.03	0
		12	6	13.86	13.77	13.78	0
		12	13	13.75	13.76	13.76	0
		25	0	13.91	13.79	13.76	0
5M	16QAM	1	0	14.17	13.96	14.02	0
		1	12	14.02	14.01	13.98	0
		1	24	13.91	13.96	14.00	0
		12	0	13.95	14.04	14.01	0
		12	6	13.94	13.97	13.93	0
		12	13	13.92	13.92	13.91	0
		25	0	13.93	13.98	13.88	0
5M	64QAM	1	0	14.03	14.05	14.00	0
		1	12	13.98	14.02	13.93	0
		1	24	14.00	13.92	13.94	0
		12	0	14.11	13.97	14.06	0
		12	6	14.01	13.85	13.97	0
		12	13	13.99	13.88	13.85	0
		25	0	13.99	13.91	14.00	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 2							
BW	MCS Index	Channel		18615	18900	19185	3GPP MPR
		Frequency (MHz)		1851.5	1880	1908.5	
3M	QPSK	1	0	14.02	14.00	14.01	0
		1	7	13.79	13.65	13.82	0
		1	14	13.78	13.73	13.69	0
		8	0	14.14	13.98	13.96	0
		8	3	13.89	13.73	13.83	0
		8	7	13.79	13.82	13.76	0
		15	0	13.91	13.71	13.85	0
3M	16QAM	1	0	14.13	13.95	14.10	0
		1	7	14.08	14.02	13.94	0
		1	14	14.04	13.91	13.94	0
		8	0	13.93	13.98	14.04	0
		8	3	13.98	13.94	13.87	0
		8	7	13.87	13.94	13.91	0
		15	0	13.99	13.92	13.86	0
3M	64QAM	1	0	14.12	13.94	13.98	0
		1	7	13.99	14.07	14.13	0
		1	14	13.94	13.99	14.00	0
		8	0	14.07	13.94	13.91	0
		8	3	14.00	13.99	14.03	0
		8	7	13.95	13.88	13.84	0
		15	0	13.98	13.93	13.90	0
BW	MCS Index	Channel		18607	18900	19193	3GPP MPR
		Frequency (MHz)		1850.7	1880	1909.3	
1.4M	QPSK	1	0	14.04	14.00	14.10	0
		1	2	13.84	13.70	13.83	0
		1	5	13.81	13.74	13.83	0
		3	0	14.12	13.96	14.02	0
		3	1	13.98	13.78	13.92	0
		3	3	13.89	13.77	13.75	0
		6	0	13.85	13.83	13.83	0
1.4M	16QAM	1	0	14.05	14.04	14.15	0
		1	2	14.18	13.99	14.10	0
		1	5	13.99	14.04	13.89	0
		3	0	14.02	14.01	13.96	0
		3	1	13.94	13.81	13.99	0
		3	3	13.88	13.81	13.93	0
		6	0	13.96	13.84	13.84	0
1.4M	64QAM	1	0	14.09	14.01	14.02	0
		1	2	14.10	13.97	14.01	0
		1	5	14.06	14.05	13.98	0
		3	0	13.94	13.93	14.05	0
		3	1	14.00	13.95	13.93	0
		3	3	13.93	13.80	13.88	0
		6	0	13.95	13.92	13.94	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 4							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20050	20175	20300	
		Frequency (MHz)		1720	1732.5	1745	
20M	QPSK	1	0	13.96	13.95	13.83	0
		1	50	13.72	13.70	13.59	0
		1	99	13.67	13.65	13.54	0
		50	0	13.96	13.94	13.83	0
		50	25	12.82	12.80	12.69	0
		50	50	12.78	12.76	12.65	0
		100	0	12.91	12.89	12.78	0
20M	16QAM	1	0	13.96	13.94	13.83	0
		1	50	13.90	13.88	13.77	0
		1	99	13.87	13.85	13.74	0
		50	0	13.94	13.92	13.81	0
		50	25	13.91	13.89	13.78	0
		50	50	13.86	13.84	13.73	0
		100	0	13.90	13.88	13.77	0
20M	64QAM	1	0	13.95	13.93	13.82	0
		1	50	13.89	13.87	13.76	0
		1	99	13.85	13.83	13.72	0
		50	0	13.94	13.92	13.81	0
		50	25	13.90	13.88	13.77	0
		50	50	13.83	13.81	13.70	0
		100	0	13.89	13.87	13.76	0
BW	MCS Index	Channel		20025	20175	20325	3GPP MPR
		Frequency (MHz)		1717.5	1732.5	1747.5	
15M	QPSK	1	0	13.89	13.86	13.75	0
		1	37	13.67	13.70	13.49	0
		1	74	13.62	13.59	13.53	0
		36	0	13.96	13.85	13.78	0
		36	19	12.77	12.74	12.69	0
		36	39	12.72	12.72	12.59	0
		75	0	12.89	12.82	12.68	0
15M	16QAM	1	0	13.87	13.90	13.75	0
		1	37	13.80	13.79	13.71	0
		1	74	13.85	13.85	13.70	0
		36	0	13.85	13.88	13.74	0
		36	19	13.83	13.86	13.70	0
		36	39	13.83	13.81	13.67	0
		75	0	13.83	13.85	13.74	0
15M	64QAM	1	0	13.86	13.86	13.73	0
		1	37	13.89	13.82	13.75	0
		1	74	13.83	13.80	13.67	0
		36	0	13.89	13.84	13.71	0
		36	19	13.82	13.83	13.77	0
		36	39	13.76	13.75	13.69	0
		75	0	13.80	13.77	13.68	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 4							
BW	MCS Index	Channel		20000	20175	20350	3GPP MPR
		Frequency (MHz)		1715	1732.5	1750	
10M	QPSK	1	0	13.85	13.76	13.72	0
		1	24	13.70	13.55	13.47	0
		1	49	13.56	13.55	13.44	0
		25	0	13.81	13.74	13.74	0
		25	12	12.79	12.63	12.46	0
		25	25	12.77	12.66	12.62	0
		50	0	12.84	12.73	12.69	0
10M	16QAM	1	0	13.84	13.85	13.75	0
		1	24	13.79	13.82	13.53	0
		1	49	13.75	13.77	13.66	0
		25	0	13.80	13.85	13.66	0
		25	12	13.72	13.77	13.62	0
		25	25	13.80	13.63	13.55	0
		50	0	13.76	13.74	13.70	0
10M	64QAM	1	0	13.84	13.83	13.74	0
		1	24	13.76	13.79	13.72	0
		1	49	13.81	13.79	13.53	0
		25	0	13.82	13.81	13.65	0
		25	12	13.76	13.72	13.72	0
		25	25	13.68	13.66	13.56	0
		50	0	13.69	13.71	13.57	0
BW	MCS Index	Channel		19975	20175	20375	3GPP MPR
		Frequency (MHz)		1712.5	1732.5	1752.5	
5M	QPSK	1	0	13.87	13.84	13.66	0
		1	12	13.59	13.55	13.33	0
		1	24	13.66	13.49	13.34	0
		12	0	13.75	13.78	13.65	0
		12	6	12.59	12.76	12.46	0
		12	13	12.68	12.56	12.42	0
		25	0	12.74	12.81	12.52	0
5M	16QAM	1	0	13.79	13.82	13.70	0
		1	12	13.75	13.66	13.55	0
		1	24	13.67	13.72	13.57	0
		12	0	13.83	13.71	13.76	0
		12	6	13.77	13.67	13.62	0
		12	13	13.79	13.70	13.65	0
		25	0	13.80	13.79	13.67	0
5M	64QAM	1	0	13.80	13.88	13.65	0
		1	12	13.79	13.74	13.56	0
		1	24	13.73	13.69	13.64	0
		12	0	13.75	13.72	13.75	0
		12	6	13.69	13.69	13.67	0
		12	13	13.82	13.78	13.53	0
		25	0	13.81	13.68	13.54	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 4							
BW	MCS Index	Channel		19965	20175	20385	3GPP MPR
		Frequency (MHz)		1711.5	1732.5	1753.5	
3M	QPSK	1	0	13.81	13.93	13.61	0
		1	7	13.63	13.57	13.44	0
		1	14	13.57	13.53	13.44	0
		8	0	13.79	13.81	13.77	0
		8	3	12.69	12.63	12.50	0
		8	7	12.64	12.73	12.59	0
		15	0	12.81	12.83	12.69	0
3M	16QAM	1	0	13.79	13.79	13.73	0
		1	7	13.71	13.81	13.64	0
		1	14	13.69	13.79	13.69	0
		8	0	13.76	13.80	13.66	0
		8	3	13.74	13.73	13.66	0
		8	7	13.66	13.74	13.60	0
		15	0	13.81	13.85	13.67	0
3M	64QAM	1	0	13.83	13.85	13.81	0
		1	7	13.77	13.71	13.71	0
		1	14	13.81	13.63	13.59	0
		8	0	13.90	13.71	13.67	0
		8	3	13.69	13.75	13.69	0
		8	7	13.62	13.70	13.58	0
		15	0	13.81	13.81	13.59	0
BW	MCS Index	Channel		19957	20175	20393	3GPP MPR
		Frequency (MHz)		1710.7	1732.5	1754.3	
1.4M	QPSK	1	0	13.77	13.83	13.69	0
		1	2	13.61	13.46	13.49	0
		1	5	13.50	13.60	13.35	0
		3	0	13.88	13.73	13.68	0
		3	1	12.63	12.69	12.55	0
		3	3	12.65	12.53	12.49	0
		6	0	12.79	12.70	12.71	0
1.4M	16QAM	1	0	13.90	13.79	13.66	0
		1	2	13.75	13.78	13.67	0
		1	5	13.76	13.64	13.59	0
		3	0	13.85	13.78	13.72	0
		3	1	13.70	13.66	13.58	0
		3	3	13.77	13.79	13.57	0
		6	0	13.81	13.69	13.67	0
1.4M	64QAM	1	0	13.88	13.82	13.74	0
		1	2	13.76	13.82	13.70	0
		1	5	13.70	13.75	13.62	0
		3	0	13.77	13.74	13.66	0
		3	1	13.67	13.77	13.64	0
		3	3	13.70	13.58	13.53	0
		6	0	13.75	13.80	13.60	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20450	20525	20600	
		Frequency (MHz)		829	836.5	844	
10M	QPSK	1	0	19.19	19.15	19.18	0
		1	24	19.13	19.10	19.12	0
		1	49	18.50	18.47	18.49	0
		25	0	18.49	18.46	18.48	0
		25	12	18.43	18.40	18.42	0
		25	25	18.38	18.35	18.37	0
		50	0	18.48	18.45	18.47	0
10M	16QAM	1	0	19.17	19.14	19.16	0
		1	24	19.18	19.15	19.17	0
		1	49	18.48	18.45	18.47	0
		25	0	18.46	18.43	18.45	0
		25	12	18.43	18.40	18.42	0
		25	25	18.38	18.35	18.37	0
		50	0	18.45	18.42	18.44	0
10M	64QAM	1	0	19.14	19.11	19.13	0
		1	24	19.09	19.16	19.18	0
		1	49	18.50	18.47	18.49	0
		25	0	18.48	18.45	18.47	0
		25	12	18.43	18.40	18.42	0
		25	25	18.37	18.34	18.36	0
		50	0	18.46	18.43	18.45	0
BW	MCS Index	Channel		20425	20525	20625	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	QPSK	1	0	19.09	19.08	19.15	0
		1	12	19.05	19.08	19.09	0
		1	24	18.50	18.39	18.49	0
		12	0	18.48	18.46	18.40	0
		12	6	18.33	18.35	18.39	0
		12	13	18.38	18.25	18.37	0
		25	0	18.39	18.38	18.46	0
5M	16QAM	1	0	19.14	19.13	19.15	0
		1	12	19.08	19.09	19.10	0
		1	24	18.44	18.39	18.37	0
		12	0	18.37	18.43	18.38	0
		12	6	18.33	18.37	18.36	0
		12	13	18.32	18.28	18.30	0
		25	0	18.40	18.37	18.41	0
5M	64QAM	1	0	19.06	19.09	19.07	0
		1	12	19.04	19.16	19.08	0
		1	24	18.43	18.46	18.47	0
		12	0	18.42	18.37	18.45	0
		12	6	18.41	18.33	18.42	0
		12	13	18.30	18.27	18.27	0
		25	0	18.37	18.38	18.41	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 5							
BW	MCS Index	Channel		20415	20525	20635	3GPP MPR
		Frequency (MHz)		825.5	836.5	847.5	
3M	QPSK	1	0	19.03	19.08	18.96	0
		1	7	19.05	18.93	18.93	0
		1	14	18.45	18.43	18.30	0
		8	0	18.33	18.29	18.30	0
		8	3	18.19	18.26	18.28	0
		8	7	18.35	18.25	18.21	0
		15	0	18.31	18.21	18.36	0
3M	16QAM	1	0	19.02	19.01	18.93	0
		1	7	19.15	18.95	18.96	0
		1	14	18.34	18.28	18.40	0
		8	0	18.27	18.31	18.39	0
		8	3	18.23	18.27	18.20	0
		8	7	18.35	18.26	18.20	0
		15	0	18.25	18.31	18.23	0
3M	64QAM	1	0	18.95	19.02	19.00	0
		1	7	18.95	19.10	19.08	0
		1	14	18.45	18.32	18.38	0
		8	0	18.47	18.39	18.38	0
		8	3	18.23	18.40	18.31	0
		8	7	18.22	18.23	18.23	0
		15	0	18.37	18.25	18.32	0
BW	MCS Index	Channel		20407	20525	20643	3GPP MPR
		Frequency (MHz)		824.7	836.5	848.3	
1.4M	QPSK	1	0	19.10	19.05	18.98	0
		1	2	19.00	18.96	18.91	0
		1	5	18.42	18.31	18.36	0
		3	0	18.38	18.38	18.31	0
		3	1	18.36	18.35	18.23	0
		3	3	18.30	18.25	18.15	0
		6	0	18.26	18.32	18.25	0
1.4M	16QAM	1	0	19.00	18.96	18.99	0
		1	2	19.03	18.96	19.09	0
		1	5	18.28	18.26	18.27	0
		3	0	18.42	18.31	18.33	0
		3	1	18.36	18.18	18.28	0
		3	3	18.19	18.21	18.29	0
		6	0	18.32	18.25	18.28	0
1.4M	64QAM	1	0	19.11	19.00	19.06	0
		1	2	18.92	19.10	19.00	0
		1	5	18.47	18.38	18.44	0
		3	0	18.41	18.41	18.33	0
		3	1	18.41	18.31	18.40	0
		3	3	18.28	18.14	18.27	0
		6	0	18.34	18.23	18.32	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 7							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20850	21100	21350	
		Frequency (MHz)		2510	2535	2560	
20M	QPSK	1	0	11.40	11.36	11.48	0
		1	50	11.10	11.07	11.19	0
		1	99	11.06	11.03	11.15	0
		50	0	11.15	11.12	11.24	0
		50	25	11.14	11.11	11.23	0
		50	50	11.06	11.03	11.15	0
		100	0	11.08	11.05	11.17	0
20M	16QAM	1	0	11.12	11.09	11.21	0
		1	50	11.10	11.07	11.19	0
		1	99	11.06	11.03	11.15	0
		50	0	11.03	11.00	11.12	0
		50	25	11.02	10.99	11.11	0
		50	50	10.98	10.95	11.07	0
		100	0	11.08	11.05	11.17	0
20M	64QAM	1	0	11.20	11.17	11.29	0
		1	50	11.09	11.06	11.18	0
		1	99	11.06	11.03	11.15	0
		50	0	11.03	11.00	11.12	0
		50	25	11.02	10.99	11.11	0
		50	50	11.02	10.99	11.11	0
		100	0	11.08	11.05	11.17	0
BW	MCS Index	Channel		20825	21100	21375	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	QPSK	1	0	11.31	11.32	11.45	0
		1	37	11.02	11.01	11.12	0
		1	74	11.01	11.01	11.05	0
		36	0	11.08	11.02	11.22	0
		36	19	11.11	11.03	11.21	0
		36	39	11.03	11.01	11.15	0
		75	0	11.00	11.03	11.09	0
15M	16QAM	1	0	11.08	10.99	11.19	0
		1	37	11.05	10.98	11.11	0
		1	74	11.04	10.94	11.09	0
		36	0	10.93	10.96	11.10	0
		36	19	10.99	10.93	11.10	0
		36	39	10.93	10.85	10.98	0
		75	0	11.03	10.95	11.15	0
15M	64QAM	1	0	11.12	11.17	11.21	0
		1	37	11.02	11.02	11.10	0
		1	74	10.96	10.93	11.11	0
		36	0	11.02	10.96	11.09	0
		36	19	11.02	10.92	11.07	0
		36	39	10.97	10.97	11.05	0
		75	0	11.08	11.02	11.12	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 7							
BW	MCS Index	Channel		20800	21100	21400	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	QPSK	1	0	11.21	11.25	11.26	0
		1	24	10.85	11.05	10.97	0
		1	49	10.95	10.93	11.05	0
		25	0	10.92	11.00	11.05	0
		25	12	10.98	11.04	11.16	0
		25	25	10.98	10.96	11.10	0
		50	0	10.96	10.93	11.15	0
10M	16QAM	1	0	10.94	10.97	11.06	0
		1	24	10.86	10.85	11.03	0
		1	49	10.82	10.85	11.03	0
		25	0	10.90	10.88	11.02	0
		25	12	10.90	10.86	11.06	0
		25	25	10.83	10.75	10.91	0
		50	0	10.88	10.85	11.09	0
10M	64QAM	1	0	11.10	11.10	11.17	0
		1	24	10.99	10.89	11.08	0
		1	49	10.95	10.93	10.94	0
		25	0	10.89	10.98	10.92	0
		25	12	10.89	10.86	10.94	0
		25	25	10.94	10.83	10.96	0
		50	0	10.93	10.95	11.08	0
BW	MCS Index	Channel		20775	21100	21425	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	QPSK	1	0	11.29	11.28	11.35	0
		1	12	10.96	10.98	11.06	0
		1	24	10.85	10.85	10.91	0
		12	0	11.07	11.02	11.11	0
		12	6	10.98	10.93	10.95	0
		12	13	11.05	10.82	11.05	0
		25	0	10.90	11.02	11.00	0
5M	16QAM	1	0	10.97	11.00	11.17	0
		1	12	11.04	10.89	11.05	0
		1	24	10.99	10.86	11.02	0
		12	0	10.87	10.85	11.00	0
		12	6	10.91	10.96	11.06	0
		12	13	10.80	10.90	10.93	0
		25	0	10.98	10.86	11.07	0
5M	64QAM	1	0	11.10	11.11	11.10	0
		1	12	11.03	10.96	10.97	0
		1	24	10.97	10.86	10.94	0
		12	0	10.97	10.88	10.99	0
		12	6	10.99	10.88	10.99	0
		12	13	10.88	10.85	11.07	0
		25	0	11.05	10.94	11.12	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 12							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23060	23095	23130	
		Frequency (MHz)		704	707.5	711	
10M	QPSK	1	0	17.87	17.76	17.84	0
		1	24	17.76	17.66	17.73	0
		1	49	17.75	17.65	17.72	0
		25	0	17.85	17.75	17.82	0
		25	12	17.82	17.72	17.79	0
		25	25	17.75	17.65	17.72	0
		50	0	17.76	17.66	17.73	0
10M	16QAM	1	0	17.75	17.65	17.72	0
		1	24	17.65	17.55	17.62	0
		1	49	17.64	17.54	17.61	0
		25	0	17.72	17.62	17.69	0
		25	12	17.71	17.61	17.68	0
		25	25	17.64	17.54	17.61	0
		50	0	17.66	17.56	17.63	0
10M	64QAM	1	0	17.72	17.62	17.69	0
		1	24	17.62	17.52	17.59	0
		1	49	17.62	17.52	17.59	0
		25	0	17.71	17.61	17.68	0
		25	12	17.69	17.59	17.66	0
		25	25	17.61	17.51	17.58	0
		50	0	17.65	17.55	17.62	0
BW	MCS Index	Channel		23035	23095	23155	3GPP MPR
		Frequency (MHz)		701.5	707.5	713.5	
5M	QPSK	1	0	17.71	17.67	17.58	0
		1	12	17.64	17.48	17.48	0
		1	24	17.53	17.49	17.55	0
		12	0	17.78	17.63	17.51	0
		12	6	17.81	17.55	17.57	0
		12	13	17.67	17.55	17.41	0
		25	0	17.62	17.51	17.59	0
5M	16QAM	1	0	17.62	17.43	17.58	0
		1	12	17.63	17.34	17.56	0
		1	24	17.44	17.43	17.58	0
		12	0	17.58	17.48	17.55	0
		12	6	17.53	17.46	17.56	0
		12	13	17.46	17.50	17.44	0
		25	0	17.63	17.52	17.51	0
5M	64QAM	1	0	17.58	17.40	17.61	0
		1	12	17.50	17.47	17.49	0
		1	24	17.46	17.39	17.46	0
		12	0	17.56	17.42	17.62	0
		12	6	17.50	17.45	17.57	0
		12	13	17.46	17.35	17.47	0
		25	0	17.60	17.38	17.48	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 12							
BW	MCS Index	Channel		23025	23095	23165	3GPP MPR
		Frequency (MHz)		700.5	707.5	714.5	
3M	QPSK	1	0	17.75	17.66	17.66	0
		1	7	17.53	17.56	17.56	0
		1	14	17.61	17.60	17.57	0
		8	0	17.72	17.63	17.73	0
		8	3	17.73	17.51	17.65	0
		8	7	17.63	17.47	17.58	0
		15	0	17.65	17.46	17.54	0
3M	16QAM	1	0	17.61	17.56	17.55	0
		1	7	17.47	17.43	17.50	0
		1	14	17.51	17.43	17.51	0
		8	0	17.66	17.52	17.56	0
		8	3	17.60	17.50	17.55	0
		8	7	17.50	17.35	17.56	0
		15	0	17.58	17.41	17.50	0
3M	64QAM	1	0	17.51	17.56	17.54	0
		1	7	17.41	17.38	17.47	0
		1	14	17.54	17.36	17.57	0
		8	0	17.59	17.47	17.61	0
		8	3	17.58	17.47	17.60	0
		8	7	17.51	17.37	17.48	0
		15	0	17.55	17.44	17.59	0
BW	MCS Index	Channel		23017	23095	23173	3GPP MPR
		Frequency (MHz)		699.7	707.5	715.3	
1.4M	QPSK	1	0	17.65	17.56	17.78	0
		1	2	17.58	17.47	17.67	0
		1	5	17.59	17.59	17.51	0
		3	0	17.73	17.62	17.72	0
		3	1	17.66	17.68	17.78	0
		3	3	17.65	17.56	17.59	0
		6	0	17.59	17.51	17.52	0
1.4M	16QAM	1	0	17.60	17.58	17.69	0
		1	2	17.48	17.44	17.52	0
		1	5	17.45	17.37	17.48	0
		3	0	17.58	17.51	17.61	0
		3	1	17.61	17.46	17.56	0
		3	3	17.48	17.49	17.46	0
		6	0	17.46	17.46	17.49	0
1.4M	64QAM	1	0	17.63	17.57	17.52	0
		1	2	17.42	17.33	17.56	0
		1	5	17.55	17.36	17.41	0
		3	0	17.61	17.51	17.61	0
		3	1	17.67	17.48	17.55	0
		3	3	17.42	17.36	17.49	0
		6	0	17.59	17.41	17.53	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 13							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			23230		
		Frequency (MHz)			782		
10M	QPSK	1	0		18.73		0
		1	24		18.65		0
		1	49		18.66		0
		25	0		18.75		0
		25	12		18.72		0
		25	25		18.65		0
		50	0		18.75		0
10M	16QAM	1	0		18.62		0
		1	24		18.54		0
		1	49		18.54		0
		25	0		18.64		0
		25	12		18.62		0
		25	25		18.52		0
		50	0		18.66		0
10M	64QAM	1	0		18.58		0
		1	24		18.50		0
		1	49		18.52		0
		25	0		18.60		0
		25	12		18.59		0
		25	25		18.50		0
		50	0		18.65		0
BW	MCS Index	Channel		23205	23230	23255	3GPP MPR
		Frequency (MHz)		779.5	782	784.5	
5M	QPSK	1	0	18.58	18.58	18.53	0
		1	12	18.58	18.44	18.63	0
		1	24	18.63	18.49	18.69	0
		12	0	18.55	18.63	18.57	0
		12	6	18.53	18.59	18.63	0
		12	13	18.66	18.45	18.68	0
		25	0	18.69	18.51	18.51	0
5M	16QAM	1	0	18.59	18.41	18.51	0
		1	12	18.67	18.48	18.66	0
		1	24	18.63	18.47	18.66	0
		12	0	18.64	18.51	18.67	0
		12	6	18.70	18.57	18.51	0
		12	13	18.64	18.32	18.59	0
		25	0	18.53	18.59	18.61	0
5M	64QAM	1	0	18.68	18.42	18.68	0
		1	12	18.56	18.45	18.56	0
		1	24	18.57	18.46	18.64	0
		12	0	18.63	18.51	18.65	0
		12	6	18.69	18.58	18.57	0
		12	13	18.50	18.34	18.67	0
		25	0	18.58	18.53	18.70	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 14							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			23330		
		Frequency (MHz)			793		
10M	QPSK	1	0		18.84		0
		1	24		18.66		0
		1	49		18.50		0
		25	0		18.81		0
		25	12		18.78		0
		25	25		18.61		0
		50	0		18.73		0
10M	16QAM	1	0		18.74		0
		1	24		18.57		0
		1	49		18.38		0
		25	0		18.72		0
		25	12		18.68		0
		25	25		18.51		0
		50	0		18.65		0
10M	64QAM	1	0		18.73		0
		1	24		18.54		0
		1	49		18.40		0
		25	0		18.70		0
		25	12		18.65		0
		25	25		18.51		0
		50	0		18.62		0
BW	MCS Index	Channel		23305	23330	23355	3GPP MPR
		Frequency (MHz)		790.5	793	795.5	
5M	QPSK	1	0	18.75	18.78	18.76	0
		1	12	18.75	18.52	18.76	0
		1	24	18.78	18.43	18.78	0
		12	0	18.75	18.64	18.78	0
		12	6	18.77	18.55	18.79	0
		12	13	18.81	18.50	18.76	0
		25	0	18.81	18.60	18.81	0
5M	16QAM	1	0	18.77	18.67	18.79	0
		1	12	18.76	18.44	18.78	0
		1	24	18.81	18.38	18.76	0
		12	0	18.78	18.65	18.76	0
		12	6	18.81	18.62	18.78	0
		12	13	18.81	18.37	18.76	0
		25	0	18.79	18.55	18.77	0
5M	64QAM	1	0	18.78	18.68	18.81	0
		1	12	18.77	18.50	18.81	0
		1	24	18.75	18.28	18.76	0
		12	0	18.76	18.55	18.78	0
		12	6	18.80	18.59	18.81	0
		12	13	18.78	18.40	18.79	0
		25	0	18.76	18.54	18.76	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 17							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23780	23790	23800	
		Frequency (MHz)		709	710	711	
10M	QPSK	1	0	18.84	18.88	18.92	0
		1	24	18.83	18.85	18.91	0
		1	49	18.79	18.81	18.88	0
		25	0	18.80	18.82	18.89	0
		25	12	18.76	18.78	18.85	0
		25	25	18.59	18.61	18.68	0
		50	0	18.69	18.71	18.78	0
10M	16QAM	1	0	18.78	18.80	18.87	0
		1	24	18.73	18.75	18.82	0
		1	49	18.68	18.70	18.77	0
		25	0	18.69	18.71	18.78	0
		25	12	18.69	18.71	18.78	0
		25	25	18.48	18.50	18.57	0
		50	0	18.58	18.60	18.67	0
10M	64QAM	1	0	18.77	18.79	18.86	0
		1	24	18.74	18.76	18.83	0
		1	49	18.67	18.69	18.76	0
		25	0	18.70	18.72	18.79	0
		25	12	18.67	18.69	18.76	0
		25	25	18.46	18.48	18.55	0
		50	0	18.58	18.60	18.67	0
BW	MCS Index	Channel		23755	23790	23825	3GPP MPR
		Frequency (MHz)		706.5	710	713.5	
5M	QPSK	1	0	18.68	18.63	18.73	0
		1	12	18.82	18.72	18.65	0
		1	24	18.75	18.76	18.64	0
		12	0	18.75	18.82	18.56	0
		12	6	18.64	18.60	18.63	0
		12	13	18.52	18.60	18.42	0
		25	0	18.58	18.47	18.63	0
5M	16QAM	1	0	18.58	18.59	18.82	0
		1	12	18.65	18.62	18.72	0
		1	24	18.56	18.56	18.56	0
		12	0	18.62	18.57	18.72	0
		12	6	18.51	18.51	18.67	0
		12	13	18.30	18.27	18.57	0
		25	0	18.43	18.45	18.47	0
5M	64QAM	1	0	18.72	18.63	18.78	0
		1	12	18.58	18.52	18.65	0
		1	24	18.54	18.55	18.62	0
		12	0	18.62	18.62	18.64	0
		12	6	18.62	18.48	18.70	0
		12	13	18.30	18.39	18.32	0
		25	0	18.47	18.58	18.65	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 25							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26140	26365	26590	
		Frequency (MHz)		1860	1882.5	1905	
20M	QPSK	1	0	14.06	14.11	14.45	0
		1	50	14.04	14.09	14.41	0
		1	99	13.99	14.02	14.34	0
		50	0	14.09	14.12	14.44	0
		50	25	14.03	14.06	14.38	0
		50	50	14.02	14.05	14.37	0
		100	0	14.01	14.04	14.36	0
20M	16QAM	1	0	14.03	14.06	14.38	0
		1	50	14.02	14.05	14.37	0
		1	99	13.92	13.95	14.27	0
		50	0	14.04	14.07	14.39	0
		50	25	14.02	14.05	14.37	0
		50	50	13.97	14.00	14.32	0
		100	0	13.96	13.99	14.31	0
20M	64QAM	1	0	13.96	13.99	14.31	0
		1	50	13.95	13.98	14.30	0
		1	99	13.89	13.92	14.24	0
		50	0	13.98	14.01	14.33	0
		50	25	13.92	13.95	14.27	0
		50	50	13.94	13.97	14.29	0
		100	0	13.90	13.93	14.25	0
BW	MCS Index	Channel		26115	26365	26615	3GPP MPR
		Frequency (MHz)		1857.5	1882.5	1907.5	
15M	QPSK	1	0	14.00	14.08	14.41	0
		1	37	13.98	14.09	14.34	0
		1	74	13.92	13.93	14.25	0
		36	0	14.02	14.08	14.37	0
		36	19	14.01	13.97	14.35	0
		36	39	13.99	14.01	14.37	0
		75	0	13.92	13.96	14.28	0
15M	16QAM	1	0	13.98	13.96	14.29	0
		1	37	13.95	14.03	14.34	0
		1	74	13.84	13.94	14.24	0
		36	0	13.95	14.05	14.31	0
		36	19	13.95	13.99	14.36	0
		36	39	13.93	13.90	14.24	0
		75	0	13.89	13.93	14.30	0
15M	64QAM	1	0	13.90	13.95	14.31	0
		1	37	13.90	13.97	14.22	0
		1	74	13.82	13.85	14.16	0
		36	0	13.91	13.94	14.30	0
		36	19	13.83	13.92	14.27	0
		36	39	13.87	13.90	14.21	0
		75	0	13.82	13.87	14.19	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 25							
BW	MCS Index	Channel		26090	26365	26640	3GPP MPR
		Frequency (MHz)		1855	1882.5	1910	
10M	QPSK	1	0	13.86	14.06	14.29	0
		1	24	13.91	13.96	14.31	0
		1	49	13.88	13.88	14.25	0
		25	0	13.90	13.92	14.33	0
		25	12	13.92	14.03	14.27	0
		25	25	13.92	13.95	14.30	0
		50	0	13.91	13.84	14.25	0
10M	16QAM	1	0	13.94	13.91	14.33	0
		1	24	13.87	13.85	14.17	0
		1	49	13.78	13.74	14.14	0
		25	0	14.00	13.96	14.19	0
		25	12	13.81	13.97	14.26	0
		25	25	13.83	13.92	14.30	0
		50	0	13.76	13.77	14.13	0
10M	64QAM	1	0	13.73	13.92	14.19	0
		1	24	13.87	13.87	14.21	0
		1	49	13.77	13.77	14.11	0
		25	0	13.79	13.92	14.25	0
		25	12	13.87	13.73	14.17	0
		25	25	13.88	13.93	14.27	0
		50	0	13.72	13.87	14.12	0
BW	MCS Index	Channel		26065	26365	26665	3GPP MPR
		Frequency (MHz)		1852.5	1882.5	1912.5	
5M	QPSK	1	0	14.02	13.92	14.21	0
		1	12	13.95	14.03	14.12	0
		1	24	13.90	13.89	14.05	0
		12	0	13.90	14.06	14.18	0
		12	6	13.89	13.93	14.20	0
		12	13	13.97	13.91	14.17	0
		25	0	14.00	13.92	14.01	0
5M	16QAM	1	0	13.91	13.95	14.35	0
		1	12	13.92	13.90	14.27	0
		1	24	13.71	13.85	14.19	0
		12	0	13.91	13.92	14.31	0
		12	6	13.91	13.86	14.20	0
		12	13	13.78	13.90	14.14	0
		25	0	13.86	13.93	14.10	0
5M	64QAM	1	0	13.89	13.94	14.31	0
		1	12	13.85	13.97	14.19	0
		1	24	13.66	13.90	14.20	0
		12	0	13.82	13.84	14.23	0
		12	6	13.79	13.88	14.16	0
		12	13	13.81	13.86	14.22	0
		25	0	13.73	13.76	14.14	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 25							
BW	MCS Index	Channel		26055	26365	26675	3GPP MPR
		Frequency (MHz)		1851.5	1882.5	1913.5	
3M	QPSK	1	0	13.93	13.96	14.40	0
		1	7	13.94	14.02	14.31	0
		1	14	13.85	13.96	14.18	0
		8	0	14.06	13.99	14.35	0
		8	3	13.99	13.96	14.15	0
		8	7	13.86	13.90	14.20	0
		15	0	13.88	13.98	14.23	0
3M	16QAM	1	0	13.91	13.85	14.25	0
		1	7	13.93	13.92	14.25	0
		1	14	13.77	13.84	14.13	0
		8	0	13.93	13.85	14.28	0
		8	3	13.90	13.96	14.28	0
		8	7	13.88	13.84	14.25	0
		15	0	13.83	13.95	14.20	0
3M	64QAM	1	0	13.86	13.81	14.21	0
		1	7	13.83	13.84	14.12	0
		1	14	13.69	13.91	14.08	0
		8	0	13.77	13.91	14.16	0
		8	3	13.82	13.93	14.21	0
		8	7	13.83	13.84	14.11	0
		15	0	13.72	13.77	14.09	0
BW	MCS Index	Channel		26047	26365	26683	3GPP MPR
		Frequency (MHz)		1850.7	1882.5	1914.3	
1.4M	QPSK	1	0	13.95	14.05	14.28	0
		1	2	13.90	13.95	14.30	0
		1	5	13.79	13.95	14.20	0
		3	0	13.90	14.06	14.32	0
		3	1	13.88	13.97	14.31	0
		3	3	13.81	13.85	14.35	0
		6	0	13.86	13.90	14.24	0
1.4M	16QAM	1	0	13.99	13.96	14.17	0
		1	2	13.93	13.96	14.27	0
		1	5	13.78	13.94	14.10	0
		3	0	13.86	13.84	14.30	0
		3	1	13.89	14.05	14.23	0
		3	3	13.94	13.91	14.29	0
		6	0	13.79	13.88	14.17	0
1.4M	64QAM	1	0	13.90	13.85	14.11	0
		1	2	13.71	13.84	14.14	0
		1	5	13.72	13.81	14.02	0
		3	0	13.76	13.79	14.31	0
		3	1	13.86	13.75	14.16	0
		3	3	13.88	13.89	14.22	0
		6	0	13.74	13.86	14.07	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 26							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26765	26865	26965	
		Frequency (MHz)		821.5	831.5	841.5	
15M	QPSK	1	0	19.18	19.24	19.25	0
		1	37	19.13	19.18	19.24	0
		1	74	19.06	19.11	19.17	0
		36	0	19.16	19.21	19.27	0
		36	19	19.09	19.14	19.20	0
		36	39	19.08	19.13	19.19	0
		75	0	19.05	19.10	19.16	0
15M	16QAM	1	0	19.16	19.21	19.27	0
		1	37	19.10	19.15	19.21	0
		1	74	18.95	19.00	19.06	0
		36	0	19.13	19.18	19.24	0
		36	19	18.99	19.04	19.10	0
		36	39	19.05	19.10	19.16	0
		75	0	18.98	19.03	19.09	0
15M	64QAM	1	0	19.11	19.16	19.22	0
		1	37	19.08	19.13	19.19	0
		1	74	18.96	19.01	19.07	0
		36	0	19.11	19.16	19.22	0
		36	19	19.04	19.09	19.15	0
		36	39	19.01	19.06	19.12	0
		75	0	19.00	19.05	19.11	0
BW	MCS Index	Channel		26740	26865	26990	3GPP MPR
		Frequency (MHz)		819	831.5	844	
10M	QPSK	1	0	19.01	19.17	19.25	0
		1	24	19.03	19.14	19.09	0
		1	49	18.90	18.96	19.07	0
		25	0	19.11	19.05	19.15	0
		25	12	18.87	19.03	19.03	0
		25	25	18.98	19.06	19.10	0
		50	0	18.89	19.01	19.09	0
10M	16QAM	1	0	19.03	19.08	19.16	0
		1	24	19.03	18.98	18.98	0
		1	49	18.83	18.81	18.95	0
		25	0	18.98	19.10	19.08	0
		25	12	18.97	19.00	19.06	0
		25	25	18.98	19.00	19.03	0
		50	0	18.77	18.82	19.00	0
10M	64QAM	1	0	19.02	19.01	19.14	0
		1	24	19.04	18.93	19.06	0
		1	49	18.82	18.85	19.00	0
		25	0	19.02	18.95	19.19	0
		25	12	18.93	18.88	18.97	0
		25	25	18.99	18.95	18.96	0
		50	0	18.92	18.99	19.05	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 26							
BW	MCS Index	Channel		26715	26865	27015	3GPP MPR
		Frequency (MHz)		816.5	831.5	846.5	
5M	QPSK	1	0	18.99	19.03	18.98	0
		1	12	19.05	19.04	19.03	0
		1	24	19.04	19.10	19.08	0
		12	0	19.12	19.03	19.14	0
		12	6	18.97	19.05	18.94	0
		12	13	19.02	19.07	19.04	0
		25	0	18.90	18.86	18.95	0
5M	16QAM	1	0	19.04	19.16	19.04	0
		1	12	18.96	19.05	19.06	0
		1	24	18.83	18.81	18.87	0
		12	0	19.01	18.96	19.12	0
		12	6	18.85	18.86	19.00	0
		12	13	18.83	18.89	19.04	0
		25	0	18.90	18.91	18.97	0
5M	64QAM	1	0	19.06	18.95	19.03	0
		1	12	18.98	19.11	19.12	0
		1	24	18.92	18.84	18.83	0
		12	0	18.92	19.09	19.06	0
		12	6	18.80	18.88	18.90	0
		12	13	18.95	18.98	18.91	0
		25	0	18.94	18.88	18.97	0
BW	MCS Index	Channel		26705	26865	27025	3GPP MPR
		Frequency (MHz)		815.5	831.5	847.5	
3M	QPSK	1	0	19.08	19.02	19.09	0
		1	7	19.04	18.97	19.03	0
		1	14	18.87	19.02	18.99	0
		8	0	19.10	19.01	19.17	0
		8	3	18.94	19.00	19.11	0
		8	7	18.91	19.06	19.19	0
		15	0	18.88	18.96	19.03	0
3M	16QAM	1	0	19.07	19.07	19.07	0
		1	7	18.99	18.96	19.15	0
		1	14	18.88	18.90	18.92	0
		8	0	19.02	19.04	19.14	0
		8	3	18.98	18.86	18.94	0
		8	7	18.86	18.97	18.94	0
		15	0	18.84	18.91	19.08	0
3M	64QAM	1	0	19.04	19.09	19.05	0
		1	7	18.87	19.07	19.07	0
		1	14	18.87	18.81	19.00	0
		8	0	18.90	18.99	19.12	0
		8	3	18.87	19.01	19.03	0
		8	7	18.92	18.98	19.07	0
		15	0	18.86	18.96	19.07	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 26							
BW	MCS Index	Channel		26697	26865	27033	3GPP MPR
		Frequency (MHz)		814.7	831.5	848.3	
1.4M	QPSK	1	0	19.10	19.18	19.13	0
		1	2	19.12	19.03	19.01	0
		1	5	18.88	18.97	19.08	0
		3	0	19.06	19.11	19.15	0
		3	1	19.00	19.01	19.01	0
		3	3	19.08	18.96	19.10	0
		6	0	18.85	18.92	19.00	0
1.4M	16QAM	1	0	19.06	19.06	19.12	0
		1	2	18.99	19.03	19.05	0
		1	5	18.80	18.76	18.99	0
		3	0	18.89	19.11	19.09	0
		3	1	18.99	18.87	18.93	0
		3	3	18.95	18.94	19.03	0
		6	0	18.81	18.89	19.06	0
1.4M	64QAM	1	0	19.08	19.12	19.06	0
		1	2	18.89	18.91	19.16	0
		1	5	18.72	18.93	18.99	0
		3	0	18.92	19.15	19.12	0
		3	1	18.95	19.01	19.07	0
		3	3	18.78	18.86	19.00	0
		6	0	18.95	18.90	18.92	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 30							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			27710		
		Frequency (MHz)			2310		
10M	QPSK	1	0		14.09		0
		1	24		13.99		0
		1	49		13.98		0
		25	0		14.08		0
		25	12		14.01		0
		25	25		14.01		0
		50	0		14.01		0
10M	16QAM	1	0		14.08		0
		1	24		14.03		0
		1	49		13.97		0
		25	0		14.06		0
		25	12		14.07		0
		25	25		14.03		0
		50	0		14.01		0
10M	64QAM	1	0		13.98		0
		1	24		13.95		0
		1	49		13.91		0
		25	0		13.99		0
		25	12		13.94		0
		25	25		13.92		0
		50	0		13.95		0
BW	MCS Index	Channel		27685	27710	27735	3GPP MPR
		Frequency (MHz)		2307.5	2310	2312.5	
5M	QPSK	1	0	14.03	14.06	13.93	0
		1	12	13.85	13.81	13.90	0
		1	24	13.89	13.81	14.03	0
		12	0	14.02	13.98	13.95	0
		12	6	13.87	13.91	14.04	0
		12	13	14.02	13.95	13.86	0
		25	0	13.87	13.82	14.03	0
5M	16QAM	1	0	13.89	14.00	14.02	0
		1	12	13.89	13.86	13.92	0
		1	24	13.85	13.87	13.84	0
		12	0	13.85	13.96	14.02	0
		12	6	14.02	14.01	14.01	0
		12	13	14.00	13.98	13.91	0
		25	0	13.89	13.90	13.86	0
5M	64QAM	1	0	14.03	13.88	13.93	0
		1	12	14.01	13.85	13.89	0
		1	24	14.01	13.72	13.91	0
		12	0	13.94	13.94	13.95	0
		12	6	13.85	13.89	13.96	0
		12	13	13.88	13.79	13.86	0
		25	0	14.04	13.87	13.85	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 38							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		37850	38000	38150	
		Frequency (MHz)		2580	2595	2610	
20M	QPSK	1	0	15.91	15.95	15.92	0
		1	50	15.75	15.78	15.76	0
		1	99	15.58	15.61	15.59	0
		50	0	15.79	15.82	15.80	0
		50	25	15.69	15.72	15.70	0
		50	50	15.58	15.61	15.59	0
		100	0	15.70	15.73	15.71	0
20M	16QAM	1	0	15.91	15.94	15.92	0
		1	50	15.76	15.79	15.77	0
		1	99	15.56	15.59	15.57	0
		50	0	15.78	15.81	15.79	0
		50	25	15.71	15.74	15.72	0
		50	50	15.55	15.58	15.56	0
		100	0	15.69	15.72	15.70	0
20M	64QAM	1	0	15.67	15.70	15.68	0
		1	50	15.41	15.44	15.42	0
		1	99	15.30	15.33	15.31	0
		50	0	15.58	15.61	15.59	0
		50	25	15.54	15.57	15.55	0
		50	50	15.44	15.47	15.45	0
		100	0	15.44	15.47	15.45	0
BW	MCS Index	Channel		37825	38000	38175	3GPP MPR
		Frequency (MHz)		2577.5	2595	2612.5	
15M	QPSK	1	0	15.86	15.88	15.89	0
		1	37	15.70	15.73	15.75	0
		1	74	15.53	15.60	15.50	0
		36	0	15.73	15.81	15.74	0
		36	19	15.63	15.69	15.69	0
		36	39	15.51	15.59	15.56	0
		75	0	15.63	15.70	15.71	0
15M	16QAM	1	0	15.86	15.90	15.87	0
		1	37	15.67	15.76	15.72	0
		1	74	15.52	15.55	15.53	0
		36	0	15.72	15.79	15.78	0
		36	19	15.69	15.66	15.70	0
		36	39	15.54	15.50	15.50	0
		75	0	15.63	15.72	15.68	0
15M	64QAM	1	0	15.57	15.64	15.61	0
		1	37	15.39	15.37	15.42	0
		1	74	15.26	15.31	15.26	0
		36	0	15.57	15.52	15.51	0
		36	19	15.44	15.57	15.54	0
		36	39	15.41	15.46	15.36	0
		75	0	15.35	15.42	15.43	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 38							
BW	MCS Index	Channel		37800	38000	38200	3GPP MPR
		Frequency (MHz)		2575	2595	2615	
10M	QPSK	1	0	15.77	15.85	15.85	0
		1	24	15.60	15.73	15.62	0
		1	49	15.47	15.58	15.56	0
		25	0	15.57	15.75	15.75	0
		25	12	15.52	15.60	15.56	0
		25	25	15.42	15.56	15.52	0
		50	0	15.60	15.50	15.69	0
10M	16QAM	1	0	15.79	15.78	15.81	0
		1	24	15.63	15.62	15.53	0
		1	49	15.44	15.43	15.56	0
		25	0	15.63	15.66	15.68	0
		25	12	15.54	15.62	15.68	0
		25	25	15.42	15.41	15.47	0
		50	0	15.58	15.57	15.67	0
10M	64QAM	1	0	15.56	15.52	15.55	0
		1	24	15.36	15.37	15.39	0
		1	49	15.20	15.20	15.11	0
		25	0	15.44	15.59	15.46	0
		25	12	15.35	15.46	15.47	0
		25	25	15.38	15.34	15.36	0
		50	0	15.31	15.36	15.28	0
BW	MCS Index	Channel		37775	38000	38225	3GPP MPR
		Frequency (MHz)		2572.5	2595	2617.5	
5M	QPSK	1	0	15.75	15.85	15.75	0
		1	12	15.51	15.66	15.49	0
		1	24	15.42	15.53	15.43	0
		12	0	15.64	15.76	15.44	0
		12	6	15.64	15.51	15.65	0
		12	13	15.58	15.47	15.34	0
		25	0	15.57	15.55	15.38	0
5M	16QAM	1	0	15.75	15.70	15.69	0
		1	12	15.61	15.64	15.69	0
		1	24	15.44	15.35	15.44	0
		12	0	15.71	15.61	15.64	0
		12	6	15.52	15.58	15.50	0
		12	13	15.39	15.49	15.33	0
		25	0	15.55	15.56	15.61	0
5M	64QAM	1	0	15.59	15.59	15.66	0
		1	12	15.39	15.25	15.36	0
		1	24	15.27	15.11	15.18	0
		12	0	15.46	15.39	15.50	0
		12	6	15.31	15.35	15.32	0
		12	13	15.38	15.30	15.36	0
		25	0	15.31	15.40	15.35	0

LTE Conducted Power (P-Sensor ON)									
LTE Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		39750	40185	40620	41055	41490	
		Frequency (MHz)		2506	2549.5	2593	2636.5	2680	
20M	QPSK	1	0	15.31	15.49	15.43	15.26	15.35	0
		1	50	15.12	15.26	15.22	14.95	15.11	0
		1	99	14.96	15.10	15.06	14.79	14.95	0
		50	0	15.16	15.30	15.26	14.99	15.15	0
		50	25	15.05	15.19	15.15	14.88	15.04	0
		50	50	15.01	15.15	15.11	14.84	15.00	0
		100	0	15.07	15.21	15.17	14.90	15.06	0
20M	16QAM	1	0	15.32	15.46	15.42	15.15	15.31	0
		1	50	15.10	15.24	15.20	14.93	15.09	0
		1	99	14.93	15.07	15.03	14.76	14.92	0
		50	0	15.17	15.31	15.27	15.00	15.16	0
		50	25	15.02	15.16	15.12	14.85	15.01	0
		50	50	14.98	15.12	15.08	14.81	14.97	0
		100	0	15.10	15.24	15.20	14.93	15.09	0
20M	64QAM	1	0	15.28	15.42	15.38	15.11	15.27	0
		1	50	15.07	15.21	15.17	14.90	15.06	0
		1	99	14.89	15.03	14.99	14.72	14.88	0
		50	0	15.17	15.31	15.27	15.00	15.16	0
		50	25	14.98	15.12	15.08	14.81	14.97	0
		50	50	14.98	15.12	15.08	14.81	14.97	0
		100	0	15.00	15.14	15.10	14.83	14.99	0
BW	MCS Index	Channel		39725	40173	40620	41068	41515	3GPP MPR
		Frequency (MHz)		2503.5	2548.3	2593	2637.8	2682.5	
15M	QPSK	1	0	15.27	15.41	15.42	15.23	15.35	0
		1	37	15.11	15.24	15.13	14.90	15.09	0
		1	74	14.91	15.00	15.03	14.70	14.88	0
		36	0	15.07	15.20	15.16	14.94	15.05	0
		36	19	14.99	15.14	15.15	14.87	14.95	0
		36	39	14.98	15.15	15.06	14.76	14.97	0
		75	0	14.98	15.12	15.13	14.83	15.01	0
15M	16QAM	1	0	15.23	15.39	15.37	15.09	15.27	0
		1	37	15.01	15.17	15.18	14.86	15.02	0
		1	74	14.83	15.02	14.99	14.73	14.90	0
		36	0	15.09	15.31	15.19	14.92	15.10	0
		36	19	14.99	15.15	15.07	14.75	14.95	0
		36	39	14.95	15.03	14.99	14.73	14.94	0
		75	0	15.03	15.24	15.10	14.90	15.00	0
15M	64QAM	1	0	15.23	15.39	15.33	15.02	15.24	0
		1	37	15.05	15.11	15.10	14.86	15.03	0
		1	74	14.82	15.01	14.99	14.68	14.83	0
		36	0	15.11	15.27	15.24	14.98	15.15	0
		36	19	14.93	15.04	14.98	14.80	14.87	0
		36	39	14.92	15.03	14.98	14.75	14.97	0
		75	0	14.90	15.05	15.04	14.77	14.99	0

LTE Conducted Power (P-Sensor ON)									
LTE Band 41									
BW	MCS Index	Channel		39700	40160	40620	41080	41540	3GPP MPR
		Frequency (MHz)		2501	2547	2593	2639	2685	
10M	QPSK	1	0	15.19	15.28	15.29	15.19	15.19	0
		1	24	14.91	15.14	15.09	14.92	15.00	0
		1	49	14.83	15.00	14.88	14.69	14.75	0
		25	0	15.01	15.25	15.13	14.88	15.13	0
		25	12	15.00	15.04	14.99	14.65	14.85	0
		25	25	14.96	14.97	15.02	14.68	14.89	0
		50	0	14.96	14.97	14.96	14.78	14.93	0
10M	16QAM	1	0	15.28	15.35	15.32	15.05	15.11	0
		1	24	14.88	15.19	15.14	14.78	14.96	0
		1	49	14.87	14.95	15.00	14.62	14.85	0
		25	0	15.00	15.21	15.11	14.83	15.08	0
		25	12	14.92	15.08	15.06	14.76	14.76	0
		25	25	14.87	14.97	14.87	14.72	14.82	0
		50	0	14.96	15.16	15.20	14.82	15.01	0
10M	64QAM	1	0	15.17	15.30	15.34	14.89	15.18	0
		1	24	14.96	15.14	15.01	14.76	14.98	0
		1	49	14.70	14.93	14.79	14.55	14.65	0
		25	0	15.12	15.13	15.10	14.82	15.09	0
		25	12	14.84	15.02	15.08	14.68	14.75	0
		25	25	14.87	14.98	15.00	14.69	14.80	0
		50	0	14.88	14.96	14.97	14.74	14.80	0
BW	MCS Index	Channel		39675	40148	40620	41093	41565	3GPP MPR
		Frequency (MHz)		2498.5	2545.8	2593	2640.3	2687.5	
5M	QPSK	1	0	15.19	15.29	15.25	15.15	15.08	0
		1	12	15.00	15.09	15.10	14.85	15.01	0
		1	24	14.92	14.87	14.86	14.58	14.77	0
		12	0	15.10	15.17	15.12	14.94	15.00	0
		12	6	14.95	15.00	15.00	14.72	14.86	0
		12	13	14.86	14.95	14.94	14.76	14.78	0
		25	0	14.89	15.11	14.97	14.77	14.90	0
5M	16QAM	1	0	15.24	15.40	15.27	15.06	15.16	0
		1	12	15.06	15.05	15.05	14.83	14.95	0
		1	24	14.73	14.88	14.95	14.64	14.90	0
		12	0	14.98	15.26	15.21	14.94	15.06	0
		12	6	14.88	15.08	14.98	14.81	14.94	0
		12	13	14.89	15.00	14.87	14.57	14.81	0
		25	0	14.95	15.12	15.15	14.82	14.98	0
5M	64QAM	1	0	15.25	15.28	15.26	15.04	15.14	0
		1	12	14.93	15.16	15.10	14.80	14.98	0
		1	24	14.74	14.96	14.86	14.52	14.74	0
		12	0	15.03	15.20	15.24	14.89	15.00	0
		12	6	14.88	15.00	14.96	14.76	14.82	0
		12	13	14.89	15.08	14.98	14.61	14.72	0
		25	0	14.80	15.00	14.91	14.76	14.82	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 66							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		132072	132322	132572	
		Frequency (MHz)		1720	1745	1770	
20M	QPSK	1	0	12.94	12.99	12.90	0
		1	50	12.72	12.75	12.65	0
		1	99	12.78	12.81	12.71	0
		50	0	12.85	12.88	12.78	0
		50	25	12.83	12.86	12.76	0
		50	50	12.75	12.78	12.68	0
		100	0	12.83	12.86	12.76	0
20M	16QAM	1	0	12.94	12.97	12.87	0
		1	50	12.73	12.76	12.66	0
		1	99	12.76	12.79	12.69	0
		50	0	12.80	12.83	12.73	0
		50	25	12.81	12.84	12.74	0
		50	50	12.64	12.67	12.57	0
		100	0	12.81	12.84	12.74	0
20M	64QAM	1	0	12.97	12.88	12.90	0
		1	50	12.69	12.72	12.62	0
		1	99	12.75	12.78	12.68	0
		50	0	12.87	12.90	12.80	0
		50	25	12.80	12.83	12.73	0
		50	50	12.65	12.68	12.58	0
		100	0	12.80	12.83	12.73	0
BW	MCS Index	Channel		132047	132322	132597	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	QPSK	1	0	12.87	12.89	12.83	0
		1	37	12.70	12.65	12.59	0
		1	74	12.69	12.72	12.61	0
		36	0	12.78	12.81	12.71	0
		36	19	12.76	12.83	12.70	0
		36	39	12.70	12.69	12.62	0
		75	0	12.75	12.76	12.74	0
15M	16QAM	1	0	12.94	12.97	12.87	0
		1	37	12.63	12.70	12.56	0
		1	74	12.70	12.69	12.62	0
		36	0	12.71	12.81	12.67	0
		36	19	12.80	12.82	12.65	0
		36	39	12.56	12.59	12.51	0
		75	0	12.71	12.75	12.74	0
15M	64QAM	1	0	12.93	12.84	12.82	0
		1	37	12.65	12.70	12.57	0
		1	74	12.66	12.73	12.66	0
		36	0	12.87	12.80	12.76	0
		36	19	12.80	12.80	12.67	0
		36	39	12.58	12.63	12.57	0
		75	0	12.70	12.77	12.65	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 66							
BW	MCS Index	Channel		132022	132322	132622	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	QPSK	1	0	12.89	12.85	12.72	0
		1	24	12.66	12.59	12.55	0
		1	49	12.63	12.75	12.68	0
		25	0	12.80	12.76	12.72	0
		25	12	12.77	12.72	12.64	0
		25	25	12.61	12.62	12.59	0
		50	0	12.73	12.72	12.54	0
10M	16QAM	1	0	12.85	12.88	12.80	0
		1	24	12.71	12.63	12.56	0
		1	49	12.62	12.67	12.60	0
		25	0	12.58	12.62	12.59	0
		25	12	12.80	12.69	12.66	0
		25	25	12.44	12.47	12.45	0
		50	0	12.65	12.76	12.52	0
10M	64QAM	1	0	12.82	12.81	12.78	0
		1	24	12.61	12.57	12.43	0
		1	49	12.62	12.65	12.53	0
		25	0	12.85	12.85	12.69	0
		25	12	12.72	12.65	12.63	0
		25	25	12.51	12.57	12.54	0
		50	0	12.63	12.68	12.58	0
BW	MCS Index	Channel		131997	132322	132647	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	QPSK	1	0	12.78	12.94	12.67	0
		1	12	12.60	12.61	12.45	0
		1	24	12.76	12.70	12.50	0
		12	0	12.82	12.82	12.56	0
		12	6	12.66	12.77	12.54	0
		12	13	12.57	12.62	12.47	0
		25	0	12.76	12.76	12.57	0
5M	16QAM	1	0	12.94	12.94	12.68	0
		1	12	12.55	12.61	12.54	0
		1	24	12.58	12.72	12.47	0
		12	0	12.77	12.71	12.67	0
		12	6	12.66	12.73	12.55	0
		12	13	12.59	12.61	12.51	0
		25	0	12.67	12.84	12.69	0
5M	64QAM	1	0	12.85	12.84	12.71	0
		1	12	12.48	12.64	12.48	0
		1	24	12.70	12.58	12.59	0
		12	0	12.73	12.76	12.69	0
		12	6	12.61	12.78	12.67	0
		12	13	12.57	12.50	12.53	0
		25	0	12.66	12.77	12.54	0

LTE Conducted Power (P-Sensor ON)							
LTE Band 66							
BW	MCS Index	Channel		131987	132322	132657	3GPP MPR
		Frequency (MHz)		1711.5	1745	1778.5	
3M	QPSK	1	0	12.86	12.81	12.71	0
		1	7	12.56	12.68	12.58	0
		1	14	12.70	12.74	12.60	0
		8	0	12.64	12.82	12.70	0
		8	3	12.75	12.78	12.75	0
		8	7	12.54	12.59	12.60	0
		15	0	12.70	12.64	12.63	0
3M	16QAM	1	0	12.84	12.86	12.75	0
		1	7	12.64	12.66	12.56	0
		1	14	12.71	12.65	12.64	0
		8	0	12.74	12.72	12.66	0
		8	3	12.73	12.73	12.67	0
		8	7	12.51	12.54	12.43	0
		15	0	12.67	12.70	12.64	0
3M	64QAM	1	0	12.90	12.77	12.81	0
		1	7	12.64	12.51	12.51	0
		1	14	12.59	12.65	12.62	0
		8	0	12.82	12.82	12.65	0
		8	3	12.73	12.69	12.57	0
		8	7	12.47	12.65	12.46	0
		15	0	12.64	12.66	12.59	0
BW	MCS Index	Channel		131979	132322	132665	3GPP MPR
		Frequency (MHz)		1710.7	1745	1779.3	
1.4M	QPSK	1	0	12.80	12.78	12.80	0
		1	2	12.59	12.53	12.48	0
		1	5	12.63	12.66	12.62	0
		3	0	12.82	12.74	12.61	0
		3	1	12.68	12.74	12.67	0
		3	3	12.67	12.64	12.57	0
		6	0	12.65	12.73	12.58	0
1.4M	16QAM	1	0	12.80	12.87	12.77	0
		1	2	12.55	12.55	12.53	0
		1	5	12.57	12.65	12.56	0
		3	0	12.69	12.71	12.56	0
		3	1	12.60	12.64	12.51	0
		3	3	12.56	12.53	12.44	0
		6	0	12.61	12.83	12.50	0
1.4M	64QAM	1	0	12.76	12.79	12.76	0
		1	2	12.66	12.70	12.48	0
		1	5	12.68	12.60	12.60	0
		3	0	12.75	12.82	12.62	0
		3	1	12.72	12.64	12.57	0
		3	3	12.51	12.54	12.51	0
		6	0	12.62	12.63	12.62	0

Tablet WLAN Conducted Power (P-Sensor OFF)			
WLAN2.4GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11b	1	2412	18.49
	6	2437	18.41
	11	2462	18.26
	12	2467	18.19
	13	2472	16.1

WLAN 5.3GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ac VHT160	50	5250	16.8

WLAN 5.6GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ac VHT160	114	5570	13.41

WLAN 5.8GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ac VHT80	155	5775	13.94

Tablet WLAN Conducted Power (P-Sensor OFF)			
WLAN2.4GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11b	1	2412	18.48
	6	2437	18.4
	11	2462	18.43
	12	2467	18.46
	13	2472	15.86

Bluetooth Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
BR / EDR	0	2402	10.84
	39	2441	10.64
	78	2480	10.64
LE	0	2402	7.58
	19	2440	7.43
	39	2480	7.56

WLAN 5.3GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT160	50	5250	16.36

WLAN 5.6GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT160	114	5570	13.44

WLAN 5.8GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT80	155	5775	13.97

Tablet WLAN Conducted Power (P-Sensor OFF)					
WLAN2.4GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11n HT40	3	2422	18.5	18.3	21.41
	6	2437	18.41	18.31	21.37
	9	2452	17.95	17.96	20.97
	10	2457	17.55	17.57	20.57
	11	2462	17.38	17.43	20.42

WLAN 5.3GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ac VHT160	50	5250	15.19	15.08	18.15

WLAN 5.6GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ac VHT160	114	5570	13.4	13.37	16.4

WLAN 5.8GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ac VHT80	155	5775	13.97	13.87	16.93

Tablet WLAN Conducted Power (P-Sensor ON)			
WLAN2.4GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11b	1	2412	17.95
	6	2437	17.8
	11	2462	17.76
	12	2467	17.73
	13	2472	16.1

WLAN 5.3GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ac VHT160	50	5250	16.47

WLAN 5.6GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ac VHT160	114	5570	13.41

WLAN 5.8GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ac VHT80	155	5775	13.4

Tablet WLAN Conducted Power (P-Sensor ON)			
WLAN2.4GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11b	1	2412	17.92
	6	2437	17.9
	11	2462	17.8
	12	2467	17.89
	13	2472	15.87

WLAN 5.3GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT160	50	5250	16.4

WLAN 5.6GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT160	114	5570	13.44

WLAN 5.8GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT80	155	5775	13.37

Tablet WLAN Conducted Power (P-Sensor ON)					
WLAN2.4GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11n HT40	3	2422	17.99	17.8	20.91
	6	2437	17.9	17.7	20.81
	9	2452	17.88	17.86	20.88
	10	2457	17.65	17.67	20.67
	11	2462	17.38	17.43	20.42

WLAN 5.3GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ac VHT160	50	5250	14.65	14.86	17.77

WLAN 5.6GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ac VHT160	114	5570	13.4	13.37	16.4

WLAN 5.8GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ac VHT80	155	5775	13.47	13.35	16.42

Laptop WLAN Conducted Power (P-Sensor OFF)			
Bluetooth Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
BR / EDR	0	2402	10.84
	39	2441	10.64
	78	2480	10.64
LE	0	2402	7.58
	19	2440	7.43
	39	2480	7.56

Laptop WLAN Conducted Power (P-Sensor ON)			
WLAN2.4GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11b	1	2412	12.99
	6	2437	12.93
	11	2462	12.8
	12	2467	12.77
	13	2472	12.7

WLAN 5.3GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ac VHT160	50	5250	10.94

WLAN 5.6GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ac VHT160	114	5570	9.99

WLAN 5.8GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11ac VHT80	155	5775	8.9

Laptop WLAN Conducted Power (P-Sensor ON)			
WLAN2.4GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11b	1	2412	12.99
	6	2437	12.92
	11	2462	12.9
	12	2467	12.95
	13	2472	12.88

WLAN 5.3GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT160	50	5250	10.94

WLAN 5.6GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT160	114	5570	9.97

WLAN 5.8GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11ac VHT80	155	5775	8.96

Laptop WLAN Conducted Power (P-Sensor ON)					
WLAN2.4GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11n HT40	3	2422	12.97	12.77	15.88
	6	2437	12.9	12.7	15.81
	9	2452	12.83	12.87	15.86
	10	2457	12.66	12.74	15.71
	11	2462	12.46	12.37	15.43

WLAN 5.3GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ac VHT160	50	5250	10.9	10.82	13.87

WLAN 5.6GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ac VHT160	114	5570	9.63	9.89	12.77

WLAN 5.8GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11ac VHT80	155	5775	8.86	8.9	11.89

Uplink Carrier Aggregation Scenarios Conducted Power (P-Sensor OFF)																		
Confugure	Combination	PCC							SCC							Measurement Power		
		Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequen cy (MHz)	Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Maximu m Tune-up Power	Single Carrier Tx Power without UL-CA Active (dBm)	Tx Power with UL-CA Active (dBm)
																		Total
Intra Band Contiguous	CA_7C	7	20	QPSK	1	0	20850	2510	7	20	QPSK	1	99	21048	2529.8	24.5	24.09	23.53
					1	99						1	0			24.5	23.85	24.05
		7	20	QPSK	1	0	21001	2525.1	7	20	QPSK	1	99	21199	2544.9	24.5	24.19	23.28
					1	99						1	0			24.5	23.96	24.14
		7	20	QPSK	1	0	21152	2540.2	7	20	QPSK	1	99	21350	2560	24.5	24.22	23.15
					1	99						1	0			24.5	24.05	24.27
		7	20	QPSK	1	0	21152	2540.2	7	20	QPSK	1	99	21350	2560	24.5	24.22	23.15
					1	99						1	0			24.5	24.05	24.27

Uplink Carrier Aggregation Scenarios Conducted Power (P-Sensor ON)																		
Confugure	Combination	PCC							SCC							Measurement Power		
		Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequen cy (MHz)	Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Maximu m Tune-up Power	Single Carrier Tx Power without UL-CA Active (dBm)	Tx Power with UL-CA Active (dBm)
																		Total
Intra Band Contiguous	CA_7C	7	20	QPSK	1	0	20850	2510	7	20	QPSK	1	99	21048	2529.8	11.5	11.4	10.81
					1	99						1	0			11.5	11.06	11.44
		7	20	QPSK	1	0	21001	2525.1	7	20	QPSK	1	99	21199	2544.9	11.5	11.36	10.80
					1	99						1	0			11.5	11.03	11.32
		7	20	QPSK	1	0	21152	2540.2	7	20	QPSK	1	99	21350	2560	11.5	11.48	10.62
					1	99						1	0			11.5	11.15	11.46

Downlink Carrier Aggregation Scenarios Conducted Power (P-Sensor OFF)																												
Configure	Combination	PCC								SCC1				SCC2				SCC3				SCC4				Measurement Power		
		LTE Band	BW [Mhz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	Maximu m Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx Power with DL-CA Active (dBm)
																												Total
Contiguous	CA_41C	41	20	40185	2549.5	1	0	40185	2549.5	41	20	40383	2569.3													24.5	24.24	24.11
Inter Band	CA_2A-5B-30A-66A	2	20	18900	1880	1	0	900	1960	5	10	2450	874	5	10	2549	838.9	30	10	9820	2355	66	20	66786	1745	24.5	23.63	23.62
	CA_2A-12A-30A-66A	2	20	18900	1880	1	0	900	1960	12	10	5095	737.5	30	10	9820	2355	66	20	66786	1745					24.5	23.63	23.56
	CA_2A-13A-46D	2	20	18900	1880	1	0	900	1960	13	10	5230	751	46	20	50492	5520.2	46	20	50690	5540	46	20	50888	5559.8	24.5	23.63	23.54
	CA_2A-46D-66A	2	20	18900	1880	1	0	900	1960	46	20	50490	5520.2	66	20	66786	1745									24.5	23.63	23.62
	CA_13A-46D-66A	13	10	23230	782	1	0	5230	751	46	20	50490	5520.2	66	20	66786	1745									24.5	23.83	23.54
	CA_2A-2A-13A-66A	2	20	18900	1880	1	0	900	1960	2	20	1100	1980	13	10	5230	751	66	20	66786	1745					24.5	23.63	23.62
	CA_2A-13A-66A-66A	2	20	18900	1880	1	0	900	1960	13	10	5230	751	66	20	66536	2120	66	20	66734	2139.8					24.5	23.63	23.57
	CA_2A-13A-66B	2	20	18900	1880	1	0	900	1960	13	10	5230	751	66	15	67061	2172.5	66	5	66966	2163					24.5	23.63	23.51
	CA_2A-13A-66C	2	20	18900	1880	1	0	900	1960	13	10	5230	751	66	20	66536	2120	66	20	66734	2139.8					24.5	23.63	23.51
	CA_2A-4A-5A	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	5	10	2525	881.5									24.5	23.63	23.61
	CA_2A-4A-13A	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	13	10	5230	751									24.5	23.63	23.60
	CA_2A-14A-30A	2	20	18900	1880	1	0	900	1960	14	10	5330	763	30	10	9820	2355									24.5	23.63	23.61
	CA_14A-66A-66A	14	10	23330	793	1	0	5330	763	66	20	66786	2145	66	20	67036	2170									24.5	23.80	23.55
	CA_2A-29A	2	20	18900	1880	1	0	900	1960	29	10	9715	722.5													24.5	23.63	23.52
	CA_2A-46A	2	20	18900	1880	1	0	900	1960	46	20	50665	5537.5													24.5	23.63	23.59
	CA_4A-5A	4	20	20175	1732.5	1	0	2175	2132.5	5	10	2525	881.5													24.5	23.53	23.44
	CA_4A-13A	4	20	20175	1732.5	1	0	2175	2132.5	13	10	5230	751													24.5	23.53	23.51
	CA_4A-46A	4	20	20175	1732.5	1	0	2175	2132.5	46	20	50665	5537.5													24.5	23.53	23.41
	CA_25A-26A	25	20	26365	1882.5	1	0	8365	1962.5	26	15	8865	876.5													24.5	23.62	23.50
	CA_30A-29A	30	10	27710	2310	1	0	9820	2355	29	10	9715	722.5													23	22.50	22.49
	CA_66A-29A	66	20	132322	1745	1	0	66786	2145	29	10	9715	722.5													24.5	24.27	24.13

Downlink Carrier Aggregation Scenarios Conducted Power (P-Sensor ON)																												
Configure	Combination	PCC								SCC1				SCC2				SCC3				SCC4				Measurement Power		
		LTE Band	BW [MHz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	LTE Band	BW [MHz]	DL Channel	DL Freq. [MHz]	Maximum Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx Power with DL-CA Active (dBm)
																												Total
Contiguous	CA_41C	41	20	40185	2549.5	1	0	40185	2549.5	41	20	40383	2569.3													15.5	15.49	15.47
Inter Band	CA_2A-5B-30A-66A	2	20	18900	1880	1	0	900	1960	5	10	2450	874	5	10	2549	838.9	30	10	9820	2355	66	20	66786	1745	14.5	14.14	14.14
	CA_2A-12A-30A-66A	2	20	18900	1880	1	0	900	1960	12	10	5095	737.5	30	10	9820	2355	66	20	66786	1745					14.5	14.14	14.13
	CA_2A-13A-46D	2	20	18900	1880	1	0	900	1960	13	10	5230	751	46	20	50492	5520.2	46	20	50690	5540	46	20	50888	5559.8	14.5	14.14	13.96
	CA_2A-46D-66A	2	20	18900	1880	1	0	900	1960	46	20	50490	5520.2	66	20	66786	1745									14.5	14.14	14.06
	CA_13A-46D-66A	13	10	23230	782	1	0	5230	751	46	20	50490	5520.2	66	20	66786	1745									19	18.73	18.66
	CA_2A-2A-13A-66A	2	20	18900	1880	1	0	900	1960	2	20	1100	1980	13	10	5230	751	66	20	66786	1745					14.5	14.14	13.96
	CA_2A-13A-66A-66A	2	20	18900	1880	1	0	900	1960	13	10	5230	751	66	20	66536	2120	66	20	66734	2139.8					14.5	14.14	14.05
	CA_2A-13A-66B	2	20	18900	1880	1	0	900	1960	13	10	5230	751	66	15	67061	2172.5	66	5	66966	2163					14.5	14.14	14.06
	CA_2A-13A-66C	2	20	18900	1880	1	0	900	1960	13	10	5230	751	66	20	66536	2120	66	20	66734	2139.8					14.5	14.14	14.05
	CA_2A-4A-5A	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	5	10	2525	881.5									14.5	14.14	14.06
	CA_2A-4A-13A	2	20	18900	1880	1	0	900	1960	4	20	2175	2132.5	13	10	5230	751									14.5	14.14	14.01
	CA_2A-14A-30A	2	20	18900	1880	1	0	900	1960	14	10	5330	763	30	10	9820	2355									14.5	14.14	13.97
	CA_14A-66A-66A	14	10	23330	793	1	0	5330	763	66	20	66786	2145	66	20	67036	2170									19	18.84	18.57
	CA_2A-29A	2	20	18900	1880	1	0	900	1960	29	10	9715	722.5													14.5	14.14	14.03
	CA_2A-46A	2	20	18900	1880	1	0	900	1960	46	20	50665	5537.5													14.5	14.14	14.07
	CA_4A-5A	4	20	20175	1732.5	1	0	2175	2132.5	5	10	2525	881.5													14	13.95	13.84
	CA_4A-13A	4	20	20175	1732.5	1	0	2175	2132.5	13	10	5230	751													14	13.95	13.88
	CA_4A-46A	4	20	20175	1732.5	1	0	2175	2132.5	46	20	50665	5537.5													14	13.95	13.31
	CA_25A-26A	25	20	26365	1882.5	1	0	8365	1962.5	26	15	8865	876.5													14.5	14.11	14.09
	CA_30A-29A	30	10	27710	2310	1	0	9820	2355	29	10	9715	722.5													14.5	14.09	14.03
	CA_66A-29A	66	20	132322	1745	1	0	66786	2145	29	10	9715	722.5													13.5	12.99	12.87

Appendix G. Analysis of Simultaneous Transmission SAR.

The analysis of simultaneous transmission SAR are shown as below.


		Smallcellular Transmission SAR Evaluation (Labat Model)																											
Band	Position	A	B	C	D	E	F	G	H	I	J	K	L	M	N	A+C	A+B+N	A+E+N	A+F+N	A+G+N	A+H+N	A+I+N	A+J+N	A+D	A+K+N	A+L+N	A+M+N		
		Max WWAN 1g SAR W/kg	2.4GHz Ant 1g SAR W/kg	WLAN 2.4GHz Ant 1g SAR W/kg	2.4GHz Ant 1g SAR W/kg	5.8GHz Ant 1g SAR W/kg	WLAN 5.8GHz Ant 1g SAR W/kg	5.8GHz Ant 1g SAR W/kg	5.8GHz Ant 1g SAR W/kg	WLAN 5.8GHz Ant 1g SAR W/kg	5.8GHz Ant 1g SAR W/kg	5.8GHz Ant 1g SAR W/kg	5.8GHz Ant 1g SAR W/kg	5.8GHz Ant 1g SAR W/kg	5.8GHz Ant 1g SAR W/kg	BT Ant 1 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg		
WCDMA II	Rear Face	0.75	0.05	0.03	0.05	0.18	0.11	0.22	0.12	0.11	0.20	0.16	0.16	0.22	0.00	0.78	0.80	0.93	0.86	0.97	0.87	0.86	0.95	0.80	0.91	0.91	0.97		
	Left Side	0.07	0.07	0.00	0.08	0.21	0.00	0.00	0.09	0.00	0.00	0.34	0.00	0.00	0.00	0.07	0.14	0.28	0.07	0.07	0.16	0.07	0.07	0.15	0.31	0.07	0.07		
	Right Side	0.39	0.04	0.11	0.14	0.03	0.00	0.00	0.06	0.03	0.00	0.09	0.00	0.00	0.00	0.50	0.43	0.42	0.39	0.39	0.45	0.42	0.39	0.53	0.48	0.39	0.39		
	Top Side	0.00	0.32	0.50	0.26	0.47	0.22	0.67	0.22	0.35	0.71	1.11	1.15	0.79	0.10	0.50	0.42	0.57	0.32	0.77	0.32	0.45	0.81	0.26	1.21	1.25	0.89		
	Bottom Side	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13		
WCDMA IV	Rear Face	0.48	0.05	0.03	0.05	0.18	0.11	0.22	0.12	0.11	0.20	0.16	0.16	0.22	0.00	0.51	0.53	0.66	0.59	0.70	0.60	0.59	0.68	0.53	0.64	0.64	0.70		
	Left Side	0.05	0.07	0.00	0.08	0.21	0.00	0.00	0.09	0.00	0.00	0.34	0.00	0.00	0.00	0.05	0.12	0.26	0.05	0.05	0.14	0.05	0.05	0.13	0.29	0.05	0.05		
	Right Side	0.33	0.04	0.11	0.14	0.03	0.00	0.00	0.06	0.03	0.00	0.09	0.00	0.00	0.00	0.44	0.37	0.36	0.33	0.33	0.39	0.36	0.33	0.47	0.42	0.33	0.33		
	Top Side	0.00	0.32	0.50	0.26	0.47	0.22	0.67	0.22	0.35	0.71	1.11	1.15	0.79	0.10	0.50	0.42	0.57	0.32	0.77	0.32	0.45	0.81	0.26	1.21	1.25	0.89		
	Bottom Side	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.17		
WCDMA V	Rear Face	0.39	0.05	0.03	0.05	0.18	0.11	0.22	0.12	0.11	0.20	0.16	0.16	0.22	0.00	0.44	0.45	0.58	0.49	0.50	0.50	0.50	0.49	0.50	0.50	0.50	0.50		
	Left Side	0.00	0.07	0.00	0.08	0.21	0.00	0.00	0.09	0.00	0.00	0.34	0.00	0.00	0.00	0.00	0.07	0.21	0.00	0.00	0.09	0.00	0.00	0.08	0.24	0.00	0.00		
	Right Side	0.03	0.04	0.11	0.14	0.03	0.00	0.00	0.06	0.03	0.00	0.09	0.00	0.00	0.00	0.14	0.07	0.26	0.03	0.03	0.09	0.06	0.03	0.17	0.12	0.03	0.03		
	Top Side	0.00	0.32	0.50	0.26	0.47	0.22	0.67	0.22	0.35	0.71	1.11	1.15	0.79	0.10	0.50	0.42	0.57	0.32	0.77	0.32	0.45	0.81	0.26	1.21	1.25	0.89		
	Bottom Side	0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25		
LTE 2	Rear Face	0.59	0.05	0.03	0.05	0.18	0.11	0.22	0.12	0.11	0.20	0.16	0.16	0.22	0.00	0.62	0.64	0.77	0.70	0.81	0.71	0.70	0.79	0.64	0.75	0.75	0.81		
	Left Side	0.07	0.07	0.00	0.08	0.21	0.00	0.00	0.09	0.00	0.00	0.34	0.00	0.00	0.00	0.12	0.19	0.32	0.12	0.12	0.12	0.12	0.12	0.29	0.36	0.12	0.12		
	Right Side	0.59	0.04	0.11	0.14	0.03	0.00	0.00	0.06	0.03	0.00	0.09	0.00	0.00	0.00	0.70	0.63	0.62	0.59	0.59	0.65	0.62	0.59	0.73	0.68	0.59	0.59		
	Top Side	0.00	0.32	0.50	0.26	0.47	0.22	0.67	0.22	0.35	0.71	1.11	1.15	0.79	0.10	0.50	0.42	0.57	0.32	0.77	0.32	0.45	0.81	0.26	1.21	1.25	0.89		
	Bottom Side	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15		
LTE 4	Rear Face	0.54	0.05	0.03	0.05	0.18	0.11	0.22	0.12	0.11	0.20	0.16	0.16	0.22	0.00	0.57	0.59	0.72	0.65	0.76	0.66	0.65	0.74	0.59	0.70	0.70	0.76		
	Left Side	0.06	0.07	0.00	0.08	0.21	0.00	0.00	0.09	0.00	0.00	0.34	0.00	0.00	0.00	0.06	0.13	0.27	0.06	0.06	0.15	0.06	0.06	0.14	0.30	0.06	0.06		
	Right Side	0.46	0.11	0.14	0.03	0.00	0.00	0.06	0.03	0.00	0.00	0.34	0.00	0.00	0.00	0.49	0.48	0.51	0.49	0.48	0.51	0.48	0.49	0.54	0.45	0.45			
	Top Side	0.00	0.32	0.50	0.26	0.47	0.22	0.67	0.22	0.35	0.71	1.11	1.15	0.79	0.10	0.50	0.42	0.57	0.32	0.77	0.32	0.45	0.81	0.26	1.21	1.25	0.89		
	Bottom Side	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20		
LTE 5	Rear Face	0.40	0.05	0.03	0.05	0.18	0.11	0.22	0.12	0.11	0.20	0.16	0.16	0.22	0.00	0.43	0.45	0.58	0.51	0.62	0.52	0.51	0.60	0.45	0.56	0.56	0.62		
	Left Side	0.00	0.07	0.00	0.08	0.21	0.00	0.00	0.09	0.00	0.00	0.34	0.00	0.00	0.00	0.00	0.07	0.21	0.00	0.00	0.09	0.00	0.00	0.08	0.24	0.00	0.00		
	Right Side	0.03	0.04	0.11	0.14	0.03	0.00	0.00	0.06	0.03	0.00	0.09	0.00	0.00	0.00	0.14	0.07	0.26	0.03	0.03	0.09	0.06	0.03	0.17	0.12	0.03	0.03		
	Top Side	0.00	0.32	0.50	0.26	0.47	0.22	0.67	0.22	0.35	0.71	1.11	1.15	0.79	0.10	0.50	0.42	0.57	0.32	0.77	0.32	0.45	0.81	0.26	1.21	1.25	0.89		
	Bottom Side	0.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24		
LTE 7	Rear Face	0.22	0.05	0.03	0.05	0.18	0.11	0.22	0.12	0.11	0.20	0.16	0.16	0.22	0.00	0.25	0.27	0.40	0.33	0.44	0.34	0.33	0.42	0.27	0.38	0.38	0.44		
	Left Side	0.03	0.07	0.00	0.08	0.21	0.00	0.00	0.09	0.00	0.00	0.34	0.00	0.00	0.00	0.03	0.10	0.24	0.03	0.03	0.12	0.03	0.03	0.11	0.27	0.03	0.03		
	Right Side	0.02	0.04	0.11	0.14	0.03	0.00	0.00	0.06	0.03	0.00	0.09	0.00	0.00	0.00	0.13	0.06	0.05	0.02	0.02	0.08	0.05	0.02	0.16	0.11	0.02	0.02		
	Top Side	0.00	0.32	0.50	0.26	0.47	0.22	0.67	0.22	0.35	0.71	1.11	1.15	0.79	0.10	0.50	0.42	0.57	0.32	0.77	0.32	0.45	0.81	0.26	1.21	1.25	0.89		
	Bottom Side	0.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.37	0.37	0.37	0.37	0.37	0.37	0.37	0.37	0.37	0.37	0.37	0.37		
LTE 12	Rear Face	0.35	0.05	0.03	0.05	0.18	0.11	0.22	0.12	0.11	0.20	0.16	0.16	0.22	0.00	0.38	0.40	0.53	0.46	0.57	0.47	0.46	0.55	0.40	0.51	0.51	0.57		
	Left Side	0.00	0.07	0.00	0.08	0.21	0.00	0.00	0.09	0.00	0.00	0.34	0.00	0.00	0.00	0.00	0.07	0.21	0.00	0.00	0.09	0.00	0.00	0.08	0.24	0.00	0.00		
	Right Side	0.00	0.04	0.11	0.14	0.03	0.00	0.00	0.06	0.03	0.00	0.09	0.00	0.00	0.00	0.11	0.04	0.03	0.00	0.00	0.06	0.03	0.00	0.14	0.09	0.00	0.00		
	Top Side	0.00	0.32	0.50	0.26	0.47	0.22	0.67	0.22	0.35	0.71	1.11	1.15	0.79	0.10	0.50	0.42	0.57	0.32	0.77	0.32	0.45	0.81	0.26	1.21	1.25	0.89		
	Bottom Side	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18	0.18		
LTE 13	Rear Face	0.45	0.05	0.03	0.05	0.18	0.11	0.22	0.12	0.11	0.20	0.16	0.16	0.22	0.00	0.48	0.50	0.63	0.56	0.67	0.58	0.57	0.66	0.51	0.62	0.62	0.68		
	Left Side	0.00	0.07	0.00	0.08	0.21	0.00	0.00	0.09	0.00	0.00	0.34	0.00	0.00	0.00	0.00	0.07	0.21	0.00	0.00	0.09	0.00	0.00	0.08	0.24	0.00	0.00		
	Right Side	0.09	0.04	0.11	0.14	0.03	0.00	0.00	0.06	0.03	0.00	0.09	0.00	0.00	0.00	0.20	0.13	0.12	0.09	0.09	0.15	0.12	0.09	0.23	0.18	0.09	0.09		
	Top Side	0.00	0.32	0.50	0.26	0.47	0.22	0.67	0.22	0.35	0.71	1.11	1.15	0.79	0.10	0.50	0.42	0.57	0.32	0.77	0.32	0.45	0.81	0.26	1.21	1.25	0.89		
	Bottom Side	0.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65	0.65		
LTE 14	Rear Face	0.73	0.05	0.03	0.05	0.18	0.11	0.22	0.12	0.11	0.20	0.16	0.16	0.22	0.00	0.76	0.78	0.91	0.84	0.95	0.85	0.85	0.93	0.78	0.89	0.89	0.95		
	Left Side	0.07	0.07	0.00	0.08	0.21	0.00	0.00	0.09	0.00	0.00	0.34	0.00	0.00	0.00	0.07	0.21	0.00	0.00	0.09	0.00	0.00	0.08	0.24	0.00	0.00			
	Right Side	0.08	0.04	0.11	0.14	0.0																							

Simultaneous Transmission SAR Evaluation (Laplace Model)																											
Band	Position	A	B	C	D	E	F	G	H	I	J	K	L	M	N	A+C	A+B+N	A+E+N	A+F+N	A+G+N	A+H+N	A+I+N	A+J+N	A+D	A+K+N	A+L+N	A+M+N
		1g SAR W/kg	WLAN 2.4GHz Ant 0 1g SAR W/kg	WLAN 2.4GHz Ant 1 1g SAR W/kg	WLAN 2.4GHz Ant 0+1 1g SAR W/kg	WLAN 5.8GHz Ant 0 1g SAR W/kg	WLAN 5.8GHz Ant 1 1g SAR W/kg	WLAN 5.8GHz Ant 0+1 1g SAR W/kg	WLAN 5.3GHz Ant 0 1g SAR W/kg	WLAN 5.6GHz Ant 0 1g SAR W/kg	WLAN 5.6GHz Ant 1 1g SAR W/kg	WLAN 5.3GHz Ant 0+1 1g SAR W/kg	WLAN 5.6GHz Ant 0+1 1g SAR W/kg	WLAN 5.8GHz Ant 0+1 1g SAR W/kg	BT Ant 1 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	
WCDMA II	Bottom	0.49	0.62	0.04	0.04	0.58	0.68	0.80	0.36	0.35	0.39	0.78	0.91	0.85	0.32	0.53	1.43	1.39	1.49	1.61	1.17	1.16	1.20	0.53	1.59	1.72	1.66
WCDMA IV	Bottom	0.29	0.62	0.04	0.04	0.58	0.68	0.80	0.36	0.35	0.39	0.78	0.91	0.85	0.32	0.33	1.23	1.19	1.29	1.41	0.97	0.96	1.00	0.33	1.39	1.52	1.46
WCDMA V	Bottom	0.59	0.62	0.04	0.04	0.58	0.68	0.80	0.36	0.35	0.39	0.78	0.91	0.85	0.32	0.63	1.53	1.49	1.59	1.71	1.27	1.26	1.30	0.63	1.69	1.82	1.76
LTE 2	Bottom	0.44	0.62	0.04	0.04	0.58	0.68	0.80	0.36	0.35	0.39	0.78	0.91	0.85	0.32	0.48	1.38	1.34	1.44	1.56	1.12	1.11	1.15	0.48	1.54	1.67	1.61
LTE 4	Bottom	0.28	0.62	0.04	0.04	0.58	0.68	0.80	0.36	0.35	0.39	0.78	0.91	0.85	0.32	0.32	1.22	1.18	1.28	1.40	0.96	0.95	0.99	0.32	1.38	1.51	1.45
LTE 5	Bottom	0.53	0.62	0.04	0.04	0.58	0.68	0.80	0.36	0.35	0.39	0.78	0.91	0.85	0.32	0.57	1.47	1.43	1.53	1.65	1.21	1.20	1.24	0.57	1.63	1.76	1.70
LTE 7	Bottom	0.55	0.62	0.04	0.04	0.58	0.68	0.80	0.36	0.35	0.39	0.78	0.91	0.85	0.32	0.59	1.49	1.45	1.55	1.67	1.23	1.22	1.26	0.59	1.65	1.78	1.72
LTE 12	Bottom	0.21	0.62	0.04	0.04	0.58	0.68	0.80	0.36	0.35	0.39	0.78	0.91	0.85	0.32	0.25	1.15	1.11	1.21	1.33	0.89	0.88	0.92	0.25	1.31	1.44	1.38
LTE 13	Bottom	0.47	0.62	0.04	0.04	0.58	0.68	0.80	0.36	0.35	0.39	0.78	0.91	0.85	0.32	0.51	1.41	1.37	1.47	1.59	1.15	1.14	1.18	0.51	1.57	1.70	1.64
LTE 14	Bottom	0.48	0.62	0.04	0.04	0.58	0.68	0.80	0.36	0.35	0.39	0.78	0.91	0.85	0.32	0.52	1.42	1.38	1.48	1.60	1.16	1.15	1.19	0.52	1.58	1.71	1.65
LTE 17	Bottom	0.21	0.62	0.04	0.04	0.58	0.68	0.80	0.36	0.35	0.39	0.78	0.91	0.85	0.32	0.25	1.15	1.11	1.21	1.33	0.89	0.88	0.92	0.25	1.31	1.44	1.38
LTE 25	Bottom	0.39	0.62	0.04	0.04	0.58	0.68	0.80	0.36	0.35	0.39	0.78	0.91	0.85	0.32	0.43	1.33	1.29	1.39	1.51	1.07	1.06	1.10	0.43	1.49	1.62	1.56
LTE 26	Bottom	0.54	0.62	0.04	0.04	0.58	0.68	0.80	0.36	0.35	0.39	0.78	0.91	0.85	0.32	0.58	1.48	1.44	1.54	1.66	1.22	1.21	1.25	0.58	1.64	1.77	1.71
LTE 30	Bottom	0.45	0.62	0.04	0.04	0.58	0.68	0.80	0.36	0.35	0.39	0.78	0.91	0.85	0.32	0.49	1.39	1.35	1.45	1.57	1.13	1.12	1.16	0.49	1.55	1.68	1.62
LTE 38	Bottom	0.19	0.62	0.04	0.04	0.58	0.68	0.80	0.36	0.35	0.39	0.78	0.91	0.85	0.32	0.23	1.13	1.09	1.19	1.31	0.87	0.86	0.90	0.23	1.29	1.42	1.36
LTE 41	Bottom	0.19	0.62	0.04	0.04	0.58	0.68	0.80	0.36	0.35	0.39	0.78	0.91	0.85	0.32	0.23	1.13	1.09	1.19	1.31	0.87	0.86	0.90	0.23	1.29	1.42	1.36
LTE 66	Bottom	0.25	0.62	0.04	0.04	0.58	0.68	0.80	0.36	0.35	0.39	0.78	0.91	0.85	0.32	0.29	1.19	1.15	1.25	1.37	0.93	0.92	0.96	0.29	1.35	1.48	1.42


Appendix H. SAR to Peak Location Separation Ratio Analysis

The results are shown as below.


WWAN+WLAN5.8G Ant 0 + BT Ant 1




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
WCDMA II RMC12.2K Ch9538	Body	Bottom	0.49	97	41.6	1.54	213.0	0.01
WLAN5.8G 802.11ac VHT80 Ch155_Ant 0			0.8	-96.4	-47.6	2.23		
WCDMA II RMC12.2K Ch9538	Body	Bottom	0.49	97	41.6	1.54	195.1	0.00
BT BDR Ch78			0.32	-97	21	1.78		
WLAN5.8G 802.11ac VHT80 Ch155_Ant 0	Body	Bottom	0.8	-96.4	-47.6	2.23	68.6	0.02
BT BDR Ch78			0.32	-97	21	1.78		
WCDMA V RMC12.2K Ch4132	Body	Bottom	0.59	99	48	1.27	217.5	0.01
WLAN5.8G 802.11ac VHT80 Ch155_Ant 0			0.8	-96.4	-47.6	2.23		
WCDMA V RMC12.2K Ch4132	Body	Bottom	0.59	99	48	1.27	197.9	0.00
BT BDR Ch78			0.32	-97	21	1.78		
WLAN5.8G 802.11ac VHT80 Ch155_Ant 0	Body	Bottom	0.8	-96.4	-47.6	2.23	68.6	0.02
BT BDR Ch78			0.32	-97	21	1.78		
LTE 5 QPSK10M Ch20450	Body	Bottom	0.53	99	48	1.34	217.5	0.01
WLAN5.8G 802.11ac VHT80 Ch155_Ant 0			0.8	-96.4	-47.6	2.23		
LTE 5 QPSK10M Ch20450	Body	Bottom	0.53	99	48	1.34	197.9	0.00
BT BDR Ch78			0.32	-97	21	1.78		
WLAN5.8G 802.11ac VHT80 Ch155_Ant 0	Body	Bottom	0.8	-96.4	-47.6	2.23	68.6	0.02
BT BDR Ch78			0.32	-97	21	1.78		
LTE 7 QPSK20M Ch21350	Body	Bottom	0.55	104	37	1.37	217.5	0.01
WLAN5.8G 802.11ac VHT80 Ch155_Ant 0			0.8	-96.4	-47.6	2.23		
LTE 7 QPSK20M Ch21350	Body	Bottom	0.55	104	37	1.37	201.6	0.00
BT BDR Ch78			0.32	-97	21	1.78		
WLAN5.8G 802.11ac VHT80 Ch155_Ant 0	Body	Bottom	0.8	-96.4	-47.6	2.23	68.6	0.02
BT BDR Ch78			0.32	-97	21	1.78		




Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
LTE 14 QPSK10M Ch23330	Body	Bottom	0.48	99	48	1.32	217.5	0.01
WLAN5.8G 802.11ac VHT80 Ch155_Ant 0			0.8	-96.4	-47.6	2.23		
LTE 14 QPSK10M Ch23330	Body	Bottom	0.48	99	48	1.32	197.9	0.00
BT BDR Ch78			0.32	-97	21	1.78		
WLAN5.8G 802.11ac VHT80 Ch155_Ant 0	Body	Bottom	0.8	-96.4	-47.6	2.23	68.6	0.02
BT BDR Ch78			0.32	-97	21	1.78		
LTE 26 QPSK15M Ch26765	Body	Bottom	0.54	99	48	1.32	217.5	0.01
WLAN5.8G 802.11ac VHT80 Ch155_Ant 0			0.8	-96.4	-47.6	2.23		
LTE 26 QPSK15M Ch26765	Body	Bottom	0.54	99	48	1.32	197.9	0.00
BT BDR Ch78			0.32	-97	21	1.78		
WLAN5.8G 802.11ac VHT80 Ch155_Ant 0	Body	Bottom	0.8	-96.4	-47.6	2.23	68.6	0.02
BT BDR Ch78			0.32	-97	21	1.78		





Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
WCDMA II RMC12.2K Ch9538	Body	Bottom	0.49	97	41.6	1.54	194.7	0.01
WLAN5.6G 802.11ac VHT160 Ch114 Ant 0+1+BT BDR Ch78			1.23	-97.6	36	2.77		
WCDMA V RMC12.2K Ch4132	Body	Bottom	0.59	99	48	1.27	197.0	0.01
WLAN5.6G 802.11ac VHT160 Ch114 Ant 0+1+BT BDR Ch78			1.23	-97.6	36	2.77		
LTE 2 QPSK20M Ch19100	Body	Bottom	0.44	99.4	49.6	-0.74	197.5	0.01
WLAN5.6G 802.11ac VHT160 Ch114 Ant 0+1+BT BDR Ch78			1.23	-97.6	36	2.77		
LTE 5 QPSK10M Ch20450	Body	Bottom	0.53	99	48	1.34	197.0	0.01
WLAN5.6G 802.11ac VHT160 Ch114 Ant 0+1+BT BDR Ch78			1.23	-97.6	36	2.77		
LTE 7 QPSK20M Ch21350	Body	Bottom	0.55	104	37	1.37	201.6	0.01
WLAN5.6G 802.11ac VHT160 Ch114 Ant 0+1+BT BDR Ch78			1.23	-97.6	36	2.77		
LTE 13 QPSK10M Ch23230	Body	Bottom	0.47	99	48	1.34	197.0	0.01
WLAN5.6G 802.11ac VHT160 Ch114 Ant 0+1+BT BDR Ch78			1.23	-97.6	36	2.77		
LTE 14 QPSK10M Ch23330	Body	Bottom	0.48	99	48	1.32	197.0	0.01
WLAN5.6G 802.11ac VHT160 Ch114 Ant 0+1+BT BDR Ch78			1.23	-97.6	36	2.77		
LTE 25 QPSK20M Ch26590	Body	Bottom	0.39	97	41.6	1.44	194.7	0.01
WLAN5.6G 802.11ac VHT160 Ch114 Ant 0+1+BT BDR Ch78			1.23	-97.6	36	2.77		
LTE 26 QPSK15M Ch26765	Body	Bottom	0.54	99	48	1.32	197.0	0.01
WLAN5.6G 802.11ac VHT160 Ch114 Ant 0+1+BT BDR Ch78			1.23	-97.6	36	2.77		
LTE 30 QPSK10M Ch27710	Body	Bottom	0.45	99	41	1.4	196.7	0.01
WLAN5.6G 802.11ac VHT160 Ch114 Ant 0+1+BT BDR Ch78			1.23	-97.6	36	2.77		



Conditions	Exposure Condition	Test Position	SAR Value (W/kg)	Coordinates			Peak Location Separation Distance (Ri, mm)	SPLSR
				x	y	z		
WCDMA II RMC12.2K Ch9538	Body	Bottom	0.49	97	41.6	1.54	193.6	0.01
WLAN5.8G 802.11ac VHT80 Ch155 Ant 0+1+BT BDR Ch78			1.17	-96.4	49.6	1.96		
WCDMA V RMC12.2K Ch4132	Body	Bottom	0.59	99	48	1.27	195.4	0.01
WLAN5.8G 802.11ac VHT80 Ch155 Ant 0+1+BT BDR Ch78			1.17	-96.4	49.6	1.96		
LTE 2 QPSK20M Ch19100	Body	Bottom	0.44	99.4	49.6	-0.74	195.8	0.01
WLAN5.8G 802.11ac VHT80 Ch155 Ant 0+1+BT BDR Ch78			1.17	-96.4	49.6	1.96		
LTE 5 QPSK10M Ch20450	Body	Bottom	0.53	99	48	1.34	195.4	0.01
WLAN5.8G 802.11ac VHT80 Ch155 Ant 0+1+BT BDR Ch78			1.17	-96.4	49.6	1.96		
LTE 7 QPSK20M Ch21350	Body	Bottom	0.55	104	37	1.37	200.8	0.01
WLAN5.8G 802.11ac VHT80 Ch155 Ant 0+1+BT BDR Ch78			1.17	-96.4	49.6	1.96		
LTE 13 QPSK10M Ch23230	Body	Bottom	0.47	99	48	1.34	195.4	0.01
WLAN5.8G 802.11ac VHT80 Ch155 Ant 0+1+BT BDR Ch78			1.17	-96.4	49.6	1.96		
LTE 14 QPSK10M Ch23330	Body	Bottom	0.48	99	48	1.32	195.4	0.01
WLAN5.8G 802.11ac VHT80 Ch155 Ant 0+1+BT BDR Ch78			1.17	-96.4	49.6	1.96		
LTE 26 QPSK15M Ch26765	Body	Bottom	0.54	99	48	1.32	195.4	0.01
WLAN5.8G 802.11ac VHT80 Ch155 Ant 0+1+BT BDR Ch78			1.17	-96.4	49.6	1.96		
LTE 30 QPSK10M Ch27710	Body	Bottom	0.45	99	41	1.4	195.6	0.01
WLAN5.8G 802.11ac VHT80 Ch155 Ant 0+1+BT BDR Ch78			1.17	-96.4	49.6	1.96		