





Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8351.25	---	37.80	54.00	16.20	500.00	100.0	V	226.00	6
8927.50	54.31	---	68.20	13.89	500.00	200.0	H	247.00	6
9315.00	---	37.55	54.00	16.45	500.00	200.0	H	57.00	7
10385.00	50.63	---	68.20	17.57	500.00	200.0	V	330.00	8
10593.75	51.31	---	68.20	16.89	500.00	100.0	V	36.00	8
11160.00	---	42.40	54.00	11.60	500.00	100.0	V	226.00	9
13352.50	---	38.96	54.00	15.04	500.00	100.0	V	263.00	9
13731.25	51.04	---	68.20	17.16	500.00	200.0	V	132.00	10
14491.25	---	40.29	54.00	13.71	500.00	100.0	V	190.00	11
14616.25	52.70	---	68.20	15.50	500.00	200.0	V	358.00	11
15741.25	---	39.53	54.00	14.47	500.00	100.0	V	8.00	9
15770.00	50.71	---	74.00	23.29	500.00	100.0	V	72.00	9

802.11a CH157



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1296.63	42.17	---	68.20	26.03	500.00	100.0	H	205.00	-4
1380.63	---	31.65	54.00	22.35	500.00	100.0	H	89.00	-3
1578.38	---	34.38	54.00	19.62	500.00	200.0	H	296.00	-2
1867.13	44.97	---	68.20	23.23	500.00	100.0	H	34.00	-1
2568.00	48.31	---	68.20	19.89	500.00	100.0	H	147.00	3
2771.88	---	37.52	54.00	16.48	500.00	100.0	H	10.00	3
3377.38	50.23	---	68.20	17.97	500.00	100.0	H	160.00	4
3980.25	---	41.95	54.00	12.05	500.00	100.0	H	2.00	7
5402.13	---	46.92	54.00	7.08	500.00	100.0	H	7.00	10
5497.50	61.34	---	68.20	6.86	500.00	100.0	H	281.00	10
6992.00	62.94	---	68.20	5.26	500.00	100.0	H	4.00	15
7647.38	---	49.44	54.00	4.56	500.00	100.0	H	147.00	16



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8181.25	---	37.57	54.00	16.43	500.00	100.0	V	171.00	7
8692.50	49.62	---	68.20	18.58	500.00	200.0	H	144.00	7
9255.00	54.18	---	68.20	14.02	500.00	100.0	H	245.00	7
9303.75	---	37.51	54.00	16.49	500.00	200.0	H	292.00	7
10516.25	50.54	---	68.20	17.66	500.00	200.0	V	0.00	8
11570.00	---	41.12	54.00	12.88	500.00	100.0	V	225.00	9
13336.25	---	38.71	54.00	15.29	500.00	200.0	H	135.00	9
13728.75	49.89	---	68.20	18.31	500.00	100.0	H	0.00	10
14487.50	---	39.62	54.00	14.38	500.00	100.0	V	41.00	11
14622.50	52.76	---	68.20	15.44	500.00	100.0	H	358.00	10
15692.50	---	39.44	54.00	14.56	500.00	200.0	V	262.00	9
15697.50	50.76	---	74.00	23.24	500.00	200.0	H	108.00	9

802.11n (HT20) CH40



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1252.88	42.25	---	68.20	25.95	500.00	100.0	H	17.00	-4
1393.75	---	31.92	54.00	22.08	500.00	100.0	H	17.00	-3
1700.00	---	32.77	54.00	21.23	500.00	100.0	H	273.00	-2
1940.63	44.66	---	68.20	23.54	500.00	200.0	V	181.00	0
2659.00	48.10	---	68.20	20.10	500.00	100.0	H	38.00	2
2773.63	---	38.17	54.00	15.83	500.00	100.0	H	13.00	3
3394.00	51.12	---	68.20	17.08	500.00	100.0	H	6.00	4
3968.88	---	41.61	54.00	12.39	500.00	100.0	H	143.00	7
4918.25	---	44.44	54.00	9.56	500.00	100.0	H	3.00	9
5390.75	---	46.78	54.00	7.22	500.00	100.0	H	287.00	10
5482.63	57.12	---	68.20	11.08	500.00	100.0	H	1.00	10
6992.88	63.31	---	68.20	4.89	500.00	100.0	H	0.00	15



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8318.75	---	48.03	54.00	5.97	500.00	100.0	V	115.00	6
8721.25	49.61	---	68.20	18.59	500.00	100.0	H	359.00	7
9307.50	---	38.31	54.00	15.69	500.00	100.0	V	5.00	7
10398.75	52.08	---	68.20	16.12	500.00	100.0	H	318.00	8
10553.75	51.25	---	68.20	16.95	500.00	200.0	H	168.00	8
11312.50	---	41.05	54.00	12.95	500.00	100.0	V	73.00	9
13357.50	---	40.69	54.00	13.31	500.00	100.0	V	262.00	9
13538.75	52.39	---	68.20	15.81	500.00	100.0	V	87.00	10
14061.25	54.79	---	68.20	13.41	500.00	100.0	V	0.00	11
14487.50	---	41.80	54.00	12.20	500.00	100.0	V	227.00	11
15727.50	51.70	---	74.00	22.30	500.00	100.0	V	0.00	9
15742.50	---	40.24	54.00	13.76	500.00	100.0	V	73.00	9

802.11n (HT20) CH116



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1269.50	41.55	---	68.20	26.65	500.00	200.0	H	161.00	-4
1378.88	---	32.71	54.00	21.29	500.00	100.0	H	287.00	-3
1681.63	---	32.05	54.00	21.95	500.00	200.0	V	130.00	-2
1926.63	44.75	---	68.20	23.45	500.00	100.0	V	0.00	-1
2330.00	---	34.97	54.00	19.03	500.00	200.0	H	81.00	1
2634.50	47.65	---	68.20	20.55	500.00	200.0	V	24.00	2
2777.13	---	36.83	54.00	17.17	500.00	200.0	H	351.00	3
3493.75	49.82	---	68.20	18.38	500.00	200.0	H	268.00	4
3971.50	---	39.59	54.00	14.41	500.00	200.0	H	40.00	7
5291.88	57.92	---	68.20	10.28	500.00	200.0	H	358.00	10
5389.00	---	46.52	54.00	7.48	500.00	100.0	H	280.00	10
6808.25	58.21	---	68.20	9.99	500.00	200.0	V	137.00	15



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8362.50	---	37.75	54.00	16.25	500.00	200.0	H	23.00	6
8927.50	60.61	---	68.20	7.59	500.00	200.0	H	246.00	6
9305.00	---	37.76	54.00	16.24	500.00	100.0	V	103.00	7
10320.00	51.09	---	68.20	17.11	500.00	200.0	H	116.00	8
10508.75	51.00	---	68.20	17.20	500.00	100.0	H	358.00	8
11160.00	---	42.20	54.00	11.80	500.00	100.0	V	96.00	9
13336.25	---	38.87	54.00	15.13	500.00	100.0	V	183.00	9
13615.00	49.88	---	68.20	18.32	500.00	200.0	V	356.00	10
13886.25	52.69	---	68.20	15.51	500.00	100.0	V	103.00	11
14490.00	---	39.72	54.00	14.28	500.00	100.0	V	204.00	11
15686.25	50.79	---	74.00	23.21	500.00	200.0	V	344.00	9
15722.50	---	39.12	54.00	14.88	500.00	200.0	V	358.00	9

802.11n (HT20) CH157



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1256.38	41.99	---	68.20	26.21	500.00	100.0	V	62.00	-4
1383.25	---	31.42	54.00	22.58	500.00	100.0	H	11.00	-3
1583.63	---	33.66	54.00	20.34	500.00	100.0	H	298.00	-2
1583.63	44.54	---	74.00	29.46	500.00	100.0	H	298.00	-2
1966.88	44.46	---	68.20	23.74	500.00	100.0	V	0.00	0
2344.88	---	35.23	54.00	18.77	500.00	100.0	H	52.00	1
2651.13	47.67	---	68.20	20.53	500.00	100.0	V	358.00	2
2768.38	---	36.78	54.00	17.22	500.00	100.0	H	147.00	3
3526.13	49.41	---	68.20	18.79	500.00	100.0	V	327.00	4
3967.13	---	39.58	54.00	14.42	500.00	200.0	V	251.00	7
4627.75	---	45.43	54.00	8.57	500.00	100.0	H	319.00	8
5499.25	58.92	---	68.20	9.28	500.00	100.0	H	270.00	10



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8187.50	---	37.69	54.00	16.31	500.00	200.0	H	163.00	7
8666.25	49.81	---	68.20	18.39	500.00	100.0	V	46.00	7
9183.75	---	37.62	54.00	16.38	500.00	100.0	V	1.00	7
9255.00	54.70	---	68.20	13.50	500.00	100.0	H	239.00	7
10542.50	50.33	---	68.20	17.87	500.00	100.0	V	160.00	8
11570.00	---	41.20	54.00	12.80	500.00	100.0	V	53.00	9
12407.50	---	38.74	54.00	15.26	500.00	100.0	V	83.00	9
12701.25	50.06	---	68.20	18.14	500.00	100.0	V	2.00	9
14491.25	---	39.52	54.00	14.48	500.00	100.0	V	0.00	11
14605.00	52.28	---	68.20	15.92	500.00	200.0	V	128.00	11
15765.00	50.07	---	74.00	23.93	500.00	100.0	H	267.00	9
15787.50	---	38.56	54.00	15.44	500.00	100.0	V	153.00	8

802.11n (HT40) CH38



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1266.88	42.48	---	68.20	25.72	500.00	100.0	H	129.00	-4
1404.25	---	31.70	54.00	22.30	500.00	100.0	H	60.00	-3
1679.00	---	32.65	54.00	21.35	500.00	100.0	H	7.00	-2
1996.63	45.64	---	68.20	22.56	500.00	100.0	H	7.00	0
2610.88	48.85	---	68.20	19.35	500.00	100.0	H	5.00	2
2771.00	---	37.68	54.00	16.32	500.00	100.0	H	20.00	3
3358.13	50.68	---	68.20	17.52	500.00	100.0	H	68.00	4
3975.88	---	41.83	54.00	12.17	500.00	100.0	H	7.00	7
4757.25	---	41.99	54.00	12.01	500.00	100.0	H	27.00	8
5612.13	57.59	---	68.20	10.61	500.00	100.0	H	225.00	11
6959.63	62.64	---	68.20	5.56	500.00	100.0	H	135.00	14
7393.63	---	50.27	54.00	3.73	500.00	100.0	H	95.00	16



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8303.75	---	48.43	54.00	5.57	500.00	100.0	V	113.00	6
8766.25	49.79	---	68.20	18.41	500.00	200.0	H	24.00	7
9300.00	---	37.72	54.00	16.28	500.00	200.0	V	302.00	7
10020.00	50.91	---	68.20	17.29	500.00	100.0	H	227.00	8
10598.75	50.49	---	68.20	17.71	500.00	100.0	H	249.00	8
11711.25	---	40.26	54.00	13.74	500.00	100.0	V	266.00	9
12106.25	---	38.57	54.00	15.43	500.00	200.0	V	182.00	9
13512.50	49.62	---	68.20	18.58	500.00	100.0	V	224.00	10
14488.75	---	39.15	54.00	14.85	500.00	200.0	H	2.00	11
14605.00	52.04	---	68.20	16.16	500.00	100.0	V	0.00	11
15738.75	49.36	---	74.00	24.64	500.00	100.0	H	242.00	9
15752.50	---	37.73	54.00	16.27	500.00	200.0	H	194.00	9

802.11n (HT40) CH118



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1291.38	41.62	---	68.20	26.58	500.00	200.0	H	177.00	-4
1338.63	---	32.37	54.00	21.63	500.00	100.0	H	279.00	-3
1695.63	---	32.11	54.00	21.89	500.00	200.0	V	64.00	-2
1925.75	44.86	---	68.20	23.34	500.00	100.0	V	115.00	-1
2575.00	47.71	---	68.20	20.49	500.00	200.0	V	254.00	3
2774.50	---	36.53	54.00	17.47	500.00	200.0	H	357.00	3
3548.00	49.34	---	68.20	18.86	500.00	100.0	H	6.00	4
3965.38	---	39.73	54.00	14.27	500.00	200.0	V	132.00	7
5263.00	55.62	---	68.20	12.58	500.00	200.0	H	346.00	10
5355.75	---	45.48	54.00	8.52	500.00	100.0	H	294.00	10
7300.00	57.77	---	74.00	16.23	500.00	200.0	V	260.00	16
7561.63	---	46.43	54.00	7.57	500.00	100.0	V	32.00	16



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8208.75	---	37.78	54.00	16.22	500.00	100.0	V	100.00	7
8880.00	61.20	---	68.20	7.00	500.00	200.0	H	239.00	6
9183.75	---	37.64	54.00	16.36	500.00	100.0	V	22.00	7
9940.00	50.64	---	68.20	17.56	500.00	100.0	V	4.00	8
10571.25	51.97	---	68.20	16.23	500.00	200.0	V	0.00	8
11100.00	---	42.92	54.00	11.08	500.00	100.0	V	93.00	9
12406.25	---	38.60	54.00	15.40	500.00	200.0	H	232.00	9
13543.75	49.86	---	68.20	18.34	500.00	100.0	V	114.00	10
13931.25	51.84	---	68.20	16.36	500.00	200.0	V	2.00	11
14482.50	---	39.23	54.00	14.77	500.00	100.0	V	167.00	11
15693.75	49.92	---	74.00	24.08	500.00	100.0	H	257.00	9
15702.50	---	38.18	54.00	15.82	500.00	200.0	H	108.00	9

802.11n (HT40) CH151



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1252.88	42.32	---	68.20	25.88	500.00	200.0	H	302.00	-4
1385.88	---	31.47	54.00	22.53	500.00	200.0	H	275.00	-3
1681.63	---	31.96	54.00	22.04	500.00	200.0	H	0.00	-2
1978.25	44.61	---	68.20	23.59	500.00	200.0	H	322.00	0
2600.38	47.92	---	68.20	20.28	500.00	100.0	V	268.00	2
2765.75	---	36.76	54.00	17.24	500.00	100.0	V	321.00	3
3540.13	49.28	---	68.20	18.92	500.00	200.0	H	215.00	4
3986.38	---	39.73	54.00	14.27	500.00	200.0	H	308.00	6
5452.88	---	47.16	54.00	6.84	500.00	100.0	H	280.00	10
5470.38	57.21	---	68.20	10.99	500.00	100.0	H	274.00	10
6869.50	59.01	---	68.20	9.19	500.00	200.0	V	128.00	14
7730.50	---	47.76	54.00	6.24	500.00	100.0	V	261.00	17



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8157.50	---	37.67	54.00	16.33	500.00	200.0	V	141.00	6
8761.25	49.32	---	68.20	18.88	500.00	200.0	V	352.00	7
9207.50	55.34	---	68.20	12.86	500.00	100.0	H	240.00	7
9300.00	---	37.92	54.00	16.08	500.00	100.0	V	60.00	7
10573.75	50.34	---	68.20	17.86	500.00	200.0	H	122.00	8
10802.50	---	37.75	54.00	16.25	500.00	100.0	H	183.00	9
11510.00	---	41.26	54.00	12.74	500.00	100.0	V	102.00	9
12691.25	---	38.64	54.00	15.36	500.00	100.0	V	282.00	9
12700.00	49.85	---	68.20	18.35	500.00	200.0	H	339.00	9
13735.00	49.92	---	68.20	18.28	500.00	200.0	H	150.00	10
15025.00	52.16	---	68.20	16.04	500.00	100.0	H	357.00	10
15710.00	---	39.23	54.00	14.77	500.00	200.0	V	155.00	9

802.11ac (VHT40) CH38



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.00	42.32	---	68.20	25.88	500.00	100.0	H	26.00	-4
1406.00	---	32.07	54.00	21.93	500.00	100.0	H	3.00	-3
1685.13	---	33.10	54.00	20.90	500.00	100.0	H	2.00	-2
1974.75	45.31	---	68.20	22.89	500.00	100.0	H	32.00	0
2558.38	48.66	---	68.20	19.54	500.00	100.0	H	2.00	3
2775.38	---	37.90	54.00	16.10	500.00	100.0	H	0.00	3
3428.13	50.82	---	68.20	17.38	500.00	100.0	H	102.00	4
3971.50	---	41.57	54.00	12.43	500.00	100.0	H	80.00	7
4677.63	---	42.58	54.00	11.42	500.00	100.0	H	108.00	8
4680.25	54.36	---	74.00	19.64	500.00	100.0	H	178.00	8
6894.00	62.92	---	68.20	5.28	500.00	100.0	H	87.00	14
7722.63	---	50.34	54.00	3.66	500.00	100.0	H	7.00	17



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8303.75	---	46.00	54.00	8.00	500.00	100.0	V	107.00	6
8736.25	50.06	---	68.20	18.14	500.00	100.0	H	87.00	7
9343.75	---	37.26	54.00	16.74	500.00	100.0	H	4.00	7
10513.75	50.56	---	68.20	17.64	500.00	100.0	V	332.00	8
11346.25	51.91	---	74.00	22.09	500.00	100.0	V	93.00	9
11372.50	---	40.51	54.00	13.49	500.00	100.0	H	176.00	9
12076.25	---	38.78	54.00	15.22	500.00	100.0	H	123.00	9
13736.25	50.24	---	68.20	17.96	500.00	100.0	H	169.00	10
14480.00	---	39.55	54.00	14.45	500.00	200.0	V	187.00	11
14586.25	52.85	---	68.20	15.35	500.00	200.0	H	0.00	11
15766.25	---	38.13	54.00	15.87	500.00	100.0	H	11.00	9
15772.50	49.77	---	74.00	24.23	500.00	200.0	H	0.00	9

802.11ac (VHT40) CH118



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1271.25	41.80	---	68.20	26.40	500.00	100.0	V	139.00	-4
1393.75	---	31.63	54.00	22.37	500.00	100.0	H	5.00	-3
1705.25	---	32.12	54.00	21.88	500.00	200.0	V	30.00	-2
1920.50	45.05	---	68.20	23.15	500.00	200.0	V	236.00	-1
2687.00	48.27	---	68.20	19.93	500.00	100.0	V	0.00	2
2766.63	---	36.72	54.00	17.28	500.00	200.0	H	246.00	3
3324.88	49.23	---	68.20	18.97	500.00	200.0	V	3.00	4
3968.88	---	39.64	54.00	14.36	500.00	200.0	H	358.00	7
5057.38	---	42.78	54.00	11.22	500.00	200.0	H	359.00	10
5296.25	56.19	---	68.20	12.01	500.00	200.0	H	253.00	10
7736.63	---	47.74	54.00	6.26	500.00	100.0	V	126.00	17
7754.13	58.89	---	68.20	9.31	500.00	200.0	H	341.00	17



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8087.50	---	38.05	54.00	15.95	500.00	100.0	V	218.00	6
8943.75	58.66	---	68.20	9.54	500.00	100.0	H	246.00	6
9302.50	---	37.94	54.00	16.06	500.00	100.0	V	56.00	7
10390.00	50.85	---	68.20	17.35	500.00	100.0	V	288.00	8
10568.75	50.92	---	68.20	17.28	500.00	100.0	H	96.00	8
11343.75	---	40.83	54.00	13.17	500.00	200.0	H	251.00	9
13335.00	---	39.47	54.00	14.53	500.00	200.0	V	224.00	9
13660.00	51.10	---	68.20	17.10	500.00	100.0	V	193.00	10
14413.75	52.95	---	68.20	15.25	500.00	100.0	V	193.00	11
14493.75	---	40.56	54.00	13.44	500.00	100.0	V	225.00	11
15711.25	51.46	---	74.00	22.54	500.00	100.0	V	338.00	9
15741.25	---	39.31	54.00	14.69	500.00	100.0	H	103.00	9

802.11ac (VHT40) CH151



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1299.25	41.75	---	68.20	26.45	500.00	100.0	H	196.00	-4
1401.63	---	31.42	54.00	22.58	500.00	100.0	H	108.00	-3
1699.13	---	32.33	54.00	21.67	500.00	200.0	V	12.00	-2
1992.25	45.37	---	68.20	22.83	500.00	200.0	H	354.00	0
2629.25	48.56	---	68.20	19.64	500.00	100.0	H	341.00	2
2773.63	---	36.70	54.00	17.30	500.00	200.0	H	354.00	3
3467.50	49.54	---	68.20	18.66	500.00	100.0	H	128.00	4
3968.88	---	39.70	54.00	14.30	500.00	200.0	H	137.00	7
5452.88	---	46.90	54.00	7.10	500.00	100.0	H	285.00	10
5472.13	59.06	---	68.20	9.14	500.00	100.0	H	285.00	10
7728.75	---	47.90	54.00	6.10	500.00	100.0	H	19.00	17
7760.25	58.69	---	68.20	9.51	500.00	200.0	V	6.00	17



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8181.25	---	38.03	54.00	15.97	500.00	100.0	V	42.00	7
8800.00	49.79	---	68.20	18.41	500.00	200.0	V	217.00	7
9207.50	54.97	---	68.20	13.23	500.00	100.0	H	247.00	7
9301.25	---	38.11	54.00	15.89	500.00	200.0	V	18.00	7
10565.00	50.90	---	68.20	17.30	500.00	100.0	V	64.00	8
11510.00	---	41.97	54.00	12.03	500.00	200.0	H	346.00	9
11588.75	51.30	---	74.00	22.70	500.00	200.0	V	59.00	9
13350.00	---	40.38	54.00	13.62	500.00	100.0	V	263.00	9
13666.25	52.26	---	68.20	15.94	500.00	200.0	V	325.00	10
14400.00	54.26	---	68.20	13.94	500.00	200.0	H	357.00	11
14480.00	---	41.13	54.00	12.87	500.00	100.0	V	228.00	11
15738.75	---	40.26	54.00	13.74	500.00	100.0	V	249.00	9

802.11ac (VHT80) CH42



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1265.13	42.81	---	68.20	25.39	500.00	200.0	V	278.00	-4
1405.13	---	31.41	54.00	22.59	500.00	200.0	H	70.00	-3
1705.25	---	32.10	54.00	21.90	500.00	100.0	V	315.00	-2
1987.00	44.89	---	68.20	23.31	500.00	100.0	H	354.00	0
2248.63	---	34.83	54.00	19.17	500.00	100.0	H	354.00	1
2577.63	47.58	---	68.20	20.62	500.00	100.0	V	167.00	3
2765.75	---	36.65	54.00	17.35	500.00	200.0	H	241.00	3
3524.38	48.91	---	68.20	19.29	500.00	100.0	H	166.00	4
3970.63	---	39.61	54.00	14.39	500.00	200.0	H	329.00	7
4567.38	50.96	---	74.00	23.04	500.00	100.0	H	0.00	7
4759.00	---	41.31	54.00	12.69	500.00	200.0	H	39.00	8
6879.13	58.91	---	68.20	9.29	500.00	100.0	H	239.00	14



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8335.00	---	47.35	54.00	6.65	500.00	100.0	V	121.00	6
8767.50	49.84	---	68.20	18.36	500.00	200.0	V	31.00	7
9185.00	---	38.05	54.00	15.95	500.00	100.0	V	342.00	7
10360.00	51.06	---	68.20	17.14	500.00	100.0	V	194.00	8
10507.50	50.30	---	68.20	17.90	500.00	200.0	V	252.00	8
11345.00	---	40.30	54.00	13.70	500.00	100.0	H	38.00	9
11693.75	51.29	---	74.00	22.71	500.00	100.0	V	348.00	9
12407.50	---	38.82	54.00	15.18	500.00	100.0	V	315.00	9
13517.50	50.36	---	68.20	17.84	500.00	100.0	V	113.00	10
13897.50	52.26	---	68.20	15.94	500.00	100.0	H	6.00	11
14491.25	---	39.19	54.00	14.81	500.00	100.0	V	342.00	11
15736.25	---	38.76	54.00	15.24	500.00	200.0	H	335.00	9

802.11ac (VHT80) CH106



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1266.00	42.24	---	68.20	25.96	500.00	200.0	H	349.00	-4
1399.00	---	31.12	54.00	22.88	500.00	200.0	V	358.00	-3
1680.75	---	32.03	54.00	21.97	500.00	100.0	V	334.00	-2
1969.50	44.54	---	68.20	23.66	500.00	200.0	H	44.00	0
2568.00	48.43	---	68.20	19.77	500.00	100.0	V	0.00	3
2771.88	---	36.42	54.00	17.58	500.00	200.0	H	356.00	3
3146.38	49.06	---	68.20	19.14	500.00	100.0	H	21.00	4
3984.63	---	39.67	54.00	14.33	500.00	200.0	H	158.00	6
4085.25	51.81	---	74.00	22.19	500.00	100.0	H	54.00	6
4858.75	---	41.79	54.00	12.21	500.00	200.0	V	73.00	9
7741.00	---	47.85	54.00	6.15	500.00	100.0	V	0.00	17
7763.75	58.79	---	68.20	9.41	500.00	200.0	H	345.00	17



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8467.50	---	37.94	54.00	16.06	500.00	100.0	V	106.00	6
8847.50	61.77	---	68.20	6.43	500.00	200.0	H	237.00	6
9305.00	---	37.67	54.00	16.33	500.00	100.0	H	19.00	7
9915.00	50.60	---	68.20	17.60	500.00	200.0	V	116.00	8
10597.50	50.63	---	68.20	17.57	500.00	200.0	V	11.00	8
11060.00	---	42.39	54.00	11.61	500.00	100.0	V	235.00	9
11332.50	50.21	---	74.00	23.79	500.00	100.0	H	2.00	9
12688.75	---	38.84	54.00	15.16	500.00	100.0	V	164.00	9
13866.25	52.64	---	68.20	15.56	500.00	200.0	H	103.00	11
14480.00	---	39.56	54.00	14.44	500.00	100.0	V	350.00	11
15752.50	---	38.38	54.00	15.62	500.00	200.0	H	301.00	9
15766.25	50.29	---	74.00	23.71	500.00	100.0	V	193.00	9

802.11ac (VHT80) CH155



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1241.50	41.77	---	68.20	26.43	500.00	100.0	H	4.00	-4
1411.25	---	31.17	54.00	22.83	500.00	200.0	H	250.00	-3
1696.50	---	31.80	54.00	22.20	500.00	200.0	H	0.00	-2
1933.63	46.15	---	68.20	22.05	500.00	100.0	H	4.00	0
2570.63	47.59	---	68.20	20.61	500.00	100.0	H	177.00	3
2827.88	---	36.51	54.00	17.49	500.00	200.0	V	0.00	3
3544.50	49.34	---	68.20	18.86	500.00	100.0	V	157.00	4
3989.00	---	39.69	54.00	14.31	500.00	100.0	H	18.00	6
4619.88	53.08	---	74.00	20.92	500.00	200.0	H	343.00	8
5451.13	---	45.43	54.00	8.57	500.00	100.0	H	265.00	10
6913.25	59.35	---	68.20	8.85	500.00	100.0	H	30.00	14
7736.63	---	47.97	54.00	6.03	500.00	200.0	V	286.00	17



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8242.50	---	37.94	54.00	16.06	500.00	100.0	V	0.00	6
8728.75	49.78	---	68.20	18.42	500.00	200.0	H	258.00	7
9177.50	---	37.85	54.00	16.15	500.00	200.0	V	130.00	7
9238.75	55.23	---	68.20	12.97	500.00	100.0	V	279.00	7
10558.75	50.24	---	68.20	17.96	500.00	200.0	H	321.00	8
11550.00	---	40.59	54.00	13.41	500.00	100.0	V	257.00	9
12073.75	---	38.59	54.00	15.41	500.00	200.0	V	181.00	9
12423.75	49.32	---	74.00	24.68	500.00	100.0	H	70.00	9
13861.25	52.38	---	68.20	15.82	500.00	100.0	H	0.00	11
14490.00	---	39.37	54.00	14.63	500.00	100.0	H	34.00	11
15202.50	51.68	---	68.20	16.52	500.00	200.0	V	28.00	10
15773.75	---	38.70	54.00	15.30	500.00	100.0	H	150.00	9

802.11ac (VHT160) CH50



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.88	43.87	---	68.20	24.33	500.00	200.0	H	359.00	-4
1404.25	---	32.93	54.00	21.07	500.00	100.0	V	267.00	-3
1629.13	44.33	---	68.20	23.87	500.00	200.0	H	294.00	-2
1707.00	---	33.34	54.00	20.66	500.00	100.0	V	227.00	-2
1985.25	45.60	---	68.20	22.60	500.00	100.0	H	18.00	0
2330.00	---	35.00	54.00	19.00	500.00	200.0	H	341.00	1
2566.25	48.83	---	68.20	19.37	500.00	100.0	H	307.00	3
2779.75	---	36.95	54.00	17.05	500.00	100.0	H	180.00	3
3524.38	50.14	---	68.20	18.06	500.00	100.0	V	326.00	4
3968.00	---	40.48	54.00	13.52	500.00	200.0	V	193.00	7
7732.25	---	47.64	54.00	6.37	500.00	100.0	V	66.00	17
7750.63	58.85	---	68.20	9.35	500.00	100.0	V	294.00	17



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8927.500000	55.48	---	68.20	12.72	500.0	200.0	V	42.0	3.3
9040.000000	---	36.96	54.00	17.04	500.0	100.0	V	0.0	3.1
9250.000000	48.54	---	68.20	19.66	500.0	200.0	H	27.0	3.0
9376.250000	---	37.04	54.00	16.96	500.0	200.0	V	0.0	3.0
10515.000000	47.68	---	68.20	20.52	500.0	100.0	H	45.0	2.4
11920.000000	---	38.23	54.00	15.77	500.0	200.0	H	11.0	3.8
12671.250000	---	39.48	54.00	14.52	500.0	100.0	V	34.0	5.1
13491.250000	51.34	---	68.20	16.86	500.0	200.0	V	3.0	5.4
15271.250000	52.64	---	68.20	15.56	500.0	200.0	H	27.0	5.4
15695.000000	---	43.14	54.00	10.86	500.0	100.0	V	34.0	5.9
17530.000000	55.70	---	68.20	12.50	500.0	200.0	V	0.0	9.8
17730.000000	---	44.25	54.00	9.75	500.0	200.0	V	42.0	9.9

802.11ac (VHT160) CH114



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1289.63	44.03	---	68.20	24.17	500.00	100.0	V	121.00	-4
1397.25	---	32.98	54.00	21.02	500.00	200.0	H	159.00	-3
1499.63	---	33.12	54.00	20.88	500.00	100.0	V	281.00	-3
1921.38	45.39	---	68.20	22.81	500.00	100.0	H	5.00	-1
2330.88	---	35.38	54.00	18.62	500.00	200.0	V	131.00	1
2684.38	48.71	---	68.20	19.49	500.00	200.0	H	225.00	2
2731.63	---	37.05	54.00	16.95	500.00	100.0	V	288.00	3
3389.63	49.97	---	68.20	18.23	500.00	200.0	H	225.00	4
3970.63	---	40.59	54.00	13.41	500.00	100.0	V	281.00	7
4612.00	---	40.20	54.00	13.80	500.00	200.0	H	212.00	8
4625.13	53.39	---	74.00	20.61	500.00	100.0	V	322.00	8
6743.50	58.81	---	68.20	9.39	500.00	100.0	V	358.00	15



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1261.625000	42.07	---	68.20	26.13	500.0	100.0	H	26.0	-5.6
1384.125000	---	32.69	54.00	21.31	500.0	200.0	V	35.0	-4.6
1702.625000	---	34.03	54.00	19.97	500.0	200.0	H	45.0	-2.2
1914.375000	46.23	---	68.20	21.97	500.0	100.0	V	4.0	-0.6
2613.500000	48.57	---	68.20	19.63	500.0	200.0	V	27.0	1.8
2821.750000	---	37.85	54.00	16.15	500.0	200.0	V	0.0	2.7
3593.500000	52.00	---	68.20	16.20	500.0	100.0	V	45.0	4.1
3815.750000	---	40.99	54.00	13.01	500.0	200.0	H	40.0	4.9
5436.250000	---	53.83	54.00	0.17	500.0	200.0	V	35.0	9.6
5469.500000	62.98	---	68.20	5.22	500.0	200.0	V	42.0	9.5
7419.000000	---	47.66	54.00	6.34	500.0	200.0	H	45.0	12.0
7797.000000	58.54	---	68.20	9.66	500.0	200.0	V	0.0	12.3

802.11ax (HE20) CH40



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1267.750000	42.35	---	68.20	25.85	500.0	200.0	V	45.0	-5.5
1408.625000	---	32.58	54.00	21.42	500.0	100.0	V	32.0	-4.4
1702.625000	---	33.88	54.00	20.12	500.0	200.0	H	18.0	-2.2
1964.250000	46.86	---	68.20	21.34	500.0	200.0	V	10.0	-0.1
2638.875000	49.41	---	68.20	18.79	500.0	100.0	V	45.0	1.9
2749.125000	---	38.14	54.00	15.86	500.0	200.0	V	32.0	2.4
3451.750000	52.07	---	68.20	16.13	500.0	200.0	V	40.0	4.0
3868.250000	---	40.75	54.00	13.25	500.0	100.0	V	45.0	5.2
5392.500000	---	45.42	54.00	8.58	500.0	200.0	H	0.0	9.5
5485.250000	55.76	---	68.20	12.44	500.0	200.0	H	18.0	9.6
6794.250000	58.38	---	68.20	9.82	500.0	200.0	V	45.0	11.1
7384.000000	---	47.53	54.00	6.47	500.0	100.0	H	40.0	12.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8320.000000	---	45.28	54.00	8.72	500.0	200.0	V	42.0	2.9
8596.250000	47.50	---	68.20	20.70	500.0	200.0	H	34.0	3.0
9341.250000	---	37.11	54.00	16.89	500.0	200.0	H	3.0	3.0
9792.500000	48.48	---	68.20	19.72	500.0	100.0	V	45.0	3.2
10502.500000	47.45	---	68.20	20.75	500.0	200.0	V	11.0	2.4
11982.500000	---	38.13	54.00	15.87	500.0	200.0	H	3.0	4.0
12648.750000	---	39.44	54.00	14.56	500.0	100.0	H	45.0	5.1
13573.750000	51.01	---	68.20	17.19	500.0	200.0	H	3.0	5.6
15151.250000	52.11	---	68.20	16.09	500.0	200.0	V	42.0	5.5
15698.750000	---	43.06	54.00	10.94	500.0	200.0	V	3.0	5.9
17671.250000	54.83	---	68.20	13.37	500.0	100.0	H	45.0	9.8
17728.750000	---	44.15	54.00	9.85	500.0	200.0	H	34.0	9.9

802.11ax (HE20) CH116



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1294.000000	42.34	---	68.20	25.86	500.0	200.0	V	0.0	-5.3
1413.000000	---	32.75	54.00	21.25	500.0	100.0	V	12.0	-4.4
1670.250000	---	33.86	54.00	20.14	500.0	200.0	V	45.0	-2.4
1902.125000	46.47	---	68.20	21.73	500.0	200.0	V	0.0	-0.7
2624.875000	48.70	---	68.20	19.50	500.0	200.0	V	0.0	1.8
2751.750000	---	37.82	54.00	16.18	500.0	100.0	H	45.0	2.4
3378.250000	51.12	---	68.20	17.08	500.0	200.0	H	32.0	3.8
3881.375000	---	41.12	54.00	12.88	500.0	200.0	V	0.0	5.2
5291.000000	57.41	---	68.20	10.79	500.0	200.0	V	42.0	9.2
5386.375000	---	46.16	54.00	7.84	500.0	200.0	H	45.0	9.5
6811.750000	58.24	---	68.20	9.96	500.0	200.0	V	19.0	11.1
7376.125000	---	47.51	54.00	6.49	500.0	200.0	V	19.0	11.9



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8927.500000	55.20	---	68.20	13.00	500.0	200.0	V	41.0	3.3
9053.750000	---	36.60	54.00	17.40	500.0	100.0	H	28.0	3.1
9351.250000	---	37.01	54.00	16.99	500.0	200.0	H	13.0	3.0
10160.000000	48.42	---	68.20	19.78	500.0	200.0	V	45.0	2.7
10550.000000	48.42	---	68.20	19.78	500.0	100.0	H	36.0	2.3
11992.500000	---	38.46	54.00	15.54	500.0	200.0	H	45.0	4.0
12697.500000	---	39.31	54.00	14.69	500.0	200.0	V	0.0	5.1
12703.750000	51.24	---	68.20	16.96	500.0	200.0	H	36.0	5.1
15286.250000	52.10	---	68.20	16.10	500.0	100.0	H	28.0	5.4
15722.500000	---	43.25	54.00	10.75	500.0	200.0	H	45.0	5.9
17692.500000	56.12	---	68.20	12.08	500.0	200.0	V	2.0	9.8
17727.500000	---	44.29	54.00	9.71	500.0	200.0	V	9.0	9.9

802.11ax (HE20) CH157



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1273.000000	42.60	---	68.20	25.60	500.0	200.0	V	77.0	-5.5
1361.375000	---	32.43	54.00	21.57	500.0	100.0	H	50.0	-4.8
1706.125000	---	34.06	54.00	19.94	500.0	200.0	V	11.0	-2.1
1973.875000	46.79	---	68.20	21.41	500.0	100.0	V	18.0	-0.1
2618.750000	48.78	---	68.20	19.42	500.0	200.0	H	42.0	1.8
2785.875000	---	38.25	54.00	15.75	500.0	200.0	H	34.0	2.5
3237.375000	51.26	---	68.20	16.94	500.0	200.0	H	0.0	3.4
3872.625000	---	40.97	54.00	13.03	500.0	100.0	V	90.0	5.2
5394.250000	---	44.94	54.00	9.06	500.0	200.0	H	27.0	9.5
5506.250000	57.34	---	68.20	10.86	500.0	200.0	V	85.0	9.6
6292.875000	58.20	---	68.20	10.00	500.0	200.0	H	0.0	10.2
7395.375000	---	47.57	54.00	6.43	500.0	200.0	V	85.0	12.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8735.000000	48.57	---	68.20	19.63	500.0	200.0	V	50.0	3.0
9037.500000	---	37.02	54.00	16.98	500.0	100.0	H	56.0	3.0
9255.000000	53.47	---	68.20	14.73	500.0	200.0	V	0.0	3.0
9312.500000	---	37.46	54.00	16.54	500.0	200.0	V	90.0	3.0
10575.000000	48.09	---	68.20	20.11	500.0	200.0	V	90.0	2.3
11971.250000	---	38.30	54.00	15.70	500.0	200.0	V	65.0	3.9
12696.250000	---	39.49	54.00	14.51	500.0	100.0	V	11.0	5.1
13563.750000	51.00	---	68.20	17.20	500.0	200.0	H	16.0	5.6
13908.750000	52.50	---	68.20	15.70	500.0	200.0	V	90.0	6.1
15703.750000	---	43.27	54.00	10.73	500.0	200.0	V	80.0	5.9
17623.750000	55.60	---	68.20	12.60	500.0	200.0	V	90.0	9.8
17725.000000	---	44.42	54.00	9.58	500.0	100.0	H	2.0	9.9

802.11ax (HE40) CH38



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1294.000000	42.23	---	68.20	25.97	500.0	200.0	H	42.0	-5.3
1390.250000	---	32.38	54.00	21.62	500.0	100.0	H	45.0	-4.5
1699.125000	---	33.82	54.00	20.18	500.0	200.0	H	42.0	-2.2
1997.500000	46.48	---	68.20	21.72	500.0	200.0	H	3.0	0.1
2584.625000	48.36	---	68.20	19.84	500.0	100.0	H	35.0	1.7
2776.250000	---	37.95	54.00	16.05	500.0	200.0	V	0.0	2.5
3141.125000	51.07	---	68.20	17.13	500.0	200.0	H	45.0	3.5
3877.875000	---	40.85	54.00	13.15	500.0	200.0	H	3.0	5.2
5149.250000	---	47.75	54.00	6.25	500.0	100.0	H	42.0	8.7
5580.625000	56.71	---	68.20	11.49	500.0	200.0	H	45.0	9.6
6778.500000	58.43	---	68.20	9.77	500.0	200.0	V	12.0	11.0
7402.375000	---	47.55	54.00	6.45	500.0	200.0	V	0.0	12.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8303.750000	---	47.19	54.00	6.81	500.0	100.0	V	42.0	2.9
8913.750000	48.24	---	68.20	19.96	500.0	200.0	V	34.0	3.2
9346.250000	---	37.13	54.00	16.87	500.0	200.0	H	34.0	3.0
10275.000000	48.41	---	68.20	19.79	500.0	100.0	V	34.0	2.6
10553.750000	47.03	---	68.20	21.17	500.0	200.0	H	11.0	2.3
11983.750000	---	38.20	54.00	15.80	500.0	200.0	H	34.0	4.0
12658.750000	---	39.30	54.00	14.70	500.0	200.0	V	0.0	5.1
13536.250000	51.35	---	68.20	16.85	500.0	100.0	V	3.0	5.5
15130.000000	52.48	---	68.20	15.72	500.0	200.0	H	27.0	5.5
15702.500000	---	43.24	54.00	10.76	500.0	200.0	H	27.0	5.9
17608.750000	55.60	---	68.20	12.60	500.0	200.0	H	45.0	9.8
17727.500000	---	44.18	54.00	9.82	500.0	200.0	H	42.0	9.9

802.11ax (HE40) CH118



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1266.000000	42.01	---	68.20	26.19	500.0	200.0	V	4.0	-5.6
1385.875000	---	32.38	54.00	21.62	500.0	100.0	H	33.0	-4.6
1707.875000	---	33.94	54.00	20.06	500.0	200.0	V	0.0	-2.1
1749.875000	51.51	---	68.20	16.69	500.0	200.0	H	45.0	-1.9
2628.375000	48.90	---	68.20	19.30	500.0	200.0	H	33.0	1.8
2744.750000	---	38.39	54.00	15.61	500.0	100.0	V	0.0	2.3
3534.000000	51.22	---	68.20	16.98	500.0	200.0	V	0.0	4.0
3907.625000	---	41.05	54.00	12.95	500.0	200.0	H	26.0	5.0
5311.125000	56.11	---	68.20	12.09	500.0	200.0	V	19.0	9.2
5397.750000	---	45.66	54.00	8.34	500.0	200.0	H	45.0	9.5
7386.625000	---	47.44	54.00	6.56	500.0	200.0	H	45.0	12.0
7837.250000	57.98	---	68.20	10.22	500.0	200.0	V	0.0	12.3



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8361.250000	---	36.69	54.00	17.31	500.0	100.0	V	18.0	2.9
8943.750000	54.74	---	68.20	13.46	500.0	200.0	H	42.0	3.2
9343.750000	---	37.06	54.00	16.94	500.0	200.0	V	18.0	3.0
9726.250000	48.51	---	68.20	19.69	500.0	200.0	H	11.0	3.1
10552.500000	47.16	---	68.20	21.04	500.0	100.0	H	19.0	2.3
11948.750000	---	38.13	54.00	15.87	500.0	200.0	H	19.0	3.8
12663.750000	---	39.52	54.00	14.48	500.0	200.0	V	26.0	5.1
13582.500000	50.48	---	68.20	17.72	500.0	100.0	H	27.0	5.6
13938.750000	52.42	---	68.20	15.78	500.0	200.0	H	45.0	6.0
15707.500000	---	43.08	54.00	10.92	500.0	200.0	H	19.0	5.9
17640.000000	55.61	---	68.20	12.59	500.0	200.0	V	18.0	9.8
17730.000000	---	44.35	54.00	9.65	500.0	200.0	H	3.0	9.9

802.11ax (HE40) CH151



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1291.375000	42.40	---	68.20	25.80	500.0	100.0	H	0.0	-5.4
1413.875000	---	32.56	54.00	21.44	500.0	200.0	V	55.0	-4.4
1686.875000	---	33.73	54.00	20.27	500.0	200.0	V	77.0	-2.3
1983.500000	46.56	---	68.20	21.64	500.0	100.0	V	41.0	0.0
2441.125000	51.79	---	68.20	16.41	500.0	200.0	H	87.0	1.2
2761.375000	---	37.85	54.00	16.15	500.0	200.0	V	18.0	2.4
3585.625000	51.64	---	68.20	16.56	500.0	200.0	H	11.0	4.1
3906.750000	---	40.93	54.00	13.07	500.0	100.0	V	0.0	5.1
5424.000000	---	49.84	54.00	4.16	500.0	200.0	V	55.0	9.6
5478.250000	60.19	---	68.20	8.01	500.0	200.0	H	64.0	9.5
6844.125000	58.41	---	68.20	9.79	500.0	200.0	H	79.0	11.1
7397.125000	---	47.45	54.00	6.55	500.0	100.0	V	33.0	12.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8955.000000	48.53	---	68.20	19.67	500.0	200.0	V	87.0	3.2
9098.750000	---	36.89	54.00	17.11	500.0	100.0	H	54.0	3.1
9207.500000	51.54	---	68.20	16.66	500.0	200.0	H	0.0	3.1
9348.750000	---	37.19	54.00	16.81	500.0	200.0	H	0.0	3.0
10487.500000	47.48	---	68.20	20.72	500.0	100.0	V	26.0	2.4
11997.500000	---	38.19	54.00	15.81	500.0	200.0	H	0.0	4.0
12696.250000	---	39.44	54.00	14.56	500.0	200.0	V	90.0	5.1
13598.750000	51.38	---	68.20	16.82	500.0	100.0	V	87.0	5.6
15335.000000	52.11	---	68.20	16.09	500.0	200.0	V	65.0	5.5
15700.000000	---	43.08	54.00	10.92	500.0	200.0	V	90.0	5.9
17627.500000	55.32	---	68.20	12.88	500.0	200.0	H	23.0	9.8
17772.500000	---	44.27	54.00	9.73	500.0	200.0	H	90.0	9.9

802.11ax (HE80) CH42



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1282.625000	42.31	---	68.20	25.89	500.0	100.0	H	45.0	-5.4
1405.125000	---	32.34	54.00	21.66	500.0	200.0	H	45.0	-4.4
1721.000000	---	33.74	54.00	20.26	500.0	200.0	V	0.0	-2.0
1740.250000	53.00	---	68.20	15.20	500.0	200.0	V	40.0	-1.9
2631.000000	48.56	---	68.20	19.64	500.0	100.0	H	11.0	1.8
2826.125000	---	37.81	54.00	16.19	500.0	200.0	V	45.0	2.7
3545.375000	50.96	---	68.20	17.24	500.0	200.0	V	4.0	4.0
3889.250000	---	40.58	54.00	13.42	500.0	200.0	V	0.0	5.1
5146.625000	---	52.33	54.00	1.67	500.0	100.0	V	45.0	8.7
5467.750000	57.28	---	68.20	10.92	500.0	200.0	V	25.0	9.5
7378.750000	---	47.50	54.00	6.50	500.0	200.0	V	0.0	12.0
7771.625000	58.43	---	68.20	9.77	500.0	100.0	V	11.0	12.3



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8335.000000	---	47.71	54.00	6.29	500.0	200.0	V	42.0	2.9
8997.500000	48.37	---	68.20	19.83	500.0	100.0	H	4.0	3.1
9343.750000	---	37.10	54.00	16.90	500.0	200.0	V	0.0	3.0
9823.750000	48.67	---	68.20	19.53	500.0	200.0	H	28.0	3.2
10503.750000	48.35	---	68.20	19.85	500.0	100.0	V	3.0	2.4
11956.250000	---	37.96	54.00	16.04	500.0	200.0	H	20.0	3.9
12661.250000	---	39.45	54.00	14.55	500.0	200.0	V	10.0	5.1
13565.000000	50.88	---	68.20	17.32	500.0	200.0	V	0.0	5.6
15305.000000	52.17	---	68.20	16.03	500.0	200.0	V	45.0	5.4
15702.500000	---	43.18	54.00	10.82	500.0	200.0	H	43.0	5.9
17656.250000	55.41	---	68.20	12.79	500.0	200.0	V	0.0	9.8
17721.250000	---	44.21	54.00	9.79	500.0	200.0	V	0.0	9.9

802.11ax (HE80) CH122



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1279.125000	42.07	---	68.20	26.13	500.0	200.0	V	3.0	-5.4
1371.875000	---	32.52	54.00	21.48	500.0	200.0	V	13.0	-4.7
1721.875000	---	33.61	54.00	20.39	500.0	200.0	H	26.0	-2.0
1969.500000	46.60	---	68.20	21.60	500.0	200.0	H	33.0	-0.1
2634.500000	48.91	---	68.20	19.29	500.0	200.0	V	13.0	1.9
2739.500000	---	37.85	54.00	16.15	500.0	200.0	H	41.0	2.3
3324.000000	50.90	---	68.20	17.30	500.0	200.0	V	13.0	3.7
3874.375000	---	40.73	54.00	13.27	500.0	200.0	H	3.0	5.2
5348.750000	58.50	---	68.20	9.70	500.0	200.0	V	45.0	9.2
5424.000000	---	49.59	54.00	4.41	500.0	200.0	V	45.0	9.6
6509.000000	58.26	---	68.20	9.94	500.0	200.0	H	45.0	10.9
7384.875000	---	47.52	54.00	6.48	500.0	200.0	H	33.0	12.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8976.250000	54.52	---	68.20	13.68	500.0	100.0	H	42.0	3.1
9076.250000	---	36.79	54.00	17.21	500.0	200.0	V	11.0	3.1
9437.500000	---	37.19	54.00	16.81	500.0	200.0	V	0.0	3.0
10166.250000	48.17	---	68.20	20.03	500.0	200.0	H	3.0	2.7
10560.000000	47.60	---	68.20	20.60	500.0	200.0	H	45.0	2.3
11968.750000	---	38.18	54.00	15.82	500.0	100.0	V	26.0	3.9
12662.500000	---	39.73	54.00	14.27	500.0	100.0	H	0.0	5.1
13626.250000	51.06	---	68.20	17.14	500.0	200.0	H	45.0	5.6
14710.000000	52.23	---	68.20	15.97	500.0	200.0	V	42.0	4.7
15692.500000	---	43.10	54.00	10.90	500.0	200.0	V	0.0	5.9
17656.250000	55.01	---	68.20	13.19	500.0	200.0	H	34.0	9.8
17723.750000	---	44.47	54.00	9.53	500.0	200.0	V	0.0	9.9

802.11ax (HE80) CH155



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1266.875000	42.27	---	68.20	25.93	500.0	100.0	V	40.0	-5.6
1365.750000	---	32.14	54.00	21.86	500.0	200.0	V	0.0	-4.7
1666.750000	---	33.69	54.00	20.31	500.0	200.0	H	90.0	-2.4
1880.250000	46.83	---	68.20	21.37	500.0	100.0	V	54.0	-0.9
2613.500000	48.47	---	68.20	19.73	500.0	200.0	V	0.0	1.8
2781.500000	---	38.09	54.00	15.91	500.0	200.0	H	90.0	2.5
3243.500000	51.09	---	68.20	17.11	500.0	100.0	V	32.0	3.4
3801.750000	---	40.63	54.00	13.37	500.0	200.0	H	3.0	4.8
5424.000000	---	48.31	54.00	5.69	500.0	200.0	H	62.0	9.6
5640.125000	60.89	---	68.20	7.31	500.0	200.0	V	47.0	9.7
5850.125000	61.88	---	68.20	6.32	500.0	100.0	H	62.0	9.6
7356.000000	---	47.56	54.00	6.44	500.0	200.0	H	33.0	11.9



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8687.500000	48.53	---	68.20	19.67	500.0	200.0	V	90.0	3.1
9077.500000	---	36.88	54.00	17.12	500.0	200.0	H	0.0	3.1
9240.000000	51.85	---	68.20	16.35	500.0	100.0	H	3.0	3.0
9336.250000	---	37.24	54.00	16.76	500.0	200.0	V	79.0	3.0
10490.000000	47.44	---	68.20	20.76	500.0	200.0	V	90.0	2.4
11990.000000	---	38.11	54.00	15.89	500.0	200.0	V	90.0	4.0
12695.000000	---	39.73	54.00	14.27	500.0	200.0	V	79.0	5.1
13406.250000	51.07	---	68.20	17.13	500.0	200.0	H	41.0	5.2
15288.750000	52.46	---	68.20	15.74	500.0	200.0	V	90.0	5.4
15708.750000	---	43.14	54.00	10.86	500.0	200.0	H	25.0	5.9
17611.250000	55.47	---	68.20	12.73	500.0	200.0	V	57.0	9.8
17720.000000	---	44.39	54.00	9.61	500.0	200.0	V	90.0	9.9

802.11ax (HE160) CH50



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1275.625000	48.44	---	68.20	19.76	500.0	200.0	H	0.0	0.5
1396.375000	---	38.48	54.00	15.52	500.0	100.0	V	0.0	1.5
1593.250000	---	39.85	54.00	14.15	500.0	200.0	V	42.0	3.0
1975.625000	52.89	---	68.20	15.31	500.0	200.0	H	45.0	6.0
2649.375000	54.37	---	68.20	13.83	500.0	100.0	H	43.0	7.9
2826.125000	---	44.08	54.00	9.92	500.0	200.0	V	45.0	8.7
3559.375000	57.61	---	68.20	10.59	500.0	200.0	H	36.0	10.0
3893.625000	---	46.63	54.00	7.37	500.0	200.0	V	19.0	11.1
5110.750000	---	52.93	54.00	1.07	500.0	100.0	H	36.0	14.7
5554.375000	61.40	---	68.20	6.80	500.0	200.0	H	0.0	15.6
7387.500000	---	53.48	54.00	0.52	500.0	200.0	V	45.0	18.0
7800.500000	63.78	---	68.20	4.42	500.0	100.0	H	43.0	18.3



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8400.000000	---	46.86	54.00	7.14	500.0	200.0	V	42.0	2.9
8918.750000	47.90	---	68.20	20.30	500.0	100.0	H	45.0	3.3
9343.750000	---	37.09	54.00	16.91	500.0	200.0	V	10.0	3.0
9677.500000	48.15	---	68.20	20.05	500.0	100.0	H	34.0	3.0
10556.250000	47.57	---	68.20	20.63	500.0	200.0	H	42.0	2.3
11990.000000	---	38.01	54.00	15.99	500.0	200.0	H	42.0	4.0
12666.250000	---	39.43	54.00	14.57	500.0	100.0	H	0.0	5.1
13603.750000	50.88	---	68.20	17.32	500.0	200.0	V	3.0	5.6
15261.250000	52.11	---	68.20	16.09	500.0	200.0	V	10.0	5.4
15702.500000	---	43.27	54.00	10.73	500.0	200.0	H	42.0	5.9
17638.750000	55.33	---	68.20	12.87	500.0	200.0	H	45.0	9.8
17733.750000	---	44.17	54.00	9.83	500.0	200.0	H	42.0	9.9

802.11ax (HE160) CH114



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1280.875000	48.75	---	68.20	19.45	500.0	100.0	V	27.0	0.6
1412.125000	---	38.60	54.00	15.40	500.0	200.0	V	27.0	1.6
1699.125000	---	40.00	54.00	14.00	500.0	200.0	H	45.0	3.8
1722.750000	52.60	---	68.20	15.60	500.0	200.0	H	28.0	4.0
2618.750000	55.27	---	68.20	12.93	500.0	100.0	V	0.0	7.8
2827.000000	---	44.64	54.00	9.36	500.0	200.0	H	28.0	8.7
3409.750000	57.23	---	68.20	10.97	500.0	200.0	V	12.0	10.0
3862.125000	---	46.65	54.00	7.35	500.0	200.0	V	4.0	11.2
5233.250000	62.32	---	68.20	5.88	500.0	100.0	V	45.0	15.0
5425.750000	---	52.84	54.00	1.16	500.0	200.0	H	45.0	15.6
6833.625000	64.06	---	68.20	4.14	500.0	200.0	V	19.0	17.1
7379.625000	---	53.28	54.00	0.72	500.0	200.0	V	0.0	18.0



Final Result


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8911.250000	56.08	---	68.20	12.12	500.0	100.0	V	42.0	3.2
9100.000000	---	36.70	54.00	17.30	500.0	200.0	H	18.0	3.1
9347.500000	---	36.91	54.00	17.09	500.0	200.0	H	42.0	3.0
9793.750000	49.03	---	68.20	19.17	500.0	100.0	V	18.0	3.2
10500.000000	48.50	---	68.20	19.70	500.0	200.0	V	0.0	2.4
11913.750000	---	38.27	54.00	15.73	500.0	200.0	V	2.0	3.7
12695.000000	---	39.58	54.00	14.42	500.0	200.0	H	26.0	5.1
13576.250000	51.14	---	68.20	17.06	500.0	200.0	H	0.0	5.6
15305.000000	52.16	---	68.20	16.04	500.0	200.0	V	0.0	5.4
15720.000000	---	43.17	54.00	10.83	500.0	100.0	H	18.0	5.9
17657.500000	54.94	---	68.20	13.26	500.0	200.0	H	45.0	9.8
17731.250000	---	44.43	54.00	9.57	500.0	200.0	H	34.0	9.9

802.11be (EHT20) CH40



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
1272.125000	48.90	---	68.20	19.30	500.0	200.0	H	4.0	0.5
1406.875000	---	38.45	54.00	15.55	500.0	100.0	H	12.0	1.6
1707.875000	---	39.91	54.00	14.09	500.0	200.0	H	0.0	3.9
1737.625000	58.37	---	68.20	9.83	500.0	200.0	V	44.0	4.0
2550.500000	54.52	---	68.20	13.68	500.0	100.0	H	19.0	7.5
2827.000000	---	43.91	54.00	10.09	500.0	200.0	H	0.0	8.7
3510.375000	57.29	---	68.20	10.91	500.0	200.0	V	44.0	10.0
3844.625000	---	46.51	54.00	7.49	500.0	200.0	H	27.0	11.1
5382.875000	---	50.55	54.00	3.45	500.0	100.0	V	44.0	15.4
5498.375000	61.46	---	68.20	6.74	500.0	200.0	H	19.0	15.6
7399.750000	---	53.71	54.00	0.29	500.0	200.0	V	26.0	18.0
7825.000000	63.93	---	68.20	4.27	500.0	200.0	H	19.0	18.3



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB)
8320.000000	---	41.12	54.00	12.88	500.0	100.0	V	34.0	2.9
8976.250000	47.62	---	68.20	20.58	500.0	200.0	H	8.0	3.1
9423.750000	---	37.15	54.00	16.85	500.0	200.0	H	40.0	3.0
10122.500000	48.64	---	68.20	19.56	500.0	200.0	H	2.0	2.8
10585.000000	47.25	---	68.20	20.95	500.0	100.0	V	34.0	2.2
11770.000000	---	37.99	54.00	16.01	500.0	200.0	H	40.0	3.3
12668.750000	---	39.48	54.00	14.52	500.0	200.0	V	0.0	5.1
13718.750000	51.00	---	68.20	17.20	500.0	200.0	V	45.0	5.5
15286.250000	52.36	---	68.20	15.84	500.0	200.0	V	45.0	5.4
15711.250000	---	42.99	54.00	11.01	500.0	200.0	H	0.0	5.9
17653.750000	55.23	---	68.20	12.97	500.0	200.0	V	18.0	9.8
17723.750000	---	44.24	54.00	9.76	500.0	200.0	H	2.0	9.9