







Mode	21																																																																																																																																																																																																			
	LF																																																																																																																																																																																																			
	2400-2483.5_802.11n HT40_CH06_2437MHz																																																																																																																																																																																																			
ANT	1+2																																																																																																																																																																																																			
Pol.	Horizontal								Vertical																																																																																																																																																																																											
QP/ Peak	 Site : 830K3-HY Condition: QP 3m LP_633038001_231805 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dB</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>38.00</td><td>21.50</td><td>40.00</td><td>-18.50</td><td>10.70</td><td>24.40</td><td>1.87</td><td>32.75</td><td>0.00 -- -- Peak</td></tr><tr><td>2</td><td>134.76</td><td>32.34</td><td>43.50</td><td>-11.16</td><td>45.37</td><td>17.73</td><td>1.81</td><td>32.70</td><td>0.13 -- -- Peak</td></tr><tr><td>3</td><td>220.12</td><td>30.91</td><td>46.00</td><td>-15.09</td><td>45.95</td><td>15.29</td><td>2.22</td><td>32.72</td><td>0.17 -- -- Peak</td></tr><tr><td>4</td><td>334.50</td><td>30.40</td><td>46.00</td><td>-15.60</td><td>48.52</td><td>19.00</td><td>2.72</td><td>32.80</td><td>0.10 -- -- Peak</td></tr><tr><td>5</td><td>700.03</td><td>35.76</td><td>46.00</td><td>-10.24</td><td>37.97</td><td>26.79</td><td>3.79</td><td>32.94</td><td>0.15 -- -- Peak</td></tr><tr><td>6</td><td>949.56</td><td>32.65</td><td>46.00</td><td>-13.35</td><td>20.69</td><td>31.05</td><td>4.29</td><td>31.64</td><td>0.26 -- -- Peak</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBm	dBm	dB	dBm	dB	dB	dB	dB	cm deg	1	38.00	21.50	40.00	-18.50	10.70	24.40	1.87	32.75	0.00 -- -- Peak	2	134.76	32.34	43.50	-11.16	45.37	17.73	1.81	32.70	0.13 -- -- Peak	3	220.12	30.91	46.00	-15.09	45.95	15.29	2.22	32.72	0.17 -- -- Peak	4	334.50	30.40	46.00	-15.60	48.52	19.00	2.72	32.80	0.10 -- -- Peak	5	700.03	35.76	46.00	-10.24	37.97	26.79	3.79	32.94	0.15 -- -- Peak	6	949.56	32.65	46.00	-13.35	20.69	31.05	4.29	31.64	0.26 -- -- Peak	 Site : 830K3-HY Condition: QP 3m LP_633038001_231805 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dB</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>32.91</td><td>24.97</td><td>40.00</td><td>-15.03</td><td>33.26</td><td>23.40</td><td>1.06</td><td>32.75</td><td>0.00 -- -- Peak</td></tr><tr><td>2</td><td>213.33</td><td>33.52</td><td>43.50</td><td>-9.98</td><td>40.09</td><td>14.99</td><td>2.19</td><td>32.72</td><td>0.17 -- -- Peak</td></tr><tr><td>3</td><td>226.24</td><td>34.10</td><td>46.00</td><td>-11.90</td><td>40.50</td><td>14.95</td><td>2.20</td><td>32.72</td><td>0.17 -- -- Peak</td></tr><tr><td>4</td><td>329.73</td><td>30.33</td><td>46.00</td><td>-15.67</td><td>40.60</td><td>19.73</td><td>2.70</td><td>32.80</td><td>0.10 -- -- Peak</td></tr><tr><td>5</td><td>710.70</td><td>30.30</td><td>46.00</td><td>-15.70</td><td>40.07</td><td>27.26</td><td>3.82</td><td>32.92</td><td>0.15 -- -- Peak</td></tr><tr><td>6</td><td>951.50</td><td>33.46</td><td>46.00</td><td>-12.54</td><td>29.43</td><td>31.10</td><td>4.29</td><td>31.62</td><td>0.26 -- -- Peak</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBm	dBm	dB	dBm	dB	dB	dB	dB	cm deg	1	32.91	24.97	40.00	-15.03	33.26	23.40	1.06	32.75	0.00 -- -- Peak	2	213.33	33.52	43.50	-9.98	40.09	14.99	2.19	32.72	0.17 -- -- Peak	3	226.24	34.10	46.00	-11.90	40.50	14.95	2.20	32.72	0.17 -- -- Peak	4	329.73	30.33	46.00	-15.67	40.60	19.73	2.70	32.80	0.10 -- -- Peak	5	710.70	30.30	46.00	-15.70	40.07	27.26	3.82	32.92	0.15 -- -- Peak	6	951.50	33.46	46.00	-12.54	29.43	31.10	4.29	31.62	0.26 -- -- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																												
MHz	dBm	dBm	dB	dBm	dB	dB	dB	dB	cm deg																																																																																																																																																																																											
1	38.00	21.50	40.00	-18.50	10.70	24.40	1.87	32.75	0.00 -- -- Peak																																																																																																																																																																																											
2	134.76	32.34	43.50	-11.16	45.37	17.73	1.81	32.70	0.13 -- -- Peak																																																																																																																																																																																											
3	220.12	30.91	46.00	-15.09	45.95	15.29	2.22	32.72	0.17 -- -- Peak																																																																																																																																																																																											
4	334.50	30.40	46.00	-15.60	48.52	19.00	2.72	32.80	0.10 -- -- Peak																																																																																																																																																																																											
5	700.03	35.76	46.00	-10.24	37.97	26.79	3.79	32.94	0.15 -- -- Peak																																																																																																																																																																																											
6	949.56	32.65	46.00	-13.35	20.69	31.05	4.29	31.64	0.26 -- -- Peak																																																																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																												
MHz	dBm	dBm	dB	dBm	dB	dB	dB	dB	cm deg																																																																																																																																																																																											
1	32.91	24.97	40.00	-15.03	33.26	23.40	1.06	32.75	0.00 -- -- Peak																																																																																																																																																																																											
2	213.33	33.52	43.50	-9.98	40.09	14.99	2.19	32.72	0.17 -- -- Peak																																																																																																																																																																																											
3	226.24	34.10	46.00	-11.90	40.50	14.95	2.20	32.72	0.17 -- -- Peak																																																																																																																																																																																											
4	329.73	30.33	46.00	-15.67	40.60	19.73	2.70	32.80	0.10 -- -- Peak																																																																																																																																																																																											
5	710.70	30.30	46.00	-15.70	40.07	27.26	3.82	32.92	0.15 -- -- Peak																																																																																																																																																																																											
6	951.50	33.46	46.00	-12.54	29.43	31.10	4.29	31.62	0.26 -- -- Peak																																																																																																																																																																																											




Mode	22																																																																																	
	SHF																																																																																	
	2400-2483.5_802.11n HT40_CH06_2437MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak	 Site : 83CH23-HY Condition: PEAK_74 In 88H48170_1225_230710 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBV/m</th><th>dBV/m</th><th>dB</th><th>dBV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 22950.00</td><td>41.22</td><td>74.00</td><td>-32.78</td><td>52.14</td><td>39.20</td><td>19.73</td><td>60.31</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBV/m	dBV/m	dB	dBV	dB/m	dB	dB	cm	deg	1 22950.00	41.22	74.00	-32.78	52.14	39.20	19.73	60.31	-9.54	-- -- Peak	 Site : 83CH23-HY Condition: PEAK_74 In 88H48170_1225_230710 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBV/m</th><th>dBV/m</th><th>dB</th><th>dBV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 24754.00</td><td>42.89</td><td>74.00</td><td>-31.91</td><td>51.61</td><td>39.59</td><td>20.78</td><td>60.35</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBV/m	dBV/m	dB	dBV	dB/m	dB	dB	cm	deg	1 24754.00	42.89	74.00	-31.91	51.61	39.59	20.78	60.35	-9.54	-- -- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																									
MHz	dBV/m	dBV/m	dB	dBV	dB/m	dB	dB	cm	deg																																																																									
1 22950.00	41.22	74.00	-32.78	52.14	39.20	19.73	60.31	-9.54	-- -- Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																									
MHz	dBV/m	dBV/m	dB	dBV	dB/m	dB	dB	cm	deg																																																																									
1 24754.00	42.89	74.00	-31.91	51.61	39.59	20.78	60.35	-9.54	-- -- Peak																																																																									




Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
1	802.11b	98.73	-	-	10Hz
2	802.11b	99.16	-	-	10Hz
1	802.11g	91.78	1395	0.72	750Hz
2	802.11g	91.18	1395	0.72	750Hz
1+2	2.4GHz 802.11n HT20	92.88	1305	0.77	820Hz
1+2	2.4GHz 802.11n HT40	81.00	648	1.54	1.6kHz

<Ant. 1>



<Ant. 2>





MIMO <Ant. 1+2>

