


**Lowest Channel**

Frequency 2402MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average


Polarity: Vertical



| No. | Frequency MHz | Reading dBμV/m | Level dBμV/m | Factor dB | Limit dBμV/m | Margin dB | Height cm | Angle ° | Pole       | Remark   |
|-----|---------------|----------------|--------------|-----------|--------------|-----------|-----------|---------|------------|----------|
| 1   | 2310.0000     | 35.78          | 39.26        | 3.48      | 54.00        | 14.74     | 200       | 142     | Horizontal | /        |
| 2   | 2389.5150     | 37.58          | 41.38        | 3.80      | 54.00        | 12.62     | 200       | 260     | Horizontal | /        |
| 3   | 2390.0000     | 36.17          | 39.98        | 3.81      | 54.00        | 14.02     | 100       | 204     | Horizontal | /        |
| 4   | 2401.9600     | 95.87          | 99.86        | 3.99      | 54.00        | -45.86    | 200       | 142     | Horizontal | No limit |
| 1   | 2310.0000     | 35.57          | 39.05        | 3.48      | 54.00        | 14.95     | 200       | 184     | Vertical   | /        |
| 2   | 2383.5490     | 38.06          | 41.76        | 3.70      | 54.00        | 12.24     | 100       | 279     | Vertical   | /        |
| 3   | 2390.0000     | 36.00          | 39.81        | 3.81      | 54.00        | 14.19     | 100       | 348     | Vertical   | /        |
| 4   | 2401.9980     | 94.44          | 98.43        | 3.99      | 54.00        | -44.43    | 100       | 313     | Vertical   | No limit |


Highest Channel  
Frequency 2480MHz  
Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




| No. | Frequency<br>MHz | Reading<br>dBμV/m | Level<br>dBμV/m | Factor<br>dB | Limit<br>dBμV/m | Margin<br>dB | Height<br>cm | Angle<br>° | Pole       | Remark   |
|-----|------------------|-------------------|-----------------|--------------|-----------------|--------------|--------------|------------|------------|----------|
| 1   | 2479.8275        | 96.44             | 100.76          | 4.32         | 74.00           | -26.76       | 100          | 8          | Horizontal | No limit |
| 2   | 2483.5000        | 47.02             | 51.35           | 4.33         | 74.00           | 22.65        | 200          | 142        | Horizontal | /        |
| 3   | 2484.0400        | 48.87             | 53.20           | 4.33         | 74.00           | 20.80        | 200          | 142        | Horizontal | /        |
| 4   | 2500.0000        | 46.25             | 50.63           | 4.38         | 74.00           | 23.37        | 200          | 356        | Horizontal | /        |
| 1   | 2480.1400        | 94.31             | 98.63           | 4.32         | 74.00           | -24.63       | 100          | 348        | Vertical   | No limit |
| 2   | 2483.5000        | 46.99             | 51.32           | 4.33         | 74.00           | 22.68        | 200          | 150        | Vertical   | /        |
| 3   | 2488.0775        | 48.82             | 53.16           | 4.34         | 74.00           | 20.84        | 100          | 258        | Vertical   | /        |
| 4   | 2500.0000        | 46.52             | 50.90           | 4.38         | 74.00           | 23.10        | 100          | 142        | Vertical   | /        |

Highest Channel

Frequency 2480MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical




| No. | Frequency<br>MHz | Reading<br>dBμV/m | Level<br>dBμV/m | Factor<br>dB | Limit<br>dBμV/m | Margin<br>dB | Height<br>cm | Angle<br>° | Pole       | Remark   |
|-----|------------------|-------------------|-----------------|--------------|-----------------|--------------|--------------|------------|------------|----------|
| 1   | 2479.8775        | 96.20             | 100.52          | 4.32         | 54.00           | -46.52       | 100          | 6          | Horizontal | No limit |
| 2   | 2483.5000        | 36.60             | 40.93           | 4.33         | 54.00           | 13.07        | 100          | 32         | Horizontal | /        |
| 3   | 2483.6500        | 37.88             | 42.21           | 4.33         | 54.00           | 11.79        | 100          | 218        | Horizontal | /        |
| 4   | 2500.0000        | 36.12             | 40.50           | 4.38         | 54.00           | 13.50        | 100          | 25         | Horizontal | /        |
| 1   | 2479.9750        | 94.07             | 98.39           | 4.32         | 54.00           | -44.39       | 100          | 348        | Vertical   | No limit |
| 2   | 2483.5000        | 36.87             | 41.20           | 4.33         | 54.00           | 12.80        | 100          | 245        | Vertical   | /        |
| 3   | 2483.8100        | 37.62             | 41.95           | 4.33         | 54.00           | 12.05        | 200          | 31         | Vertical   | /        |
| 4   | 2500.0000        | 36.02             | 40.40           | 4.38         | 54.00           | 13.60        | 200          | 175        | Vertical   | /        |

**3DH5****Lowest Channel**

Frequency 2402MHz


Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




| No. | Frequency<br>MHz | Reading<br>dBμV/m | Level<br>dBμV/m | Factor<br>dB | Limit<br>dBμV/m | Margin<br>dB | Height<br>cm | Angle<br>° | Pole       | Remark   |
|-----|------------------|-------------------|-----------------|--------------|-----------------|--------------|--------------|------------|------------|----------|
| 1   | 2310.0000        | 45.56             | 49.04           | 3.48         | 74.00           | 24.96        | 200          | 142        | Horizontal | /        |
| 2   | 2349.4800        | 48.36             | 51.49           | 3.13         | 74.00           | 22.51        | 100          | 156        | Horizontal | /        |
| 3   | 2390.0000        | 45.75             | 49.56           | 3.81         | 74.00           | 24.44        | 100          | 218        | Horizontal | /        |
| 4   | 2402.0760        | 94.04             | 98.03           | 3.99         | 74.00           | -24.03       | 100          | 129        | Horizontal | No limit |
| 1   | 2310.0000        | 45.53             | 49.01           | 3.48         | 74.00           | 24.99        | 200          | 218        | Vertical   | /        |
| 2   | 2350.7280        | 48.45             | 51.59           | 3.14         | 74.00           | 22.41        | 100          | 211        | Vertical   | /        |
| 3   | 2390.0000        | 46.49             | 50.30           | 3.81         | 74.00           | 23.70        | 100          | 272        | Vertical   | /        |
| 4   | 2401.8120        | 86.21             | 90.20           | 3.99         | 74.00           | -16.20       | 200          | 7          | Vertical   | No limit |

Lowest Channel

Frequency 2402MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average


Polarity: Vertical



| No. | Frequency<br>MHz | Reading<br>dBμV/m | Level<br>dBμV/m | Factor<br>dB | Limit<br>dBμV/m | Margin<br>dB | Height<br>cm | Angle<br>° | Pole       | Remark   |
|-----|------------------|-------------------|-----------------|--------------|-----------------|--------------|--------------|------------|------------|----------|
| 1   | 2310.0000        | 36.19             | 39.67           | 3.48         | 54.00           | 14.33        | 100          | 31         | Horizontal | /        |
| 2   | 2350.2960        | 37.15             | 40.29           | 3.14         | 54.00           | 13.71        | 100          | 121        | Horizontal | /        |
| 3   | 2390.0000        | 35.79             | 39.60           | 3.81         | 54.00           | 14.40        | 200          | 142        | Horizontal | /        |
| 4   | 2401.9680        | 93.67             | 97.66           | 3.99         | 54.00           | -43.66       | 100          | 100        | Horizontal | No limit |
| 1   | 2310.0000        | 35.51             | 38.99           | 3.48         | 54.00           | 15.01        | 200          | 50         | Vertical   | /        |
| 2   | 2350.3560        | 37.42             | 40.56           | 3.14         | 54.00           | 13.44        | 100          | 260        | Vertical   | /        |
| 3   | 2390.0000        | 35.48             | 39.29           | 3.81         | 54.00           | 14.71        | 100          | 142        | Vertical   | /        |
| 4   | 2402.0280        | 85.69             | 89.68           | 3.99         | 54.00           | -35.68       | 200          | 0          | Vertical   | No limit |


Highest Channel  
Frequency 2480MHz  
Detector mode: Peak

Polarity: Horizontal



Detector mode: Peak

Polarity: Vertical




| No. | Frequency<br>MHz | Reading<br>dBμV/m | Level<br>dBμV/m | Factor<br>dB | Limit<br>dBμV/m | Margin<br>dB | Height<br>cm | Angle<br>° | Pole       | Remark   |
|-----|------------------|-------------------|-----------------|--------------|-----------------|--------------|--------------|------------|------------|----------|
| 1   | 2480.0975        | 96.81             | 101.13          | 4.32         | 74.00           | -27.13       | 100          | 238        | Horizontal | No limit |
| 2   | 2483.5000        | 46.65             | 50.98           | 4.33         | 74.00           | 23.02        | 100          | 359        | Horizontal | /        |
| 3   | 2494.8050        | 48.44             | 52.80           | 4.36         | 74.00           | 21.20        | 100          | 142        | Horizontal |          |
| 4   | 2500.0000        | 46.03             | 50.41           | 4.38         | 74.00           | 23.59        | 100          | 142        | Horizontal | /        |
| 1   | 2479.9850        | 87.93             | 92.25           | 4.32         | 74.00           | -18.25       | 200          | 314        | Vertical   | No limit |
| 2   | 2483.5000        | 45.65             | 49.98           | 4.33         | 74.00           | 24.02        | 200          | 266        | Vertical   | /        |
| 3   | 2494.3975        | 48.82             | 53.18           | 4.36         | 74.00           | 20.82        | 100          | 218        | Vertical   | /        |
| 4   | 2500.0000        | 45.49             | 49.87           | 4.38         | 74.00           | 24.13        | 200          | 225        | Vertical   | /        |

**Highest Channel**

Frequency 2480MHz


Detector mode: Average

Polarity: Horizontal



Detector mode: Average

Polarity: Vertical



| No. | Frequency MHz | Reading dBμV/m | Level dBμV/m | Factor dB | Limit dBμV/m | Margin dB | Height cm | Angle ° | Pole       | Remark   |
|-----|---------------|----------------|--------------|-----------|--------------|-----------|-----------|---------|------------|----------|
| 1   | 2479.9725     | 96.42          | 100.74       | 4.32      | 54.00        | -46.74    | 100       | 237     | Horizontal | No limit |
| 2   | 2483.5000     | 36.36          | 40.69        | 4.33      | 54.00        | 13.31     | 100       | 319     | Horizontal | /        |
| 3   | 2491.1125     | 37.70          | 42.05        | 4.35      | 54.00        | 11.95     | 100       | 142     | Horizontal | /        |
| 4   | 2500.0000     | 36.82          | 41.20        | 4.38      | 54.00        | 12.80     | 100       | 142     | Horizontal | /        |
| 1   | 2479.9925     | 87.51          | 91.83        | 4.32      | 54.00        | -37.83    | 200       | 314     | Vertical   | No limit |
| 2   | 2483.5000     | 36.04          | 40.37        | 4.33      | 54.00        | 13.63     | 200       | 150     | Vertical   | /        |
| 3   | 2494.2800     | 37.52          | 41.88        | 4.36      | 54.00        | 12.12     | 100       | 218     | Vertical   | /        |
| 4   | 2500.0000     | 36.26          | 40.64        | 4.38      | 54.00        | 13.36     | 100       | 21      | Vertical   | /        |

**Remark:**

- 1) Max field strength in 3m distance. No any other emission which falls in restricted bands can be detected and be reported.
- 2) As the Transmit Power of GFSK and 8DPSK is larger than  $\pi/4$ -DQPSK, Therefore, restricted bands of operation recorded the worst case results in this report.

#### **APPENDIX A. PHOTOGRAPH OF THE TEST CONNECTION DIAGRAM**

Please refer to the attached document E20220126055701-11-Test photo.

#### **APPENDIX B. PHOTOGRAPH OF THE EUT**

Please refer to the attached document E20220126055701-9-EUT photo.

----- End of Report -----