

-6dB Bandwidth 802.11be(20) 242-Tones Index61 2412MHz

Report No.: R2411A1737-R1




-6dB Bandwidth 802.11be(20) 242-Tones Index61 2437MHz




Eurofins TA Technology (Shanghai) Co., Ltd. TA-MB-04-005R Page 93 of 417
This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

-6dB Bandwidth 802.11be(20) 242-Tones Index61 2462MHz

Report No.: R2411A1737-R1




-6dB Bandwidth 802.11be(20) 52-Tones Index40 2462MHz




Eurofins TA Technology (Shanghai) Co., Ltd. TA-MB-04-005R Page 94 of 417
This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

-6dB Bandwidth 802.11be(40) 26-Tones Index0 2422MHz

Report No.: R2411A1737-R1




-6dB Bandwidth 802.11be(40) 26-Tones Index17 2452MHz



Eurofins TA Technology (Shanghai) Co., Ltd. TA-MB-04-005R Page 95 of 417
This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

-6dB Bandwidth 802.11be(40) 484-Tones Index65 2422MHz

Report No.: R2411A1737-R1





5.3. Band Edge

Ambient Condition


Temperature	Relative humidity
15°C ~ 35°C	20% ~ 80%

Report No.: R2411A1737-R1

Method of Measurement

The EUT was connected to the spectrum analyzer through an external attenuator (20dB) and a known loss cable the band edge of the lowest and highest channels were measured. The peak detector is used and RBW is set to 100 kHz and VBW is set to 300 kHz on spectrum analyzer. Spectrum analyzer plots are included on the following pages.

Test Setup



Limits

Rule Part 15.247(d) specifies that "In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits." If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB."

Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor k = 1.96.

Frequency	Uncertainty
2GHz-3GHz	1.407 dB


Eurofins TA Technology (Shanghai) Co., Ltd. TA-MB-04-005R This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Test Results: PASS nRF 2.4GHz

Band Edge nRF 2.4GHz 2402MHz Ref




Band Edge nRF 2.4GHz 2402MHz Emission




Eurofins TA Technology (Shanghai) Co., Ltd. TA-MB-04-005R Page 98 of 417 This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band Edge nRF 2.4GHz 2480MHz Ref


Report No.: R2411A1737-R1




Band Edge nRF 2.4GHz 2480MHz Emission




Eurofins TA Technology (Shanghai) Co., Ltd. TA-MB-04-005R Page 99 of 417
This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Eurofins TA Technology (Shanghai) Co., Ltd. TA-MB-04-005R Page 100 of 417
This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.




Eurofins TA Technology (Shanghai) Co., Ltd. TA-MB-04-005R Page 101 of 417
This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.








Eurofins TA Technology (Shanghai) Co., Ltd. TA-MB-04-005R Page 103 of 417 This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.



Eurofins TA Technology (Shanghai) Co., Ltd. TA-MB-04-005R Page 104 of 417 This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.








802.11ax HE20 SISO_Low_2412



Eurofins TA Technology (Shanghai) Co., Ltd.


TA-MB-04-005R

Page 105 of 417





802.11ax HE40 SISO_High_2452



Eurofins TA Technology (Shanghai) Co., Ltd.

TA-MB-04-005R

Page 106 of 417








Eurofins TA Technology (Shanghai) Co., Ltd. TA-MB-04-005R Page 107 of 417 This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.





Band Edge 802.11ax(HE40) 2427MHz Ref

Report No.: R2411A1737-R1




Band Edge 802.11ax(HE40) 2427MHz Emission




Eurofins TA Technology (Shanghai) Co., Ltd. TA-MB-04-005R

Report No.: R2411A1737-R1

Band Edge 802.11ax(HE40) 2447MHz Ref




Band Edge 802.11ax(HE40) 2447MHz Emission




Eurofins TA Technology (Shanghai) Co., Ltd. TA-MB-04-005R Page 110 of 417 This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

Band Edge 802.11be(40) 2427MHz Ref

Report No.: R2411A1737-R1



Band Edge 802.11be(40) 2427MHz Emission




Eurofins TA Technology (Shanghai) Co., Ltd.

TA-MB-04-005R


Page 111 of 417

Band Edge 802.11be(40) 2447MHz Ref

Report No.: R2411A1737-R1



Band Edge 802.11be(40) 2447MHz Emission




Eurofins TA Technology (Shanghai) Co., Ltd. TA-MB-04-005R

Page 112 of 417

Band Edge 802.11g 2417MHz Ref

Report No.: R2411A1737-R1



Band Edge 802.11g 2417MHz Emission




Eurofins TA Technology (Shanghai) Co., Ltd.

TA-MB-04-005R


Page 113 of 417

Band Edge 802.11g 2422MHz Ref

Report No.: R2411A1737-R1




Band Edge 802.11g 2422MHz Emission



Band Edge 802.11g 2457MHz Ref

Report No.: R2411A1737-R1



Band Edge 802.11g 2457MHz Emission




Eurofins TA Technology (Shanghai) Co., Ltd. TA-MI

TA-MB-04-005R


Page 115 of 417

Band Edge 802.11n(HT20) 2417MHz Ref

Report No.: R2411A1737-R1




Band Edge 802.11n(HT20) 2417MHz Emission




Eurofins TA Technology (Shanghai) Co., Ltd. TA-MB-04-005R Page 116 of 417

Band Edge 802.11n(HT20) 2422MHz Ref

Report No.: R2411A1737-R1



Band Edge 802.11n(HT20) 2422MHz Emission




Eurofins TA Technology (Shanghai) Co., Ltd.


TA-MB-04-005R

Band Edge 802.11n(HT20) 2452MHz Ref

Report No.: R2411A1737-R1




Band Edge 802.11n(HT20) 2452MHz Emission




Eurofins TA Technology (Shanghai) Co., Ltd. TA-MB-04-005R

Band Edge 802.11n(HT20) 2457MHz Ref

Report No.: R2411A1737-R1




Band Edge 802.11n(HT20) 2457MHz Emission



Eurofins TA Technology (Shanghai) Co., Ltd. TA-MB-04-005R

Band Edge 802.11n(HT40) 2427MHz Ref

Report No.: R2411A1737-R1




Band Edge 802.11n(HT40) 2427MHz Emission




Eurofins TA Technology (Shanghai) Co., Ltd. TA-MB-04-005R Page 120 of 417

Band Edge 802.11n(HT40) 2442MHz Ref

Report No.: R2411A1737-R1



Band Edge 802.11n(HT40) 2442MHz Emission




Eurofins TA Technology (Shanghai) Co., Ltd. TA

TA-MB-04-005R

Page 121 of 417

Band Edge 802.11n(HT40) 2447MHz Ref

Report No.: R2411A1737-R1




Band Edge 802.11n(HT40) 2447MHz Emission



Eurofins TA Technology (Shanghai) Co., Ltd. TA-MB-04-005R

This report shall not be reproduced except in full, without the written approval of Eurofins TA Technology (Shanghai) Co., Ltd.

TB Mode





802.11ax HE20_2412_52Tone_RU37



802.11ax HE20_2412_106Tone_RU53



Eurofins TA Technology (Shanghai) Co., Ltd.

TA-MB-04-005R

Page 123 of 417





802.11ax HE20_2462_106Tone_RU54



Eurofins TA Technology (Shanghai) Co., Ltd.

TA-MB-04-005R

Page 124 of 417