


802.11ax HE20

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.50	42.48	32.51	9.97	54.00	-11.52	115	294	Average	Horizontal	
2 *	5320.00	95.54	85.31	10.23	54.00	39.54	115	294	Average	Horizontal	
3	5412.50	42.61	32.39	10.22	54.00	-11.39	115	294	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.50	42.55	32.45	10.10	54.00	-11.45	387	338	Average	Vertical	
2 *	5320.00	88.68	78.35	10.25	54.00	34.68	387	338	Average	Vertical	
3	5395.00	42.92	32.55	10.37	54.00	-11.08	387	338	Average	Vertical	

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz
U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5438.58	55.99	45.73	10.26	74.00	-18.01	100	300	Peak	Horizontal	
2	5461.00	54.73	44.48	10.25	68.20	-13.47	100	300	Peak	Horizontal	
3 *	5500.00	107.02	96.58	10.44	68.20	36.82	100	300	Peak	Horizontal	
4	6005.00	57.02	46.06	10.96	68.20	-11.18	100	300	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5435.00	54.70	44.41	10.29	74.00	-19.30	371	159	Peak	Vertical	
2	5460.00	54.09	43.85	10.24	74.00	-19.91	371	159	Peak	Vertical	
3 *	5500.00	102.09	91.65	10.44	68.20	33.89	371	159	Peak	Vertical	
4	6923.00	56.83	45.92	10.91	68.20	-11.37	371	159	Peak	Vertical	

802.11a

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5396.00	42.97	32.46	10.51	54.00	-11.03	100	300	Average	Horizontal		
2 *	5500.00	97.50	87.14	10.44	54.00	43.50	100	300	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5396.00	42.42	31.98	10.44	54.00	-11.58	371	159	Average	Vertical		
2 *	5500.00	92.63	82.39	10.44	54.00	38.63	371	159	Average	Vertical		


802.11a

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5415.00	55.62	45.20	10.42	74.00	-18.38	100	298	Peak	Horizontal	
2	5465.00	54.37	44.10	10.27	68.20	-13.83	100	298	Peak	Horizontal	
3 *	5580.00	107.60	97.28	10.32	68.20	39.40	100	298	Peak	Horizontal	
4	6695.00	57.26	46.58	10.68	68.20	-10.94	100	298	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5363.50	56.37	46.10	10.27	74.00	-17.63	305	195	Peak	Vertical	
2	5466.00	54.15	43.87	10.28	68.20	-14.05	305	195	Peak	Vertical	
3 *	5580.00	99.83	89.51	10.32	68.20	31.63	305	195	Peak	Vertical	
4	6983.00	57.23	46.25	10.98	68.20	-10.97	305	195	Peak	Vertical	

802.11a

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5395.58	42.98	32.48	10.50	54.00	-11.10	100	298	Average	Horizontal		
2 *	5500.00	98.82	87.78	10.32	54.00	44.82	100	298	Average	Horizontal		

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5412.00	42.52	32.87	10.45	54.00	-11.48	305	195	Average	Vertical		
2 *	5500.00	89.82	79.58	10.32	54.00	35.82	305	195	Average	Vertical		


802.11a

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5384.50	55.23	44.80	10.43	74.00	-18.77	100	299	Peak	Horizontal	
2	5470.00	54.78	44.49	10.29	68.20	-13.42	100	299	Peak	Horizontal	
3 *	5700.00	106.18	95.94	10.24	68.20	37.98	100	299	Peak	Horizontal	
4	6956.50	58.47	47.55	10.92	68.20	-9.73	100	299	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5382.50	55.26	44.85	10.41	74.00	-18.74	280	171	Peak	Vertical	
2	5469.50	53.94	43.65	10.29	68.20	-14.26	280	171	Peak	Vertical	
3 *	5700.00	101.11	90.87	10.24	68.20	32.91	280	171	Peak	Vertical	
4	6222.00	57.30	46.11	11.19	68.20	-10.90	280	171	Peak	Vertical	

802.11a

CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5390.00	42.56	32.05	10.51	54.00	-11.44	100	299	Average	Horizontal		
2 *	5700.00	96.45	86.21	10.24	54.00	42.45	100	299	Average	Horizontal		

CH 140 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5400.50	42.51	32.03	10.48	54.00	-11.49	200	171	Average	Vertical		
2 *	5700.00	91.00	80.76	10.24	54.00	37.00	200	171	Average	Vertical		

802.11a

CH 144 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5421.50	55.98	45.60	10.38	74.00	-10.02	100	298 Peak	Horizontal	
2	5464.00	55.68	45.43	10.25	68.20	-12.52	100	298 Peak	Horizontal	
3	5720.00	105.50	95.09	10.41	122.20	-16.70	100	298 Peak	Horizontal	
4	5852.50	55.64	45.09	10.55	116.50	-60.06	100	298 Peak	Horizontal	
5	5872.00	56.05	45.41	10.64	106.04	-49.99	100	298 Peak	Horizontal	
6	5883.50	57.45	46.77	10.68	98.89	-41.44	100	298 Peak	Horizontal	
7	5931.00	56.98	46.17	10.81	68.20	-11.22	100	298 Peak	Horizontal	

CH 144 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5363.00	55.90	45.64	10.26	74.00	-10.10	278	172 Peak	Vertical	
2	5469.50	55.39	45.10	10.29	68.20	-12.81	278	172 Peak	Vertical	
3	5720.00	100.58	90.17	10.41	122.20	-21.62	278	172 Peak	Vertical	
4	5852.50	56.15	45.60	10.55	116.50	-60.35	278	172 Peak	Vertical	
5	5868.50	57.06	46.44	10.62	107.02	-49.96	278	172 Peak	Vertical	
6	5901.00	57.23	46.48	10.75	85.92	-28.69	278	172 Peak	Vertical	
7	5935.50	57.70	46.88	10.82	68.20	-10.50	278	172 Peak	Vertical	

802.11a

CH 144 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5430.58	42.64	32.31	10.33	54.00	-11.36	100	298	Average	Horizontal
2 *	5720.00	95.55	85.14	10.41	54.00	41.55	100	298	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5399.00	42.56	32.04	10.52	54.00	-11.44	278	172	Average	Vertical
2 *	5720.00	90.42	80.01	10.41	54.00	36.42	278	172	Average	Vertical


802.11ax HE20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5378.00	56.03	45.99	10.04	74.00	-17.97	114	292 Peak	Horizontal	
2	5466.00	55.17	44.95	10.22	68.20	-13.03	114	292 Peak	Horizontal	
3 *	5500.00	107.02	96.91	10.11	68.20	38.82	114	292 Peak	Horizontal	
4	6802.00	57.79	46.96	10.83	68.20	-10.41	114	292 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5429.00	54.97	44.77	10.20	74.00	-19.03	271	171 Peak	Vertical	
2	5462.00	54.32	44.21	10.11	68.20	-13.88	271	171 Peak	Vertical	
3 *	5500.00	105.17	94.86	10.31	68.20	36.97	271	171 Peak	Vertical	
4	6609.00	57.41	46.65	10.76	68.20	-10.79	271	171 Peak	Vertical	

802.11ax HE20

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5418.00	42.87	32.64	10.23	54.00	-11.13	114	292	Average	Horizontal		
2 *	5500.00	95.56	85.45	10.11	54.00	41.56	114	292	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5419.00	42.67	32.39	10.28	54.00	-11.33	271	171	Average	Vertical		
2 *	5500.00	93.39	83.08	10.31	54.00	39.39	271	171	Average	Vertical		


802.11ax HE20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5424.00	55.54	45.31	10.23	74.00	-18.46	109	298 Peak	Horizontal	
2	5469.50	54.65	44.45	10.20	68.20	-13.55	109	298 Peak	Horizontal	
3 *	5580.00	107.83	97.94	9.89	68.20	39.63	109	298 Peak	Horizontal	
4	6909.50	57.18	46.36	10.82	68.20	-11.02	109	298 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5407.00	57.05	46.69	10.36	74.00	-16.95	297	352 Peak	Vertical	
2	5469.50	54.99	44.83	10.16	68.20	-13.21	297	352 Peak	Vertical	
3 *	5580.00	104.10	93.91	10.19	68.20	35.90	297	352 Peak	Vertical	
4	6070.00	58.34	47.27	11.07	68.20	-9.86	297	352 Peak	Vertical	

802.11ax HE20

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5415.00	42.75	32.54	10.21	54.00	-11.25	109	298	Average	Horizontal	
2 *	5500.00	96.89	87.00	9.89	54.00	42.89	109	298	Average	Horizontal	

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5396.00	42.69	32.31	10.38	54.00	-11.31	297	352	Average	Vertical	
2 *	5500.00	92.74	82.95	10.19	54.00	38.74	297	352	Average	Vertical	


802.11ax HE20

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5385.50	55.84	45.75	10.09	74.00	-18.16	100	297 Peak	Horizontal	
2	5461.50	54.44	44.21	10.23	68.20	-13.76	100	297 Peak	Horizontal	
3 *	5700.00	107.17	97.46	9.71	68.20	38.97	100	297 Peak	Horizontal	
4	5726.50	57.44	47.45	9.99	68.20	-10.76	100	297 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5374.00	55.95	45.74	10.21	74.00	-18.05	294	174 Peak	Vertical	
2	5469.00	54.92	44.77	10.15	68.20	-13.28	294	174 Peak	Vertical	
3 *	5700.00	105.49	95.38	10.11	68.20	37.29	294	174 Peak	Vertical	
4	5871.00	57.90	47.40	10.50	68.20	-10.30	294	174 Peak	Vertical	

802.11ax HE20

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5428.50	42.59	32.36	10.23	54.00	-11.41	108	297	Average	Horizontal
2 *	5700.00	95.57	85.66	9.71	54.00	41.57	108	297	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5388.50	42.71	32.39	10.32	54.00	-11.29	294	174	Average	Vertical
2 *	5700.00	93.68	83.57	10.11	54.00	39.68	294	174	Average	Vertical


802.11ax HE20

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5371.00	55.98	45.98	10.00	74.00	-18.02	100	297 Peak	Horizontal	
2	5467.50	55.23	45.01	10.22	68.20	-12.97	100	297 Peak	Horizontal	
3	5720.00	108.10	98.18	9.92	122.20	-14.10	100	297 Peak	Horizontal	
4	5850.50	55.35	45.03	10.32	121.06	-65.71	100	297 Peak	Horizontal	
5	5874.00	55.98	45.61	10.37	105.48	-49.50	100	297 Peak	Horizontal	
6	5903.50	57.44	47.02	10.42	84.07	-26.63	100	297 Peak	Horizontal	
7	5990.50	56.13	45.01	10.32	68.20	-12.07	100	297 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5398.50	55.19	44.80	10.39	74.00	-18.81	292	174 Peak	Vertical	
2	5463.00	54.89	44.77	10.12	68.20	-13.31	292	174 Peak	Vertical	
3	5720.00	105.10	94.82	10.28	122.20	-17.10	292	174 Peak	Vertical	
4	5850.50	56.34	45.92	10.42	121.06	-64.72	292	174 Peak	Vertical	
5	5860.00	55.96	45.50	10.46	109.40	-53.44	292	174 Peak	Vertical	
6	5915.50	56.72	46.07	10.65	75.21	-18.49	292	174 Peak	Vertical	
7	5940.00	56.50	45.86	10.72	68.20	-11.62	292	174 Peak	Vertical	

802.11ax HE20

CH 144 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5430.50	42.97	32.73	10.24	54.00	-11.03	100	297	Average	Horizontal	
2 *	5720.00	95.76	85.64	9.92	54.00	41.76	100	297	Average	Horizontal	

CH 144 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5399.00	42.89	32.50	10.39	54.00	-11.11	292	174	Average	Vertical	
2 *	5720.00	94.22	83.94	10.28	54.00	40.22	292	174	Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz
U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5553.50	55.27	44.83	10.44	68.20	-12.93	100	296 Peak	Horizontal	
2	5652.50	57.00	46.66	10.34	78.06	-13.06	100	296 Peak	Horizontal	
3	5719.50	55.23	44.82	10.41	110.66	-55.43	100	296 Peak	Horizontal	
4	5723.00	57.06	46.64	10.42	125.32	-68.26	100	296 Peak	Horizontal	
5	5745.00	107.32	96.72	10.60	135.00	-27.68	100	296 Peak	Horizontal	
6	5855.00	55.08	44.51	10.57	110.80	-55.72	100	296 Peak	Horizontal	
7	5855.00	55.08	44.51	10.57	110.80	-55.72	100	296 Peak	Horizontal	
8	5893.00	55.70	44.98	10.72	91.84	-36.14	100	296 Peak	Horizontal	
9	5967.50	55.73	44.84	10.89	68.20	-12.47	100	296 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5538.50	55.47	45.02	10.45	68.20	-12.73	322	163 Peak	Vertical	
2	5687.00	55.16	44.89	10.27	95.61	-48.45	322	163 Peak	Vertical	
3	5707.00	55.85	45.54	10.31	107.16	-51.31	322	163 Peak	Vertical	
4	5725.00	57.67	47.22	10.45	135.00	-77.33	322	163 Peak	Vertical	
5	5745.00	105.87	95.27	10.60	135.00	-29.13	322	163 Peak	Vertical	
6	5851.50	55.35	44.80	10.55	127.74	-72.39	322	163 Peak	Vertical	
7	5860.00	55.42	44.83	10.59	109.48	-53.98	322	163 Peak	Vertical	
8	5923.50	56.47	45.68	10.79	69.31	-12.84	322	163 Peak	Vertical	
9	5989.00	56.51	45.58	10.93	68.20	-11.69	322	163 Peak	Vertical	

802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5580.00	55.55	45.11	10.44	68.20	-12.65	100	298 Peak	Horizontal	
2	5691.50	55.22	44.95	10.27	98.93	-43.71	100	298 Peak	Horizontal	
3	5784.50	55.85	45.56	10.29	106.46	-50.61	100	298 Peak	Horizontal	
4	5724.50	55.90	45.45	10.45	132.58	-76.68	100	298 Peak	Horizontal	
5	5785.00	106.25	95.67	10.58	135.00	-28.75	100	298 Peak	Horizontal	
6	5850.50	55.48	44.93	10.55	132.58	-77.10	100	298 Peak	Horizontal	
7	5859.50	55.77	45.18	10.59	109.54	-53.77	100	298 Peak	Horizontal	
8	5891.50	56.43	45.71	10.72	92.96	-36.53	100	298 Peak	Horizontal	
9	5937.50	56.81	45.98	10.83	68.20	-11.39	100	298 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5615.50	56.13	45.86	10.27	68.20	-12.07	321	164 Peak	Horizontal	
2	5658.50	56.27	45.94	10.33	74.51	-18.24	321	164 Peak	Horizontal	
3	5719.50	56.04	45.63	10.41	110.66	-54.62	321	164 Peak	Horizontal	
4	5721.00	55.91	45.50	10.41	115.64	-59.73	321	164 Peak	Horizontal	
5	5785.00	107.14	96.56	10.58	135.00	-27.86	321	164 Peak	Horizontal	
6	5851.50	55.92	45.37	10.55	127.74	-71.82	321	164 Peak	Horizontal	
7	5875.00	57.18	46.53	10.65	105.20	-48.02	321	164 Peak	Horizontal	
8	5875.00	57.18	46.53	10.65	105.20	-48.02	321	164 Peak	Horizontal	
9	5994.00	57.45	46.51	10.94	68.20	-10.75	321	164 Peak	Horizontal	

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5582.50	55.43	44.98	10.45	68.20	-12.77	100	295	Peak	Horizontal
2	5674.50	54.94	44.65	10.29	86.37	-31.43	100	295	Peak	Horizontal
3	5717.00	55.57	45.18	10.39	109.96	-54.39	100	295	Peak	Horizontal
4	5722.00	55.39	44.97	10.42	120.48	-65.09	100	295	Peak	Horizontal
5	5825.00	107.10	96.55	10.55	135.00	-27.90	100	295	Peak	Horizontal
6	5850.50	56.27	45.72	10.55	132.58	-76.31	100	295	Peak	Horizontal
7	5867.00	56.98	46.36	10.62	107.44	-50.46	100	295	Peak	Horizontal
8	5878.00	57.12	46.46	10.66	102.97	-45.85	100	295	Peak	Horizontal
9	5925.00	56.77	45.97	10.80	68.20	-11.43	100	295	Peak	Horizontal

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5510.00	55.89	45.45	10.44	68.20	-12.31	362	178	Peak	Vertical
2	5699.00	55.25	45.01	10.24	104.46	-49.21	362	178	Peak	Vertical
3	5718.00	54.57	44.18	10.39	110.24	-55.67	362	178	Peak	Vertical
4	5722.00	54.91	44.49	10.42	120.48	-65.57	362	178	Peak	Vertical
5	5825.00	105.42	94.87	10.55	135.00	-29.58	362	178	Peak	Vertical
6	5851.50	56.24	45.69	10.55	127.74	-71.50	362	178	Peak	Vertical
7	5864.00	55.77	45.17	10.60	108.28	-52.51	362	178	Peak	Vertical
8	5916.50	55.64	44.86	10.78	74.47	-18.83	362	178	Peak	Vertical
9	5943.50	56.72	45.88	10.84	68.20	-11.48	362	178	Peak	Vertical


802.11ax HE20

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5491.50	56.06	45.92	10.14	68.20	-12.14	112	297 Peak	Horizontal	
2	5689.50	56.10	46.32	9.78	97.46	-41.36	112	297 Peak	Horizontal	
3	5717.00	56.46	46.57	9.89	109.96	-53.50	112	297 Peak	Horizontal	
4	5725.00	58.62	48.65	9.97	135.00	-76.38	112	297 Peak	Horizontal	
5	5745.00	108.13	97.97	10.16	135.00	-26.87	112	297 Peak	Horizontal	
6	5855.00	55.72	45.39	10.33	110.00	-55.00	112	297 Peak	Horizontal	
7	5868.00	56.55	46.19	10.36	107.16	-50.61	112	297 Peak	Horizontal	
8	5883.50	56.33	45.94	10.39	98.89	-42.56	112	297 Peak	Horizontal	
9	5970.50	57.30	46.93	10.37	68.20	-10.90	112	297 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5501.50	55.52	45.20	10.32	68.20	-12.68	275	175 Peak	Vertical	
2	5676.50	55.61	45.44	10.17	87.85	-32.24	275	175 Peak	Vertical	
3	5715.50	55.29	45.05	10.24	109.54	-54.25	275	175 Peak	Vertical	
4	5725.00	58.41	48.09	10.32	135.00	-76.59	275	175 Peak	Vertical	
5	5745.00	106.39	95.92	10.47	135.00	-28.61	275	175 Peak	Vertical	
6	5852.00	54.62	44.20	10.42	125.32	-70.70	275	175 Peak	Vertical	
7	5862.00	55.85	45.38	10.47	100.84	-52.99	275	175 Peak	Vertical	
8	5904.50	56.31	45.68	10.63	83.33	-27.02	275	175 Peak	Vertical	
9	5946.50	56.26	45.56	10.70	68.20	-11.94	275	175 Peak	Vertical	

802.11ax HE20

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5489.00	55.87	45.72	10.15	68.20	-12.33	100	296 Peak	Horizontal	
2	5678.50	55.57	45.67	9.90	83.41	-27.84	100	296 Peak	Horizontal	
3	5728.00	55.16	45.24	9.92	110.80	-55.64	100	296 Peak	Horizontal	
4	5722.50	55.33	45.40	9.93	122.90	-67.57	100	296 Peak	Horizontal	
5	5785.00	109.41	99.12	10.29	135.00	-25.59	100	296 Peak	Horizontal	
6	5851.00	56.42	46.10	10.32	130.16	-73.74	100	296 Peak	Horizontal	
7	5859.50	55.93	45.59	10.34	109.54	-53.61	100	296 Peak	Horizontal	
8	5900.00	56.84	46.43	10.41	86.66	-29.82	100	296 Peak	Horizontal	
9	5936.00	56.66	46.24	10.42	68.20	-11.54	100	296 Peak	Horizontal	

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5615.00	55.78	45.64	10.14	68.20	-12.42	272	174 Peak	Vertical	
2	5671.50	55.95	45.77	10.18	84.15	-28.20	272	174 Peak	Vertical	
3	5708.00	54.05	43.87	10.18	107.44	-53.39	272	174 Peak	Vertical	
4	5723.50	54.39	44.09	10.30	127.74	-73.35	272	174 Peak	Vertical	
5	5785.00	107.35	96.90	10.45	135.00	-27.65	272	174 Peak	Vertical	
6	5852.50	54.17	43.75	10.42	122.90	-68.73	272	174 Peak	Vertical	
7	5859.50	55.96	45.50	10.46	109.54	-53.58	272	174 Peak	Vertical	
8	5877.50	55.45	44.92	10.53	103.34	-47.89	272	174 Peak	Vertical	
9	5976.00	56.11	45.34	10.77	68.20	-12.09	272	174 Peak	Vertical	

802.11ax HE20
CH 165 (Horizontal) Peak
CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5493.00	56.13	46.00	10.13	68.20	-12.07	117	295 Peak	Horizontal	
2	5666.50	55.07	45.15	9.92	80.45	-25.38	117	295 Peak	Horizontal	
3	5705.00	55.30	45.53	9.77	106.60	-51.30	117	295 Peak	Horizontal	
4	5722.50	55.16	45.23	9.93	122.90	-67.74	117	295 Peak	Horizontal	
5	5825.00	109.18	98.06	10.32	135.00	-25.82	117	295 Peak	Horizontal	
6	5851.50	56.69	46.38	10.31	127.74	-71.05	117	295 Peak	Horizontal	
7	5856.00	56.53	46.20	10.33	110.52	-53.99	117	295 Peak	Horizontal	
8	5875.00	56.42	46.05	10.37	105.20	-48.78	117	295 Peak	Horizontal	
9	5929.50	56.69	46.27	10.42	68.20	-11.51	117	295 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5539.50	56.44	46.12	10.32	68.20	-11.76	293	174 Peak	Vertical	
2	5694.00	55.82	45.69	10.13	100.78	-44.96	293	174 Peak	Vertical	
3	5710.00	56.45	46.26	10.19	108.00	-51.55	293	174 Peak	Vertical	
4	5720.50	54.67	44.40	10.27	113.22	-58.55	293	174 Peak	Vertical	
5	5825.00	108.58	98.16	10.42	135.00	-26.42	293	174 Peak	Vertical	
6	5850.50	56.21	45.79	10.42	132.58	-76.37	293	174 Peak	Vertical	
7	5861.50	56.53	46.06	10.47	100.90	-52.45	293	174 Peak	Vertical	
8	5879.00	56.45	45.91	10.54	102.23	-45.78	293	174 Peak	Vertical	
9	5970.50	57.03	46.28	10.75	68.20	-11.17	293	174 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	47.91	36.55	11.36	68.20	-20.29	300	33 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	47.23	35.87	11.36	68.20	-20.97	286	360 Peak	Vertical	


802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10400.00	48.69	37.32	11.37	68.20	-19.51	169	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10400.00	44.41	33.04	11.37	68.20	-23.79	100	126	Peak	Vertical		


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10480.00	49.28	37.83	11.45	68.20	-18.92	146	360	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10480.00	48.87	37.42	11.45	68.20	-19.33	100	246	Peak	Vertical		


802.11ax HE20

CH 36 (Horizontal)


CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 40 (Horizontal)


CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10480.00	48.22	36.77	11.45	68.20	-19.98	200	26	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10480.00	48.87	37.42	11.45	68.20	-19.33	200	100	Peak	Vertical		

U-NII-2A


802.11a

CH 52 (Horizontal)


CH 52 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	36.16	24.82	11.34	54.00	-17.84	200	322	Average	Horizontal	
2	10600.00	49.01	37.67	11.34	74.00	-24.99	200	322	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	35.84	24.50	11.34	54.00	-18.16	200	196	Average	Vertical	
2	10600.00	48.47	37.13	11.34	74.00	-25.53	200	196	Peak	Vertical	


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	10640.00	35.87	24.54	11.33	54.00	-18.13	100	360 Average	Horizontal	
2	10640.00	48.18	36.05	11.33	74.00	-25.82	100	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	10640.00	35.85	24.52	11.33	54.00	-18.15	200	152 Average	Vertical	
2	10640.00	49.06	37.73	11.33	74.00	-24.94	200	152 Peak	Vertical	


802.11ax HE20

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10520.00	48.92	37.56	11.36	68.20	-19.28	200	300	Peak	Horizontal	
---	----------	-------	-------	-------	-------	--------	-----	-----	------	------------	--



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10520.00	48.97	37.61	11.36	68.20	-19.23	200	357	Peak	Vertical	
---	----------	-------	-------	-------	-------	--------	-----	-----	------	----------	--


802.11ax HE20

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.00	35.92	24.66	11.26	54.00	-18.08	100	62	Average	Horizontal		
2	10600.00	49.28	38.02	11.26	74.00	-24.72	100	62	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10600.00	35.74	24.48	11.26	54.00	-18.26	100	243	Average	Vertical		
2	10600.00	49.65	38.39	11.26	74.00	-24.15	100	243	Peak	Vertical		


802.11ax HE20

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10640.00	35.81	24.56	11.25	54.00	-18.19	100	164	Average	Horizontal		
2	10640.00	50.34	39.09	11.25	74.00	-23.66	100	164	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10640.00	35.84	24.59	11.25	54.00	-18.16	100	130	Average	Vertical		
2	10640.00	50.31	39.06	11.25	74.00	-23.69	100	130	Peak	Vertical		

U-NII-2C


802.11a

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	11000.00	36.04	24.61	11.43	54.00	-17.96	100	327 Average	Horizontal	
2	11000.00	48.96	37.53	11.43	74.00	-25.04	100	327 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	11000.00	37.26	25.83	11.43	54.00	-16.74	200	360 Average	Vertical	
2	11000.00	48.74	37.31	11.43	74.00	-25.26	200	360 Peak	Vertical	


802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11160.00	36.34	24.98	11.36	54.00	-17.66	100	144	Average	Horizontal		
2	11160.00	49.57	38.21	11.36	74.00	-24.43	100	144	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11160.00	37.12	25.76	11.36	54.00	-16.88	200	360	Average	Vertical		
2	11160.00	49.52	38.16	11.36	74.00	-24.48	200	360	Peak	Vertical		


802.11a

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	36.88	25.53	11.35	54.00	-17.12	200	157	Average	Horizontal	
2	11400.00	50.50	39.15	11.35	74.00	-23.50	200	157	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	36.12	24.77	11.35	54.00	-17.88	100	116	Average	Vertical	
2	11400.00	50.80	39.45	11.35	74.00	-23.20	100	116	Peak	Vertical	


802.11a

CH 144 (Horizontal)

CH 144 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11440.00	35.32	23.95	11.37	54.00	-18.68	200	63	Average	Horizontal	
2	11440.00	49.26	37.89	11.37	74.00	-24.74	200	63	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11440.00	35.35	23.98	11.37	54.00	-18.65	100	134	Average	Vertical	
2	11440.00	49.35	37.98	11.37	74.00	-24.65	100	134	Peak	Vertical	


802.11ax HE20

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	35.33	24.00	11.25	54.00	-18.67	200	261 Average	Horizontal	
2	11000.00	49.25	38.00	11.25	74.00	-24.75	200	261 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	35.66	24.31	11.35	54.00	-18.34	300	353 Average	Vertical	
2	11000.00	48.73	37.38	11.35	74.00	-25.27	300	353 Peak	Vertical	


802.11ax HE20

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	35.66	24.48	11.18	54.00	-18.34	100	317 Average	Horizontal	
2	11160.00	49.76	38.58	11.18	74.00	-24.24	100	317 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	36.11	24.83	11.28	54.00	-17.89	100	203 Average	Vertical	
2	11160.00	50.33	39.05	11.28	74.00	-23.67	100	203 Peak	Vertical	


802.11ax HE20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	35.80	24.53	11.27	54.00	-18.20	100	139 Average	Horizontal	
2	11400.00	49.89	38.62	11.27	74.00	-24.11	100	139 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	35.67	24.40	11.27	54.00	-18.33	100	99 Average	Vertical	
2	11400.00	49.24	37.97	11.27	74.00	-24.76	100	99 Peak	Vertical	


802.11ax HE20

CH 144 (Horizontal)


CH 144 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	11490.00	35.09	23.69	11.40	54.00	-18.91	200	206 Average	Horizontal	
2	11490.00	49.39	37.99	11.40	74.00	-24.61	200	206 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit					
1	11490.00	36.06	24.66	11.40	54.00	-17.94	200	320 Average	Vertical	
2	11490.00	48.85	37.45	11.40	74.00	-25.15	200	320 Peak	Vertical	


802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11570.00	36.16	24.77	11.39	54.00	-17.84	200	18	Average	Horizontal		
2	11570.00	46.56	37.17	11.39	74.00	-25.44	200	18	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11570.00	37.60	26.21	11.39	54.00	-16.40	200	66	Average	Vertical		
2	11570.00	48.70	37.31	11.39	74.00	-25.30	200	66	Peak	Vertical		


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	36.61	25.10	11.51	54.00	-17.39	100	114	Average	Horizontal	
2	11650.00	49.98	38.47	11.51	74.00	-24.02	100	114	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	37.34	25.83	11.51	54.00	-16.66	100	284	Average	Vertical	
2	11650.00	50.07	38.56	11.51	74.00	-23.93	100	284	Peak	Vertical	


802.11ax HE20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	35.38	24.15	11.23	54.00	-18.62	100	322 Average	Horizontal	
2	11490.00	48.78	37.55	11.23	74.00	-25.22	100	322 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	35.47	24.15	11.32	54.00	-18.53	100	244 Average	Vertical	
2	11490.00	49.52	38.20	11.32	74.00	-24.48	100	244 Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	35.72	24.44	11.28	54.00	-18.28	100	203 Average	Horizontal	
2	11570.00	49.83	38.55	11.28	74.00	-24.17	100	203 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	36.05	24.74	11.31	54.00	-17.95	100	92 Average	Vertical	
2	11570.00	49.67	38.56	11.31	74.00	-24.13	100	92 Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	36.36	24.98	11.38	54.00	-17.64	200	322 Average	Horizontal	
2	11650.00	50.21	38.83	11.38	74.00	-23.79	200	322 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	36.38	24.95	11.43	54.00	-17.62	126	360 Average	Vertical	
2	11650.00	50.42	38.99	11.43	74.00	-23.58	126	360 Peak	Vertical	

<Partial RU>
Band Edges, 4.5GHz ~ 5.15GHz
U-NII-1



802.11ax HE20_RU106

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5087.50	55.14	44.85	10.29	74.00	-18.86	115	303	Peak	Horizontal		
2 *	5240.00	97.78	87.74	10.04	68.28	29.58	115	303	Peak	Horizontal		
3	5351.00	55.86	45.68	10.18	74.00	-18.14	115	303	Peak	Horizontal		




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4816.00	54.32	44.54	9.78	74.00	-19.68	269	170	Peak	Vertical		
2 *	5240.00	90.18	80.14	10.04	68.28	21.98	269	170	Peak	Vertical		
3	5382.50	55.30	44.89	10.41	74.00	-18.70	269	170	Peak	Vertical		

802.11ax HE20_RU106

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5131.50	42.19	31.99	10.20	54.00	-11.81	115	303 Average	Horizontal	
2 *	5240.00	86.48	76.44	10.04	54.00	32.48	115	303 Average	Horizontal	
3	5405.50	42.55	32.06	10.49	54.00	-11.45	115	303 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5132.50	41.61	31.42	10.19	54.00	-12.39	269	170 Average	Vertical	
2 *	5240.00	70.95	60.91	10.04	54.00	24.95	269	170 Average	Vertical	
3	5406.50	41.72	31.23	10.49	54.00	-12.28	269	170 Average	Vertical	

Band Edges, 5.35GHz
U-NII-2A


802.11ax HE20_RU106

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4732.00	56.27	46.45	9.82	74.00	-17.73	114	303	Peak	Horizontal	
2 *	5260.00	96.25	86.18	10.07	68.20	28.05	114	303	Peak	Horizontal	
3	5378.50	56.10	45.72	10.38	74.00	-17.90	114	303	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4715.00	55.56	45.80	9.76	74.00	-18.44	286	176	Peak	Vertical	
2 *	5260.00	89.94	79.87	10.07	68.20	21.74	286	176	Peak	Vertical	
3	5418.00	54.77	44.36	10.41	74.00	-19.23	286	176	Peak	Vertical	

802.11ax HE20_RU106

CH 52 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5142.50	42.11	31.94	10.17	54.00	-11.89	114	303 Average	Horizontal	
2 *	5260.00	85.39	75.32	10.07	54.00	31.39	114	303 Average	Horizontal	
3	5386.00	42.45	32.02	10.43	54.00	-11.55	114	303 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5127.00	41.67	31.46	10.21	54.00	-12.33	286	176 Average	Vertical	
2 *	5260.00	79.59	69.52	10.07	54.00	25.59	286	176 Average	Vertical	
3	5398.00	41.76	31.25	10.51	54.00	-12.24	286	176 Average	Vertical	

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz

U-NII-2C


802.11ax HE20_RU106

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5375.00	55.68	45.33	10.35	74.00	-18.32	100	305 Peak	Horizontal	
2	5460.50	54.69	44.45	10.24	68.20	-13.51	100	305 Peak	Horizontal	
3 *	5500.00	97.57	87.13	10.44	68.20	29.37	100	305 Peak	Horizontal	
4	6028.00	57.96	46.96	11.00	68.20	-10.24	100	305 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5434.50	54.36	44.07	10.29	74.00	-19.64	273	175 Peak	Vertical	
2	5460.50	53.33	43.05	10.28	68.20	-14.87	273	175 Peak	Vertical	
3 *	5500.00	94.03	83.59	10.44	68.20	25.83	273	175 Peak	Vertical	
4	6865.00	57.38	46.46	10.92	68.20	-10.82	273	175 Peak	Vertical	


802.11ax HE20_RU106

CH 100 (Horizontal) Average

CH 100 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5404.00	42.65	32.15	10.50	54.00	-11.35	100	305	Average	Horizontal
2 *	5500.00	87.23	76.79	10.44	54.00	33.23	100	305	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5406.00	41.62	31.13	10.49	54.00	-12.38	273	175	Average	Vertical
2 *	5500.00	83.62	73.38	10.44	54.00	29.62	273	175	Average	Vertical


802.11ax HE20_RU106

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5568.00	55.61	45.24	10.37	68.20	-12.59	112	298 Peak	Horizontal	
2	5698.50	56.83	45.79	10.24	104.09	-48.06	112	298 Peak	Horizontal	
3	5728.00	55.32	44.91	10.41	110.80	-55.48	112	298 Peak	Horizontal	
4	5728.00	55.32	44.91	10.41	110.80	-55.48	112	298 Peak	Horizontal	
5	5745.00	98.94	88.34	10.60	135.00	-36.06	112	298 Peak	Horizontal	
6	5851.00	56.71	46.16	10.55	130.16	-73.45	112	298 Peak	Horizontal	
7	5857.00	55.93	45.35	10.58	110.24	-54.31	112	298 Peak	Horizontal	
8	5908.00	56.57	45.80	10.77	80.74	-24.17	112	298 Peak	Horizontal	
9	5963.00	56.20	45.32	10.88	68.20	-12.00	112	298 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5496.00	55.87	45.44	10.43	68.20	-12.33	278	171 Peak	Vertical	
2	5679.00	56.25	45.96	10.29	89.70	-33.45	278	171 Peak	Vertical	
3	5710.00	55.15	44.83	10.32	108.00	-52.85	278	171 Peak	Vertical	
4	5725.00	55.92	45.47	10.45	135.00	-79.08	278	171 Peak	Vertical	
5	5745.00	97.93	87.33	10.60	135.00	-37.07	278	171 Peak	Vertical	
6	5851.00	55.71	45.16	10.55	130.16	-74.45	278	171 Peak	Vertical	
7	5862.00	56.61	46.01	10.60	100.84	-52.23	278	171 Peak	Vertical	
8	5897.00	57.01	46.27	10.74	88.88	-31.87	278	171 Peak	Vertical	
9	5971.50	57.48	46.59	10.89	68.20	-10.72	278	171 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11ax HE20_RU106

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.00	49.26	37.81	11.45	68.20	-18.94	100	224 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.00	49.23	37.78	11.45	68.20	-18.97	100	114 Peak	Vertical	

U-NII-2A


802.11ax HE20_RU106

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10520.00	49.02	37.58	11.44	68.20	-19.18	100	41 Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	---------	------------



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10520.00	49.32	37.88	11.44	68.20	-18.88	100	178 Peak	Vertical
---	----------	-------	-------	-------	-------	--------	-----	----------	----------

U-NII-2C


802.11ax HE20_RU106

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	35.49	24.06	11.43	54.00	-18.51	100	91 Average	Horizontal	
2	11000.00	49.19	37.76	11.43	74.00	-24.81	100	91 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	36.15	24.72	11.43	54.00	-17.85	100	134 Average	Vertical	
2	11000.00	48.85	37.42	11.43	74.00	-25.15	100	134 Peak	Vertical	

U-NII-3


802.11ax HE20_RU106

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11490.00	35.27	23.87	11.40	54.00	-18.73	100	60 Average	Horizontal	
2	11490.00	49.06	37.66	11.40	74.00	-24.94	100	60 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11490.00	35.26	23.86	11.40	54.00	-18.74	100	18 Average	Vertical	
2	11490.00	48.50	37.10	11.40	74.00	-25.50	100	18 Peak	Vertical	