

Date: November 26, 2024

## FCC Modular Approval Attestation

- Single Modular Approval
- ☐ Single Limited Modular Approval (LMA)
- ☐ Split Modular Approval
- ☐ Split Limited Modular Approval (LMA)

FCC ID: BEJ-LCWB008

### FCC Part 15.212 Requirements:

Please state details about how the following requirements could or could NOT be met; and state how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacture, such that full compliance of the end product is always

<input checked="" type="checkbox"/>	<b>15.212 (a)(1)(i):</b> The radio elements of the modular transmitter must have their own shielding. The physical crystal and tuning capacitors may be located external to the shielded radio elements.	This module has the own shielding on transmitter.
<input checked="" type="checkbox"/>	<b>15.212 (a)(1)(ii):</b> The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with part 15 requirements under conditions of excessive data rates or over-modulation.	This module has the buffered modulation/data inputs.
<input checked="" type="checkbox"/>	<b>15.212 (a)(1)(iii):</b> The modular transmitter must have its own power supply regulation.	This device has its own power supply regulation function such as LDO inside the main chipset(BK7234).
<input checked="" type="checkbox"/>	<b>15.212 (a)(1)(iv):</b> The modular transmitter must comply with the antenna and transmission system requirements of §§ 15.203, 15.204(b) and 15.204(c). The antenna must either be permanently attached or employ a “unique” antenna coupler (at all connections between the module and the antenna, including the cable). The “professional installation” provision of § 15.203 is not applicable to modules but can apply to limited modular approvals under paragraph (b) of this section.	This module has PCB printed antennas as permanently attached on the module PCB.
<input checked="" type="checkbox"/>	<b>15.212 (a)(1)(v):</b> The modular transmitter must be tested in a stand-alone configuration.	The test was performed in a stand-alone configuration without any host product.
<input checked="" type="checkbox"/>	<b>15.212 (a)(1)(vi):</b> The modular transmitter must be labeled with its own FCC ID number.	The FCC ID is labeled on the shield can of this module.
<input checked="" type="checkbox"/>	<b>15.212 (a)(1)(vii):</b> The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instruction along with the module to explain any such requirements.	This module complies with all specific rules and operating requirements.
<input checked="" type="checkbox"/>	<b>15.212 (a)(1)(viii):</b> The modular transmitter must comply with any applicable RF exposure requirements.	This module is RF Exemption compliant with the declared compliance criteria of 40mm separation distance followed Part A 2.1093

*If a module does NOT meet one or more of the above listed requirements, the applicant may request Limited Modular Approval (LMA).*

Signed by:



Name: David Kim

Title: Team leader, LGEUS NA Policy & Regulatory Affairs

Email Address: david6.kim@lge.com

Phone Number: 201-470-2696

Address: LG Electronics USA, 111 Sylvan Avenue, North Building, Englewood Cliffs, New Jersey 07632, United States