

Plot 7-57. RSE above 1GHz CDD (11ax – Ch.100 – RU242)


Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11000.00	Average	H	-	-	-82.22	15.97	40.74	53.98	-13.24
*	11000.00	Peak	H	-	-	-70.98	15.97	51.98	73.98	-22.00
	16500.00	Peak	V	-	-	-72.64	23.78	58.14	68.23	-10.09


Table 7-124. Radiated Measurements CDD (RU242)

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 112 of 172

V 10.6 10/27/2023



Plot 7-58. RSE above 1GHz SDM (11ax - Ch.116 - RU242)



Plot 7-59. RSE 18GHz - 40 GHz SDM (11ax Ch.116 - RU242)


Mode:	802.11ax (20MHz BW)
Data Rate:	MCS11
RU Index:	61
Distance of Measurements:	3 Meters
Operating Frequency:	5580MHz
Channel:	116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11160.00	Average	H	-	-	-82.64	16.72	41.07	53.98	-12.91
*	11160.00	Peak	H	-	-	-71.17	16.32	52.15	73.98	-21.83
	16740.00	Peak	H	-	-	-72.35	23.80	58.45	68.23	-9.78

Table 7-125. Radiated Measurements SDM (RU242)

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 113 of 172

V 10.6 10/27/2023



Plot 7-60. RSE above 1GHz SDM (11ax – Ch.144 – RU242)


Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11440.00	Average	V	-	-	-82.35	16.30	40.95	53.98	-13.03
*	11440.00	Peak	V	-	-	-71.95	16.89	51.94	73.98	-22.04
	17160.00	Peak	V	-	-	-72.92	24.70	58.78	68.23	-9.45

Table 7-126. Radiated Measurements SDM (RU242)

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 114 of 172

V 10.6 10/27/2023



Plot 7-61. RSE above 1GHz CDD (11ax – Ch.149 – RU242)


Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11490.00	Average	H	-	-	-82.45	16.70	41.25	53.98	-12.73
*	11490.00	Peak	H	-	-	-71.21	16.70	52.49	73.98	-21.49
	17235.00	Peak	H	-	-	-73.19	24.61	58.42	68.23	-9.81


Table 7-127. Radiated Measurements CDD (RU242)

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 115 of 172

V 10.6 10/27/2023



Plot 7-62. RSE above 1GHz CDD (11ax - Ch.157 - RU242)



Plot 7-63. RSE 18GHz - 40 GHz CDD (11ax Ch.157 - RU242)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5785MHz
Channel: 157


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11570.00	Average	V	-	-	-82.30	16.95	41.65	53.98	-12.33
*	11570.00	Peak	V	-	-	-70.66	16.74	53.08	73.98	-20.90
	17355.00	Peak	V	-	-	-72.28	24.27	58.99	68.23	-9.24

Table 7-128. Radiated Measurements CDD (RU242)

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 116 of 172

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-64. RSE above 1GHz CDD (11ax – Ch.165 – RU242)

Mode: 802.11ax (20MHz BW)
Data Rate: MCS11
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11650.00	Average	H	-	-	-82.76	17.54	41.77	53.98	-12.21
*	11650.00	Peak	H	-	-	-71.88	17.87	52.99	73.98	-20.99
	17475.00	Peak	H	-	-	-73.08	24.89	58.81	68.23	-9.42

Table 7-129. Radiated Measurements CDD (RU242)


FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 117 of 172

V 10.6 10/27/2023


7.6.2 Antenna WF7a Radiated Band Edge Measurements (20MHz BW)

\$15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]


RU26




Plot 7-65. Antenna WF7a (Peak & Average, RU26, Index 0, Ch.36, MCS11)




Plot 7-68. Antenna WF7a (Peak, RU26, Index 8, Ch.149, MCS11)




Plot 7-66. Antenna WF7a (Peak & Average, RU26, Index 8, Ch.36, MCS11)



Plot 7-69. Antenna WF7a (Peak, RU26, Index 0, Ch.165, MCS11)



Plot 7-67. Antenna WF7a (Peak, RU26, Index 0, Ch.149, MCS11)




Plot 7-70. Antenna WF7a (Peak, RU26, Index 8, Ch.165, MCS11)

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 118 of 172


V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU242




Plot 7-77. Antenna WF7a (Peak & Average, RU242, Index 61, Ch.36, MCS11)




Plot 7-80. Antenna WF7a (Peak & Average, RU242, Index 61, Ch.56, MCS11)




Plot 7-78. Antenna WF7a (Peak & Average, RU242, Index 61, Ch.40, MCS11)



Plot 7-81. Antenna WF7a (Peak & Average, RU242, Index 61, Ch.60, MCS11)



Plot 7-79. Antenna WF7a (Peak & Average, RU242, Index 61, Ch.44, MCS11)




Plot 7-82. Antenna WF7a (Peak & Average, RU242, Index 61, Ch.64, MCS11)


FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 120 of 172

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-83. Antenna WF7a (Peak & Average, RU242, Index 61, Ch.100, MCS11)




Plot 7-86. Antenna WF7a (Peak & Average, RU242, Index 61, Ch.112, MCS11)




Plot 7-84. Antenna WF7a (Peak & Average, RU242, Index 61, Ch.104, MCS11)



Plot 7-87. (FCC Only) Antenna WF7a (Peak, RU242, Index 61, Ch.128, MCS11)



Plot 7-85. Antenna WF7a (Peak & Average, RU242, Index 61, Ch.108, MCS11)




Plot 7-88. Antenna WF7a (Peak, RU242, Index 61, Ch.132, MCS11)


FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 121 of 172

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-89. Antenna WF7a (Peak, RU242, Index 61, Ch.136, MCS11)



Plot 7-92. Antenna WF7a (Peak, RU242, Index 61, Ch.165, MCS11)



Plot 7-90. Antenna WF7a (Peak, RU242, Index 61, Ch.140, MCS11)




Plot 7-91. Antenna WF7a (Peak, RU242, Index 61, Ch.149, MCS11)


FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 122 of 172

7.6.3 Antenna WF7a Radiated Band Edge Measurements (40MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26




Plot 7-93. Antenna WF7a (Peak & Average, RU26, Index 0, Ch.38, MCS11)




Plot 7-96. Antenna WF7a (Peak, RU26, Index 17, Ch.151, MCS11)




Plot 7-94. Antenna WF7a (Peak & Average, RU26, Index 17, Ch.38, MCS11)



Plot 7-97. Antenna WF7a (Peak, RU26, Index 0, Ch.159, MCS11)



Plot 7-95. Antenna WF7a (Peak, RU26, Index 0, Ch.151, MCS11)




Plot 7-98. Antenna WF7a (Peak, RU26, Index 17, Ch.159, MCS11)

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 123 of 172


V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU484




Plot 7-105. Antenna WF7a (Peak & Average, RU484, Index 65, Ch.38, MCS11)




Plot 7-108. Antenna WF7a (Peak & Average, RU484, Index 65, Ch.62, MCS11)




Plot 7-106. Antenna WF7a (Peak & Average, RU484, Index 65, Ch.46, MCS11)



Plot 7-109. Antenna WF7a (Peak & Average, RU484, Index 65, Ch.102, MCS11)



Plot 7-107. Antenna WF7a (Peak & Average, RU484, Index 65, Ch.54, MCS11)




Plot 7-110. Antenna WF7a (Peak & Average, RU484, Index 65, Ch.110, MCS11)


FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 125 of 172

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-111. (FCC Only) Antenna WF7a (Peak & Average, RU484, Index 65, Ch.118, MCS11)




Plot 7-114. Antenna WF7a (Peak, RU484, Index 65, Ch.134, MCS11)




Plot 7-112. (FCC Only) Antenna WF7a (Peak, RU484, Index 65, Ch.118, MCS11)



Plot 7-115. Antenna WF7a (Peak, RU484, Index 65, Ch.151, MCS11)



Plot 7-113. (FCC Only) Antenna WF7a (Peak, RU484, Index 65, Ch.126, MCS11)




Plot 7-116. Antenna WF7a (Peak, RU484, Index 65, Ch.159, MCS11)

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 126 of 172


7.6.4 Antenna WF7a Radiated Band Edge Measurements (80MHz BW)

\$15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26




Plot 7-117. Antenna WF7a (Peak & Average, RU26, Index 0, Ch.42, MCS11)




Plot 7-120. Antenna WF7a (Peak, RU26, Index 0, Ch.155, MCS11)




Plot 7-118. Antenna WF7a (Peak & Average, RU26, Index 36, Ch.42, MCS11)



Plot 7-121. Antenna WF7a (Peak, RU26, Index 36, Ch.155, MCS11)



Plot 7-119. Antenna WF7a (Peak, RU26, Index 0, Ch.155, MCS11)




Plot 7-122. Antenna WF7a (Peak, RU26, Index 36, Ch.155, MCS11)

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 127 of 172


V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU52




Plot 7-123. Antenna WF7a (Peak & Average, RU52, Index 37, Ch.58, MCS11)




Plot 7-126. Antenna WF7a (Peak & Average, RU52, Index 52, Ch.106, MCS11)




Plot 7-124. Antenna WF7a (Peak & Average, RU52, Index 52, Ch.58, MCS11)



Plot 7-127. (FCC Only) Antenna WF7a (Peak & Average, RU52, Index 37, Ch.122, MCS11)



Plot 7-125. Antenna WF7a (Peak & Average, RU52, Index 37, Ch.106, MCS11)




Plot 7-128. (FCC Only) Antenna WF7a (Peak, RU52, Index 37, Ch.122, MCS11)


FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 128 of 172

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-129. (FCC Only) Antenna WF7a (Peak & Average, RU52, Index 52, Ch.122, MCS11)




Plot 7-130. (FCC Only) Antenna WF7a (Peak, RU52, Index 52, Ch.122, MCS11)


FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 129 of 172

V 10.6 10/27/2023


RU996




Plot 7-131. Antenna WF7a (Peak & Average, RU996, Index 67, Ch.42, MCS11)




Plot 7-134. (FCC Only) Antenna WF7a (Peak & Average, RU996, Index 67, Ch.122, MCS11)




Plot 7-132. Antenna WF7a (Peak & Average, RU996, Index 67, Ch.58, MCS11)



Plot 7-135. (FCC Only) Antenna WF7a (Peak, RU996, Index 67, Ch.122, MCS11)




Plot 7-133. Antenna WF7a (Peak & Average, RU996, Index 67, Ch.106, MCS11)



Plot 7-136. Antenna WF7a (Peak, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 130 of 172

V 10.6 10/27/2023




Plot 7-137. Antenna WF7a (Peak, RU996, Index 67, Ch.155, MCS11)

FCC ID: BCGA3354 IC: 579C-A3354	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 131 of 172


V 10.6 10/27/2023

7.6.5 Antenna WF8 Radiated Band Edge Measurements (20MHz BW) §15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26




Plot 7-138. Antenna WF8 (Peak & Average, RU26, Index 0, Ch.36, MCS11)




Plot 7-141. Antenna WF8 (Peak, RU26, Index 8, Ch.149, MCS11)




Plot 7-139. Antenna WF8 (Peak & Average, RU26, Index 8, Ch.36, MCS11)



Plot 7-142. Antenna WF8 (Peak, RU26, Index 0, Ch.165, MCS11)



Plot 7-140. Antenna WF8 (Peak, RU26, Index 0, Ch.149, MCS11)




Plot 7-143. Antenna WF8 (Peak, RU26, Index 8, Ch.165, MCS11)

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 132 of 172


V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU52




Plot 7-144. Antenna WF8 (Peak & Average, RU52, Index 37, Ch.64, MCS11)




Plot 7-147. Antenna WF8 (Peak & Average, RU52, Index 40, Ch.100, MCS11)




Plot 7-145. Antenna WF8 (Peak & Average, RU52, Index 40, Ch.64, MCS11)



Plot 7-148. Antenna WF8 (Peak, RU52, Index 37, Ch.140, MCS11)



Plot 7-146. Antenna WF8 (Peak & Average, RU52, Index 37, Ch.100, MCS11)




Plot 7-149. Antenna WF8 (Peak, RU52, Index 40, Ch.140, MCS11)

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 133 of 172


V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU242




Plot 7-150. Antenna WF8 (Peak & Average, RU242, Index 61, Ch.36, MCS11)




Plot 7-153. Antenna WF8 (Peak & Average, RU242, Index 61, Ch.56, MCS11)




Plot 7-151. Antenna WF8 (Peak & Average, RU242, Index 61, Ch.40, MCS11)



Plot 7-154. Antenna WF8 (Peak & Average, RU242, Index 61, Ch.60, MCS11)



Plot 7-152. Antenna WF8 (Peak & Average, RU242, Index 61, Ch.44, MCS11)




Plot 7-155. Antenna WF8 (Peak & Average, RU242, Index 61, Ch.64, MCS11)


FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 134 of 172

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-156. Antenna WF8 (Peak & Average, RU242, Index 61, Ch.100, MCS11)




Plot 7-159. Antenna WF8 (Peak & Average, RU242, Index 61, Ch.112, MCS11)




Plot 7-157. Antenna WF8 (Peak & Average, RU242, Index 61, Ch.104, MCS11)



Plot 7-160. (FCC Only) Antenna WF8 (Peak, RU242, Index 61, Ch.128, MCS11)




Plot 7-158. Antenna WF8 (Peak & Average, RU242, Index 61, Ch.108, MCS11)




Plot 7-161. Antenna WF8 (Peak, RU242, Index 61, Ch.132, MCS11)


FCC ID: BCGA3354 IC: 579C-A3354	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 135 of 172




Plot 7-162. Antenna WF8 (Peak, RU242, Index 61, Ch.136, MCS11)



Plot 7-165. Antenna WF8 (Peak, RU242, Index 61, Ch.165, MCS11)



Plot 7-163. Antenna WF8 (Peak, RU242, Index 61, Ch.140, MCS11)



Plot 7-164. Antenna WF8 (Peak, RU242, Index 61, Ch.149, MCS11)

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 136 of 172


V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.6 Antenna WF8 Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26




Plot 7-166. Antenna WF8 (Peak & Average, RU26, Index 0, Ch.38, MCS11)




Plot 7-169. Antenna WF8 (Peak, RU26, Index 17, Ch.151, MCS11)




Plot 7-167. Antenna WF8 (Peak & Average, RU26, Index 17, Ch.38, MCS11)



Plot 7-170. Antenna WF8 (Peak, RU26, Index 0, Ch.159, MCS11)



Plot 7-168. Antenna WF8 (Peak, RU26, Index 0, Ch.151, MCS11)




Plot 7-171. Antenna WF8 (Peak, RU26, Index 17, Ch.159, MCS11)


FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 137 of 172

V 10.6 10/27/2023


RU52




Plot 7-172. Antenna WF8 (Peak & Average, RU52, Index 37, Ch.62, MCS11)




Plot 7-175. Antenna WF8 (Peak & Average, RU52, Index 44, Ch.102, MCS11)




Plot 7-173. Antenna WF8 (Peak & Average, RU52, Index 44, Ch.62, MCS11)



Plot 7-176. Antenna WF8 (Peak, RU52, Index 37, Ch.134, MCS11)



Plot 7-174. Antenna WF8 (Peak & Average, RU52, Index 37, Ch.102, MCS11)




Plot 7-177. Antenna WF8 (Peak, RU52, Index 44, Ch.134, MCS11)

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 138 of 172


V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


RU484




Plot 7-178. Antenna WF8 (Peak & Average, RU484, Index 65, Ch.38, MCS11)




Plot 7-181. Antenna WF8 (Peak & Average, RU484, Index 65, Ch.62, MCS11)




Plot 7-179. Antenna WF8 (Peak & Average, RU484, Index 65, Ch.46, MCS11)



Plot 7-182. Antenna WF8 (Peak & Average, RU484, Index 65, Ch.102, MCS11)



Plot 7-180. Antenna WF8 (Peak & Average, RU484, Index 65, Ch.54, MCS11)




Plot 7-183. Antenna WF8 (Peak & Average, RU484, Index 65, Ch.110, MCS11)


FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 139 of 172

V 10.6 10/27/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-184. (FCC Only) Antenna WF8 (Peak, RU484, Index 65, Ch.118, MCS11)




Plot 7-187. Antenna WF8 (Peak, RU484, Index 65, Ch.134, MCS11)




Plot 7-185. (FCC Only) Antenna WF8 (Peak, RU484, Index 65, Ch.118, MCS11)



Plot 7-188. Antenna WF8 (Peak, RU484, Index 65, Ch.151, MCS11)



Plot 7-186. (FCC Only) Antenna WF8 (Peak, RU484, Index 65, Ch.126, MCS11)




Plot 7-189. Antenna WF8 (Peak, RU484, Index 65, Ch.159, MCS11)

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 140 of 172


7.6.7 Antenna WF8 Radiated Band Edge Measurements (80MHz BW)

\$15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]


RU26




Plot 7-190. Antenna WF8 (Peak & Average, RU26, Index 0, Ch.42, MCS11)




Plot 7-193. Antenna WF8 (Peak, RU26, Index 0, Ch.155, MCS11)




Plot 7-191. Antenna WF8 (Peak & Average, RU26, Index 36, Ch.42, MCS11)



Plot 7-194. Antenna WF8 (Peak, RU26, Index 36, Ch.155, MCS11)



Plot 7-192. Antenna WF8 (Peak, RU26, Index 0, Ch.155, MCS11)



Plot 7-195. Antenna WF8 (Peak, RU26, Index 36, Ch.155, MCS11)

FCC ID: BCGA3354 IC: 579C-A3354		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2410210076-10-R1.BCG	Test Dates: 10/25/2024 - 1/14/2025	EUT Type: Tablet Device	Page 141 of 172

V 10.6 10/27/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.