















		19																																																																																							
Mode		Band Edge																																																																																							
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial RU26/0_5180MHz																																																																																							
ANT		CDD 10+11																																																																																							
Pol.		Horizontal						Fundamental																																																																																	
Peak																																																																																									
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.05	56.14	74.00	-17.86	39.54	34.23	12.45	30.08	0.00	107	190	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.41</td><td>-----</td><td>-----</td><td>88.78</td><td>34.17</td><td>12.49</td><td>30.03</td><td>0.00</td><td>107</td><td>190</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.41	-----	-----	88.78	34.17	12.49	30.03	0.00	107	190	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5180.05	56.14	74.00	-17.86	39.54	34.23	12.45	30.08	0.00	107	190	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5180.00	105.41	-----	-----	88.78	34.17	12.49	30.03	0.00	107	190	PEAK																																																																													
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.05</td><td>45.33</td><td>54.00</td><td>-8.67</td><td>28.72</td><td>34.30</td><td>12.44</td><td>30.13</td><td>0.00</td><td>107</td><td>190</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.05	45.33	54.00	-8.67	28.72	34.30	12.44	30.13	0.00	107	190	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>98.98</td><td>-----</td><td>-----</td><td>82.35</td><td>34.17</td><td>12.49</td><td>30.03</td><td>0.00</td><td>107</td><td>190</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.98	-----	-----	82.35	34.17	12.49	30.03	0.00	107	190
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5180.05	45.33	54.00	-8.67	28.72	34.30	12.44	30.13	0.00	107	190	AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5180.00	98.98	-----	-----	82.35	34.17	12.49	30.03	0.00	107	190	AVERAGE																																																																													







		19																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial RU26/0_5180MHz																																																																																																	
ANT		CDD 10+11																																																																																																	
Pol.	Vertical										Fundamental																																																																																								
Peak																																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.85	56.36	74.00	-17.64	39.76	34.23	12.45	30.08	0.00	100	61 PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.90	-----	-----	85.27	34.17	12.49	30.03	0.00	100	61 PEAK									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.85	56.36	74.00	-17.64	39.76	34.23	12.45	30.08	0.00	100	61 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	101.90	-----	-----	85.27	34.17	12.49	30.03	0.00	100	61 PEAK																																																																																								
Avg																																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.35	45.34	54.00	-8.66	28.73	34.30	12.44	30.13	0.00	100	61 AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	94.80	-----	-----	78.17	34.17	12.49	30.03	0.00	100	61 AVERAGE									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5102.35	45.34	54.00	-8.66	28.73	34.30	12.44	30.13	0.00	100	61 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	94.80	-----	-----	78.17	34.17	12.49	30.03	0.00	100	61 AVERAGE																																																																																								







		20																																																																																																																	
Mode		Band Edge																																																																																																																	
		U-NII-2A_5.15-5.25_802.11ax HE20_CH64_Partial RU26/8_5320MHz																																																																																																																	
ANT		CDD 10+11																																																																																																																	
Pol.	Horizontal											Fundamental																																																																																																							
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5374.05</td><td>56.50</td><td>74.00</td><td>-17.50</td><td>38.82</td><td>34.60</td><td>12.79</td><td>29.71</td><td>0.00</td><td>116</td><td>302</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5374.05	56.50	74.00	-17.50	38.82	34.60	12.79	29.71	0.00	116	302	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>107.62</td><td>-----</td><td>-----</td><td>90.32</td><td>34.49</td><td>12.59</td><td>29.78</td><td>0.00</td><td>116</td><td>302</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	107.62	-----	-----	90.32	34.49	12.59	29.78	0.00	116	302
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5374.05	56.50	74.00	-17.50	38.82	34.60	12.79	29.71	0.00	116	302	PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5320.00	107.62	-----	-----	90.32	34.49	12.59	29.78	0.00	116	302	PEAK																																																																																																							
Avg																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5399.65</td><td>44.84</td><td>54.00</td><td>-9.16</td><td>26.88</td><td>34.60</td><td>13.03</td><td>29.67</td><td>0.00</td><td>116</td><td>302</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5399.65	44.84	54.00	-9.16	26.88	34.60	13.03	29.67	0.00	116	302	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>99.80</td><td>-----</td><td>-----</td><td>82.50</td><td>34.49</td><td>12.59</td><td>29.78</td><td>0.00</td><td>116</td><td>302</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	99.80	-----	-----	82.50	34.49	12.59	29.78	0.00	116	302
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5399.65	44.84	54.00	-9.16	26.88	34.60	13.03	29.67	0.00	116	302	AVERAGE																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5320.00	99.80	-----	-----	82.50	34.49	12.59	29.78	0.00	116	302	AVERAGE																																																																																																							



Mode	20																																																						
	Band Edge																																																						
	U-NII-2A_5.15-5.25_802.11ax HE20_CH64_Partial RU26/8_5320MHz																																																						
ANT	CDD 10+11																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.15</td><td>55.65</td><td>74.00</td><td>-18.35</td><td>37.70</td><td>34.60</td><td>13.02</td><td>29.67</td><td>0.00</td><td>310</td><td>71</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.15	55.65	74.00	-18.35	37.70	34.60	13.02	29.67	0.00	310	71
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5399.15	55.65	74.00	-18.35	37.70	34.60	13.02	29.67	0.00	310	71	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>100.86</td><td>-----</td><td>-----</td><td>83.53</td><td>34.52</td><td>12.58</td><td>29.77</td><td>0.00</td><td>310</td><td>71</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.86	-----	-----	83.53	34.52	12.58	29.77	0.00	310	71
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	100.86	-----	-----	83.53	34.52	12.58	29.77	0.00	310	71	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5398.60</td><td>44.73</td><td>54.00</td><td>-9.27</td><td>26.78</td><td>34.60</td><td>13.02</td><td>29.67</td><td>0.00</td><td>310</td><td>71</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5398.60	44.73	54.00	-9.27	26.78	34.60	13.02	29.67	0.00	310	71
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5398.60	44.73	54.00	-9.27	26.78	34.60	13.02	29.67	0.00	310	71	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>93.69</td><td>-----</td><td>-----</td><td>76.37</td><td>34.52</td><td>12.58</td><td>29.78</td><td>0.00</td><td>310</td><td>71</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	93.69	-----	-----	76.37	34.52	12.58	29.78	0.00	310	71
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	93.69	-----	-----	76.37	34.52	12.58	29.78	0.00	310	71	AVERAGE																																											






Mode	21																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-2C_5.25-5.35_802.11ax HE20_CH100_Partial RU26/0_5500MHz																																																																																																																											
ANT	CDD 10+11																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5397.76</td><td>57.44</td><td>74.00</td><td>-16.56</td><td>39.50</td><td>34.60</td><td>13.01</td><td>29.67</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>5463.69</td><td>55.14</td><td>68.20</td><td>-13.06</td><td>37.24</td><td>34.60</td><td>12.87</td><td>29.57</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5397.76	57.44	74.00	-16.56	39.50	34.60	13.01	29.67	0.00	100	116	PEAK	2	5463.69	55.14	68.20	-13.06	37.24	34.60	12.87	29.57	0.00	100	116	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>109.16</td><td>-----</td><td>-----</td><td>91.05</td><td>34.60</td><td>13.03</td><td>29.52</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.16	-----	-----	91.05	34.60	13.03	29.52	0.00	100	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5397.76	57.44	74.00	-16.56	39.50	34.60	13.01	29.67	0.00	100	116	PEAK																																																																																																																
2	5463.69	55.14	68.20	-13.06	37.24	34.60	12.87	29.57	0.00	100	116	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	109.16	-----	-----	91.05	34.60	13.03	29.52	0.00	100	116	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.75</td><td>45.15</td><td>54.00</td><td>-8.85</td><td>27.27</td><td>34.60</td><td>12.85</td><td>29.57</td><td>0.00</td><td>100</td><td>116</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.75	45.15	54.00	-8.85	27.27	34.60	12.85	29.57	0.00	100	116	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>101.31</td><td>-----</td><td>-----</td><td>83.20</td><td>34.60</td><td>13.03</td><td>29.52</td><td>0.00</td><td>100</td><td>116</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.31	-----	-----	83.20	34.60	13.03	29.52	0.00	100	116	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5459.75	45.15	54.00	-8.85	27.27	34.60	12.85	29.57	0.00	100	116	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	101.31	-----	-----	83.20	34.60	13.03	29.52	0.00	100	116	AVERAGE																																																																																																																



Mode	21																																																																						
	Band Edge																																																																						
	U-NII-2C_5.25-5.35_802.11ax HE20_CH100_Partial RU26/0_5500MHz																																																																						
ANT	CDD 10+11																																																																						
Pol.	Vertical						Fundamental																																																																
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1</td><td>5457.77</td><td>56.52</td><td>74.00</td><td>-17.48</td><td>38.65</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>302</td><td>73 PEAK</td></tr><tr><td>2</td><td>5464.81</td><td>55.70</td><td>68.20</td><td>-12.50</td><td>37.78</td><td>34.60</td><td>12.88</td><td>29.56</td><td>0.00</td><td>302</td><td>73 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB				1	5457.77	56.52	74.00	-17.48	38.65	34.60	12.84	29.57	0.00	302	73 PEAK	2	5464.81	55.70	68.20	-12.50	37.78	34.60	12.88	29.56	0.00	302
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																															
1	5457.77	56.52	74.00	-17.48	38.65	34.60	12.84	29.57	0.00	302	73 PEAK																																																												
2	5464.81	55.70	68.20	-12.50	37.78	34.60	12.88	29.56	0.00	302	73 PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1</td><td>5458.56</td><td>45.06</td><td>54.00</td><td>-8.94</td><td>27.19</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>302</td><td>73 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB				1	5458.56	45.06	54.00	-8.94	27.19	34.60	12.84	29.57	0.00	302	73 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																															
1	5458.56	45.06	54.00	-8.94	27.19	34.60	12.84	29.57	0.00	302	73 AVERAGE																																																												
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1</td><td>5500.00</td><td>103.07</td><td>-----</td><td>-----</td><td>84.96</td><td>34.60</td><td>13.03</td><td>29.52</td><td>0.00</td><td>302</td><td>73 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB				1	5500.00	103.07	-----	-----	84.96	34.60	13.03	29.52	0.00	302	73 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																															
1	5500.00	103.07	-----	-----	84.96	34.60	13.03	29.52	0.00	302	73 PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1</td><td>5500.00</td><td>97.28</td><td>-----</td><td>-----</td><td>79.17</td><td>34.60</td><td>13.03</td><td>29.52</td><td>0.00</td><td>302</td><td>73 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB				1	5500.00	97.28	-----	-----	79.17	34.60	13.03	29.52	0.00	302	73 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																															
1	5500.00	97.28	-----	-----	79.17	34.60	13.03	29.52	0.00	302	73 AVERAGE																																																												







Mode	22																																																																																																														
	Band Edge																																																																																																														
	U-NII-2C_5.25-5.35_802.11ax HE20_CH140_Partial RU26/8_5700MHz																																																																																																														
ANT	CDD 10+11																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5747.60</td><td>56.87</td><td>68.20</td><td>-11.33</td><td>38.50</td><td>34.70</td><td>13.50</td><td>29.83</td><td>0.00</td><td>102</td><td>114</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5747.60	56.87	68.20	-11.33	38.50	34.70	13.50	29.83	0.00	102	114	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>108.59</td><td>-----</td><td>-----</td><td>90.46</td><td>34.61</td><td>13.15</td><td>29.63</td><td>0.00</td><td>102</td><td>114</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	108.59	-----	-----	90.46	34.61	13.15	29.63	0.00	102	114
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5747.60	56.87	68.20	-11.33	38.50	34.70	13.50	29.83	0.00	102	114	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5700.00	108.59	-----	-----	90.46	34.61	13.15	29.63	0.00	102	114	PEAK																																																																																																			
Avg	Blank																																																																																																														
													<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.61</td><td>-----</td><td>-----</td><td>84.48</td><td>34.61</td><td>13.15</td><td>29.63</td><td>0.00</td><td>102</td><td>114</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.61	-----	-----	84.48	34.61	13.15	29.63	0.00	102	114	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5700.00	102.61	-----	-----	84.48	34.61	13.15	29.63	0.00	102	114	AVERAGE																																																																																																			







		22																																																									
Mode		Band Edge																																																									
		U-NII-2C_5.25-5.35_802.11ax HE20_CH140_Partial RU26/8_5700MHz																																																									
ANT		CDD 10+11																																																									
Pol.		Fundamental																																																									
Peak	Vertical	Fundamental																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5763.20</td><td>56.70</td><td>68.20</td><td>-11.50</td><td>38.14</td><td>34.73</td><td>13.74</td><td>29.91</td><td>0.00</td><td>297</td><td>75 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5763.20	56.70	68.20	-11.50	38.14	34.73	13.74	29.91	0.00	297
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5763.20	56.70	68.20	-11.50	38.14	34.73	13.74	29.91	0.00	297	75 PEAK																																																
Avg	Blank	Fundamental																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.76</td><td>65.00</td><td>-33.76</td><td>80.63</td><td>34.61</td><td>13.15</td><td>29.63</td><td>0.00</td><td>297</td><td>75 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	98.76	65.00	-33.76	80.63	34.61	13.15	29.63	0.00	297
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5700.00	98.76	65.00	-33.76	80.63	34.61	13.15	29.63	0.00	297	75 AVERAGE																																																







		23																																																																																																											
Mode		Band Edge																																																																																																											
		U-NII-1_5.47-5.725_802.11ax HE20_CH36_Partial RU52/37_5180MHz																																																																																																											
ANT		CDD 10+11																																																																																																											
Pol.		Horizontal											Fundamental																																																																																																
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5125.65</td><td>57.02</td><td>74.00</td><td>-16.98</td><td>40.41</td><td>34.25</td><td>12.45</td><td>30.09</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5125.65	57.02	74.00	-16.98	40.41	34.25	12.45	30.09	0.00	100	239	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>106.59</td><td>-----</td><td>-----</td><td>89.95</td><td>34.15</td><td>12.51</td><td>30.02</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.59	-----	-----	89.95	34.15	12.51	30.02	0.00	100	239
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5125.65	57.02	74.00	-16.98	40.41	34.25	12.45	30.09	0.00	100	239	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5180.00	106.59	-----	-----	89.95	34.15	12.51	30.02	0.00	100	239	PEAK																																																																																																	
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5103.05</td><td>45.39</td><td>54.00</td><td>-8.61</td><td>28.79</td><td>34.29</td><td>12.44</td><td>30.13</td><td>0.00</td><td>100</td><td>239</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5103.05	45.39	54.00	-8.61	28.79	34.29	12.44	30.13	0.00	100	239	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>99.62</td><td>-----</td><td>-----</td><td>82.98</td><td>34.15</td><td>12.51</td><td>30.02</td><td>0.00</td><td>100</td><td>239</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.62	-----	-----	82.98	34.15	12.51	30.02	0.00	100	239
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5103.05	45.39	54.00	-8.61	28.79	34.29	12.44	30.13	0.00	100	239	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5180.00	99.62	-----	-----	82.98	34.15	12.51	30.02	0.00	100	239	AVERAGE																																																																																																	







		23																																																																																							
Mode		Band Edge																																																																																							
		U-NII-1_5.47-5.725_802.11ax HE20_CH36_Partial RU52/37_5180MHz																																																																																							
ANT		CDD 10+11																																																																																							
Pol.		Vertical						Fundamental																																																																																	
Peak																																																																																									
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5123.95	56.35	74.00	-17.65	39.76	34.25	12.44	30.10	0.00	101	62	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>104.99</td><td>-----</td><td>-----</td><td>88.35</td><td>34.15</td><td>12.51</td><td>30.02</td><td>0.00</td><td>101</td><td>62</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.99	-----	-----	88.35	34.15	12.51	30.02	0.00	101	62	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5123.95	56.35	74.00	-17.65	39.76	34.25	12.44	30.10	0.00	101	62	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5180.00	104.99	-----	-----	88.35	34.15	12.51	30.02	0.00	101	62	PEAK																																																																													
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.13</td><td>45.35</td><td>54.00</td><td>-8.65</td><td>28.74</td><td>34.30</td><td>12.44</td><td>30.13</td><td>0.00</td><td>101</td><td>62</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.13	45.35	54.00	-8.65	28.74	34.30	12.44	30.13	0.00	101	62	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>96.69</td><td>-----</td><td>-----</td><td>80.05</td><td>34.15</td><td>12.51</td><td>30.02</td><td>0.00</td><td>101</td><td>62</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	96.69	-----	-----	80.05	34.15	12.51	30.02	0.00	101	62
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5100.13	45.35	54.00	-8.65	28.74	34.30	12.44	30.13	0.00	101	62	AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5180.00	96.69	-----	-----	80.05	34.15	12.51	30.02	0.00	101	62	AVERAGE																																																																													







Mode	24																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.47-5.725_802.11ax HE20_CH64_Partial RU52/40_5320MHz																																																																																																														
ANT	CDD 10+11																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5366.45</td><td>55.61</td><td>74.00</td><td>-18.39</td><td>38.02</td><td>34.60</td><td>12.71</td><td>29.72</td><td>0.00</td><td>103</td><td>264</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5366.45	55.61	74.00	-18.39	38.02	34.60	12.71	29.72	0.00	103	264	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>107.86</td><td>-----</td><td>-----</td><td>90.56</td><td>34.49</td><td>12.59</td><td>29.78</td><td>0.00</td><td>103</td><td>264</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.86	-----	-----	90.56	34.49	12.59	29.78	0.00	103	264
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5366.45	55.61	74.00	-18.39	38.02	34.60	12.71	29.72	0.00	103	264	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	107.86	-----	-----	90.56	34.49	12.59	29.78	0.00	103	264	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5396.43</td><td>44.82</td><td>54.00</td><td>-9.18</td><td>26.89</td><td>34.60</td><td>13.00</td><td>29.67</td><td>0.00</td><td>103</td><td>264</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5396.43	44.82	54.00	-9.18	26.89	34.60	13.00	29.67	0.00	103	264	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>99.89</td><td>-----</td><td>-----</td><td>82.59</td><td>34.49</td><td>12.59</td><td>29.78</td><td>0.00</td><td>103</td><td>264</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.89	-----	-----	82.59	34.49	12.59	29.78	0.00	103	264
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5396.43	44.82	54.00	-9.18	26.89	34.60	13.00	29.67	0.00	103	264	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	99.89	-----	-----	82.59	34.49	12.59	29.78	0.00	103	264	AVERAGE																																																																																																			



Mode	24																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.47-5.725_802.11ax HE20_CH64_Partial RU52/40_5320MHz																																																																																																		
ANT	CDD 10+11																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5366.65</td><td>55.79</td><td>74.00</td><td>-18.21</td><td>38.19</td><td>34.60</td><td>12.72</td><td>29.72</td><td>0.00</td><td>309</td><td>70</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5366.65	55.79	74.00	-18.21	38.19	34.60	12.72	29.72	0.00	309	70	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>102.61</td><td>-----</td><td>-----</td><td>85.31</td><td>34.49</td><td>12.59</td><td>29.78</td><td>0.00</td><td>309</td><td>70</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.61	-----	-----	85.31	34.49	12.59	29.78	0.00	309	70
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5366.65	55.79	74.00	-18.21	38.19	34.60	12.72	29.72	0.00	309	70	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	102.61	-----	-----	85.31	34.49	12.59	29.78	0.00	309	70	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5398.75</td><td>44.78</td><td>54.00</td><td>-9.22</td><td>26.83</td><td>34.60</td><td>13.02</td><td>29.67</td><td>0.00</td><td>309</td><td>70</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5398.75	44.78	54.00	-9.22	26.83	34.60	13.02	29.67	0.00	309	70	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>93.17</td><td>-----</td><td>-----</td><td>75.87</td><td>34.49</td><td>12.59</td><td>29.78</td><td>0.00</td><td>309</td><td>70</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	93.17	-----	-----	75.87	34.49	12.59	29.78	0.00	309	70
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5398.75	44.78	54.00	-9.22	26.83	34.60	13.02	29.67	0.00	309	70	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	93.17	-----	-----	75.87	34.49	12.59	29.78	0.00	309	70	AVERAGE																																																																																							






Mode	25																																																																																																					
	Band Edge																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial RU52/37_5500MHz																																																																																																					
ANT	CDD 10+11																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5454.89</td><td>56.37</td><td>74.00</td><td>-17.63</td><td>38.53</td><td>34.60</td><td>12.82</td><td>29.58</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr><tr><td>2 5467.69</td><td>56.05</td><td>68.20</td><td>-12.15</td><td>38.12</td><td>34.60</td><td>12.89</td><td>29.56</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5454.89	56.37	74.00	-17.63	38.53	34.60	12.82	29.58	0.00	100	114 PEAK	2 5467.69	56.05	68.20	-12.15	38.12	34.60	12.89	29.56	0.00	100	114 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>107.12</td><td>-----</td><td>-----</td><td>89.06</td><td>34.60</td><td>12.99</td><td>29.53</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	107.12	-----	-----	89.06	34.60	12.99	29.53	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 5454.89	56.37	74.00	-17.63	38.53	34.60	12.82	29.58	0.00	100	114 PEAK																																																																																												
2 5467.69	56.05	68.20	-12.15	38.12	34.60	12.89	29.56	0.00	100	114 PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 5500.00	107.12	-----	-----	89.06	34.60	12.99	29.53	0.00	100	114 PEAK																																																																																												
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5459.35</td><td>45.17</td><td>54.00</td><td>-8.83</td><td>27.30</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>100</td><td>114 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5459.35	45.17	54.00	-8.83	27.30	34.60	12.84	29.57	0.00	100	114 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>100.25</td><td>-----</td><td>-----</td><td>82.14</td><td>34.60</td><td>13.03</td><td>29.52</td><td>0.00</td><td>100</td><td>114 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5500.00	100.25	-----	-----	82.14	34.60	13.03	29.52	0.00	100	114 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 5459.35	45.17	54.00	-8.83	27.30	34.60	12.84	29.57	0.00	100	114 AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 5500.00	100.25	-----	-----	82.14	34.60	13.03	29.52	0.00	100	114 AVERAGE																																																																																												







Mode	25																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial RU52/37_5500MHz																																																																																																																
ANT	CDD 10+11																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.05</td><td>56.42</td><td>74.00</td><td>-17.58</td><td>38.55</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>302</td><td>73</td><td>PEAK</td></tr><tr><td>2</td><td>5469.77</td><td>55.65</td><td>68.20</td><td>-12.55</td><td>37.71</td><td>34.60</td><td>12.90</td><td>29.56</td><td>0.00</td><td>302</td><td>73</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.05	56.42	74.00	-17.58	38.55	34.60	12.84	29.57	0.00	302	73	PEAK	2	5469.77	55.65	68.20	-12.55	37.71	34.60	12.90	29.56	0.00	302	73	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>105.51</td><td>-----</td><td>-----</td><td>87.40</td><td>34.60</td><td>13.03</td><td>29.52</td><td>0.00</td><td>302</td><td>73</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.51	-----	-----	87.40	34.60	13.03	29.52	0.00	302	73	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.05	56.42	74.00	-17.58	38.55	34.60	12.84	29.57	0.00	302	73	PEAK																																																																																																					
2	5469.77	55.65	68.20	-12.55	37.71	34.60	12.90	29.56	0.00	302	73	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	105.51	-----	-----	87.40	34.60	13.03	29.52	0.00	302	73	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.33</td><td>45.22</td><td>54.00</td><td>-8.78</td><td>27.35</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>302</td><td>73</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.33	45.22	54.00	-8.78	27.35	34.60	12.84	29.57	0.00	302	73	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>96.97</td><td>-----</td><td>-----</td><td>78.06</td><td>34.60</td><td>13.03</td><td>29.52</td><td>0.00</td><td>302</td><td>73</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	96.97	-----	-----	78.06	34.60	13.03	29.52	0.00	302	73	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.33	45.22	54.00	-8.78	27.35	34.60	12.84	29.57	0.00	302	73	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	96.97	-----	-----	78.06	34.60	13.03	29.52	0.00	302	73	AVERAGE																																																																																																					







Mode	26																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.15-5.25_802.11ax HE20_CH140_Partial RU52/40_5700MHz																																																																																																															
ANT	CDD 10+11																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a noisy signal with a peak around 5717 MHz. A red line indicates the limit at 65.0 dBuV/m. The x-axis ranges from 5685 to 5765 MHz, and the y-axis ranges from 0 to 130 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5757.04</td><td>57.03</td><td>68.20</td><td>-11.17</td><td>38.56</td><td>34.71</td><td>13.64</td><td>29.88</td><td>0.00</td><td>101</td><td>111</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5757.04	57.03	68.20	-11.17	38.56	34.71	13.64	29.88	0.00	101	111	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a noisy signal with a sharp peak at 5700 MHz. A red line indicates the limit at 65.0 dBuV/m. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 0 to 130 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>110.01</td><td>-----</td><td>-----</td><td>91.88</td><td>34.61</td><td>13.15</td><td>29.63</td><td>0.00</td><td>101</td><td>111</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	110.01	-----	-----	91.88	34.61	13.15	29.63	0.00	101	111	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5757.04	57.03	68.20	-11.17	38.56	34.71	13.64	29.88	0.00	101	111	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5700.00	110.01	-----	-----	91.88	34.61	13.15	29.63	0.00	101	111	PEAK																																																																																																				
Avg	Blank												 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a noisy signal with a sharp peak at 5700 MHz. A red line indicates the limit at 65.0 dBuV/m. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 0 to 130 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.63</td><td>-----</td><td>-----</td><td>83.50</td><td>34.61</td><td>13.15</td><td>29.63</td><td>0.00</td><td>101</td><td>111</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.63	-----	-----	83.50	34.61	13.15	29.63	0.00	101	111	AVERAGE																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5700.00	101.63	-----	-----	83.50	34.61	13.15	29.63	0.00	101	111	AVERAGE																																																																																																				







Mode	26																																																										
	Band Edge																																																										
	U-NII-2C_5.15-5.25_802.11ax HE20_CH140_Partial RU52/40_5700MHz																																																										
ANT	CDD 10+11																																																										
Pol.	Vertical						Fundamental																																																				
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5725.84</td><td>57.98</td><td>68.20</td><td>-10.22</td><td>39.74</td><td>34.65</td><td>13.31</td><td>29.72</td><td>0.00</td><td>297</td><td>75 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5725.84	57.98	68.20	-10.22	39.74	34.65	13.31	29.72	0.00	297
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5725.84	57.98	68.20	-10.22	39.74	34.65	13.31	29.72	0.00	297	75 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5700.00</td><td>105.34</td><td>-----</td><td>-----</td><td>87.21</td><td>34.61</td><td>13.15</td><td>29.63</td><td>0.00</td><td>297</td><td>75 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5700.00	105.34	-----	-----	87.21	34.61	13.15	29.63	0.00	297
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5700.00	105.34	-----	-----	87.21	34.61	13.15	29.63	0.00	297	75 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5725.84</td><td>57.98</td><td>68.20</td><td>-10.22</td><td>39.74</td><td>34.65</td><td>13.31</td><td>29.72</td><td>0.00</td><td>297</td><td>75 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5725.84	57.98	68.20	-10.22	39.74	34.65	13.31	29.72	0.00	297
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5725.84	57.98	68.20	-10.22	39.74	34.65	13.31	29.72	0.00	297	75 AVERAGE																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5700.00</td><td>105.34</td><td>-----</td><td>-----</td><td>87.21</td><td>34.61</td><td>13.15</td><td>29.63</td><td>0.00</td><td>297</td><td>75 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5700.00	105.34	-----	-----	87.21	34.61	13.15	29.63	0.00	297
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5700.00	105.34	-----	-----	87.21	34.61	13.15	29.63	0.00	297	75 AVERAGE																																																







		27																																																																																																											
Mode		Band Edge																																																																																																											
		U-NII-1_5.25-5.35_802.11ax HE20_CH36_Partial RU106/53_5180MHz																																																																																																											
ANT		CDD 10+11																																																																																																											
Pol.	Horizontal											Fundamental																																																																																																	
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5124.45</td><td>56.48</td><td>74.00</td><td>-17.52</td><td>39.88</td><td>34.25</td><td>12.44</td><td>30.09</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5124.45	56.48	74.00	-17.52	39.88	34.25	12.44	30.09	0.00	100	244	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>107.63</td><td>-----</td><td>-----</td><td>90.99</td><td>34.15</td><td>12.51</td><td>30.02</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.63	-----	-----	90.99	34.15	12.51	30.02	0.00	100	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5124.45	56.48	74.00	-17.52	39.88	34.25	12.44	30.09	0.00	100	244	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5180.00	107.63	-----	-----	90.99	34.15	12.51	30.02	0.00	100	244	PEAK																																																																																																	
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5100.64</td><td>45.51</td><td>54.00</td><td>-8.49</td><td>28.90</td><td>34.30</td><td>12.44</td><td>30.13</td><td>0.00</td><td>100</td><td>244</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.64	45.51	54.00	-8.49	28.90	34.30	12.44	30.13	0.00	100	244	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>100.24</td><td>-----</td><td>-----</td><td>83.60</td><td>34.15</td><td>12.51</td><td>30.02</td><td>0.00</td><td>100</td><td>244</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.24	-----	-----	83.60	34.15	12.51	30.02	0.00	100	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5100.64	45.51	54.00	-8.49	28.90	34.30	12.44	30.13	0.00	100	244	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5180.00	100.24	-----	-----	83.60	34.15	12.51	30.02	0.00	100	244	AVERAGE																																																																																																	







Mode	27																																																						
	Band Edge																																																						
	U-NII-1_5.25-5.35_802.11ax HE20_CH36_Partial RU106/53_5180MHz																																																						
ANT	CDD 10+11																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.05</td><td>56.85</td><td>74.00</td><td>-17.15</td><td>40.25</td><td>34.26</td><td>12.44</td><td>30.10</td><td>0.00</td><td>100</td><td>64</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.05	56.85	74.00	-17.15	40.25	34.26	12.44	30.10	0.00	100	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.05	56.85	74.00	-17.15	40.25	34.26	12.44	30.10	0.00	100	64	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.46</td><td>-----</td><td>-----</td><td>88.82</td><td>34.15</td><td>12.51</td><td>30.02</td><td>0.00</td><td>100</td><td>64</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.46	-----	-----	88.82	34.15	12.51	30.02	0.00	100	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	105.46	-----	-----	88.82	34.15	12.51	30.02	0.00	100	64	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5102.35</td><td>45.50</td><td>54.00</td><td>-8.50</td><td>28.89</td><td>34.30</td><td>12.44</td><td>30.13</td><td>0.00</td><td>100</td><td>64</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.35	45.50	54.00	-8.50	28.89	34.30	12.44	30.13	0.00	100	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5102.35	45.50	54.00	-8.50	28.89	34.30	12.44	30.13	0.00	100	64	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>96.46</td><td>-----</td><td>-----</td><td>79.82</td><td>34.15</td><td>12.51</td><td>30.02</td><td>0.00</td><td>100</td><td>64</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	96.46	-----	-----	79.82	34.15	12.51	30.02	0.00	100	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	96.46	-----	-----	79.82	34.15	12.51	30.02	0.00	100	64	AVERAGE																																											







Mode	28																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.47-5.725_802.11ax HE20_CH64_Partial RU106/54_5320MHz																																																																																																														
ANT	CDD 10+11																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5388.85</td><td>56.07</td><td>74.00</td><td>-17.93</td><td>38.22</td><td>34.60</td><td>12.93</td><td>29.68</td><td>0.00</td><td>118</td><td>246</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5388.85	56.07	74.00	-17.93	38.22	34.60	12.93	29.68	0.00	118	246	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>108.85</td><td>-----</td><td>-----</td><td>91.55</td><td>34.49</td><td>12.59</td><td>29.78</td><td>0.00</td><td>118</td><td>246</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.85	-----	-----	91.55	34.49	12.59	29.78	0.00	118	246
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5388.85	56.07	74.00	-17.93	38.22	34.60	12.93	29.68	0.00	118	246	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	108.85	-----	-----	91.55	34.49	12.59	29.78	0.00	118	246	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.56</td><td>44.92</td><td>54.00</td><td>-9.08</td><td>26.96</td><td>34.60</td><td>13.03</td><td>29.67</td><td>0.00</td><td>118</td><td>246</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.56	44.92	54.00	-9.08	26.96	34.60	13.03	29.67	0.00	118	246	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>100.26</td><td>-----</td><td>-----</td><td>82.96</td><td>34.49</td><td>12.59</td><td>29.78</td><td>0.00</td><td>118</td><td>246</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.26	-----	-----	82.96	34.49	12.59	29.78	0.00	118	246
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5399.56	44.92	54.00	-9.08	26.96	34.60	13.03	29.67	0.00	118	246	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	100.26	-----	-----	82.96	34.49	12.59	29.78	0.00	118	246	AVERAGE																																																																																																			







Mode	28																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.47-5.725_802.11ax HE20_CH64_Partial RU106/54_5320MHz																																																																																																														
ANT	CDD 10+11																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.35</td><td>56.12</td><td>74.00</td><td>-17.88</td><td>38.17</td><td>34.60</td><td>13.02</td><td>29.67</td><td>0.00</td><td>100</td><td>62</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.35	56.12	74.00	-17.88	38.17	34.60	13.02	29.67	0.00	100	62	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>102.79</td><td>-----</td><td>-----</td><td>85.49</td><td>34.49</td><td>12.59</td><td>29.78</td><td>0.00</td><td>100</td><td>62</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.79	-----	-----	85.49	34.49	12.59	29.78	0.00	100	62
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5399.35	56.12	74.00	-17.88	38.17	34.60	13.02	29.67	0.00	100	62	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	102.79	-----	-----	85.49	34.49	12.59	29.78	0.00	100	62	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.35</td><td>44.90</td><td>54.00</td><td>-9.10</td><td>26.95</td><td>34.60</td><td>13.02</td><td>29.67</td><td>0.00</td><td>100</td><td>62</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.35	44.90	54.00	-9.10	26.95	34.60	13.02	29.67	0.00	100	62	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>93.51</td><td>-----</td><td>-----</td><td>76.21</td><td>34.49</td><td>12.59</td><td>29.78</td><td>0.00</td><td>100</td><td>62</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	93.51	-----	-----	76.21	34.49	12.59	29.78	0.00	100	62
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5399.35	44.90	54.00	-9.10	26.95	34.60	13.02	29.67	0.00	100	62	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	93.51	-----	-----	76.21	34.49	12.59	29.78	0.00	100	62	AVERAGE																																																																																																			






Mode	29																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial RU106/53_5500MHz																																																																																																																												
ANT	CDD 10+11																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5396.97</td><td>56.77</td><td>74.00</td><td>-17.23</td><td>38.84</td><td>34.60</td><td>13.00</td><td>29.67</td><td>0.00</td><td>101</td><td>115</td><td>PEAK</td></tr><tr><td>2</td><td>5460.33</td><td>56.01</td><td>68.20</td><td>-12.19</td><td>38.13</td><td>34.60</td><td>12.85</td><td>29.57</td><td>0.00</td><td>101</td><td>115</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5396.97	56.77	74.00	-17.23	38.84	34.60	13.00	29.67	0.00	101	115	PEAK	2	5460.33	56.01	68.20	-12.19	38.13	34.60	12.85	29.57	0.00	101	115	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>100.22</td><td>-----</td><td>-----</td><td>90.16</td><td>34.60</td><td>12.99</td><td>29.53</td><td>0.00</td><td>101</td><td>115</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.22	-----	-----	90.16	34.60	12.99	29.53	0.00	101	115	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5396.97	56.77	74.00	-17.23	38.84	34.60	13.00	29.67	0.00	101	115	PEAK																																																																																																																	
2	5460.33	56.01	68.20	-12.19	38.13	34.60	12.85	29.57	0.00	101	115	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5500.00	100.22	-----	-----	90.16	34.60	12.99	29.53	0.00	101	115	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.53</td><td>45.43</td><td>54.00</td><td>-8.57</td><td>27.56</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>101</td><td>115</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.53	45.43	54.00	-8.57	27.56	34.60	12.84	29.57	0.00	101	115	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>100.32</td><td>-----</td><td>-----</td><td>82.17</td><td>34.60</td><td>13.06</td><td>29.51</td><td>0.00</td><td>101</td><td>115</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.32	-----	-----	82.17	34.60	13.06	29.51	0.00	101	115	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5458.53	45.43	54.00	-8.57	27.56	34.60	12.84	29.57	0.00	101	115	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5500.00	100.32	-----	-----	82.17	34.60	13.06	29.51	0.00	101	115	AVERAGE																																																																																																																	






Mode	29																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial RU106/53_5500MHz																																																																																																																											
ANT	CDD 10+11																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5413.29</td><td>57.23</td><td>74.00</td><td>-16.77</td><td>39.30</td><td>34.60</td><td>12.97</td><td>29.64</td><td>0.00</td><td>320</td><td>73</td><td>PEAK</td></tr><tr><td>2</td><td>5461.29</td><td>57.29</td><td>68.20</td><td>-10.91</td><td>39.40</td><td>34.60</td><td>12.86</td><td>29.57</td><td>0.00</td><td>320</td><td>73</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5413.29	57.23	74.00	-16.77	39.30	34.60	12.97	29.64	0.00	320	73	PEAK	2	5461.29	57.29	68.20	-10.91	39.40	34.60	12.86	29.57	0.00	320	73	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>103.82</td><td>-----</td><td>-----</td><td>85.71</td><td>34.60</td><td>13.03</td><td>29.52</td><td>0.00</td><td>320</td><td>73</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.82	-----	-----	85.71	34.60	13.03	29.52	0.00	320	73
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5413.29	57.23	74.00	-16.77	39.30	34.60	12.97	29.64	0.00	320	73	PEAK																																																																																																																
2	5461.29	57.29	68.20	-10.91	39.40	34.60	12.86	29.57	0.00	320	73	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	103.82	-----	-----	85.71	34.60	13.03	29.52	0.00	320	73	PEAK																																																																																																																
Avg																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.62</td><td>45.25</td><td>54.00</td><td>-8.75</td><td>27.38</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>320</td><td>73</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.62	45.25	54.00	-8.75	27.38	34.60	12.84	29.57	0.00	320	73	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>96.48</td><td>-----</td><td>-----</td><td>78.37</td><td>34.60</td><td>13.03</td><td>29.52</td><td>0.00</td><td>320</td><td>73</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	96.48	-----	-----	78.37	34.60	13.03	29.52	0.00	320	73	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5458.62	45.25	54.00	-8.75	27.38	34.60	12.84	29.57	0.00	320	73	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	96.48	-----	-----	78.37	34.60	13.03	29.52	0.00	320	73	AVERAGE																																																																																																																







Mode	30																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.15-5.35_802.11ax HE20_CH140_Partial RU106/54_5700MHz																																																																																																		
ANT	CDD 10+11																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.12</td><td>59.21</td><td>68.20</td><td>-8.99</td><td>40.97</td><td>34.65</td><td>13.31</td><td>29.72</td><td>0.00</td><td>101</td><td>114</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.12	59.21	68.20	-8.99	40.97	34.65	13.31	29.72	0.00	101	114	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.88</td><td>-----</td><td>-----</td><td>91.75</td><td>34.61</td><td>13.15</td><td>29.63</td><td>0.00</td><td>101</td><td>114</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.88	-----	-----	91.75	34.61	13.15	29.63	0.00	101	114
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5725.12	59.21	68.20	-8.99	40.97	34.65	13.31	29.72	0.00	101	114	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	109.88	-----	-----	91.75	34.61	13.15	29.63	0.00	101	114	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.02</td><td>-----</td><td>-----</td><td>83.89</td><td>34.61</td><td>13.15</td><td>29.63</td><td>0.00</td><td>101</td><td>114</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.02	-----	-----	83.89	34.61	13.15	29.63	0.00	101	114	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	102.02	-----	-----	83.89	34.61	13.15	29.63	0.00	101	114	AVERAGE																																																																																							





Mode	30																																																																																																														
	Band Edge																																																																																																														
	U-NII-2C_5.15-5.35_802.11ax HE20_CH140_Partial RU106/54_5700MHz																																																																																																														
ANT	CDD 10+11																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5757.76</td><td>57.11</td><td>68.20</td><td>-11.09</td><td>38.62</td><td>34.72</td><td>13.65</td><td>29.88</td><td>0.00</td><td>300</td><td>73</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5757.76	57.11	68.20	-11.09	38.62	34.72	13.65	29.88	0.00	300	73	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.59</td><td>-----</td><td>-----</td><td>87.49</td><td>34.60</td><td>13.10</td><td>29.60</td><td>0.00</td><td>300</td><td>73</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.59	-----	-----	87.49	34.60	13.10	29.60	0.00	300	73
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5757.76	57.11	68.20	-11.09	38.62	34.72	13.65	29.88	0.00	300	73	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5700.00	105.59	-----	-----	87.49	34.60	13.10	29.60	0.00	300	73	PEAK																																																																																																			
Avg	Blank																																																																																																														
													<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.00</td><td>-----</td><td>-----</td><td>79.95</td><td>34.61</td><td>13.15</td><td>29.63</td><td>0.00</td><td>300</td><td>73</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.00	-----	-----	79.95	34.61	13.15	29.63	0.00	300	73	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5700.00	98.00	-----	-----	79.95	34.61	13.15	29.63	0.00	300	73	AVERAGE																																																																																																			







		31																																																					
Mode		Band Edge - L																																																					
		U-NII-1_5.47-5.725_802.11ax HE40_CH38_Full_5190MHz																																																					
ANT		CDD 10+11																																																					
Pol.		Horizontal						Fundamental																																															
Peak																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.88</td><td>58.09</td><td>74.00</td><td>-15.91</td><td>41.50</td><td>34.20</td><td>12.45</td><td>30.06</td><td>0.00</td><td>100</td><td>250</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.88	58.09	74.00	-15.91	41.50	34.20	12.45	30.06	0.00	100	250
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.88	58.09	74.00	-15.91	41.50	34.20	12.45	30.06	0.00	100	250	PEAK																																											
Fundamental																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>108.11</td><td>-----</td><td>-----</td><td>91.45</td><td>34.13</td><td>12.53</td><td>30.00</td><td>0.00</td><td>100</td><td>250</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	108.11	-----	-----	91.45	34.13	12.53	30.00	0.00	100	250
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	108.11	-----	-----	91.45	34.13	12.53	30.00	0.00	100	250	PEAK																																											
Avg																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5145.50</td><td>48.00</td><td>54.00</td><td>-5.92</td><td>31.48</td><td>34.21</td><td>12.45</td><td>30.06</td><td>0.00</td><td>100</td><td>250</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.50	48.00	54.00	-5.92	31.48	34.21	12.45	30.06	0.00	100	250
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5145.50	48.00	54.00	-5.92	31.48	34.21	12.45	30.06	0.00	100	250	AVERAGE																																											
Fundamental																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>98.96</td><td>-----</td><td>-----</td><td>82.30</td><td>34.13</td><td>12.53</td><td>30.00</td><td>0.00</td><td>100</td><td>250</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	98.96	-----	-----	82.30	34.13	12.53	30.00	0.00	100	250
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	98.96	-----	-----	82.30	34.13	12.53	30.00	0.00	100	250	AVERAGE																																											





Mode	31																																																							
	Band Edge - R																																																							
	U-NII-1_5.47-5.725_802.11ax HE40_CH38_Full_5190MHz																																																							
ANT	CDD 10+11																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5424.50</td><td>56.30</td><td>74.00</td><td>-17.70</td><td>38.42</td><td>34.60</td><td>12.91</td><td>29.63</td><td>0.00</td><td>100</td><td>250</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5424.50	56.30	74.00	-17.70	38.42	34.60	12.91	29.63	0.00	100	250	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5424.50	56.30	74.00	-17.70	38.42	34.60	12.91	29.63	0.00	100	250	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.25</td><td>45.22</td><td>54.00</td><td>-8.78</td><td>27.35</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>100</td><td>250</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.25	45.22	54.00	-8.78	27.35	34.60	12.84	29.57	0.00	100	250	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5458.25	45.22	54.00	-8.78	27.35	34.60	12.84	29.57	0.00	100	250	AVERAGE																																												





Mode	31																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.47-5.725_802.11ax HE40_CH38_Full_5190MHz																																																																																																														
ANT	CDD 10+11																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5102.65</td><td>56.86</td><td>74.00</td><td>-17.14</td><td>40.26</td><td>34.29</td><td>12.44</td><td>30.13</td><td>0.00</td><td>100</td><td>71</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.65	56.86	74.00	-17.14	40.26	34.29	12.44	30.13	0.00	100	71	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>102.12</td><td>-----</td><td>-----</td><td>85.47</td><td>34.14</td><td>12.52</td><td>30.01</td><td>0.00</td><td>100</td><td>71</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	102.12	-----	-----	85.47	34.14	12.52	30.01	0.00	100	71
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5102.65	56.86	74.00	-17.14	40.26	34.29	12.44	30.13	0.00	100	71	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	102.12	-----	-----	85.47	34.14	12.52	30.01	0.00	100	71	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>46.13</td><td>54.00</td><td>-7.87</td><td>29.53</td><td>34.20</td><td>12.45</td><td>30.05</td><td>0.00</td><td>100</td><td>71</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	46.13	54.00	-7.87	29.53	34.20	12.45	30.05	0.00	100	71	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>93.20</td><td>-----</td><td>-----</td><td>76.52</td><td>34.12</td><td>12.55</td><td>29.99</td><td>0.00</td><td>100</td><td>71</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	93.20	-----	-----	76.52	34.12	12.55	29.99	0.00	100	71
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5150.00	46.13	54.00	-7.87	29.53	34.20	12.45	30.05	0.00	100	71	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	93.20	-----	-----	76.52	34.12	12.55	29.99	0.00	100	71	AVERAGE																																																																																																			





	31																																																				
Mode	Band Edge - R																																																				
	U-NII-1_5.47-5.725_802.11ax HE40_CH38_Full_5190MHz																																																				
ANT	CDD 10+11																																																				
Pol.	Vertical						Fundamental																																														
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5358.62</td><td>56.11</td><td>74.00</td><td>-17.89</td><td>38.60</td><td>34.60</td><td>12.64</td><td>29.73</td><td>0.00</td><td>100</td><td>71 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.62	56.11	74.00	-17.89	38.60	34.60	12.64	29.73	0.00	100	71 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5358.62	56.11	74.00	-17.89	38.60	34.60	12.64	29.73	0.00	100	71 PEAK																																										
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.97</td><td>45.22</td><td>54.00</td><td>-8.78</td><td>27.35</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>100</td><td>71 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.97	45.22	54.00	-8.78	27.35	34.60	12.84	29.57	0.00	100	71 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5457.97	45.22	54.00	-8.78	27.35	34.60	12.84	29.57	0.00	100	71 AVERAGE																																										



Mode	31																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-1_5.47-5.725_802.11ax HE40_CH38_Full_5190MHz																																																																																																																																											
ANT	CDD 10+11																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7785.40</td><td>60.37</td><td>68.20</td><td>-7.83</td><td>74.83</td><td>35.97</td><td>15.50</td><td>65.93</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10380.00</td><td>47.57</td><td>68.20</td><td>-20.63</td><td>56.87</td><td>37.66</td><td>18.21</td><td>65.17</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7785.40	60.37	68.20	-7.83	74.83	35.97	15.50	65.93	0.00	--	--	PEAK	2	10380.00	47.57	68.20	-20.63	56.87	37.66	18.21	65.17	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7785.40</td><td>57.96</td><td>68.20</td><td>-10.24</td><td>72.42</td><td>35.97</td><td>15.50</td><td>65.93</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10380.00</td><td>47.11</td><td>68.20</td><td>-21.09</td><td>56.41</td><td>37.66</td><td>18.21</td><td>65.17</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7785.40	57.96	68.20	-10.24	72.42	35.97	15.50	65.93	0.00	--	--	PEAK	2	10380.00	47.11	68.20	-21.09	56.41	37.66	18.21	65.17	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7785.40	60.37	68.20	-7.83	74.83	35.97	15.50	65.93	0.00	--	--	PEAK																																																																																																																																
2	10380.00	47.57	68.20	-20.63	56.87	37.66	18.21	65.17	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7785.40	57.96	68.20	-10.24	72.42	35.97	15.50	65.93	0.00	--	--	PEAK																																																																																																																																
2	10380.00	47.11	68.20	-21.09	56.41	37.66	18.21	65.17	0.00	--	--	PEAK																																																																																																																																







Mode	32																																																																																																																																																																															
	Harmonic																																																																																																																																																																															
	U-NII-1_5.725-5.85_802.11ax HE40_CH46_Full_5230MHz																																																																																																																																																																															
ANT	CDD 10+11																																																																																																																																																																															
Pol.	Horizontal												Vertical																																																																																																																																																																			
Peak Avg																																																																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7844.80</td><td>56.61</td><td>68.20</td><td>-11.59</td><td>71.04</td><td>35.91</td><td>15.70</td><td>66.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10460.00</td><td>48.36</td><td>68.20</td><td>-19.84</td><td>57.47</td><td>37.70</td><td>18.26</td><td>65.07</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																										Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7844.80	56.61	68.20	-11.59	71.04	35.91	15.70	66.04	0.00	--	--	PEAK	2	10460.00	48.36	68.20	-19.84	57.47	37.70	18.26	65.07	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7844.80</td><td>54.50</td><td>68.20</td><td>-13.70</td><td>68.93</td><td>35.91</td><td>15.70</td><td>66.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10460.00</td><td>46.91</td><td>68.20</td><td>-21.29</td><td>56.01</td><td>37.70</td><td>18.28</td><td>65.08</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																										Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7844.80	54.50	68.20	-13.70	68.93	35.91	15.70	66.04	0.00	--	--	PEAK	2	10460.00	46.91	68.20	-21.29	56.01	37.70	18.28	65.08	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																								
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																				
1	7844.80	56.61	68.20	-11.59	71.04	35.91	15.70	66.04	0.00	--	--	PEAK																																																																																																																																																																				
2	10460.00	48.36	68.20	-19.84	57.47	37.70	18.26	65.07	0.00	--	--	PEAK																																																																																																																																																																				
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																								
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																				
1	7844.80	54.50	68.20	-13.70	68.93	35.91	15.70	66.04	0.00	--	--	PEAK																																																																																																																																																																				
2	10460.00	46.91	68.20	-21.29	56.01	37.70	18.28	65.08	0.00	--	--	PEAK																																																																																																																																																																				



Mode	33																																																																																																							
	Harmonic																																																																																																							
	U-NII-2A_5.725-5.85_802.11ax HE40_CH54_Full_5270MHz																																																																																																							
ANT	CDD 10+11																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>47.47</td><td>68.20</td><td>-20.73</td><td>56.69</td><td>37.70</td><td>18.06</td><td>64.98</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10540.00	47.47	68.20	-20.73	56.69	37.70	18.06	64.98	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>49.91</td><td>68.20</td><td>-18.29</td><td>59.13</td><td>37.70</td><td>18.07</td><td>64.99</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10540.00	49.91	68.20	-18.29	59.13	37.70	18.07	64.99	0.00	--	--
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	10540.00	47.47	68.20	-20.73	56.69	37.70	18.06	64.98	0.00	--	--	PEAK																																																																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	10540.00	49.91	68.20	-18.29	59.13	37.70	18.07	64.99	0.00	--	--	PEAK																																																																																												



Mode	34																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.725-5.85_802.11ax HE40_CH62_Full_5310MHz																																																																																																		
ANT	CDD 10+11																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5131.13</td><td>56.86</td><td>74.00</td><td>-17.14</td><td>40.25</td><td>34.24</td><td>12.45</td><td>30.08</td><td>0.00</td><td>101</td><td>264</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5131.13	56.86	74.00	-17.14	40.25	34.24	12.45	30.08	0.00	101	264	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>108.10</td><td>-----</td><td>-----</td><td>90.91</td><td>34.40</td><td>12.61</td><td>29.82</td><td>0.00</td><td>101</td><td>264</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	108.10	-----	-----	90.91	34.40	12.61	29.82	0.00	101	264
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5131.13	56.86	74.00	-17.14	40.25	34.24	12.45	30.08	0.00	101	264	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	108.10	-----	-----	90.91	34.40	12.61	29.82	0.00	101	264	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5102.48</td><td>45.67</td><td>54.00</td><td>-8.33</td><td>29.06</td><td>34.30</td><td>12.44</td><td>30.13</td><td>0.00</td><td>101</td><td>264</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.48	45.67	54.00	-8.33	29.06	34.30	12.44	30.13	0.00	101	264	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>98.15</td><td>-----</td><td>-----</td><td>80.94</td><td>34.42</td><td>12.60</td><td>29.81</td><td>0.00</td><td>101</td><td>264</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	98.15	-----	-----	80.94	34.42	12.60	29.81	0.00	101	264
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5102.48	45.67	54.00	-8.33	29.06	34.30	12.44	30.13	0.00	101	264	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	98.15	-----	-----	80.94	34.42	12.60	29.81	0.00	101	264	AVERAGE																																																																																							





Mode	34										
	Band Edge - R										
	U-NII-2A_5.725-5.85_802.11ax HE40_CH62_Full_5310MHz										
ANT	CDD 10+11										
Pol.	Horizontal										
Peak	Level (dBuV/m) <										





Mode	34																																																										
	Band Edge - L																																																										
	U-NII-2A_5.725-5.85_802.11ax HE40_CH62_Full_5310MHz																																																										
ANT	CDD 10+11																																																										
Pol.	Vertical						Fundamental																																																				
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5105.85</td><td>58.09</td><td>74.00</td><td>-15.91</td><td>41.48</td><td>34.29</td><td>12.44</td><td>30.12</td><td>0.00</td><td>103</td><td>73 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5105.85	58.09	74.00	-15.91	41.48	34.29	12.44	30.12	0.00	103
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5105.85	58.09	74.00	-15.91	41.48	34.29	12.44	30.12	0.00	103	73 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5100.82</td><td>45.65</td><td>54.00</td><td>-8.35</td><td>29.04</td><td>34.30</td><td>12.44</td><td>30.13</td><td>0.00</td><td>103</td><td>73 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5100.82	45.65	54.00	-8.35	29.04	34.30	12.44	30.13	0.00	103
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5100.82	45.65	54.00	-8.35	29.04	34.30	12.44	30.13	0.00	103	73 AVERAGE																																																
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5310.00</td><td>101.15</td><td>-----</td><td>-----</td><td>83.91</td><td>34.44</td><td>12.60</td><td>29.80</td><td>0.00</td><td>103</td><td>73 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5310.00	101.15	-----	-----	83.91	34.44	12.60	29.80	0.00	103
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5310.00	101.15	-----	-----	83.91	34.44	12.60	29.80	0.00	103	73 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5310.00</td><td>91.98</td><td>-----</td><td>-----</td><td>74.74</td><td>34.44</td><td>12.60</td><td>29.80</td><td>0.00</td><td>103</td><td>73 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5310.00	91.98	-----	-----	74.74	34.44	12.60	29.80	0.00	103
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5310.00	91.98	-----	-----	74.74	34.44	12.60	29.80	0.00	103	73 AVERAGE																																																



Mode	34																																																																
	Band Edge - R																																																																
	U-NII-2A_5.725-5.85_802.11ax HE40_CH62_Full_5310MHz																																																																
ANT	CDD 10+11																																																																
Pol.	Vertical	Fundamental																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5396.65</td><td>56.38</td><td>74.00</td><td>-17.62</td><td>38.45</td><td>34.60</td><td>13.00</td><td>29.67</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>103</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>73</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5396.65	56.38	74.00	-17.62	38.45	34.60	13.00	29.67								0.00	103									73									PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5396.65	56.38	74.00	-17.62	38.45	34.60	13.00	29.67																																																									
							0.00	103																																																									
								73																																																									
								PEAK																																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5351.92</td><td>45.33</td><td>54.00</td><td>-8.67</td><td>27.89</td><td>34.60</td><td>12.58</td><td>29.74</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>103</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>73</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5351.92	45.33	54.00	-8.67	27.89	34.60	12.58	29.74								0.00	103									73									AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5351.92	45.33	54.00	-8.67	27.89	34.60	12.58	29.74																																																									
							0.00	103																																																									
								73																																																									
								AVERAGE																																																									



Mode	34																																																																																																		
	Harmonic																																																																																																		
	U-NII-2A_5.725-5.85_802.11ax HE40_CH62_Full_5310MHz																																																																																																		
ANT	CDD 10+11																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>47.82</td><td>74.00</td><td>-26.18</td><td>57.13</td><td>37.72</td><td>17.86</td><td>64.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	47.82	74.00	-26.18	57.13	37.72	17.86	64.89	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>56.44</td><td>37.72</td><td>17.86</td><td>64.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	47.13	74.00	-26.87	56.44	37.72	17.86	64.89	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10620.00	47.82	74.00	-26.18	57.13	37.72	17.86	64.89	0.00	--	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10620.00	47.13	74.00	-26.87	56.44	37.72	17.86	64.89	0.00	--	--	PEAK																																																																																							







		35																																																						
Mode		Band Edge - L																																																						
		U-NII-2C_5.725-5.85_802.11ax HE40_CH102_Full_5510MHz																																																						
ANT		CDD 10+11																																																						
Pol.		Horizontal																																																						
Peak																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5438.73	55.99	74.00	-18.01	38.15	34.60	12.84	29.60	0.00	100	122	PEAK	2	5469.93	57.08	68.20	-11.12	39.13	34.60	12.91	29.56	0.00	100	122
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5438.73	55.99	74.00	-18.01	38.15	34.60	12.84	29.60	0.00	100	122	PEAK																																												
2	5469.93	57.08	68.20	-11.12	39.13	34.60	12.91	29.56	0.00	100	122	PEAK																																												
Fundamental																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	107.52	-----	-----	89.37	34.60	13.06	29.51	0.00	100	122	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5510.00	107.52	-----	-----	89.37	34.60	13.06	29.51	0.00	100	122	PEAK																																												
Avg																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.50	45.89	54.00	-8.11	28.01	34.60	12.85	29.57	0.00	100	122	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5459.50	45.89	54.00	-8.11	28.01	34.60	12.85	29.57	0.00	100	122	AVERAGE																																												
Fundamental																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.45	-----	-----	80.30	34.60	13.06	29.51	0.00	100	122	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5510.00	98.45	-----	-----	80.30	34.60	13.06	29.51	0.00	100	122	AVERAGE																																												



	35																																																							
Mode	Band Edge - R																																																							
	U-NII-2C_5.725-5.85_802.11ax HE40_CH102_Full_5510MHz																																																							
ANT	CDD 10+11																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.12</td><td>56.61</td><td>68.20</td><td>-11.59</td><td>38.29</td><td>34.68</td><td>13.43</td><td>29.79</td><td>0.00</td><td>100</td><td>122</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.12	56.61	68.20	-11.59	38.29	34.68	13.43	29.79	0.00	100	122	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5739.12	56.61	68.20	-11.59	38.29	34.68	13.43	29.79	0.00	100	122	PEAK																																												



Mode	35																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.725-5.85_802.11ax HE40_CH102_Full_5510MHz																																																																	
ANT	CDD 10+11																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5428.65</td><td>56.09</td><td>74.00</td><td>-17.91</td><td>38.22</td><td>34.60</td><td>12.89</td><td>29.62</td><td>0.00</td><td>320</td><td>91 PEAK</td></tr><tr><td>2</td><td>5463.05</td><td>55.34</td><td>68.20</td><td>-12.86</td><td>37.44</td><td>34.60</td><td>12.87</td><td>29.57</td><td>0.00</td><td>320</td><td>91 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5428.65	56.09	74.00	-17.91	38.22	34.60	12.89	29.62	0.00	320	91 PEAK	2	5463.05	55.34	68.20	-12.86	37.44	34.60	12.87	29.57	0.00	320	91 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5428.65	56.09	74.00	-17.91	38.22	34.60	12.89	29.62	0.00	320	91 PEAK																																																							
2	5463.05	55.34	68.20	-12.86	37.44	34.60	12.87	29.57	0.00	320	91 PEAK																																																							
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>102.95</td><td>-----</td><td>-----</td><td>84.71</td><td>34.66</td><td>13.06</td><td>29.48</td><td>0.00</td><td>320</td><td>91 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	102.95	-----	-----	84.71	34.66	13.06	29.48	0.00	320	91 PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	102.95	-----	-----	84.71	34.66	13.06	29.48	0.00	320	91 PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.83</td><td>45.37</td><td>54.00</td><td>-8.63</td><td>27.49</td><td>34.60</td><td>12.85</td><td>29.57</td><td>0.00</td><td>320</td><td>91 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.83	45.37	54.00	-8.63	27.49	34.60	12.85	29.57	0.00	320	91 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5459.83	45.37	54.00	-8.63	27.49	34.60	12.85	29.57	0.00	320	91 AVERAGE																																																							
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>93.84</td><td>-----</td><td>-----</td><td>75.60</td><td>34.66</td><td>13.06</td><td>29.48</td><td>0.00</td><td>320</td><td>91 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	93.84	-----	-----	75.60	34.66	13.06	29.48	0.00	320	91 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	93.84	-----	-----	75.60	34.66	13.06	29.48	0.00	320	91 AVERAGE																																																							





Mode	35	
	Band Edge - R	
	U-NII-2C_5.725-5.85_802.11ax HE40_CH102_Full_5510MHz	
ANT	CDD 10+11	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) </	







		35																																																									
Mode		Harmonic																																																									
		U-NII-2C_5.725-5.85_802.11ax HE40_CH102_Full_5510MHz																																																									
ANT		CDD 10+11																																																									
Pol.		Horizontal						Vertical																																																			
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>54.39</td><td>38.22</td><td>18.12</td><td>64.43</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	46.30	74.00	-27.70	54.39	38.22	18.12	64.43	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	11020.00	46.30	74.00	-27.70	54.39	38.22	18.12	64.43	0.00	--	--	PEAK																																															
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>46.21</td><td>74.00</td><td>-27.79</td><td>54.30</td><td>38.22</td><td>18.12</td><td>64.43</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	46.21	74.00	-27.79	54.30	38.22	18.12	64.43	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	11020.00	46.21	74.00	-27.79	54.30	38.22	18.12	64.43	0.00	--	--	PEAK																																															




Mode	36																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.725-5.85_802.11ax HE40_CH110_Full_5550MHz																																																																																																																																											
ANT	CDD 10+11																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8879.53</td><td>47.23</td><td>68.20</td><td>-20.97</td><td>60.78</td><td>36.24</td><td>16.63</td><td>66.42</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>55.74</td><td>38.30</td><td>18.16</td><td>64.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8879.53	47.23	68.20	-20.97	60.78	36.24	16.63	66.42	0.00	--	--	PEAK	2	11100.00	47.86	74.00	-26.14	55.74	38.30	18.16	64.34	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8879.53</td><td>49.51</td><td>68.20</td><td>-18.69</td><td>63.06</td><td>36.24</td><td>16.63</td><td>66.42</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>47.23</td><td>74.00</td><td>-26.77</td><td>55.11</td><td>38.30</td><td>18.16</td><td>64.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8879.53	49.51	68.20	-18.69	63.06	36.24	16.63	66.42	0.00	--	--	PEAK	2	11100.00	47.23	74.00	-26.77	55.11	38.30	18.16	64.34	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8879.53	47.23	68.20	-20.97	60.78	36.24	16.63	66.42	0.00	--	--	PEAK																																																																																																																																
2	11100.00	47.86	74.00	-26.14	55.74	38.30	18.16	64.34	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8879.53	49.51	68.20	-18.69	63.06	36.24	16.63	66.42	0.00	--	--	PEAK																																																																																																																																
2	11100.00	47.23	74.00	-26.77	55.11	38.30	18.16	64.34	0.00	--	--	PEAK																																																																																																																																







Mode	37																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-2C_5.725-5.85_802.11ax HE40_CH134_Full_5670MHz																																																																																																																																										
ANT	CDD 10+11																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.37</td><td>56.44</td><td>74.00</td><td>-17.56</td><td>38.57</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>101</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>5465.13</td><td>56.26</td><td>68.20</td><td>-11.94</td><td>38.34</td><td>34.60</td><td>12.88</td><td>29.56</td><td>0.00</td><td>101</td><td>116</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5459.37	56.44	74.00	-17.56	38.57	34.60	12.84	29.57	0.00	101	116	PEAK	2	5465.13	56.26	68.20	-11.94	38.34	34.60	12.88	29.56	0.00	101	116	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5670.00</td><td>108.04</td><td>-----</td><td>-----</td><td>89.91</td><td>34.54</td><td>13.04</td><td>29.45</td><td>0.00</td><td>101</td><td>116</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5670.00	108.04	-----	-----	89.91	34.54	13.04	29.45	0.00	101	116	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5459.37	56.44	74.00	-17.56	38.57	34.60	12.84	29.57	0.00	101	116	PEAK																																																																																																																															
2	5465.13	56.26	68.20	-11.94	38.34	34.60	12.88	29.56	0.00	101	116	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5670.00	108.04	-----	-----	89.91	34.54	13.04	29.45	0.00	101	116	PEAK																																																																																																																															
Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.37</td><td>45.28</td><td>54.00</td><td>-8.72</td><td>27.41</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>101</td><td>116</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5459.37	45.28	54.00	-8.72	27.41	34.60	12.84	29.57	0.00	101	116	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5670.00</td><td>99.48</td><td>-----</td><td>-----</td><td>81.33</td><td>34.52</td><td>13.02</td><td>29.39</td><td>0.00</td><td>101</td><td>116</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5670.00	99.48	-----	-----	81.33	34.52	13.02	29.39	0.00	101	116	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5459.37	45.28	54.00	-8.72	27.41	34.60	12.84	29.57	0.00	101	116	AVERAGE																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5670.00	99.48	-----	-----	81.33	34.52	13.02	29.39	0.00	101	116	AVERAGE																																																																																																																															




Mode	37																																														
	Band Edge - R																																														
	U-NII-2C_5.725-5.85_802.11ax HE40_CH134_Full_5670MHz																																														
ANT	CDD 10+11																																														
Pol.	Horizontal						Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5762.32</td><td>57.84</td><td>68.20</td><td>-10.36</td><td>39.30</td><td>34.72</td><td>13.73</td><td>29.91</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5762.32	57.84	68.20	-10.36	39.30	34.72	13.73	29.91	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																							
1	5762.32	57.84	68.20	-10.36	39.30	34.72	13.73	29.91																																							



Mode	37																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.725-5.85_802.11ax HE40_CH134_Full_5670MHz																																																																																																															
ANT	CDD 10+11																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.13</td><td>55.66</td><td>74.00</td><td>-18.34</td><td>37.86</td><td>34.60</td><td>12.79</td><td>29.59</td><td>0.00</td><td>391</td><td>79</td><td>PEAK</td></tr><tr><td>2</td><td>5468.97</td><td>54.92</td><td>68.20</td><td>-13.28</td><td>36.98</td><td>34.60</td><td>12.90</td><td>29.56</td><td>0.00</td><td>391</td><td>79</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.13	55.66	74.00	-18.34	37.86	34.60	12.79	29.59	0.00	391	79	PEAK	2	5468.97	54.92	68.20	-13.28	36.98	34.60	12.90	29.56	0.00	391	79	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>105.58</td><td>-----</td><td>-----</td><td>87.46</td><td>34.55</td><td>13.05</td><td>29.48</td><td>0.00</td><td>391</td><td>79</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	105.58	-----	-----	87.46	34.55	13.05	29.48	0.00	391	79
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5449.13	55.66	74.00	-18.34	37.86	34.60	12.79	29.59	0.00	391	79	PEAK																																																																																																				
2	5468.97	54.92	68.20	-13.28	36.98	34.60	12.90	29.56	0.00	391	79	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	105.58	-----	-----	87.46	34.55	13.05	29.48	0.00	391	79	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.97</td><td>45.20</td><td>54.00</td><td>-8.80</td><td>27.35</td><td>34.60</td><td>12.83</td><td>29.58</td><td>0.00</td><td>391</td><td>79</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.97	45.20	54.00	-8.80	27.35	34.60	12.83	29.58	0.00	391	79	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>94.54</td><td>-----</td><td>-----</td><td>76.42</td><td>34.55</td><td>13.05</td><td>29.48</td><td>0.00</td><td>391</td><td>79</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	94.54	-----	-----	76.42	34.55	13.05	29.48	0.00	391	79	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.97	45.20	54.00	-8.80	27.35	34.60	12.83	29.58	0.00	391	79	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	94.54	-----	-----	76.42	34.55	13.05	29.48	0.00	391	79	AVERAGE																																																																																																				







Mode	37																																					
	Band Edge - R																																					
	U-NII-2C_5.725-5.85_802.11ax HE40_CH134_Full_5670MHz																																					
ANT	CDD 10+11																																					
Pol.	Vertical	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5749.28</td><td>56.92</td><td>68.20</td><td>-11.28</td><td>38.55</td><td>34.70</td><td>13.51</td><td>29.84</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5749.28	56.92	68.20	-11.28	38.55	34.70	13.51	29.84	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5749.28	56.92	68.20	-11.28	38.55	34.70	13.51	29.84																														





Mode	37																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.725-5.85_802.11ax HE40_CH134_Full_5670MHz																																																																																																			
ANT	CDD 10+11																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>46.24</td><td>74.00</td><td>-27.76</td><td>53.60</td><td>38.36</td><td>18.34</td><td>64.06</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	46.24	74.00	-27.76	53.60	38.36	18.34	64.06	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>46.74</td><td>74.00</td><td>-27.26</td><td>54.10</td><td>38.36</td><td>18.34</td><td>64.06</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	46.74	74.00	-27.26	54.10	38.36	18.34	64.06	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11340.00	46.24	74.00	-27.76	53.60	38.36	18.34	64.06	0.00	--	--	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11340.00	46.74	74.00	-27.26	54.10	38.36	18.34	64.06	0.00	--	--	PEAK																																																																																								







		38																																																				
Mode		Band Edge - L																																																				
		U-NII-1_5.725-5.85_802.11ax HE80_CH42_Full_5210MHz																																																				
ANT		CDD 10+11																																																				
Pol.		Horizontal						Fundamental																																														
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5134.81</td><td>58.93</td><td>74.00</td><td>-15.07</td><td>42.33</td><td>34.23</td><td>12.45</td><td>30.08</td><td>0.00</td><td>108</td><td>248</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5134.81	58.93	74.00	-15.07	42.33	34.23	12.45	30.08	0.00	108
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5134.81	58.93	74.00	-15.07	42.33	34.23	12.45	30.08	0.00	108	248	PEAK																																										
																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>104.55</td><td>-----</td><td>-----</td><td>87.76</td><td>34.17</td><td>12.54</td><td>29.92</td><td>0.00</td><td>108</td><td>248</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	104.55	-----	-----	87.76	34.17	12.54	29.92	0.00	108
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5210.00	104.55	-----	-----	87.76	34.17	12.54	29.92	0.00	108	248	PEAK																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.30</td><td>48.10</td><td>54.00</td><td>-5.90</td><td>31.50</td><td>34.21</td><td>12.45</td><td>30.06</td><td>0.00</td><td>108</td><td>248</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.30	48.10	54.00	-5.90	31.50	34.21	12.45	30.06	0.00	108
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5145.30	48.10	54.00	-5.90	31.50	34.21	12.45	30.06	0.00	108	248	AVERAGE																																										
																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>93.99</td><td>-----</td><td>-----</td><td>77.28</td><td>34.11</td><td>12.57</td><td>29.97</td><td>0.00</td><td>108</td><td>248</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	93.99	-----	-----	77.28	34.11	12.57	29.97	0.00	108
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5210.00	93.99	-----	-----	77.28	34.11	12.57	29.97	0.00	108	248	AVERAGE																																										



Mode	38																																																																
	Band Edge - R																																																																
	U-NII-1_5.725-5.85_802.11ax HE80_CH42_Full_5210MHz																																																																
ANT	CDD 10+11																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5361.04</td><td>56.28</td><td>74.00</td><td>-17.72</td><td>38.75</td><td>34.60</td><td>12.66</td><td>29.73</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>108</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>248</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5361.04	56.28	74.00	-17.72	38.75	34.60	12.66	29.73								0.00	108									248									PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5361.04	56.28	74.00	-17.72	38.75	34.60	12.66	29.73																																																									
							0.00	108																																																									
								248																																																									
								PEAK																																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5399.15</td><td>45.06</td><td>54.00</td><td>-8.94</td><td>27.11</td><td>34.60</td><td>13.02</td><td>29.67</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>108</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>248</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5399.15	45.06	54.00	-8.94	27.11	34.60	13.02	29.67								0.00	108									248									AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5399.15	45.06	54.00	-8.94	27.11	34.60	13.02	29.67																																																									
							0.00	108																																																									
								248																																																									
								AVERAGE																																																									





Mode	38																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.725-5.85_802.11ax HE80_CH42_Full_5210MHz																																																																																																														
ANT	CDD 10+11																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5126.65</td><td>56.85</td><td>74.00</td><td>-17.15</td><td>40.24</td><td>34.25</td><td>12.45</td><td>30.09</td><td>0.00</td><td>100</td><td>44</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5126.65	56.85	74.00	-17.15	40.24	34.25	12.45	30.09	0.00	100	44	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>98.27</td><td>-----</td><td>-----</td><td>81.59</td><td>34.12</td><td>12.55</td><td>29.99</td><td>0.00</td><td>100</td><td>44</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	98.27	-----	-----	81.59	34.12	12.55	29.99	0.00	100	44
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5126.65	56.85	74.00	-17.15	40.24	34.25	12.45	30.09	0.00	100	44	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	98.27	-----	-----	81.59	34.12	12.55	29.99	0.00	100	44	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.57</td><td>45.97</td><td>54.00</td><td>-8.03</td><td>29.37</td><td>34.21</td><td>12.45</td><td>30.06</td><td>0.00</td><td>100</td><td>44</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.57	45.97	54.00	-8.03	29.37	34.21	12.45	30.06	0.00	100	44	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>88.32</td><td>-----</td><td>-----</td><td>71.61</td><td>34.11</td><td>12.57</td><td>29.97</td><td>0.00</td><td>100</td><td>44</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	88.32	-----	-----	71.61	34.11	12.57	29.97	0.00	100	44
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5143.57	45.97	54.00	-8.03	29.37	34.21	12.45	30.06	0.00	100	44	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	88.32	-----	-----	71.61	34.11	12.57	29.97	0.00	100	44	AVERAGE																																																																																																			







Mode	38										
	Band Edge - R										
	U-NII-1_5.725-5.85_802.11ax HE80_CH42_Full_5210MHz										
ANT	CDD 10+11										
Pol.	Vertical										
Peak	Level (dBuV/m)										





Mode	38																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-1_5.725-5.85_802.11ax HE80_CH42_Full_5210MHz																																																																																																																																											
ANT	CDD 10+11																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7814.73</td><td>58.78</td><td>68.20</td><td>-9.42</td><td>73.33</td><td>35.97</td><td>15.46</td><td>65.98</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10420.00</td><td>45.87</td><td>68.20</td><td>-22.33</td><td>55.13</td><td>37.67</td><td>18.24</td><td>65.17</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7814.73	58.78	68.20	-9.42	73.33	35.97	15.46	65.98	0.00	--	--	PEAK	2	10420.00	45.87	68.20	-22.33	55.13	37.67	18.24	65.17	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7814.73</td><td>56.98</td><td>68.20</td><td>-11.22</td><td>71.53</td><td>35.97</td><td>15.46</td><td>65.98</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10420.00</td><td>45.63</td><td>68.20</td><td>-22.57</td><td>54.72</td><td>37.70</td><td>18.33</td><td>65.12</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7814.73	56.98	68.20	-11.22	71.53	35.97	15.46	65.98	0.00	--	--	PEAK	2	10420.00	45.63	68.20	-22.57	54.72	37.70	18.33	65.12	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7814.73	58.78	68.20	-9.42	73.33	35.97	15.46	65.98	0.00	--	--	PEAK																																																																																																																																
2	10420.00	45.87	68.20	-22.33	55.13	37.67	18.24	65.17	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	7814.73	56.98	68.20	-11.22	71.53	35.97	15.46	65.98	0.00	--	--	PEAK																																																																																																																																
2	10420.00	45.63	68.20	-22.57	54.72	37.70	18.33	65.12	0.00	--	--	PEAK																																																																																																																																







Mode	39																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.725-5.85_802.11ax HE80_CH58_Full_5290MHz																																																																																																														
ANT	CDD 10+11																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5102.33</td><td>57.57</td><td>74.00</td><td>-16.43</td><td>40.96</td><td>34.30</td><td>12.44</td><td>30.13</td><td>0.00</td><td>100</td><td>256</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.33	57.57	74.00	-16.43	40.96	34.30	12.44	30.13	0.00	100	256	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>104.19</td><td>-----</td><td>-----</td><td>86.98</td><td>34.42</td><td>12.60</td><td>29.81</td><td>0.00</td><td>100</td><td>256</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	104.19	-----	-----	86.98	34.42	12.60	29.81	0.00	100	256
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5102.33	57.57	74.00	-16.43	40.96	34.30	12.44	30.13	0.00	100	256	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	104.19	-----	-----	86.98	34.42	12.60	29.81	0.00	100	256	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5101.65</td><td>45.78</td><td>54.00</td><td>-8.22</td><td>29.17</td><td>34.30</td><td>12.44</td><td>30.13</td><td>0.00</td><td>100</td><td>256</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5101.65	45.78	54.00	-8.22	29.17	34.30	12.44	30.13	0.00	100	256	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>94.21</td><td>-----</td><td>-----</td><td>77.07</td><td>34.37</td><td>12.60</td><td>29.83</td><td>0.00</td><td>100</td><td>256</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	94.21	-----	-----	77.07	34.37	12.60	29.83	0.00	100	256
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5101.65	45.78	54.00	-8.22	29.17	34.30	12.44	30.13	0.00	100	256	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	94.21	-----	-----	77.07	34.37	12.60	29.83	0.00	100	256	AVERAGE																																																																																																			





Mode	39																																																																
	Band Edge - R																																																																
	U-NII-2A_5.725-5.85_802.11ax HE80_CH58_Full_5290MHz																																																																
ANT	CDD 10+11																																																																
Pol.	Horizontal										Fundamental																																																						
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5374.75</td><td>59.41</td><td>74.00</td><td>-14.59</td><td>41.72</td><td>34.60</td><td>12.79</td><td>29.70</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>256 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5374.75	59.41	74.00	-14.59	41.72	34.60	12.79	29.70								0.00	100									256 PEAK	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5374.75	59.41	74.00	-14.59	41.72	34.60	12.79	29.70																																																									
							0.00	100																																																									
								256 PEAK																																																									
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5355.75</td><td>48.65</td><td>54.00</td><td>-5.35</td><td>31.17</td><td>34.60</td><td>12.61</td><td>29.73</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>256 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5355.75	48.65	54.00	-5.35	31.17	34.60	12.61	29.73								0.00	100									256 AVERAGE	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5355.75	48.65	54.00	-5.35	31.17	34.60	12.61	29.73																																																									
							0.00	100																																																									
								256 AVERAGE																																																									





Mode	39																																																																																																
	Band Edge - L																																																																																																
	U-NII-2A_5.725-5.85_802.11ax HE80_CH58_Full_5290MHz																																																																																																
ANT	CDD 10+11																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5117.21</td><td>57.81</td><td>74.00</td><td>-16.19</td><td>41.21</td><td>34.27</td><td>12.44</td><td>30.11</td><td>0.00</td><td>100</td><td>74 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5117.21	57.81	74.00	-16.19	41.21	34.27	12.44	30.11	0.00	100	74 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>97.25</td><td>-----</td><td>-----</td><td>80.06</td><td>34.40</td><td>12.61</td><td>29.82</td><td>0.00</td><td>100</td><td>74 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	97.25	-----	-----	80.06	34.40	12.61	29.82	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5117.21	57.81	74.00	-16.19	41.21	34.27	12.44	30.11	0.00	100	74 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5290.00	97.25	-----	-----	80.06	34.40	12.61	29.82	0.00	100	74 PEAK																																																																																						
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5100.20</td><td>45.70</td><td>54.00</td><td>-8.30</td><td>29.09</td><td>34.30</td><td>12.44</td><td>30.13</td><td>0.00</td><td>100</td><td>74 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.20	45.70	54.00	-8.30	29.09	34.30	12.44	30.13	0.00	100	74 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>88.00</td><td>-----</td><td>-----</td><td>71.12</td><td>34.28</td><td>12.55</td><td>29.87</td><td>0.00</td><td>100</td><td>74 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	88.00	-----	-----	71.12	34.28	12.55	29.87	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5100.20	45.70	54.00	-8.30	29.09	34.30	12.44	30.13	0.00	100	74 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5290.00	88.00	-----	-----	71.12	34.28	12.55	29.87	0.00	100	74 AVERAGE																																																																																						







Mode	39																																																			
	Band Edge - R																																																			
	U-NII-2A_5.725-5.85_802.11ax HE80_CH58_Full_5290MHz																																																			
ANT	CDD 10+11																																																			
Pol.	Vertical										Fundamental																																									
Peak											Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.45</td><td>56.70</td><td>74.00</td><td>-17.30</td><td>39.18</td><td>34.60</td><td>12.65</td><td>29.73</td><td>0.00</td><td>100</td><td>74 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.45	56.70	74.00	-17.30	39.18	34.60	12.65	29.73	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5359.45	56.70	74.00	-17.30	39.18	34.60	12.65	29.73	0.00	100	74 PEAK																																									
Avg											Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.42</td><td>45.69</td><td>54.00</td><td>-8.31</td><td>28.25</td><td>34.60</td><td>12.58</td><td>29.74</td><td>0.00</td><td>100</td><td>74 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.42	45.69	54.00	-8.31	28.25	34.60	12.58	29.74	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5352.42	45.69	54.00	-8.31	28.25	34.60	12.58	29.74	0.00	100	74 AVERAGE																																									




Mode	39																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2A_5.725-5.85_802.11ax HE80_CH58_Full_5290MHz																																																																																																																																											
ANT	CDD 10+11																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8463.73</td><td>45.38</td><td>74.00</td><td>-28.62</td><td>59.98</td><td>35.90</td><td>15.96</td><td>66.46</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10580.00</td><td>46.06</td><td>74.00</td><td>-27.94</td><td>55.38</td><td>37.72</td><td>17.86</td><td>64.90</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8463.73	45.38	74.00	-28.62	59.98	35.90	15.96	66.46	0.00	--	--	PEAK	2	10580.00	46.06	74.00	-27.94	55.38	37.72	17.86	64.90	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8463.73</td><td>46.68</td><td>74.00</td><td>-27.32</td><td>61.28</td><td>35.90</td><td>15.96</td><td>66.46</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10580.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>54.65</td><td>37.72</td><td>17.86</td><td>64.90</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8463.73	46.68	74.00	-27.32	61.28	35.90	15.96	66.46	0.00	--	--	PEAK	2	10580.00	45.33	74.00	-28.67	54.65	37.72	17.86	64.90	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8463.73	45.38	74.00	-28.62	59.98	35.90	15.96	66.46	0.00	--	--	PEAK																																																																																																																																
2	10580.00	46.06	74.00	-27.94	55.38	37.72	17.86	64.90	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8463.73	46.68	74.00	-27.32	61.28	35.90	15.96	66.46	0.00	--	--	PEAK																																																																																																																																
2	10580.00	45.33	74.00	-28.67	54.65	37.72	17.86	64.90	0.00	--	--	PEAK																																																																																																																																







Mode	40																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-2C_5.725-5.85_802.11ax HE80_CH106_Full_5530MHz																																																																																																																												
ANT	CDD 10+11																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5429.45</td><td>55.86</td><td>74.00</td><td>-18.14</td><td>37.99</td><td>34.60</td><td>12.89</td><td>29.62</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr><tr><td>2</td><td>5465.45</td><td>57.16</td><td>68.20</td><td>-11.04</td><td>39.24</td><td>34.60</td><td>12.88</td><td>29.56</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5429.45	55.86	74.00	-18.14	37.99	34.60	12.89	29.62	0.00	100	123	PEAK	2	5465.45	57.16	68.20	-11.04	39.24	34.60	12.88	29.56	0.00	100	123	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>102.03</td><td>-----</td><td>-----</td><td>83.74</td><td>34.71</td><td>13.05</td><td>29.47</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	102.03	-----	-----	83.74	34.71	13.05	29.47	0.00	100	123	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5429.45	55.86	74.00	-18.14	37.99	34.60	12.89	29.62	0.00	100	123	PEAK																																																																																																																	
2	5465.45	57.16	68.20	-11.04	39.24	34.60	12.88	29.56	0.00	100	123	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5530.00	102.03	-----	-----	83.74	34.71	13.05	29.47	0.00	100	123	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.44</td><td>45.99</td><td>54.00</td><td>-8.01</td><td>28.13</td><td>34.60</td><td>12.83</td><td>29.57</td><td>0.00</td><td>100</td><td>123</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.44	45.99	54.00	-8.01	28.13	34.60	12.83	29.57	0.00	100	123	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>93.56</td><td>-----</td><td>-----</td><td>75.19</td><td>34.78</td><td>13.03</td><td>29.44</td><td>0.00</td><td>100</td><td>123</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	93.56	-----	-----	75.19	34.78	13.03	29.44	0.00	100	123	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5457.44	45.99	54.00	-8.01	28.13	34.60	12.83	29.57	0.00	100	123	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5530.00	93.56	-----	-----	75.19	34.78	13.03	29.44	0.00	100	123	AVERAGE																																																																																																																	




Mode	40																																																				
	Band Edge - R																																																				
	U-NII-2C_5.725-5.85_802.11ax HE80_CH106_Full_5530MHz																																																				
ANT	CDD 10+11																																																				
Pol.	Horizontal						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5760.08</td><td>58.00</td><td>68.20</td><td>-10.20</td><td>39.48</td><td>34.72</td><td>13.69</td><td>29.89</td><td>0.00</td><td>100</td><td>123 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5760.08	58.00	68.20	-10.20	39.48	34.72	13.69	29.89	0.00	100	123 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5760.08	58.00	68.20	-10.20	39.48	34.72	13.69	29.89	0.00	100	123 PEAK																																										





Mode	40																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.725-5.85_802.11ax HE80_CH106_Full_5530MHz																																																																																																												
ANT	CDD 10+11																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5423.69</td><td>57.15</td><td>74.00</td><td>-16.85</td><td>39.26</td><td>34.60</td><td>12.92</td><td>29.63</td><td>0.00</td><td>318</td><td>92 PEAK</td></tr><tr><td>2</td><td>5460.65</td><td>55.88</td><td>68.20</td><td>-12.32</td><td>38.00</td><td>34.60</td><td>12.85</td><td>29.57</td><td>0.00</td><td>318</td><td>92 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.69	57.15	74.00	-16.85	39.26	34.60	12.92	29.63	0.00	318	92 PEAK	2	5460.65	55.88	68.20	-12.32	38.00	34.60	12.85	29.57	0.00	318	92 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>101.41</td><td>-----</td><td>-----</td><td>83.17</td><td>34.66</td><td>13.06</td><td>29.48</td><td>0.00</td><td>318</td><td>92 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	101.41	-----	-----	83.17	34.66	13.06	29.48	0.00	318
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5423.69	57.15	74.00	-16.85	39.26	34.60	12.92	29.63	0.00	318	92 PEAK																																																																																																		
2	5460.65	55.88	68.20	-12.32	38.00	34.60	12.85	29.57	0.00	318	92 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5530.00	101.41	-----	-----	83.17	34.66	13.06	29.48	0.00	318	92 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.96</td><td>45.36</td><td>54.00</td><td>-8.64</td><td>27.51</td><td>34.60</td><td>12.83</td><td>29.58</td><td>0.00</td><td>318</td><td>92 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.96	45.36	54.00	-8.64	27.51	34.60	12.83	29.58	0.00	318	92 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>90.42</td><td>-----</td><td>-----</td><td>72.13</td><td>34.71</td><td>13.05</td><td>29.47</td><td>0.00</td><td>318</td><td>92 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	90.42	-----	-----	72.13	34.71	13.05	29.47	0.00	318	92 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5456.96	45.36	54.00	-8.64	27.51	34.60	12.83	29.58	0.00	318	92 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5530.00	90.42	-----	-----	72.13	34.71	13.05	29.47	0.00	318	92 AVERAGE																																																																																																		



Mode	40																																					
	Band Edge - R																																					
	U-NII-2C_5.725-5.85_802.11ax HE80_CH106_Full_5530MHz																																					
ANT	CDD 10+11																																					
Pol.	Vertical	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5730.40</td><td>57.32</td><td>68.20</td><td>-10.88</td><td>39.05</td><td>34.66</td><td>13.35</td><td>29.74</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5730.40	57.32	68.20	-10.88	39.05	34.66	13.35	29.74	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5730.40	57.32	68.20	-10.88	39.05	34.66	13.35	29.74																														




Mode	40																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-2C_5.725-5.85_802.11ax HE80_CH106_Full_5530MHz																																																																																																																																			
ANT	CDD 10+11																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8848.00</td><td>47.16</td><td>68.20</td><td>-21.04</td><td>60.67</td><td>36.29</td><td>16.63</td><td>66.43</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>45.72</td><td>74.00</td><td>-28.28</td><td>53.67</td><td>38.26</td><td>18.18</td><td>64.39</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8848.00	47.16	68.20	-21.04	60.67	36.29	16.63	66.43	0.00	--	--	PEAK	2	11060.00	45.72	74.00	-28.28	53.67	38.26	18.18	64.39	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8848.00</td><td>50.25</td><td>68.20</td><td>-17.95</td><td>63.76</td><td>36.29</td><td>16.63</td><td>66.43</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>54.10</td><td>38.26</td><td>18.18</td><td>64.39</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8848.00	50.25	68.20	-17.95	63.76	36.29	16.63	66.43	0.00	--	--	PEAK	2	11060.00	46.15	74.00	-27.85	54.10	38.26	18.18	64.39	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	8848.00	47.16	68.20	-21.04	60.67	36.29	16.63	66.43	0.00	--	--	PEAK																																																																																																																								
2	11060.00	45.72	74.00	-28.28	53.67	38.26	18.18	64.39	0.00	--	--	PEAK																																																																																																																								
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	8848.00	50.25	68.20	-17.95	63.76	36.29	16.63	66.43	0.00	--	--	PEAK																																																																																																																								
2	11060.00	46.15	74.00	-27.85	54.10	38.26	18.18	64.39	0.00	--	--	PEAK																																																																																																																								





Mode	41																																																																				
	Band Edge - L																																																																				
	U-NII-2C_5.47-5.85_802.11ax HE80_CH122_Full_5610MHz																																																																				
ANT	CDD 10+11																																																																				
Pol.	Horizontal						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5406.09</td><td>56.95</td><td>74.00</td><td>-17.05</td><td>39.01</td><td>34.60</td><td>13.00</td><td>29.66</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr><tr><td>2</td><td>5463.37</td><td>56.37</td><td>68.20</td><td>-11.83</td><td>38.47</td><td>34.60</td><td>12.87</td><td>29.57</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5406.09	56.95	74.00	-17.05	39.01	34.60	13.00	29.66	0.00	100	117	PEAK	2	5463.37	56.37	68.20	-11.83	38.47	34.60	12.87	29.57	0.00	100	117	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5406.09	56.95	74.00	-17.05	39.01	34.60	13.00	29.66	0.00	100	117	PEAK																																																									
2	5463.37	56.37	68.20	-11.83	38.47	34.60	12.87	29.57	0.00	100	117	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.69</td><td>45.53</td><td>54.00</td><td>-8.47</td><td>27.66</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>100</td><td>117</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.69	45.53	54.00	-8.47	27.66	34.60	12.84	29.57	0.00	100	117	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5458.69	45.53	54.00	-8.47	27.66	34.60	12.84	29.57	0.00	100	117	AVERAGE																																																									
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>104.45</td><td>-----</td><td>-----</td><td>86.18</td><td>34.50</td><td>13.09</td><td>29.32</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	104.45	-----	-----	86.18	34.50	13.09	29.32	0.00	100	117	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5610.00	104.45	-----	-----	86.18	34.50	13.09	29.32	0.00	100	117	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>95.53</td><td>-----</td><td>-----</td><td>77.26</td><td>34.50</td><td>13.10</td><td>29.33</td><td>0.00</td><td>100</td><td>117</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	95.53	-----	-----	77.26	34.50	13.10	29.33	0.00	100	117	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5610.00	95.53	-----	-----	77.26	34.50	13.10	29.33	0.00	100	117	AVERAGE																																																									



Mode	41																																																				
	Band Edge - R																																																				
	U-NII-2C_5.47-5.85_802.11ax HE80_CH122_Full_5610MHz																																																				
ANT	CDD 10+11																																																				
Pol.	Horizontal						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5742.40</td><td>57.48</td><td>68.20</td><td>-10.72</td><td>39.15</td><td>34.68</td><td>13.45</td><td>29.80</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5742.40	57.48	68.20	-10.72	39.15	34.68	13.45	29.80	0.00	100	117 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5742.40	57.48	68.20	-10.72	39.15	34.68	13.45	29.80	0.00	100	117 PEAK																																										





		41																																																					
Mode		Band Edge - L																																																					
		U-NII-2C_5.47-5.85_802.11ax HE80_CH122_Full_5610MHz																																																					
ANT		CDD 10+11																																																					
Pol.		Fundamental																																																					
Peak	Vertical	Fundamental																																																					
	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5417.45</td><td>56.76</td><td>74.00</td><td>-17.24</td><td>38.85</td><td>34.60</td><td>12.95</td><td>29.64</td><td>0.00</td><td>324 91 PEAK</td></tr><tr><td>2</td><td>5462.89</td><td>55.95</td><td>68.20</td><td>-12.25</td><td>38.06</td><td>34.60</td><td>12.86</td><td>29.57</td><td>0.00</td><td>324 91 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5417.45	56.76	74.00	-17.24	38.85	34.60	12.95	29.64	0.00	324 91 PEAK	2	5462.89	55.95	68.20	-12.25	38.06	34.60	12.86	29.57	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
1	5417.45	56.76	74.00	-17.24	38.85	34.60	12.95	29.64	0.00	324 91 PEAK																																													
2	5462.89	55.95	68.20	-12.25	38.06	34.60	12.86	29.57	0.00	324 91 PEAK																																													
Avg	Vertical	Fundamental																																																					
	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.68</td><td>45.32</td><td>54.00</td><td>-8.68</td><td>27.44</td><td>34.60</td><td>12.85</td><td>29.57</td><td>0.00</td><td>324 91 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5459.68	45.32	54.00	-8.68	27.44	34.60	12.85	29.57	0.00	324 91 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
1	5459.68	45.32	54.00	-8.68	27.44	34.60	12.85	29.57	0.00	324 91 AVERAGE																																													







Mode	41											
	Band Edge - R											
	U-NII-2C_5.47-5.85_802.11ax HE80_CH122_Full_5610MHz											
ANT	CDD 10+11											
Pol.	Vertical						Fundamental					
Peak	Level (dBuV/m) <											





Mode	41																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.85_802.11ax HE80_CH122_Full_5610MHz																																																																																																																																											
ANT	CDD 10+11																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8975.60</td><td>47.61</td><td>68.20</td><td>-20.59</td><td>61.24</td><td>36.20</td><td>16.58</td><td>66.41</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>46.44</td><td>74.00</td><td>-27.56</td><td>53.95</td><td>38.40</td><td>18.29</td><td>64.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8975.60	47.61	68.20	-20.59	61.24	36.20	16.58	66.41	0.00	--	--	PEAK	2	11220.00	46.44	74.00	-27.56	53.95	38.40	18.29	64.20	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8975.60</td><td>52.29</td><td>68.20</td><td>-15.91</td><td>65.92</td><td>36.20</td><td>16.58</td><td>66.41</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>46.43</td><td>74.00</td><td>-27.57</td><td>53.94</td><td>38.40</td><td>18.29</td><td>64.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8975.60	52.29	68.20	-15.91	65.92	36.20	16.58	66.41	0.00	--	--	PEAK	2	11220.00	46.43	74.00	-27.57	53.94	38.40	18.29	64.20	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8975.60	47.61	68.20	-20.59	61.24	36.20	16.58	66.41	0.00	--	--	PEAK																																																																																																																																
2	11220.00	46.44	74.00	-27.56	53.95	38.40	18.29	64.20	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8975.60	52.29	68.20	-15.91	65.92	36.20	16.58	66.41	0.00	--	--	PEAK																																																																																																																																
2	11220.00	46.43	74.00	-27.57	53.94	38.40	18.29	64.20	0.00	--	--	PEAK																																																																																																																																







Mode	42																																																										
	Band Edge - L																																																										
	U-NII-2A_5.47-5.85_802.11ax HE160_CH50_Full_5250MHz																																																										
ANT	CDD 10+11																																																										
Pol.	Horizontal						Fundamental																																																				
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5128.38</td><td>58.23</td><td>74.00</td><td>-15.77</td><td>41.63</td><td>34.24</td><td>12.45</td><td>30.09</td><td>0.00</td><td>100</td><td>251 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5128.38	58.23	74.00	-15.77	41.63	34.24	12.45	30.09	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5128.38	58.23	74.00	-15.77	41.63	34.24	12.45	30.09	0.00	100	251 PEAK																																																
Fundamental																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5250.00</td><td>100.50</td><td>-----</td><td>-----</td><td>83.71</td><td>34.17</td><td>12.54</td><td>29.92</td><td>0.00</td><td>100</td><td>251 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5250.00	100.50	-----	-----	83.71	34.17	12.54	29.92	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5250.00	100.50	-----	-----	83.71	34.17	12.54	29.92	0.00	100	251 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5136.38</td><td>46.90</td><td>54.00</td><td>-7.10</td><td>30.30</td><td>34.23</td><td>12.45</td><td>30.08</td><td>0.00</td><td>100</td><td>251 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5136.38	46.90	54.00	-7.10	30.30	34.23	12.45	30.08	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5136.38	46.90	54.00	-7.10	30.30	34.23	12.45	30.08	0.00	100	251 AVERAGE																																																
Fundamental																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5250.00</td><td>89.87</td><td>-----</td><td>-----</td><td>73.05</td><td>34.20</td><td>12.52</td><td>29.90</td><td>0.00</td><td>100</td><td>251 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5250.00	89.87	-----	-----	73.05	34.20	12.52	29.90	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5250.00	89.87	-----	-----	73.05	34.20	12.52	29.90	0.00	100	251 AVERAGE																																																





Mode	42																																																				
	Band Edge - R																																																				
	U-NII-2A_5.47-5.85_802.11ax HE160_CH50_Full_5250MHz																																																				
ANT	CDD 10+11																																																				
Pol.	Horizontal										Fundamental																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.11</td><td>59.00</td><td>74.00</td><td>-15.00</td><td>41.52</td><td>34.60</td><td>12.61</td><td>29.73</td><td>0.00</td><td>100</td><td>251 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.11	59.00	74.00	-15.00	41.52	34.60	12.61	29.73	0.00	100	251 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5355.11	59.00	74.00	-15.00	41.52	34.60	12.61	29.73	0.00	100	251 PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.97</td><td>48.58</td><td>54.00</td><td>-5.42</td><td>31.00</td><td>34.60</td><td>12.70</td><td>29.72</td><td>0.00</td><td>100</td><td>251 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5364.97	48.58	54.00	-5.42	31.00	34.60	12.70	29.72	0.00	100	251 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5364.97	48.58	54.00	-5.42	31.00	34.60	12.70	29.72	0.00	100	251 AVERAGE																																										





	42																																																																																																												
Mode	Band Edge - L																																																																																																												
	U-NII-2A_5.47-5.85_802.11ax HE160_CH50_Full_5250MHz																																																																																																												
ANT	CDD 10+11																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5062.88</td><td>57.63</td><td>74.00</td><td>-16.37</td><td>41.24</td><td>34.30</td><td>12.28</td><td>30.19</td><td>0.00</td><td>100</td><td>74 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5062.88	57.63	74.00	-16.37	41.24	34.30	12.28	30.19	0.00	100	74 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>93.24</td><td>-----</td><td>-----</td><td>76.49</td><td>34.14</td><td>12.55</td><td>29.94</td><td>0.00</td><td>100</td><td>74 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	93.24	-----	-----	76.49	34.14	12.55	29.94	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5062.88	57.63	74.00	-16.37	41.24	34.30	12.28	30.19	0.00	100	74 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5250.00	93.24	-----	-----	76.49	34.14	12.55	29.94	0.00	100	74 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5104.88</td><td>45.97</td><td>54.00</td><td>-8.03</td><td>29.37</td><td>34.29</td><td>12.44</td><td>30.13</td><td>0.00</td><td>100</td><td>74 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5104.88	45.97	54.00	-8.03	29.37	34.29	12.44	30.13	0.00	100	74 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>83.72</td><td>-----</td><td>-----</td><td>66.93</td><td>34.18</td><td>12.53</td><td>29.92</td><td>0.00</td><td>100</td><td>74 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	83.72	-----	-----	66.93	34.18	12.53	29.92	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5104.88	45.97	54.00	-8.03	29.37	34.29	12.44	30.13	0.00	100	74 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5250.00	83.72	-----	-----	66.93	34.18	12.53	29.92	0.00	100	74 AVERAGE																																																																																																		







Mode	42																																																							
	Band Edge - R																																																							
	U-NII-2A_5.47-5.85_802.11ax HE160_CH50_Full_5250MHz																																																							
ANT	CDD 10+11																																																							
Pol.	Vertical	Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5383.88</td><td>57.35</td><td>74.00</td><td>-16.65</td><td>39.56</td><td>34.60</td><td>12.88</td><td>29.69</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>74 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5383.88	57.35	74.00	-16.65	39.56	34.60	12.88	29.69								0.00	100									74 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5383.88	57.35	74.00	-16.65	39.56	34.60	12.88	29.69																																																
							0.00	100																																																
								74 PEAK																																																
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5371.91</td><td>45.87</td><td>54.00</td><td>-8.13</td><td>28.21</td><td>34.60</td><td>12.77</td><td>29.71</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>74 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5371.91	45.87	54.00	-8.13	28.21	34.60	12.77	29.71								0.00	100									74 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5371.91	45.87	54.00	-8.13	28.21	34.60	12.77	29.71																																																
							0.00	100																																																
								74 AVERAGE																																																




Mode	42																																																																																																			
	Harmonic																																																																																																			
	U-NII-2A_5.47-5.85_802.11ax HE160_CH50_Full_5250MHz																																																																																																			
ANT	CDD 10+11																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>45.96</td><td>68.20</td><td>-22.24</td><td>55.09</td><td>37.70</td><td>18.21</td><td>65.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	45.96	68.20	-22.24	55.09	37.70	18.21	65.04	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>45.89</td><td>68.20</td><td>-22.31</td><td>55.02</td><td>37.70</td><td>18.20</td><td>65.03</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	45.89	68.20	-22.31	55.02	37.70	18.20	65.03	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10500.00	45.96	68.20	-22.24	55.09	37.70	18.21	65.04	0.00	--	--	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10500.00	45.89	68.20	-22.31	55.02	37.70	18.20	65.03	0.00	--	--	PEAK																																																																																								







Mode	43																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-2C_5.47-5.85_802.11ax HE160_CH114_Full_5570MHz																																																																																																																																										
ANT	CDD 10+11																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5426.02</td><td>57.79</td><td>74.00</td><td>-16.21</td><td>39.90</td><td>34.60</td><td>12.91</td><td>29.62</td><td>0.00</td><td>101</td><td>115</td><td>PEAK</td></tr><tr><td>2</td><td>5465.40</td><td>56.26</td><td>68.20</td><td>-11.94</td><td>38.34</td><td>34.60</td><td>12.88</td><td>29.56</td><td>0.00</td><td>101</td><td>115</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5426.02	57.79	74.00	-16.21	39.90	34.60	12.91	29.62	0.00	101	115	PEAK	2	5465.40	56.26	68.20	-11.94	38.34	34.60	12.88	29.56	0.00	101	115	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5570.00</td><td>100.67</td><td>-----</td><td>-----</td><td>82.37</td><td>34.50</td><td>13.15</td><td>29.35</td><td>0.00</td><td>101</td><td>115</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5570.00	100.67	-----	-----	82.37	34.50	13.15	29.35	0.00	101	115	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5426.02	57.79	74.00	-16.21	39.90	34.60	12.91	29.62	0.00	101	115	PEAK																																																																																																																															
2	5465.40	56.26	68.20	-11.94	38.34	34.60	12.88	29.56	0.00	101	115	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5570.00	100.67	-----	-----	82.37	34.50	13.15	29.35	0.00	101	115	PEAK																																																																																																																															
Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5436.78</td><td>46.24</td><td>54.00</td><td>-7.76</td><td>28.40</td><td>34.60</td><td>12.85</td><td>29.61</td><td>0.00</td><td>101</td><td>115</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5436.78	46.24	54.00	-7.76	28.40	34.60	12.85	29.61	0.00	101	115	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5570.00</td><td>91.19</td><td>-----</td><td>-----</td><td>72.81</td><td>34.76</td><td>13.04</td><td>29.42</td><td>0.00</td><td>101</td><td>115</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5570.00	91.19	-----	-----	72.81	34.76	13.04	29.42	0.00	101	115	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5436.78	46.24	54.00	-7.76	28.40	34.60	12.85	29.61	0.00	101	115	AVERAGE																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5570.00	91.19	-----	-----	72.81	34.76	13.04	29.42	0.00	101	115	AVERAGE																																																																																																																															



Mode	43																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.85_802.11ax HE160_CH114_Full_5570MHz																																					
ANT	CDD 10+11																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5746.58</td><td>58.33</td><td>68.20</td><td>-9.87</td><td>39.98</td><td>34.69</td><td>13.49</td><td>29.83</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5746.58	58.33	68.20	-9.87	39.98	34.69	13.49	29.83	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5746.58	58.33	68.20	-9.87	39.98	34.69	13.49	29.83																														





Mode	43																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.85_802.11ax HE160_CH114_Full_5570MHz																																																																																																															
ANT	CDD 10+11																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.10</td><td>56.03</td><td>74.00</td><td>-17.97</td><td>38.21</td><td>34.60</td><td>12.80</td><td>29.58</td><td>0.00</td><td>310</td><td>92</td><td>PEAK</td></tr><tr><td>2</td><td>5460.34</td><td>54.91</td><td>68.20</td><td>-13.29</td><td>37.03</td><td>34.60</td><td>12.85</td><td>29.57</td><td>0.00</td><td>310</td><td>92</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.10	56.03	74.00	-17.97	38.21	34.60	12.80	29.58	0.00	310	92	PEAK	2	5460.34	54.91	68.20	-13.29	37.03	34.60	12.85	29.57	0.00	310	92	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>96.71</td><td>-----</td><td>-----</td><td>78.40</td><td>34.54</td><td>13.13</td><td>29.36</td><td>0.00</td><td>310</td><td>92</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	96.71	-----	-----	78.40	34.54	13.13	29.36	0.00	310	92
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5451.10	56.03	74.00	-17.97	38.21	34.60	12.80	29.58	0.00	310	92	PEAK																																																																																																				
2	5460.34	54.91	68.20	-13.29	37.03	34.60	12.85	29.57	0.00	310	92	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	96.71	-----	-----	78.40	34.54	13.13	29.36	0.00	310	92	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.89</td><td>45.52</td><td>54.00</td><td>-8.48</td><td>27.65</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>310</td><td>92</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.89	45.52	54.00	-8.48	27.65	34.60	12.84	29.57	0.00	310	92	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>86.92</td><td>-----</td><td>-----</td><td>68.57</td><td>34.65</td><td>13.09</td><td>29.39</td><td>0.00</td><td>310</td><td>92</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	86.92	-----	-----	68.57	34.65	13.09	29.39	0.00	310	92	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.89	45.52	54.00	-8.48	27.65	34.60	12.84	29.57	0.00	310	92	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	86.92	-----	-----	68.57	34.65	13.09	29.39	0.00	310	92	AVERAGE																																																																																																				



Mode	43																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.85_802.11ax HE160_CH114_Full_5570MHz																																					
ANT	CDD 10+11																																					
Pol.	Vertical	Fundamental																																				
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5751.45</td><td>57.48</td><td>68.20</td><td>-10.72</td><td>39.09</td><td>34.70</td><td>13.54</td><td>29.85</td></tr></table> Remark		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5751.45	57.48	68.20	-10.72	39.09	34.70	13.54	29.85	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5751.45	57.48	68.20	-10.72	39.09	34.70	13.54	29.85																														






Mode	43																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.85_802.11ax HE160_CH114_Full_5570MHz																																																																																																																																											
ANT	CDD 10+11																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8912.53</td><td>46.53</td><td>68.20</td><td>-21.67</td><td>60.09</td><td>36.20</td><td>16.66</td><td>66.42</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11140.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>53.76</td><td>38.34</td><td>18.19</td><td>64.30</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8912.53	46.53	68.20	-21.67	60.09	36.20	16.66	66.42	0.00	--	--	PEAK	2	11140.00	45.99	74.00	-28.01	53.76	38.34	18.19	64.30	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8911.00</td><td>50.35</td><td>68.20</td><td>-17.85</td><td>63.91</td><td>36.20</td><td>16.66</td><td>66.42</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11140.00</td><td>46.35</td><td>74.00</td><td>-27.65</td><td>54.12</td><td>38.34</td><td>18.19</td><td>64.30</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	8911.00	50.35	68.20	-17.85	63.91	36.20	16.66	66.42	0.00	--	--	PEAK	2	11140.00	46.35	74.00	-27.65	54.12	38.34	18.19	64.30	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8912.53	46.53	68.20	-21.67	60.09	36.20	16.66	66.42	0.00	--	--	PEAK																																																																																																																																
2	11140.00	45.99	74.00	-28.01	53.76	38.34	18.19	64.30	0.00	--	--	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	8911.00	50.35	68.20	-17.85	63.91	36.20	16.66	66.42	0.00	--	--	PEAK																																																																																																																																
2	11140.00	46.35	74.00	-27.65	54.12	38.34	18.19	64.30	0.00	--	--	PEAK																																																																																																																																



		1																																																																																																
Mode	UNII-1/2A/2C LF																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																	
ANT	CDD 10+11																																																																																																	
Pol.	Horizontal																																																																																																	
Peak																																																																																																		
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>172.59</td><td>24.37</td><td>43.50</td><td>-19.13</td><td>40.00</td><td>14.56</td><td>1.91</td><td>32.10</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>298.69</td><td>22.68</td><td>46.00</td><td>-23.32</td><td>33.10</td><td>19.14</td><td>2.54</td><td>32.10</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>453.89</td><td>23.68</td><td>46.00</td><td>-22.32</td><td>29.96</td><td>22.84</td><td>3.10</td><td>32.22</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>588.72</td><td>26.43</td><td>46.00</td><td>-19.57</td><td>29.61</td><td>25.59</td><td>3.53</td><td>32.30</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>795.33</td><td>28.75</td><td>46.00</td><td>-17.25</td><td>28.79</td><td>28.16</td><td>4.10</td><td>32.30</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>951.50</td><td>31.52</td><td>46.00</td><td>-14.48</td><td>29.52</td><td>29.72</td><td>4.48</td><td>32.20</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg	1	172.59	24.37	43.50	-19.13	40.00	14.56	1.91	32.10	---	Peak	2	298.69	22.68	46.00	-23.32	33.10	19.14	2.54	32.10	---	Peak	3	453.89	23.68	46.00	-22.32	29.96	22.84	3.10	32.22	---	Peak	4	588.72	26.43	46.00	-19.57	29.61	25.59	3.53	32.30	---	Peak	5	795.33	28.75	46.00	-17.25	28.79	28.16	4.10	32.30	---	Peak	6	951.50	31.52	46.00	-14.48	29.52	29.72	4.48	32.20	---
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg																																																																																								
1	172.59	24.37	43.50	-19.13	40.00	14.56	1.91	32.10	---	Peak																																																																																								
2	298.69	22.68	46.00	-23.32	33.10	19.14	2.54	32.10	---	Peak																																																																																								
3	453.89	23.68	46.00	-22.32	29.96	22.84	3.10	32.22	---	Peak																																																																																								
4	588.72	26.43	46.00	-19.57	29.61	25.59	3.53	32.30	---	Peak																																																																																								
5	795.33	28.75	46.00	-17.25	28.79	28.16	4.10	32.30	---	Peak																																																																																								
6	951.50	31.52	46.00	-14.48	29.52	29.72	4.48	32.20	---	Peak																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>162.89</td><td>21.97</td><td>43.50</td><td>-21.53</td><td>36.47</td><td>15.75</td><td>1.85</td><td>32.10</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>293.84</td><td>22.80</td><td>46.00</td><td>-23.20</td><td>33.30</td><td>19.10</td><td>2.51</td><td>32.11</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>545.07</td><td>24.48</td><td>46.00</td><td>-21.52</td><td>28.17</td><td>25.22</td><td>3.40</td><td>32.31</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>722.58</td><td>27.84</td><td>46.00</td><td>-18.16</td><td>29.02</td><td>27.14</td><td>3.92</td><td>32.24</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>840.92</td><td>29.36</td><td>46.00</td><td>-16.64</td><td>28.69</td><td>28.83</td><td>4.22</td><td>32.38</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>963.14</td><td>32.18</td><td>54.00</td><td>-21.82</td><td>29.98</td><td>29.86</td><td>4.51</td><td>32.17</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg	1	162.89	21.97	43.50	-21.53	36.47	15.75	1.85	32.10	---	Peak	2	293.84	22.80	46.00	-23.20	33.30	19.10	2.51	32.11	---	Peak	3	545.07	24.48	46.00	-21.52	28.17	25.22	3.40	32.31	---	Peak	4	722.58	27.84	46.00	-18.16	29.02	27.14	3.92	32.24	---	Peak	5	840.92	29.36	46.00	-16.64	28.69	28.83	4.22	32.38	---	Peak	6	963.14	32.18	54.00	-21.82	29.98	29.86	4.51	32.17	---
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	cm	deg																																																																																								
1	162.89	21.97	43.50	-21.53	36.47	15.75	1.85	32.10	---	Peak																																																																																								
2	293.84	22.80	46.00	-23.20	33.30	19.10	2.51	32.11	---	Peak																																																																																								
3	545.07	24.48	46.00	-21.52	28.17	25.22	3.40	32.31	---	Peak																																																																																								
4	722.58	27.84	46.00	-18.16	29.02	27.14	3.92	32.24	---	Peak																																																																																								
5	840.92	29.36	46.00	-16.64	28.69	28.83	4.22	32.38	---	Peak																																																																																								
6	963.14	32.18	54.00	-21.82	29.98	29.86	4.51	32.17	---	Peak																																																																																								



	44																																																																																																																																			
Mode	Band Edge																																																																																																																																			
	U-NII-3_5.47-5.85_802.11a_CH149_5745MHz																																																																																																																																			
ANT	CDD 10+11																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5645.20</td><td>57.54</td><td>68.20</td><td>-10.66</td><td>39.34</td><td>34.50</td><td>13.02</td><td>29.32</td><td>0.00</td><td>103</td><td>118 PEAK</td></tr><tr><td>2 5650.00</td><td>55.46</td><td>68.20</td><td>-12.74</td><td>37.29</td><td>34.50</td><td>13.01</td><td>29.34</td><td>0.00</td><td>103</td><td>118 PEAK</td></tr><tr><td>3 5702.00</td><td>56.82</td><td>105.86</td><td>-49.04</td><td>38.71</td><td>34.60</td><td>13.11</td><td>29.60</td><td>0.00</td><td>103</td><td>118 PEAK</td></tr><tr><td>4 5720.00</td><td>57.13</td><td>110.90</td><td>-53.77</td><td>38.92</td><td>34.64</td><td>13.26</td><td>29.69</td><td>0.00</td><td>103</td><td>118 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5645.20	57.54	68.20	-10.66	39.34	34.50	13.02	29.32	0.00	103	118 PEAK	2 5650.00	55.46	68.20	-12.74	37.29	34.50	13.01	29.34	0.00	103	118 PEAK	3 5702.00	56.82	105.86	-49.04	38.71	34.60	13.11	29.60	0.00	103	118 PEAK	4 5720.00	57.13	110.90	-53.77	38.92	34.64	13.26	29.69	0.00	103	118 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>113.30</td><td>-----</td><td>-----</td><td>94.90</td><td>34.70</td><td>13.55</td><td>29.85</td><td>0.00</td><td>103</td><td>118 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	113.30	-----	-----	94.90	34.70	13.55	29.85	0.00	103	118 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5645.20	57.54	68.20	-10.66	39.34	34.50	13.02	29.32	0.00	103	118 PEAK																																																																																																																										
2 5650.00	55.46	68.20	-12.74	37.29	34.50	13.01	29.34	0.00	103	118 PEAK																																																																																																																										
3 5702.00	56.82	105.86	-49.04	38.71	34.60	13.11	29.60	0.00	103	118 PEAK																																																																																																																										
4 5720.00	57.13	110.90	-53.77	38.92	34.64	13.26	29.69	0.00	103	118 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	113.30	-----	-----	94.90	34.70	13.55	29.85	0.00	103	118 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>105.21</td><td>-----</td><td>-----</td><td>86.81</td><td>34.70</td><td>13.55</td><td>29.85</td><td>0.00</td><td>103</td><td>118 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	105.21	-----	-----	86.81	34.70	13.55	29.85	0.00	103	118 AVERAGE																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	105.21	-----	-----	86.81	34.70	13.55	29.85	0.00	103	118 AVERAGE																																																																																																																										




		44																																																																																												
Mode	Band Edge																																																																																													
	U-NII-3_5.47-5.85_802.11a_CH149_5745MHz																																																																																													
ANT	CDD 10+11																																																																																													
Pol.	Vertical																																																																																													
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5622.00</td><td>57.33</td><td>68.20</td><td>-10.87</td><td>39.06</td><td>34.50</td><td>13.09</td><td>29.32</td><td>0.00</td><td>100</td><td>54</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.32</td><td>68.20</td><td>-13.88</td><td>36.15</td><td>34.50</td><td>13.01</td><td>29.34</td><td>0.00</td><td>100</td><td>54</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>54.71</td><td>105.30</td><td>-50.59</td><td>36.61</td><td>34.60</td><td>13.09</td><td>29.59</td><td>0.00</td><td>100</td><td>54</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>58.91</td><td>112.72</td><td>-53.81</td><td>40.70</td><td>34.64</td><td>13.27</td><td>29.70</td><td>0.00</td><td>100</td><td>54</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5622.00	57.33	68.20	-10.87	39.06	34.50	13.09	29.32	0.00	100	54	PEAK	2	5650.00	54.32	68.20	-13.88	36.15	34.50	13.01	29.34	0.00	100	54	PEAK	3	5700.00	54.71	105.30	-50.59	36.61	34.60	13.09	29.59	0.00	100	54	PEAK	4	5720.80	58.91	112.72	-53.81	40.70	34.64	13.27	29.70	0.00	100	54	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5622.00	57.33	68.20	-10.87	39.06	34.50	13.09	29.32	0.00	100	54	PEAK																																																																																		
2	5650.00	54.32	68.20	-13.88	36.15	34.50	13.01	29.34	0.00	100	54	PEAK																																																																																		
3	5700.00	54.71	105.30	-50.59	36.61	34.60	13.09	29.59	0.00	100	54	PEAK																																																																																		
4	5720.80	58.91	112.72	-53.81	40.70	34.64	13.27	29.70	0.00	100	54	PEAK																																																																																		
Avg																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.22</td><td>-----</td><td>-----</td><td>89.82</td><td>34.70</td><td>13.55</td><td>29.85</td><td>0.00</td><td>100</td><td>54</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	108.22	-----	-----	89.82	34.70	13.55	29.85	0.00	100	54	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5745.00	108.22	-----	-----	89.82	34.70	13.55	29.85	0.00	100	54	PEAK																																																																																		
Avg																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.26</td><td>-----</td><td>-----</td><td>80.94</td><td>34.68</td><td>13.43</td><td>29.79</td><td>0.00</td><td>100</td><td>54</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.26	-----	-----	80.94	34.68	13.43	29.79	0.00	100	54	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5745.00	99.26	-----	-----	80.94	34.68	13.43	29.79	0.00	100	54	AVERAGE																																																																																		






		44																																																																																									
Mode		Harmonic																																																																																									
		U-NII-3_5.47-5.85_802.11a_CH149_5745MHz																																																																																									
ANT		CDD 10+11																																																																																									
Pol.		Horizontal						Vertical																																																																																			
Peak Avg																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9191.93</td><td>48.34</td><td>74.00</td><td>-25.66</td><td>61.55</td><td>36.38</td><td>16.74</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>49.82</td><td>74.00</td><td>-24.18</td><td>56.67</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>108</td><td>110</td><td>PEAK</td></tr><tr><td>3</td><td>11490.00</td><td>42.95</td><td>54.00</td><td>-11.05</td><td>49.80</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>108</td><td>110</td><td>AVERAGE</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	9191.93	48.34	74.00	-25.66	61.55	36.38	16.74	66.33	0.00	--	--	PEAK	2	11490.00	49.82	74.00	-24.18	56.67	38.30	18.74	63.89	0.00	108	110	PEAK	3	11490.00	42.95	54.00	-11.05	49.80	38.30	18.74	63.89	0.00	108	110	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																
1	9191.93	48.34	74.00	-25.66	61.55	36.38	16.74	66.33	0.00	--	--	PEAK																																																																															
2	11490.00	49.82	74.00	-24.18	56.67	38.30	18.74	63.89	0.00	108	110	PEAK																																																																															
3	11490.00	42.95	54.00	-11.05	49.80	38.30	18.74	63.89	0.00	108	110	AVERAGE																																																																															
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9191.93</td><td>50.39</td><td>74.00</td><td>-23.61</td><td>63.60</td><td>36.38</td><td>16.74</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>49.72</td><td>74.00</td><td>-24.28</td><td>56.57</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>102</td><td>245</td><td>PEAK</td></tr><tr><td>3</td><td>11490.00</td><td>42.87</td><td>54.00</td><td>-11.13</td><td>49.72</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>102</td><td>245</td><td>AVERAGE</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	9191.93	50.39	74.00	-23.61	63.60	36.38	16.74	66.33	0.00	--	--	PEAK	2	11490.00	49.72	74.00	-24.28	56.57	38.30	18.74	63.89	0.00	102	245	PEAK	3	11490.00	42.87	54.00	-11.13	49.72	38.30	18.74	63.89	0.00	102	245	AVERAGE	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																
1	9191.93	50.39	74.00	-23.61	63.60	36.38	16.74	66.33	0.00	--	--	PEAK																																																																															
2	11490.00	49.72	74.00	-24.28	56.57	38.30	18.74	63.89	0.00	102	245	PEAK																																																																															
3	11490.00	42.87	54.00	-11.13	49.72	38.30	18.74	63.89	0.00	102	245	AVERAGE																																																																															



	45																																																																																							
Mode	Harmonic																																																																																							
	U-NII-3_5.15-5.25_802.11a_CH157_5785MHz																																																																																							
ANT	CDD 10+11																																																																																							
Pol.	Horizontal											Vertical																																																																												
Peak Avg																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9255.73</td><td>48.22</td><td>68.20</td><td>-19.98</td><td>61.05</td><td>36.51</td><td>16.96</td><td>66.30</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>46.59</td><td>74.00</td><td>-27.41</td><td>53.58</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9255.73	48.22	68.20	-19.98	61.05	36.51	16.96	66.30	0.00	--	--	PEAK	2	11570.00	46.59	74.00	-27.41	53.58	38.44	18.63	64.06	0.00	--	--	PEAK													
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	9255.73	48.22	68.20	-19.98	61.05	36.51	16.96	66.30	0.00	--	--	PEAK																																																																												
2	11570.00	46.59	74.00	-27.41	53.58	38.44	18.63	64.06	0.00	--	--	PEAK																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9255.73</td><td>52.12</td><td>68.20</td><td>-16.08</td><td>64.95</td><td>36.51</td><td>16.96</td><td>66.30</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>50.08</td><td>74.00</td><td>-23.92</td><td>57.07</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>101</td><td>242</td><td>PEAK</td></tr><tr><td>3</td><td>11570.00</td><td>42.81</td><td>54.00</td><td>-11.19</td><td>49.80</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>101</td><td>242</td><td>AVERAGE</td></tr></table>															Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9255.73	52.12	68.20	-16.08	64.95	36.51	16.96	66.30	0.00	--	--	PEAK	2	11570.00	50.08	74.00	-23.92	57.07	38.44	18.63	64.06	0.00	101	242	PEAK	3	11570.00	42.81	54.00	-11.19	49.80	38.44	18.63	64.06	0.00	101	242	AVERAGE
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	9255.73	52.12	68.20	-16.08	64.95	36.51	16.96	66.30	0.00	--	--	PEAK																																																																												
2	11570.00	50.08	74.00	-23.92	57.07	38.44	18.63	64.06	0.00	101	242	PEAK																																																																												
3	11570.00	42.81	54.00	-11.19	49.80	38.44	18.63	64.06	0.00	101	242	AVERAGE																																																																												







Mode	46																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.15-5.25_802.11a_CH165_5825MHz																																																																																																																																								
ANT	CDD 10+11																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>56.37</td><td>112.27</td><td>-55.90</td><td>37.94</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>103</td><td>119</td><td>PEAK</td></tr><tr><td>2</td><td>5870.00</td><td>58.04</td><td>106.47</td><td>-48.43</td><td>39.59</td><td>34.90</td><td>13.85</td><td>30.38</td><td>0.00</td><td>103</td><td>119</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>54.93</td><td>68.94</td><td>-14.01</td><td>36.45</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>103</td><td>119</td><td>PEAK</td></tr><tr><td>4</td><td>5998.00</td><td>57.56</td><td>68.20</td><td>-10.64</td><td>39.15</td><td>35.30</td><td>13.55</td><td>30.44</td><td>0.00</td><td>103</td><td>119</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	56.37	112.27	-55.90	37.94	34.92	13.88	30.37	0.00	103	119	PEAK	2	5870.00	58.04	106.47	-48.43	39.59	34.90	13.85	30.38	0.00	103	119	PEAK	3	5924.00	54.93	68.94	-14.01	36.45	35.15	13.73	30.40	0.00	103	119	PEAK	4	5998.00	57.56	68.20	-10.64	39.15	35.30	13.55	30.44	0.00	103	119	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>112.66</td><td>-----</td><td>-----</td><td>93.89</td><td>34.85</td><td>14.14</td><td>30.22</td><td>0.00</td><td>103</td><td>119</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	112.66	-----	-----	93.89	34.85	14.14	30.22	0.00	103	119	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5854.40	56.37	112.27	-55.90	37.94	34.92	13.88	30.37	0.00	103	119	PEAK																																																																																																																													
2	5870.00	58.04	106.47	-48.43	39.59	34.90	13.85	30.38	0.00	103	119	PEAK																																																																																																																													
3	5924.00	54.93	68.94	-14.01	36.45	35.15	13.73	30.40	0.00	103	119	PEAK																																																																																																																													
4	5998.00	57.56	68.20	-10.64	39.15	35.30	13.55	30.44	0.00	103	119	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5825.00	112.66	-----	-----	93.89	34.85	14.14	30.22	0.00	103	119	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.92</td><td>-----</td><td>-----</td><td>86.23</td><td>34.86</td><td>14.08</td><td>30.25</td><td>0.00</td><td>103</td><td>119</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	104.92	-----	-----	86.23	34.86	14.08	30.25	0.00	103	119	AVERAGE																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5825.00	104.92	-----	-----	86.23	34.86	14.08	30.25	0.00	103	119	AVERAGE																																																																																																																													






Mode	46																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.15-5.25_802.11a_CH165_5825MHz																																																																																																																																								
ANT	CDD 10+11																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>54.89</td><td>111.36</td><td>-56.47</td><td>36.46</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>351</td><td>88</td><td>PEAK</td></tr><tr><td>2</td><td>5872.40</td><td>55.51</td><td>106.03</td><td>-50.52</td><td>37.05</td><td>34.99</td><td>13.85</td><td>30.38</td><td>0.00</td><td>351</td><td>88</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>53.07</td><td>68.35</td><td>-15.28</td><td>34.60</td><td>35.15</td><td>13.73</td><td>30.41</td><td>0.00</td><td>351</td><td>88</td><td>PEAK</td></tr><tr><td>4</td><td>5927.60</td><td>58.88</td><td>68.20</td><td>-9.32</td><td>40.41</td><td>35.16</td><td>13.72</td><td>30.41</td><td>0.00</td><td>351</td><td>88</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	54.89	111.36	-56.47	36.46	34.92	13.88	30.37	0.00	351	88	PEAK	2	5872.40	55.51	106.03	-50.52	37.05	34.99	13.85	30.38	0.00	351	88	PEAK	3	5924.00	53.07	68.35	-15.28	34.60	35.15	13.73	30.41	0.00	351	88	PEAK	4	5927.60	58.88	68.20	-9.32	40.41	35.16	13.72	30.41	0.00	351	88	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.48</td><td>-----</td><td>-----</td><td>90.79</td><td>34.86</td><td>14.08</td><td>30.25</td><td>0.00</td><td>351</td><td>88</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	109.48	-----	-----	90.79	34.86	14.08	30.25	0.00	351	88	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5854.00	54.89	111.36	-56.47	36.46	34.92	13.88	30.37	0.00	351	88	PEAK																																																																																																																													
2	5872.40	55.51	106.03	-50.52	37.05	34.99	13.85	30.38	0.00	351	88	PEAK																																																																																																																													
3	5924.00	53.07	68.35	-15.28	34.60	35.15	13.73	30.41	0.00	351	88	PEAK																																																																																																																													
4	5927.60	58.88	68.20	-9.32	40.41	35.16	13.72	30.41	0.00	351	88	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5825.00	109.48	-----	-----	90.79	34.86	14.08	30.25	0.00	351	88	PEAK																																																																																																																													
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.98</td><td>-----</td><td>-----</td><td>82.12</td><td>34.84</td><td>14.20</td><td>30.18</td><td>0.00</td><td>351</td><td>88</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.98	-----	-----	82.12	34.84	14.20	30.18	0.00	351	88	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5825.00	100.98	-----	-----	82.12	34.84	14.20	30.18	0.00	351	88	AVERAGE																																																																																																																													






Mode	46																																																																																																												
	Harmonic																																																																																																												
	U-NII-3_5.15-5.25_802.11a_CH165_5825MHz																																																																																																												
ANT	CDD 10+11																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>47.32</td><td>74.00</td><td>-26.68</td><td>54.42</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	47.32	74.00	-26.68	54.42	38.50	18.67	64.27	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>55.13</td><td>74.00</td><td>-18.87</td><td>62.23</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>100</td><td>84 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.64</td><td>54.00</td><td>-7.36</td><td>53.74</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>100</td><td>84 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	55.13	74.00	-18.87	62.23	38.50	18.67	64.27	0.00	100	84 PEAK	2	11650.00	46.64	54.00	-7.36	53.74	38.50	18.67	64.27	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	11650.00	47.32	74.00	-26.68	54.42	38.50	18.67	64.27	0.00	--	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	11650.00	55.13	74.00	-18.87	62.23	38.50	18.67	64.27	0.00	100	84 PEAK																																																																																																		
2	11650.00	46.64	54.00	-7.36	53.74	38.50	18.67	64.27	0.00	100	84 AVERAGE																																																																																																		
Peak Avg																																																																																																													





	47																																																																																																																																														
Mode	Band Edge																																																																																																																																														
	U-NII-3_5.25-5.35_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																														
ANT	CDD 10+11																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5628.80</td><td>57.08</td><td>68.20</td><td>-11.12</td><td>38.82</td><td>34.50</td><td>13.07</td><td>29.31</td><td>0.00</td><td>104</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>56.11</td><td>69.09</td><td>-12.98</td><td>37.95</td><td>34.50</td><td>13.01</td><td>29.35</td><td>0.00</td><td>104</td><td>118</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>54.88</td><td>105.30</td><td>-50.42</td><td>36.78</td><td>34.60</td><td>13.09</td><td>29.59</td><td>0.00</td><td>104</td><td>118</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>56.57</td><td>111.81</td><td>-55.24</td><td>38.35</td><td>34.64</td><td>13.27</td><td>29.69</td><td>0.00</td><td>104</td><td>118</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5628.80	57.08	68.20	-11.12	38.82	34.50	13.07	29.31	0.00	104	118	PEAK	2	5651.20	56.11	69.09	-12.98	37.95	34.50	13.01	29.35	0.00	104	118	PEAK	3	5700.00	54.88	105.30	-50.42	36.78	34.60	13.09	29.59	0.00	104	118	PEAK	4	5720.40	56.57	111.81	-55.24	38.35	34.64	13.27	29.69	0.00	104	118	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>114.57</td><td>-----</td><td>-----</td><td>96.21</td><td>34.69</td><td>13.49</td><td>29.82</td><td>0.00</td><td>104</td><td>118</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	114.57	-----	-----	96.21	34.69	13.49	29.82	0.00	104	118	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5628.80	57.08	68.20	-11.12	38.82	34.50	13.07	29.31	0.00	104	118	PEAK																																																																																																																																			
2	5651.20	56.11	69.09	-12.98	37.95	34.50	13.01	29.35	0.00	104	118	PEAK																																																																																																																																			
3	5700.00	54.88	105.30	-50.42	36.78	34.60	13.09	29.59	0.00	104	118	PEAK																																																																																																																																			
4	5720.40	56.57	111.81	-55.24	38.35	34.64	13.27	29.69	0.00	104	118	PEAK																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	114.57	-----	-----	96.21	34.69	13.49	29.82	0.00	104	118	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.10</td><td>-----</td><td>-----</td><td>85.74</td><td>34.69</td><td>13.49</td><td>29.82</td><td>0.00</td><td>104</td><td>118</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	104.10	-----	-----	85.74	34.69	13.49	29.82	0.00	104	118	AVERAGE																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	104.10	-----	-----	85.74	34.69	13.49	29.82	0.00	104	118	AVERAGE																																																																																																																																			





	47																																																																																								
Mode	Band Edge																																																																																								
	U-NII-3_5.25-5.35_802.11ax HE20_CH149_Full_5745MHz																																																																																								
ANT	CDD 10+11																																																																																								
Pol.	Vertical						Fundamental																																																																																		
Peak																																																																																									
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.20</td><td>57.15</td><td>68.20</td><td>-11.05</td><td>38.89</td><td>34.50</td><td>13.06</td><td>29.30</td><td>0.00</td><td>100</td><td></td><td>53 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>55.40</td><td>69.09</td><td>-13.69</td><td>37.24</td><td>34.50</td><td>13.01</td><td>29.35</td><td>0.00</td><td>100</td><td></td><td>53 PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>55.13</td><td>105.41</td><td>-50.28</td><td>37.03</td><td>34.60</td><td>13.09</td><td>29.59</td><td>0.00</td><td>100</td><td></td><td>53 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.94</td><td>110.90</td><td>-55.96</td><td>36.73</td><td>34.64</td><td>13.26</td><td>29.69</td><td>0.00</td><td>100</td><td></td><td>53 PEAK</td></tr></tbody></table>													Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5631.20	57.15	68.20	-11.05	38.89	34.50	13.06	29.30	0.00	100		53 PEAK	2	5651.20	55.40	69.09	-13.69	37.24	34.50	13.01	29.35	0.00	100		53 PEAK	3	5700.40	55.13	105.41	-50.28	37.03	34.60	13.09	29.59	0.00	100		53 PEAK	4	5720.00	54.94	110.90	-55.96	36.73	34.64	13.26	29.69	0.00	100	
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																													
1	5631.20	57.15	68.20	-11.05	38.89	34.50	13.06	29.30	0.00	100		53 PEAK																																																																													
2	5651.20	55.40	69.09	-13.69	37.24	34.50	13.01	29.35	0.00	100		53 PEAK																																																																													
3	5700.40	55.13	105.41	-50.28	37.03	34.60	13.09	29.59	0.00	100		53 PEAK																																																																													
4	5720.00	54.94	110.90	-55.96	36.73	34.64	13.26	29.69	0.00	100		53 PEAK																																																																													
Avg																																																																																									
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.15</td><td>-----</td><td>-----</td><td>88.83</td><td>34.68</td><td>13.43</td><td>29.79</td><td>0.00</td><td>100</td><td></td><td>53 PEAK</td></tr></tbody></table>													Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	107.15	-----	-----	88.83	34.68	13.43	29.79	0.00	100		53 PEAK																																						
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																													
1	5745.00	107.15	-----	-----	88.83	34.68	13.43	29.79	0.00	100		53 PEAK																																																																													
Blank																																																																																									
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.38</td><td>-----</td><td>-----</td><td>88.02</td><td>34.69</td><td>13.49</td><td>29.82</td><td>0.00</td><td>100</td><td></td><td>53 AVERAGE</td></tr></tbody></table>													Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	98.38	-----	-----	88.02	34.69	13.49	29.82	0.00	100		53 AVERAGE																																						
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																													
1	5745.00	98.38	-----	-----	88.02	34.69	13.49	29.82	0.00	100		53 AVERAGE																																																																													






Mode	47																																																																																																												
	Harmonic																																																																																																												
	U-NII-3_5.25-5.35_802.11ax HE20_CH149_Full_5745MHz																																																																																																												
ANT	CDD 10+11																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11490.00</td><td>46.79</td><td>74.00</td><td>-27.21</td><td>53.64</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	46.79	74.00	-27.21	53.64	38.30	18.74	63.89	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11490.00</td><td>48.56</td><td>74.00</td><td>-25.44</td><td>55.41</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2 11490.00</td><td>39.07</td><td>54.00</td><td>-14.93</td><td>45.92</td><td>38.30</td><td>18.74</td><td>63.89</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	48.56	74.00	-25.44	55.41	38.30	18.74	63.89	0.00	100	0	PEAK	2 11490.00	39.07	54.00	-14.93	45.92	38.30	18.74	63.89	0.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1 11490.00	46.79	74.00	-27.21	53.64	38.30	18.74	63.89	0.00	--	--	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1 11490.00	48.56	74.00	-25.44	55.41	38.30	18.74	63.89	0.00	100	0	PEAK																																																																																																		
2 11490.00	39.07	54.00	-14.93	45.92	38.30	18.74	63.89	0.00	100	0	AVERAGE																																																																																																		



		48																																																																																																																															
Mode		Harmonic																																																																																																																															
		U-NII-3_5.25-5.35_802.11ax HE20_CH157_Full_5785MHz																																																																																																																															
ANT		CDD 10+11																																																																																																																															
Pol.		Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.39</td><td>74.00</td><td>-27.61</td><td>53.38</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.39	74.00	-27.61	53.38	38.44	18.63	64.06	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>52.53</td><td>74.00</td><td>-21.47</td><td>59.52</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>100</td><td>83</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>44.51</td><td>54.00</td><td>-9.49</td><td>51.50</td><td>38.44</td><td>18.63</td><td>64.06</td><td>0.00</td><td>100</td><td>83</td><td>AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	52.53	74.00	-21.47	59.52	38.44	18.63	64.06	0.00	100	83	PEAK	2	11570.00	44.51	54.00	-9.49	51.50	38.44	18.63	64.06	0.00	100	83	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	11570.00	46.39	74.00	-27.61	53.38	38.44	18.63	64.06	0.00	--	--	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	11570.00	52.53	74.00	-21.47	59.52	38.44	18.63	64.06	0.00	100	83	PEAK																																																																																																																					
2	11570.00	44.51	54.00	-9.49	51.50	38.44	18.63	64.06	0.00	100	83	AVERAGE																																																																																																																					




	49																																																																																							
Mode	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																							
ANT	CDD 10+11																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>56.93</td><td>111.36</td><td>-54.43</td><td>38.50</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>104 118 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>58.38</td><td>105.58</td><td>-47.20</td><td>39.91</td><td>35.00</td><td>13.85</td><td>30.38</td><td>0.00</td><td>104 118 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>56.78</td><td>69.53</td><td>-12.75</td><td>38.30</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>104 118 PEAK</td></tr><tr><td>4</td><td>5937.60</td><td>58.48</td><td>68.20</td><td>-9.72</td><td>40.02</td><td>35.18</td><td>13.69</td><td>30.41</td><td>0.00</td><td>104 118 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	56.93	111.36	-54.43	38.50	34.92	13.88	30.37	0.00	104 118 PEAK	2	5874.00	58.38	105.58	-47.20	39.91	35.00	13.85	30.38	0.00	104 118 PEAK	3	5923.20	56.78	69.53	-12.75	38.30	35.15	13.73	30.40	0.00	104 118 PEAK	4	5937.60	58.48	68.20	-9.72	40.02	35.18	13.69	30.41	0.00	104 118 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.00	56.93	111.36	-54.43	38.50	34.92	13.88	30.37	0.00	104 118 PEAK																																																																														
2	5874.00	58.38	105.58	-47.20	39.91	35.00	13.85	30.38	0.00	104 118 PEAK																																																																														
3	5923.20	56.78	69.53	-12.75	38.30	35.15	13.73	30.40	0.00	104 118 PEAK																																																																														
4	5937.60	58.48	68.20	-9.72	40.02	35.18	13.69	30.41	0.00	104 118 PEAK																																																																														
Fundamental																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>113.54</td><td>-----</td><td>-----</td><td>94.77</td><td>34.85</td><td>14.14</td><td>30.22</td><td>0.00</td><td>104 118 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	113.54	-----	-----	94.77	34.85	14.14	30.22	0.00	104 118 PEAK																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5825.00	113.54	-----	-----	94.77	34.85	14.14	30.22	0.00	104 118 PEAK																																																																														
Blank																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.59</td><td>-----</td><td>-----</td><td>84.82</td><td>34.85</td><td>14.14</td><td>30.22</td><td>0.00</td><td>104 118 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.59	-----	-----	84.82	34.85	14.14	30.22	0.00	104 118 AVERAGE																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5825.00	103.59	-----	-----	84.82	34.85	14.14	30.22	0.00	104 118 AVERAGE																																																																														






	49																																																																																														
Mode	Band Edge																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																														
ANT	CDD 10+11																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5854.80</td><td>57.74</td><td>111.36</td><td>-53.62</td><td>39.31</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>349</td><td>87 PEAK</td></tr><tr><td>2</td><td>5872.40</td><td>56.94</td><td>106.03</td><td>-49.09</td><td>38.48</td><td>34.99</td><td>13.85</td><td>30.38</td><td>0.00</td><td>349</td><td>87 PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>57.91</td><td>69.83</td><td>-11.92</td><td>39.43</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>349</td><td>87 PEAK</td></tr><tr><td>4</td><td>5928.40</td><td>57.84</td><td>68.20</td><td>-10.36</td><td>39.38</td><td>35.16</td><td>13.71</td><td>30.41</td><td>0.00</td><td>349</td><td>87 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5854.80	57.74	111.36	-53.62	39.31	34.92	13.88	30.37	0.00	349	87 PEAK	2	5872.40	56.94	106.03	-49.09	38.48	34.99	13.85	30.38	0.00	349	87 PEAK	3	5922.80	57.91	69.83	-11.92	39.43	35.15	13.73	30.40	0.00	349	87 PEAK	4	5928.40	57.84	68.20	-10.36	39.38	35.16	13.71	30.41	0.00	349
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.80	57.74	111.36	-53.62	39.31	34.92	13.88	30.37	0.00	349	87 PEAK																																																																																				
2	5872.40	56.94	106.03	-49.09	38.48	34.99	13.85	30.38	0.00	349	87 PEAK																																																																																				
3	5922.80	57.91	69.83	-11.92	39.43	35.15	13.73	30.40	0.00	349	87 PEAK																																																																																				
4	5928.40	57.84	68.20	-10.36	39.38	35.16	13.71	30.41	0.00	349	87 PEAK																																																																																				
Avg																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>110.81</td><td>-----</td><td>-----</td><td>92.04</td><td>34.85</td><td>14.14</td><td>30.22</td><td>0.00</td><td>349</td><td>87 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	110.81	-----	-----	92.04	34.85	14.14	30.22	0.00	349	87 PEAK																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5825.00	110.81	-----	-----	92.04	34.85	14.14	30.22	0.00	349	87 PEAK																																																																																				
Blank																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.19</td><td>-----</td><td>-----</td><td>81.42</td><td>34.85</td><td>14.14</td><td>30.22</td><td>0.00</td><td>349</td><td>87 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	100.19	-----	-----	81.42	34.85	14.14	30.22	0.00	349	87 AVERAGE																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5825.00	100.19	-----	-----	81.42	34.85	14.14	30.22	0.00	349	87 AVERAGE																																																																																				
Avg																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.19</td><td>-----</td><td>-----</td><td>81.42</td><td>34.85</td><td>14.14</td><td>30.22</td><td>0.00</td><td>349</td><td>87 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5825.00	100.19	-----	-----	81.42	34.85	14.14	30.22	0.00	349	87 AVERAGE																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5825.00	100.19	-----	-----	81.42	34.85	14.14	30.22	0.00	349	87 AVERAGE																																																																																				




		49																																																																						
Mode		Harmonic																																																																						
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																						
ANT		CDD 10+11																																																																						
Pol.		Horizontal																																																																						
Peak Avg																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>50.12</td><td>74.00</td><td>-23.88</td><td>57.22</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>100</td><td>291 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>40.55</td><td>54.00</td><td>-13.45</td><td>47.65</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>100</td><td>291 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	50.12	74.00	-23.88	57.22	38.50	18.67	64.27	0.00	100	291 PEAK	2	11650.00	40.55	54.00	-13.45	47.65	38.50	18.67	64.27	0.00	100	291 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	11650.00	50.12	74.00	-23.88	57.22	38.50	18.67	64.27	0.00	100	291 PEAK																																																													
2	11650.00	40.55	54.00	-13.45	47.65	38.50	18.67	64.27	0.00	100	291 AVERAGE																																																													
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>50.12</td><td>74.00</td><td>-23.88</td><td>57.22</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>100</td><td>291 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>40.55</td><td>54.00</td><td>-13.45</td><td>47.65</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>100</td><td>291 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	50.12	74.00	-23.88	57.22	38.50	18.67	64.27	0.00	100	291 PEAK	2	11650.00	40.55	54.00	-13.45	47.65	38.50	18.67	64.27	0.00	100	291 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	11650.00	50.12	74.00	-23.88	57.22	38.50	18.67	64.27	0.00	100	291 PEAK																																																													
2	11650.00	40.55	54.00	-13.45	47.65	38.50	18.67	64.27	0.00	100	291 AVERAGE																																																													
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>54.27</td><td>74.00</td><td>-19.73</td><td>61.37</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.53</td><td>54.00</td><td>-8.47</td><td>52.63</td><td>38.50</td><td>18.67</td><td>64.27</td><td>0.00</td><td>100</td><td>81 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	54.27	74.00	-19.73	61.37	38.50	18.67	64.27	0.00	100	81 PEAK	2	11650.00	45.53	54.00	-8.47	52.63	38.50	18.67	64.27	0.00	100	81 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	11650.00	54.27	74.00	-19.73	61.37	38.50	18.67	64.27	0.00	100	81 PEAK																																																													
2	11650.00	45.53	54.00	-8.47	52.63	38.50	18.67	64.27	0.00	100	81 AVERAGE																																																													






	50																																																																																							
Mode	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																							
ANT	CDD 10+11																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5606.98</td><td>57.90</td><td>68.20</td><td>-10.30</td><td>39.61</td><td>34.50</td><td>13.13</td><td>29.34</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>2 5653.01</td><td>57.27</td><td>70.44</td><td>-13.17</td><td>39.11</td><td>34.51</td><td>13.01</td><td>29.36</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>3 5701.22</td><td>58.15</td><td>105.64</td><td>-47.49</td><td>40.05</td><td>34.60</td><td>13.10</td><td>29.60</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr><tr><td>4 5720.28</td><td>56.49</td><td>111.54</td><td>-55.05</td><td>38.28</td><td>34.64</td><td>13.26</td><td>29.69</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5606.98	57.90	68.20	-10.30	39.61	34.50	13.13	29.34	0.00	100	117 PEAK	2 5653.01	57.27	70.44	-13.17	39.11	34.51	13.01	29.36	0.00	100	117 PEAK	3 5701.22	58.15	105.64	-47.49	40.05	34.60	13.10	29.60	0.00	100	117 PEAK	4 5720.28	56.49	111.54	-55.05	38.28	34.64	13.26	29.69	0.00	100	117 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5606.98	57.90	68.20	-10.30	39.61	34.50	13.13	29.34	0.00	100	117 PEAK																																																																														
2 5653.01	57.27	70.44	-13.17	39.11	34.51	13.01	29.36	0.00	100	117 PEAK																																																																														
3 5701.22	58.15	105.64	-47.49	40.05	34.60	13.10	29.60	0.00	100	117 PEAK																																																																														
4 5720.28	56.49	111.54	-55.05	38.28	34.64	13.26	29.69	0.00	100	117 PEAK																																																																														
Fundamental																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>109.80</td><td>-----</td><td>-----</td><td>91.22</td><td>34.73</td><td>13.76</td><td>29.91</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	109.80	-----	-----	91.22	34.73	13.76	29.91	0.00	100	117 PEAK																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5755.00	109.80	-----	-----	91.22	34.73	13.76	29.91	0.00	100	117 PEAK																																																																														
Blank																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>99.89</td><td>-----</td><td>-----</td><td>81.31</td><td>34.73</td><td>13.76</td><td>29.91</td><td>0.00</td><td>100</td><td>117 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	99.89	-----	-----	81.31	34.73	13.76	29.91	0.00	100	117 AVERAGE																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5755.00	99.89	-----	-----	81.31	34.73	13.76	29.91	0.00	100	117 AVERAGE																																																																														




Mode	50																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																													
ANT	CDD 10+11																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>56.42</td><td>111.26</td><td>-54.84</td><td>37.99</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr><tr><td>2</td><td>5870.05</td><td>59.94</td><td>106.68</td><td>-46.74</td><td>41.49</td><td>34.90</td><td>13.85</td><td>30.38</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr><tr><td>3</td><td>5923.68</td><td>56.75</td><td>69.18</td><td>-12.43</td><td>38.27</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr><tr><td>4</td><td>5937.52</td><td>58.23</td><td>68.20</td><td>-9.97</td><td>39.77</td><td>35.18</td><td>13.69</td><td>30.41</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	56.42	111.26	-54.84	37.99	34.92	13.88	30.37	0.00	100	117	PEAK	2	5870.05	59.94	106.68	-46.74	41.49	34.90	13.85	30.38	0.00	100	117	PEAK	3	5923.68	56.75	69.18	-12.43	38.27	35.15	13.73	30.40	0.00	100	117	PEAK	4	5937.52	58.23	68.20	-9.97	39.77	35.18	13.69	30.41	0.00	100	117	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.84	56.42	111.26	-54.84	37.99	34.92	13.88	30.37	0.00	100	117	PEAK																																																																																		
2	5870.05	59.94	106.68	-46.74	41.49	34.90	13.85	30.38	0.00	100	117	PEAK																																																																																		
3	5923.68	56.75	69.18	-12.43	38.27	35.15	13.73	30.40	0.00	100	117	PEAK																																																																																		
4	5937.52	58.23	68.20	-9.97	39.77	35.18	13.69	30.41	0.00	100	117	PEAK																																																																																		





		50																																																																																																																																										
Mode		Band Edge - L																																																																																																																																										
		U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																										
ANT		CDD 10+11																																																																																																																																										
Pol.		Fundamental																																																																																																																																										
Peak	Vertical	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5622.79</td><td>57.04</td><td>68.20</td><td>-11.16</td><td>38.77</td><td>34.50</td><td>13.09</td><td>29.32</td><td>0.00</td><td>322</td><td>89</td><td>PEAK</td></tr><tr><td>2</td><td>5650.84</td><td>56.49</td><td>68.83</td><td>-12.34</td><td>38.32</td><td>34.50</td><td>13.01</td><td>29.34</td><td>0.00</td><td>322</td><td>89</td><td>PEAK</td></tr><tr><td>3</td><td>5707.42</td><td>58.00</td><td>107.38</td><td>-49.38</td><td>39.87</td><td>34.61</td><td>13.15</td><td>29.63</td><td>0.00</td><td>322</td><td>89</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>55.88</td><td>111.19</td><td>-55.31</td><td>37.67</td><td>34.64</td><td>13.26</td><td>29.69</td><td>0.00</td><td>322</td><td>89</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5622.79	57.04	68.20	-11.16	38.77	34.50	13.09	29.32	0.00	322	89	PEAK	2	5650.84	56.49	68.83	-12.34	38.32	34.50	13.01	29.34	0.00	322	89	PEAK	3	5707.42	58.00	107.38	-49.38	39.87	34.61	13.15	29.63	0.00	322	89	PEAK	4	5720.13	55.88	111.19	-55.31	37.67	34.64	13.26	29.69	0.00	322	89	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>105.35</td><td>-----</td><td>-----</td><td>86.85</td><td>34.72</td><td>13.66</td><td>29.88</td><td>0.00</td><td>322</td><td>89</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	105.35	-----	-----	86.85	34.72	13.66	29.88	0.00	322	89	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5622.79	57.04	68.20	-11.16	38.77	34.50	13.09	29.32	0.00	322	89	PEAK																																																																																																																																
2	5650.84	56.49	68.83	-12.34	38.32	34.50	13.01	29.34	0.00	322	89	PEAK																																																																																																																																
3	5707.42	58.00	107.38	-49.38	39.87	34.61	13.15	29.63	0.00	322	89	PEAK																																																																																																																																
4	5720.13	55.88	111.19	-55.31	37.67	34.64	13.26	29.69	0.00	322	89	PEAK																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5755.00	105.35	-----	-----	86.85	34.72	13.66	29.88	0.00	322	89	PEAK																																																																																																																																
Avg	Blank	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>95.51</td><td>-----</td><td>-----</td><td>76.93</td><td>34.73</td><td>13.76</td><td>29.91</td><td>0.00</td><td>322</td><td>89</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	95.51	-----	-----	76.93	34.73	13.76	29.91	0.00	322	89	AVERAGE																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5755.00	95.51	-----	-----	76.93	34.73	13.76	29.91	0.00	322	89	AVERAGE																																																																																																																																






Mode	50																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																				
ANT	CDD 10+11																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>56.63</td><td>111.71</td><td>-55.08</td><td>38.20</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>322</td><td>89</td><td>PEAK</td></tr><tr><td>2</td><td>5872.98</td><td>58.29</td><td>105.87</td><td>-47.58</td><td>39.83</td><td>34.99</td><td>13.85</td><td>30.38</td><td>0.00</td><td>322</td><td>89</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>57.15</td><td>68.46</td><td>-11.31</td><td>38.68</td><td>35.15</td><td>13.73</td><td>30.41</td><td>0.00</td><td>322</td><td>89</td><td>PEAK</td></tr><tr><td>4</td><td>5934.01</td><td>58.69</td><td>68.20</td><td>-9.51</td><td>40.23</td><td>35.17</td><td>13.70</td><td>30.41</td><td>0.00</td><td>322</td><td>89</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	56.63	111.71	-55.08	38.20	34.92	13.88	30.37	0.00	322	89	PEAK	2	5872.98	58.29	105.87	-47.58	39.83	34.99	13.85	30.38	0.00	322	89	PEAK	3	5924.65	57.15	68.46	-11.31	38.68	35.15	13.73	30.41	0.00	322	89	PEAK	4	5934.01	58.69	68.20	-9.51	40.23	35.17	13.70	30.41	0.00	322	89	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.65	56.63	111.71	-55.08	38.20	34.92	13.88	30.37	0.00	322	89	PEAK																																																																									
2	5872.98	58.29	105.87	-47.58	39.83	34.99	13.85	30.38	0.00	322	89	PEAK																																																																									
3	5924.65	57.15	68.46	-11.31	38.68	35.15	13.73	30.41	0.00	322	89	PEAK																																																																									
4	5934.01	58.69	68.20	-9.51	40.23	35.17	13.70	30.41	0.00	322	89	PEAK																																																																									




Mode	50																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																	
ANT	CDD 10+11																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																											
Peak Avg																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>47.39</td><td>74.00</td><td>-26.61</td><td>54.23</td><td>38.32</td><td>18.75</td><td>63.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	47.39	74.00	-26.61	54.23	38.32	18.75	63.91	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>50.39</td><td>74.00</td><td>-23.61</td><td>57.23</td><td>38.32</td><td>18.75</td><td>63.91</td><td>0.00</td><td>100</td><td>80</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>43.42</td><td>54.00</td><td>-10.58</td><td>50.26</td><td>38.32</td><td>18.75</td><td>63.91</td><td>0.00</td><td>100</td><td>80</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	50.39	74.00	-23.61	57.23	38.32	18.75	63.91	0.00	100	80	PEAK	2	11510.00	43.42	54.00	-10.58	50.26	38.32	18.75	63.91	0.00	100	80
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	11510.00	47.39	74.00	-26.61	54.23	38.32	18.75	63.91	0.00	--	--	PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	11510.00	50.39	74.00	-23.61	57.23	38.32	18.75	63.91	0.00	100	80	PEAK																																																																																																						
2	11510.00	43.42	54.00	-10.58	50.26	38.32	18.75	63.91	0.00	100	80	AVERAGE																																																																																																						



		51																																																																																										
Mode	Band Edge - L																																																																																											
	U-NII-3_5.15-5.25_802.11ax HE40_CH159_Full_5795MHz																																																																																											
ANT	CDD 10+11																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.20</td><td>57.44</td><td>68.20</td><td>-10.76</td><td>39.27</td><td>34.50</td><td>13.01</td><td>29.34</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>56.26</td><td>68.00</td><td>-12.54</td><td>38.09</td><td>34.50</td><td>13.01</td><td>29.34</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>55.83</td><td>105.30</td><td>-49.47</td><td>37.73</td><td>34.60</td><td>13.09</td><td>29.59</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>55.22</td><td>110.90</td><td>-55.68</td><td>37.01</td><td>34.64</td><td>13.26</td><td>29.69</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5649.20	57.44	68.20	-10.76	39.27	34.50	13.01	29.34	0.00	100	116 PEAK	2	5650.00	56.26	68.00	-12.54	38.09	34.50	13.01	29.34	0.00	100	116 PEAK	3	5700.00	55.83	105.30	-49.47	37.73	34.60	13.09	29.59	0.00	100	116 PEAK	4	5720.00	55.22	110.90	-55.68	37.01	34.64	13.26	29.69	0.00	100	116 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5649.20	57.44	68.20	-10.76	39.27	34.50	13.01	29.34	0.00	100	116 PEAK																																																																																	
2	5650.00	56.26	68.00	-12.54	38.09	34.50	13.01	29.34	0.00	100	116 PEAK																																																																																	
3	5700.00	55.83	105.30	-49.47	37.73	34.60	13.09	29.59	0.00	100	116 PEAK																																																																																	
4	5720.00	55.22	110.90	-55.68	37.01	34.64	13.26	29.69	0.00	100	116 PEAK																																																																																	
Fundamental																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>108.39</td><td>-----</td><td>-----</td><td>89.39</td><td>34.81</td><td>14.31</td><td>30.12</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	108.39	-----	-----	89.39	34.81	14.31	30.12	0.00	100	116 PEAK																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5795.00	108.39	-----	-----	89.39	34.81	14.31	30.12	0.00	100	116 PEAK																																																																																	
Blank																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>100.29</td><td>-----</td><td>-----</td><td>81.29</td><td>34.81</td><td>14.31</td><td>30.12</td><td>0.00</td><td>100</td><td>116 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	100.29	-----	-----	81.29	34.81	14.31	30.12	0.00	100	116 AVERAGE																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5795.00	100.29	-----	-----	81.29	34.81	14.31	30.12	0.00	100	116 AVERAGE																																																																																	




Mode	51																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.15-5.25_802.11ax HE40_CH159_Full_5795MHz																																																																																				
ANT	CDD 10+11																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>57.33</td><td>111.36</td><td>-54.03</td><td>38.90</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>56.78</td><td>105.36</td><td>-48.58</td><td>38.31</td><td>35.00</td><td>13.85</td><td>30.38</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr><tr><td>3</td><td>5921.60</td><td>58.53</td><td>70.71</td><td>-12.18</td><td>40.05</td><td>35.14</td><td>13.74</td><td>30.40</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr><tr><td>4</td><td>5934.80</td><td>57.88</td><td>68.20</td><td>-10.32</td><td>39.42</td><td>35.17</td><td>13.70</td><td>30.41</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	57.33	111.36	-54.03	38.90	34.92	13.88	30.37	0.00	100	116	PEAK	2	5874.80	56.78	105.36	-48.58	38.31	35.00	13.85	30.38	0.00	100	116	PEAK	3	5921.60	58.53	70.71	-12.18	40.05	35.14	13.74	30.40	0.00	100	116	PEAK	4	5934.80	57.88	68.20	-10.32	39.42	35.17	13.70	30.41	0.00	100	116	PEAK	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.80	57.33	111.36	-54.03	38.90	34.92	13.88	30.37	0.00	100	116	PEAK																																																																									
2	5874.80	56.78	105.36	-48.58	38.31	35.00	13.85	30.38	0.00	100	116	PEAK																																																																									
3	5921.60	58.53	70.71	-12.18	40.05	35.14	13.74	30.40	0.00	100	116	PEAK																																																																									
4	5934.80	57.88	68.20	-10.32	39.42	35.17	13.70	30.41	0.00	100	116	PEAK																																																																									





		51																																																																																													
Mode		Band Edge - L																																																																																													
		U-NII-3_5.15-5.25_802.11ax HE40_CH159_Full_5795MHz																																																																																													
ANT		CDD 10+11																																																																																													
Pol.		Fundamental																																																																																													
Peak	Vertical	Fundamental																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5604.00</td><td>56.14</td><td>68.20</td><td>-12.06</td><td>37.85</td><td>34.50</td><td>13.14</td><td>29.35</td><td>0.00</td><td>351</td><td>88</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.19</td><td>68.20</td><td>-14.01</td><td>36.02</td><td>34.50</td><td>13.01</td><td>29.34</td><td>0.00</td><td>351</td><td>88</td><td>PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>56.89</td><td>105.86</td><td>-48.97</td><td>38.78</td><td>34.60</td><td>13.11</td><td>29.60</td><td>0.00</td><td>351</td><td>88</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.60</td><td>110.90</td><td>-56.30</td><td>36.39</td><td>34.64</td><td>13.26</td><td>29.69</td><td>0.00</td><td>351</td><td>88</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5604.00	56.14	68.20	-12.06	37.85	34.50	13.14	29.35	0.00	351	88	PEAK	2	5650.00	54.19	68.20	-14.01	36.02	34.50	13.01	29.34	0.00	351	88	PEAK	3	5702.00	56.89	105.86	-48.97	38.78	34.60	13.11	29.60	0.00	351	88	PEAK	4	5720.00	54.60	110.90	-56.30	36.39	34.64	13.26	29.69	0.00	351	88	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5604.00	56.14	68.20	-12.06	37.85	34.50	13.14	29.35	0.00	351	88	PEAK																																																																																			
2	5650.00	54.19	68.20	-14.01	36.02	34.50	13.01	29.34	0.00	351	88	PEAK																																																																																			
3	5702.00	56.89	105.86	-48.97	38.78	34.60	13.11	29.60	0.00	351	88	PEAK																																																																																			
4	5720.00	54.60	110.90	-56.30	36.39	34.64	13.26	29.69	0.00	351	88	PEAK																																																																																			
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>105.27</td><td>-----</td><td>-----</td><td>86.27</td><td>34.81</td><td>14.31</td><td>30.12</td><td>0.00</td><td>351</td><td>88</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	105.27	-----	-----	86.27	34.81	14.31	30.12	0.00	351	88	PEAK																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5795.00	105.27	-----	-----	86.27	34.81	14.31	30.12	0.00	351	88	PEAK																																																																																			
Avg	Blank	Fundamental																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>95.96</td><td>-----</td><td>-----</td><td>76.96</td><td>34.81</td><td>14.31</td><td>30.12</td><td>0.00</td><td>351</td><td>88</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	95.96	-----	-----	76.96	34.81	14.31	30.12	0.00	351	88	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5795.00	95.96	-----	-----	76.96	34.81	14.31	30.12	0.00	351	88	AVERAGE																																																																																			
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>95.96</td><td>-----</td><td>-----</td><td>76.96</td><td>34.81</td><td>14.31</td><td>30.12</td><td>0.00</td><td>351</td><td>88</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	95.96	-----	-----	76.96	34.81	14.31	30.12	0.00	351	88	AVERAGE																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5795.00	95.96	-----	-----	76.96	34.81	14.31	30.12	0.00	351	88	AVERAGE																																																																																			






Mode	51																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.15-5.25_802.11ax HE40_CH159_Full_5795MHz																																																																																				
ANT	CDD 10+11																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>55.08</td><td>111.36</td><td>-56.28</td><td>36.65</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>351</td><td>88</td><td>PEAK</td></tr><tr><td>2</td><td>5868.40</td><td>58.69</td><td>107.15</td><td>-48.46</td><td>40.24</td><td>34.97</td><td>13.86</td><td>30.38</td><td>0.00</td><td>351</td><td>88</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>57.44</td><td>69.53</td><td>-12.09</td><td>38.96</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>351</td><td>88</td><td>PEAK</td></tr><tr><td>4</td><td>5985.60</td><td>58.03</td><td>68.20</td><td>-10.17</td><td>39.62</td><td>35.27</td><td>13.58</td><td>30.44</td><td>0.00</td><td>351</td><td>88</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	55.08	111.36	-56.28	36.65	34.92	13.88	30.37	0.00	351	88	PEAK	2	5868.40	58.69	107.15	-48.46	40.24	34.97	13.86	30.38	0.00	351	88	PEAK	3	5923.20	57.44	69.53	-12.09	38.96	35.15	13.73	30.40	0.00	351	88	PEAK	4	5985.60	58.03	68.20	-10.17	39.62	35.27	13.58	30.44	0.00	351	88	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	55.08	111.36	-56.28	36.65	34.92	13.88	30.37	0.00	351	88	PEAK																																																																									
2	5868.40	58.69	107.15	-48.46	40.24	34.97	13.86	30.38	0.00	351	88	PEAK																																																																									
3	5923.20	57.44	69.53	-12.09	38.96	35.15	13.73	30.40	0.00	351	88	PEAK																																																																									
4	5985.60	58.03	68.20	-10.17	39.62	35.27	13.58	30.44	0.00	351	88	PEAK																																																																									




Mode	51																																																																																																																																								
	Harmonic																																																																																																																																								
	U-NII-3_5.15-5.25_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																								
ANT	CDD 10+11																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																		
Peak Avg																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11590.00</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>53.76</td><td>38.48</td><td>18.58</td><td>64.11</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11590.00	46.71	74.00	-27.29	53.76	38.48	18.58	64.11								0.00	--									--									PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11590.00</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>54.32</td><td>38.48</td><td>18.58</td><td>64.11</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11590.00	47.27	74.00	-26.73	54.32	38.48	18.58	64.11								0.00	--									--								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																	
1	11590.00	46.71	74.00	-27.29	53.76	38.48	18.58	64.11																																																																																																																																	
							0.00	--																																																																																																																																	
								--																																																																																																																																	
								PEAK																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																	
1	11590.00	47.27	74.00	-26.73	54.32	38.48	18.58	64.11																																																																																																																																	
							0.00	--																																																																																																																																	
								--																																																																																																																																	
								PEAK																																																																																																																																	



	52																																																																																																																															
Mode	Band Edge - L																																																																																																																															
	U-NII-3_5.25-5.35_802.11ax HE80_CH155_Full_5775MHz																																																																																																																															
ANT	CDD 10+11																																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5629.20</td><td>57.57</td><td>68.20</td><td>-10.63</td><td>39.31</td><td>34.50</td><td>13.07</td><td>29.31</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>56.36</td><td>68.00</td><td>-12.44</td><td>38.19</td><td>34.50</td><td>13.01</td><td>29.34</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>56.27</td><td>105.64</td><td>-49.37</td><td>38.17</td><td>34.60</td><td>13.10</td><td>29.60</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>56.62</td><td>110.90</td><td>-54.28</td><td>38.41</td><td>34.64</td><td>13.26</td><td>29.69</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5629.20	57.57	68.20	-10.63	39.31	34.50	13.07	29.31	0.00	100	118	PEAK	2	5650.00	56.36	68.00	-12.44	38.19	34.50	13.01	29.34	0.00	100	118	PEAK	3	5701.20	56.27	105.64	-49.37	38.17	34.60	13.10	29.60	0.00	100	118	PEAK	4	5720.00	56.62	110.90	-54.28	38.41	34.64	13.26	29.69	0.00	100	118	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>108.29</td><td>-----</td><td>-----</td><td>89.71</td><td>34.73</td><td>13.76</td><td>29.91</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	108.29	-----	-----	89.71	34.73	13.76	29.91	0.00	100	118
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5629.20	57.57	68.20	-10.63	39.31	34.50	13.07	29.31	0.00	100	118	PEAK																																																																																																																				
2	5650.00	56.36	68.00	-12.44	38.19	34.50	13.01	29.34	0.00	100	118	PEAK																																																																																																																				
3	5701.20	56.27	105.64	-49.37	38.17	34.60	13.10	29.60	0.00	100	118	PEAK																																																																																																																				
4	5720.00	56.62	110.90	-54.28	38.41	34.64	13.26	29.69	0.00	100	118	PEAK																																																																																																																				
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5775.00	108.29	-----	-----	89.71	34.73	13.76	29.91	0.00	100	118	PEAK																																																																																																																				
Avg	Blank																																																																																																																															
							<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>99.53</td><td>-----</td><td>-----</td><td>80.79</td><td>34.75</td><td>13.96</td><td>29.97</td><td>0.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	99.53	-----	-----	80.79	34.75	13.96	29.97	0.00	100	118	AVERAGE																																																																													
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	5775.00	99.53	-----	-----	80.79	34.75	13.96	29.97	0.00	100	118	AVERAGE																																																																																																																				



Mode	52																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.25-5.35_802.11ax HE80_CH155_Full_5775MHz																																																																																				
ANT	CDD 10+11																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>56.53</td><td>111.36</td><td>-54.83</td><td>38.10</td><td>34.92</td><td>13.88</td><td>30.37</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>57.60</td><td>105.58</td><td>-47.98</td><td>39.13</td><td>35.00</td><td>13.85</td><td>30.38</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>56.23</td><td>69.83</td><td>-13.60</td><td>37.75</td><td>35.15</td><td>13.73</td><td>30.40</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr><tr><td>4</td><td>5928.00</td><td>57.72</td><td>68.20</td><td>-10.48</td><td>39.25</td><td>35.16</td><td>13.72</td><td>30.41</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	56.53	111.36	-54.83	38.10	34.92	13.88	30.37	0.00	100	118	PEAK	2	5874.00	57.60	105.58	-47.98	39.13	35.00	13.85	30.38	0.00	100	118	PEAK	3	5922.00	56.23	69.83	-13.60	37.75	35.15	13.73	30.40	0.00	100	118	PEAK	4	5928.00	57.72	68.20	-10.48	39.25	35.16	13.72	30.41	0.00	100	118	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.00	56.53	111.36	-54.83	38.10	34.92	13.88	30.37	0.00	100	118	PEAK																																																																									
2	5874.00	57.60	105.58	-47.98	39.13	35.00	13.85	30.38	0.00	100	118	PEAK																																																																									
3	5922.00	56.23	69.83	-13.60	37.75	35.15	13.73	30.40	0.00	100	118	PEAK																																																																									
4	5928.00	57.72	68.20	-10.48	39.25	35.16	13.72	30.41	0.00	100	118	PEAK																																																																									