


## 5GNR/ LTE-Advanced PCI Express M.2 Module (Sub 6G, LTE, UMTS)

### Engineering Requirements Specification



Project code: T99W175.0x

Solution: SDX55+SDR865+PMX55

SKU: WW-1-5G

| Foxconn PN | Customer PN |
|------------|-------------|
| T99W175.06 | K1YCW       |
| T99W175.08 | JP18Y       |
| T99W175.09 | FTY9X       |
| T99W175.30 | 1TFY5       |
| T99W175.31 | H75GC       |
| T99W175.32 | 01PCT       |

Reviewers

| Department        | Name          | Signature | Review Dates |            |
|-------------------|---------------|-----------|--------------|------------|
|                   |               |           | * Plan       | ** Results |
| Project Manager   | Ai-Ning Song  |           |              |            |
| Project Leader    | Michael. Xiao |           |              |            |
| Hardware Engineer | Lynn. Liu     |           |              |            |

This is confidential document and covered by NDA Between Foxconn with DELL

**Modification History**

| Rev  | Date       | Originator | Comment                                                                                                                                                                                                                                                                                                                       |
|------|------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R1.0 | 2019/5/9   | Lynn. Liu  | Initial release                                                                                                                                                                                                                                                                                                               |
| R1.1 | 2019/5/20  | Lynn. Liu  | Update base on the customer requirements                                                                                                                                                                                                                                                                                      |
| R1.2 | 2019/5/28  | Lynn. Liu  | Update item 2.4 for antenna requirements; item 1.4.2 for USIM2                                                                                                                                                                                                                                                                |
| R1.3 | 2019/5/30  | Lynn. Liu  | Update Pin38/60 description and item 1.5.12 for Coexistence                                                                                                                                                                                                                                                                   |
| R1.4 | 2019/7/9   | Lynn. Liu  | 1. Remove n25/38/40& B43 support due to Qualcomm update (item1.1); 2. Remove n71& GPS L5 due to not in POR and B48 as TBD; 3. Update mmWave IF connector pin definition (item 2.4.2); 4. Update ME drawing (item3.2                                                                                                           |
| R1.5 | 2019/7/25  | Lynn. Liu  | 1. Update PCIe connection guideline(item1.5.4); 2. Update ME drawing (item3.2); 3. Update antenna configuration (item 2.4.2); 4. Update LTE Rx sensitivity Spec; 5. Update W_Disable# (item1.5.5)                                                                                                                             |
| R1.6 | 2019/9/12  | Lynn. Liu  | 1. Update Pin29/31/35/37(USB3.0) to NC; 2. Need Platform side reserve USB2.0 for factory test (WinPE) (item1.4.2)                                                                                                                                                                                                             |
| R1.7 | 2019/10/08 | Lynn. Liu  | 1. Disable B48 for NA (item 1); 2. Update operating temperature (item 4.1); 3. Update antenna configuration (item 2.4.2 Figure2-2); 4. Update golden plating drawing; 5. Pin29/31/35/37 as NC and reserve with PCIe Lane 2                                                                                                    |
| R1.8 | 2020/2/24  | Lynn. Liu  | 1. Remove mmW for Sub6G only SKU; 2. Enable B48 for US& EU 3. Remove Reset (Pin67) requirement; 4. Update antenna configure (Item 2.4.2 Figure2-2); 5. Update HW feature (Item 2); 6. Update initial power consumption Spec (Item 4.2); 7. Update RF performance Spec (Item 5.1& 5.2) & support bandwidth; 8. Add DPS feature |
| R1.9 | 2020/3/27  | Lynn. Liu  | 1. Add PN for Olympic MLK& Andrews; 2. Disable B40 to meet FCC requirement; 3. Update Power on/off sequence requirement (Item 1.5.13); 4. Reserve 0.1uF on Pin6(Full card power off) & Pin50 (PERST#) Item 1.5.3& 1.5.4; 5. Add n71 for new Platform POR                                                                      |
|      |            |            |                                                                                                                                                                                                                                                                                                                               |
|      |            |            |                                                                                                                                                                                                                                                                                                                               |
|      |            |            |                                                                                                                                                                                                                                                                                                                               |
|      |            |            |                                                                                                                                                                                                                                                                                                                               |

## CONTENTS

|             |                                                                                     |            |
|-------------|-------------------------------------------------------------------------------------|------------|
| <b>1.#</b>  | <b>GENERAL DESCRIPTION.....</b>                                                     | <b>5#</b>  |
| <b>1.1#</b> | <b>SYSTEM MAIN FEATURE .....</b>                                                    | <b>6#</b>  |
| <b>1.2#</b> | <b>EUTRA -NR- DUAL CONNECTIVITY &amp; CARRIER<br/>AGGREGATION COMBINATION .....</b> | <b>10#</b> |
| <b>1.3#</b> | <b>HOST INTEGRATION INSTRUCTIONS.....</b>                                           | <b>13#</b> |
| <b>1.4#</b> | <b>ANTENNA INFORMATION .....</b>                                                    | <b>14#</b> |
| <b>1.5#</b> | <b>HOST PRODUCT TESTING GUIDANCE .....</b>                                          | <b>16#</b> |

This is confidential document and covered by NDA Between Foxconn with DELL

## 1. General Description

T99W175 is designed to enable wireless data connectivity for notebook computer or any other device compatible with the PCI Express M.2 Specification 3042 type Key B slot.

T99W175 is the data card solution that delivers wireless wide-area network (WWAN) connectivity for the 5G NR (Sub 6G), LTE, UMTS (HSDPA/HSUPA/HSPA+DC-HSPA+) and GPS/Glonass/ Beidou/ Galileo protocols in one hardware configuration.

| SKU             |               | WW-1-5G / T99W175                                                                                                                                          |
|-----------------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Carrier Support |               | NA: AT&T, Verizon, Sprint<br>WW: Vodafone, Telefonica-O2<br>APAC: Telstra, Docomo, KDDI, Softbank<br>* Carrier engagement based on real business agreement |
| QCT Solution    |               | SDX55+SDR865+SMR526+PMX55                                                                                                                                  |
| 5G              | FR1 (Sub 6G)  | LB: n5/8/12/20/28/71; MB: n1/2/3/66;<br>HB: n7/38/41/77/78/79                                                                                              |
|                 | FR2 (mmWave)  | NA                                                                                                                                                         |
|                 | 4x4 MIMO      | n1/2/3/66/7/38/41/77/78/79                                                                                                                                 |
|                 | UE Capability | UL (TBD); DL(TBD)                                                                                                                                          |
| 4G              | Support Band  | LB: B26(5/18/19)/8/12(17)/13/14/20/28/29/71<br>MB: B1/2(25)/3/4(66)/32<br>HB: B7/30/34/38/39/40(Disable for FCC)/41/42/48                                  |
|                 | 4x4 MIMO      | B1/25(2)/3/66(4)/7/30/40/41(38)/42/48                                                                                                                      |
|                 | LAA           | B46 (DL only)                                                                                                                                              |
|                 | LTE Cat.      | ue-CategoryUL 13 (UL: 150Mbps) + ue-CategoryDL 20 (DL: 2Gbps);<br>7xDL CA, 2xUL CA (Intra-band), 5xDL CA+4X4 MIMO (Up to Cat20)                            |
| 3G              | WCDMA         | HSPA+ Rel8 (DL/UL: up to 42/11 Mbps)                                                                                                                       |
|                 | Support Band  | B1/2/4/5(6/19)/8/9                                                                                                                                         |
| GNSS            |               | Dual-Frequency GNSS: L1 GPS/Glonass/Beidou/Galileo,                                                                                                        |
| USIM            |               | Dual SIM interface, Dual SIM Single Active (DSSA)                                                                                                          |
| eSIM            |               | eSIM Dual SIM with eSIM on board (eSIM is option), Dual SIM Single Active (DSSA)                                                                           |
| Interface       |               | PCIe3.0; Reserve USB2.0 for factory test (WinPE)                                                                                                           |
| Form factor     |               | 3042 PCIe M.2 Key.B                                                                                                                                        |

## 1.1 System Main Feature

| Feature          | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Physical         | PCI express M.2 module, size 3042, Key.B, 75Pin golden finger                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Electrical       | Single VCC supply (3.135V~3.63V)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Dimension        | Dimensions (L × W × H): 42 mm × 30 mm × 2.5 mm, maximum height=2.6mm (add PCB tolerance=0.1mm)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Shielding design | Shield case on board design, no additional shielding requirement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Weight           | Approximately ~8g                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| USIM             | Off-board USIM connector supported on Host through USIM1/USIM2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Operating Bands  | <p>WCDMA/HSDPA/HSUPA/HSPA+ operating bands:</p> <p>Band 1: 1920 to 1980 MHz (UL), 2110 to 2170 MHz (DL)</p> <p>Band 2: 1850 to 1910 MHz (UL), 1930 to 1990 MHz (DL)</p> <p>Band 4: 1710 to 1755 MHz (UL), 2110 to 2155 MHz (DL)</p> <p>Band 5: 824 to 849 MHz (UL), 869 to 894 MHz (DL)</p> <p>Band 6: 830 to 840 MHz (UL), 875 to 885 MHz (DL)</p> <p>Band 8: 880 to 915 MHz (UL), 925 to 960 MHz (DL)</p> <p>Band 9: 1750 to 1785 MHz (UL), 1845 to 1880 MHz (DL)</p> <p>Band 19: 830 to 845 MHz (UL), 875 to 890 MHz (DL)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                  | <p>LTE FDD/TDD operating bands:</p> <p>Band 1: 1920 to 1980 MHz (UL), 2110 to 2170 MHz (DL)</p> <p>Band 2: 1850 to 1910 MHz (UL), 1930 to 1990 MHz (DL)</p> <p>Band 3: 1710 to 1785 MHz (UL), 1805 to 1880 MHz (DL)</p> <p>Band 4: 1710 to 1755 MHz (UL), 2110 to 2155 MHz (DL)</p> <p>Band 5: 824 to 849 MHz (UL), 869 to 894 MHz (DL)</p> <p>Band 7: 2500 to 2570 MHz (UL), 2620 to 2690 MHz (DL)</p> <p>Band 8: 880 to 915 MHz (UL), 925 to 960 MHz (DL)</p> <p>Band 12: 699 to 716 MHz (UL), 729 to 746 MHz (DL)</p> <p>Band 13: 777 to 787 MHz (UL), 746 to 756 MHz (DL)</p> <p>Band 14: 788 to 798 MHz (UL), 758 to 768 MHz (DL)</p> <p>Band 17: 704 to 716 MHz (UL), 734 to 746 MHz (DL)</p> <p>Band 18: 815 to 830 MHz (UL), 860 to 875 MHz (DL)</p> <p>Band 19: 830 to 845 MHz (UL), 875 to 890 MHz (DL)</p> <p>Band 20: 832 to 862 MHz (UL), 791 to 821 MHz (DL)</p> <p>Band 25: 1850 to 1915 MHz (UL), 1930 to 1995 MHz (DL)</p> <p>Band 26: 814 to 849 MHz (UL), 859 to 894 MHz (DL)</p> <p>Band 28: 703 to 748 MHz (UL), 758 to 803 MHz (DL)</p> <p>Band 29: 717 to 728 MHz (DL)</p> <p>Band 30: 2305 to 2315 MHz (UL) 2350 to 2360 MHz (DL)</p> <p>Band 32: 1452 to 1496 MHz (DL)</p> <p>Band 34: 2010 to 2025 MHz (UL/DL)</p> <p>Band 38: 2570 to 2620 MHz (UL/DL)</p> <p>Band 39: 1880 to 1920 MHz (UL/DL)</p> <p>Band 40: 2300 to 2400 MHz (UL/DL)</p> <p>Band 41: 2496 to 2690 MHz (UL/DL)</p> <p>Band 66: 1710 to 1800 MHz (UL), 2110 to 2200 MHz (DL)</p> <p>Band 71: 663 to 698 MHz (UL), 617 to 652 MHz (DL)</p> |

|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Operating Bands    | LTE 3.5G<br>Band 42: 3400 to 3600 MHz (UL/DL)<br>Band 48: 3550 to 3700 MHz (UL/DL)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                    | LAA<br>Band 46: 5150 to 5925 MHz (DL)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                    | 5G NR Sub 6GHz<br>n1: 1920 to 1980 MHz (UL), 2110 to 2170 MHz (DL)<br>n2: 1850 to 1910 MHz (UL), 1930 to 1990 MHz (DL)<br>n3: 1710 to 1785 MHz (UL), 1805 to 1880 MHz (DL)<br>n5: 824 to 849 MHz (UL), 869 to 894 MHz (DL)<br>n7: 2500 to 2570 MHz (UL), 2620 to 2690 MHz (DL)<br>n8: 880 to 915 MHz (UL), 925 to 960 MHz (DL)<br>n12: 699 to 716 MHz (UL), 729 to 746 MHz (DL)<br>n20: 832 to 862 MHz (UL), 791 to 821 MHz (DL)<br>n28: 703 to 748 MHz (UL), 758 to 803 MHz (DL)<br>n38: 2570 to 2620 MHz (UL/DL)<br>n41: 2496 to 2690 MHz (UL/DL)<br>n66: 1710 to 1800 MHz (UL), 2110 to 2200 MHz (DL)<br>n71: 663 to 698 MHz (UL), 617 to 652 MHz (DL)<br>n77: 3300 to 4200 MHz (UL/DL)<br>n78: 3300 to 3800 MHz (UL/DL)<br>n79: 4400 to 5000 MHz (UL/DL) |
|                    | 5G NR mmWave<br>NA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Diversity/2nd Rx   | All UMTS operating bands<br>All LTE operating bands                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 4x4 MIMO Rx        | LTE-B1/25(2)/3/66(4)/7/30/40/41(38)/42/48<br>5G NR-n1/2/3/66/7/41/77/78/79                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| GNSS               | GPS: L1 (1575.42MHz);<br>GLONASS: L1 (1602MHz)<br>BeidouB1(1561.098MHz)<br>Galileo E1 (1575.42);                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| USIM Voltage       | Support 1.8V and 2.85V, and auto detects follow SIM card type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Antenna connectors | ANT0: Support all 5G NR Sub 6G& LTE& UMTS bands<br>ANT1: Support 5G NR Sub 6G& LTE M/H/UHB& UMTS bands<br>ANT2: Support 5G NR Sub 6G& LTE M/H/UHB& UMTS bands<br>ANT3: Support all 5G NR Sub 6G& LTE& UMTS bands and GPS L1 simultaneously<br>ANT4/5/6: NA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

|            |                                                                                                                                                                                                                                          |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Throughput | WCDMA CS: DL 64 kbps /UL 64 kbps<br>WCDMA PS: DL 384 kbps /UL 384 kbps<br>HSPA+:DL 21.6 Mbps /UL 5.76 Mbps<br>DC-HSPA+: DL 42 Mbps/UL 5.76 Mbps<br>LTE Cat20: DL:2Gbps/UL 150 Mbps<br>5G NR Sub 6G: DL: TBD/UL (TBD)<br>5G NR mmWave: NA |
| ENDC DPS   | Support NSA mode ENDC Dynamic Power Sharing feature                                                                                                                                                                                      |

#### 5G NR Air Interface

- 3GPP Rel15 5G NR Sub-6  
Sub-6G
- Modulation UL: 256 QAM; DL: 256 QAM
- Waveform UL: CP-OFDM and DFT-S-OFDM; DL: CP-OFDM
- Sub-Carrier Spacing (SCS): 15 KHz, 30 KHz
- Duplex mode: FDD and TDD
- Operation mode: Standalone mode (SA) and Non-Standalone mode (NSA)
- CA capability: DLCA
- MIMO DL: 4 × 4 MIMO;
- EN-DC: LTE and NR sub-6 GHz dual connectivity

#### LTE Air Interface

##### LTE Rel15

- 20 layers and 2 Gbps downlink (DL) throughput – 4 × 4 MIMO across 5x CA
- 150 Mbps uplink (UL) throughput – 40 MHz ULCA and 256 QAM
- LAA (Licensed assist access) across 80 MHz
- CA capability:
  - DLCA
    - Inter-band DLCA
    - Intra band contiguous CA
    - Intra band non contiguous
  - ULCA
    - Inter band ULCA (Depend on Customer requirements)
    - Intra band contiguous CA
- Modulation UL: 256 QAM; DL: 256 QAM
- 4 × 2 MIMO 7x CA (R15)
- 4 × 4 MIMO 5x CA (R15)
- FDD + TDD CA

#### WCDMA/HSPA Air Interface

- R99:  
All modes and data rates for WCDMA FDD
- R5 HSDPA  
PS data speeds up to 7.2 Mbps on the downlink
- R6 HSUPA  
E-DCH data rates of up to 5.76 Mbps for 2 ms TTI (UE category 6) uplink
- R7 HSPA+  
Downlink 64 QAM SISO: up to 21 Mbps  
Downlink 16 QAM 2X2 MIMO: up to 28 Mbps
- R8 DC-HSPA+  
Downlink dual carrier with 64 QAM (SISO); up to 42 Mbps

#### GNSS

- GPS, GLONASS, Galileo, and BeiDou support
- Two GNSS paths to support simultaneous L1
- Customizable tracking session
  - Automatic tracking session on startup
  - Concurrent standalone GPS, GLONASS, BeiDou and Galileo
  - gpsOneXTRA with GPS + GLONASS + BeiDou+ Galileo support

## 1.2 EUTRA -NR- Dual Connectivity & Carrier Aggregation Combination

TBD

For US SKU Spec.

| Feature          | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Physical         | PCI express M.2 module, size 3042,Key.B,75Pin golden finger                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Electrical       | 5Vdc ( Host Equipment )<br>3.135Vdc~3.63Vdc ( Module )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Shielding design | Shield case on board design, no additional shielding requirement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Operating Bands  | <p>WCDMA/HSDPA/HSUPA/HSPA+ operating bands:</p> <p>Band 2: 1850 to 1910 MHz (UL), 1930 to 1990 MHz (DL)</p> <p>Band 4: 1710 to 1755 MHz (UL), 2110 to 2155 MHz (DL)</p> <p>Band 5: 824 to 849 MHz (UL), 869 to 894 MHz (DL)</p> <p>Band 6 (cover by B5): 830 to 840 MHz (UL), 875 to 885 MHz (DL)</p> <p>Band 19 (cover by B5): 830 to 845 MHz (UL), 875 to 890 MHz (DL)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                  | <p>LTE FDD/TDD operating bands:</p> <p>Band 2: 1850 to 1910 MHz (UL), 1930 to 1990 MHz (DL)</p> <p>Band 4: 1710 to 1755 MHz (UL), 2110 to 2155 MHz (DL)</p> <p>Band 5: 824 to 849 MHz (UL), 869 to 894 MHz (DL)</p> <p>Band 7: 2500 to 2570 MHz (UL), 2620 to 2690 MHz (DL)</p> <p>Band 12: 699 to 716 MHz (UL), 729 to 746 MHz (DL)</p> <p>Band 13: 777 to 787 MHz (UL), 746 to 756 MHz (DL)</p> <p>Band 14: 788 to 798 MHz (UL), 758 to 768 MHz (DL)</p> <p>Band 17: 704 to 716 MHz (UL), 734 to 746 MHz (DL)</p> <p>Band 25: 1850 to 1915 MHz (UL), 1930 to 1995 MHz (DL)</p> <p>Band 26: 814 to 849 MHz (UL), 859 to 894 MHz (DL)</p> <p>Band 30: 2305 to 2315 MHz (UL) 2350 to 2360 MHz (DL)</p> <p>Band 38: 2570 to 2620 MHz (UL/DL)</p> <p>Band 41: 2496 to 2690 MHz (UL/DL)</p> <p>Band 66: 1710 to 1800 MHz (UL), 2110 to 2200 MHz (DL)</p> <p>Band 71: 663 to 698 MHz (UL), 617 to 652 MHz (DL)</p> |
| Operating Bands  | <p>LTE 3.5G</p> <p>Band 48: 3550 to 3700 MHz (UL/DL)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

|                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |            |             |                       |                       |      |      |     |                 |    |       |            |                       |    |       |            |                   |    |       |            |           |     |       |         |           |     |       |                       |                    |     |       |            |                       |     |       |            |             |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------|-----------------------|-----------------------|------|------|-----|-----------------|----|-------|------------|-----------------------|----|-------|------------|-------------------|----|-------|------------|-----------|-----|-------|---------|-----------|-----|-------|-----------------------|--------------------|-----|-------|------------|-----------------------|-----|-------|------------|-------------|
|                  | <div>5GNR Sub 6GHz ( STA Mode )<br/>n38: 2570 to 2620 MHz (UL/DL)</div> <div>5GNR FR1 EN_DC<table><tr><td rowspan="8">5GNR</td><td colspan="3">FCC 5G FR1</td><td rowspan="2">ENDC</td></tr><tr><td>Band</td><td>SCS</td><td>Bandwidth (MHz)</td></tr><tr><td>n2</td><td>15kHz</td><td>5/10/15/20</td><td>Band 5/12/13/30/48/66</td></tr><tr><td>n5</td><td>15kHz</td><td>5/10/15/20</td><td>Band 2/7/12/48/66</td></tr><tr><td>n7</td><td>15kHz</td><td>5/10/15/20</td><td>Band 5/12</td></tr><tr><td>n12</td><td>15kHz</td><td>5/10/15</td><td>Band 2/66</td></tr><tr><td>n41</td><td>30kHz</td><td>20/40/50/60/80/90/100</td><td>Band 2/25/26/66/41</td></tr><tr><td>n66</td><td>15kHz</td><td>5/10/15/20</td><td>Band 5/12/13/30/48/71</td></tr><tr><td>n71</td><td>15kHz</td><td>5/10/15/20</td><td>Band 2/7/66</td></tr></table></div> | 5GNR       | FCC 5G FR1  |                       |                       | ENDC | Band | SCS | Bandwidth (MHz) | n2 | 15kHz | 5/10/15/20 | Band 5/12/13/30/48/66 | n5 | 15kHz | 5/10/15/20 | Band 2/7/12/48/66 | n7 | 15kHz | 5/10/15/20 | Band 5/12 | n12 | 15kHz | 5/10/15 | Band 2/66 | n41 | 30kHz | 20/40/50/60/80/90/100 | Band 2/25/26/66/41 | n66 | 15kHz | 5/10/15/20 | Band 5/12/13/30/48/71 | n71 | 15kHz | 5/10/15/20 | Band 2/7/66 |
| 5GNR             | FCC 5G FR1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |            |             | ENDC                  |                       |      |      |     |                 |    |       |            |                       |    |       |            |                   |    |       |            |           |     |       |         |           |     |       |                       |                    |     |       |            |                       |     |       |            |             |
|                  | Band                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |            | SCS         |                       | Bandwidth (MHz)       |      |      |     |                 |    |       |            |                       |    |       |            |                   |    |       |            |           |     |       |         |           |     |       |                       |                    |     |       |            |                       |     |       |            |             |
|                  | n2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |            | 15kHz       | 5/10/15/20            | Band 5/12/13/30/48/66 |      |      |     |                 |    |       |            |                       |    |       |            |                   |    |       |            |           |     |       |         |           |     |       |                       |                    |     |       |            |                       |     |       |            |             |
|                  | n5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |            | 15kHz       | 5/10/15/20            | Band 2/7/12/48/66     |      |      |     |                 |    |       |            |                       |    |       |            |                   |    |       |            |           |     |       |         |           |     |       |                       |                    |     |       |            |                       |     |       |            |             |
|                  | n7                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |            | 15kHz       | 5/10/15/20            | Band 5/12             |      |      |     |                 |    |       |            |                       |    |       |            |                   |    |       |            |           |     |       |         |           |     |       |                       |                    |     |       |            |                       |     |       |            |             |
|                  | n12                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |            | 15kHz       | 5/10/15               | Band 2/66             |      |      |     |                 |    |       |            |                       |    |       |            |                   |    |       |            |           |     |       |         |           |     |       |                       |                    |     |       |            |                       |     |       |            |             |
|                  | n41                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |            | 30kHz       | 20/40/50/60/80/90/100 | Band 2/25/26/66/41    |      |      |     |                 |    |       |            |                       |    |       |            |                   |    |       |            |           |     |       |         |           |     |       |                       |                    |     |       |            |                       |     |       |            |             |
|                  | n66                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 15kHz      | 5/10/15/20  | Band 5/12/13/30/48/71 |                       |      |      |     |                 |    |       |            |                       |    |       |            |                   |    |       |            |           |     |       |         |           |     |       |                       |                    |     |       |            |                       |     |       |            |             |
| n71              | 15kHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 5/10/15/20 | Band 2/7/66 |                       |                       |      |      |     |                 |    |       |            |                       |    |       |            |                   |    |       |            |           |     |       |         |           |     |       |                       |                    |     |       |            |                       |     |       |            |             |
| Diversity/2nd Rx | All UMTS operating bands<br>All LTE operating bands                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |            |             |                       |                       |      |      |     |                 |    |       |            |                       |    |       |            |                   |    |       |            |           |     |       |         |           |     |       |                       |                    |     |       |            |                       |     |       |            |             |
| MIMO 4 Rx        | LTE-B1/25(2)/3/66(4)/7/30/40/41(38)/42/48<br>5GNR-n1/2/3/66/7/41/77/78/79                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |            |             |                       |                       |      |      |     |                 |    |       |            |                       |    |       |            |                   |    |       |            |           |     |       |         |           |     |       |                       |                    |     |       |            |                       |     |       |            |             |
| GNSS             | GPS: L1 (1575.42MHz); L5 (1176MHz)<br>GLONASS: L1 (1602MHz)<br>BeidouB1(1561.098MHz)<br>Galileo E1 (1575.42); E5a (1176MHz)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |            |             |                       |                       |      |      |     |                 |    |       |            |                       |    |       |            |                   |    |       |            |           |     |       |         |           |     |       |                       |                    |     |       |            |                       |     |       |            |             |
| Throughput       | WCDMA CS: DL 64 kbps /UL 64 kbps<br>WCDMA PS: DL 384 kbps /UL 384 kbps<br>HSPA+:DL 21.6 Mbps /UL 5.76 Mbps<br>DC-HSPA+: DL 42 Mbps/UL 5.76 Mbps<br>LTE Cat20: DL:2Gbps/UL 150 Mbps<br>5GNR Sub 6G: DL:TBD/UL (TBD)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |            |             |                       |                       |      |      |     |                 |    |       |            |                       |    |       |            |                   |    |       |            |           |     |       |         |           |     |       |                       |                    |     |       |            |                       |     |       |            |             |

#### 5G NR Air Interface

- 3GPP Rel15 5G NR sub-6  
Sub-6G
- Modulation UL: 256 QAM; DL: 256 QAM
- Waveform UL: CP-OFDM and DFT-S-OFDM; DL: CP-OFDM
- Sub-Carrier Spacing (SCS): 15 KHz, 30 KHz
- Duplex mode: FDD and TDD
- Operation mode: Standalone mode (SA) and Non-Standalone mode (NSA)
- CA capability: DLCA
- EN-DC: LTE and NR sub-6 GHz dual connectivity
- **MIMO: 1 TX × 4 RX**

#### LTE Air Interface

##### LTE Rel14

- 20 layers and 2 Gbps downlink (DL) throughput – **4 RX MIMO** across 5x CA
- 200 Mbps uplink (UL) throughput – 40 MHz ULCA and 256 QAM
- LAA (Licensed assist access) across 80 MHz
- CA capability:

#### DLCA

Inter-band DLCA

Intra band contiguous CA

Intra band non contiguous

#### ULCA

Intra band contiguous CA

- Modulation UL: 256 QAM; DL: 1024 QAM
- FDD + TDD CA
- **MIMO: 1 TX × 4 RX**

#### WCDMA/HSPA Air Interface

- R99:  
All modes and data rates for WCDMA FDD
- R5 HSDPA  
PS data speeds up to 7.2 Mbps on the downlink
- R6 HSUPA  
E-DCH data rates of up to 5.76 Mbps for 2 ms TTI (UE category 6) uplink
- R7 HSPA+  
Downlink 64 QAM SISO: up to 21 Mbps  
Downlink 16 QAM 2X2 MIMO: up to 28 Mbps
- R8 DC-HSPA+  
Downlink dual carrier with 64 QAM (SISO); up to 42 Mbps
- **MIMO: 1 TX × 4 RX**

#### GNSS

- GPS, GLONASS, Galileo, and BeiDou support
- Two GNSS paths to support simultaneous L1 and /L5
- Customizable tracking session
  - Automatic tracking session on startup
  - Concurrent standalone GPS, GLONASS , BeiDou and Galileo
  - gpsOneXTRA with GPS + GLONASS + BeiDou+ Galileo support

### 1.3 Host integration instructions

Install module through golden finger.

This is confidential document and covered by NDA Between Foxconn with DELL

#### 1.4 Antenna information

| Antenna No. | RF Chain No. | Brand        | Model          | Antenna Net Gain(dBi)                                           | Frequency range (MHz)                                                                            | Antenna Type | Connector Type |
|-------------|--------------|--------------|----------------|-----------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------|----------------|
| 1           |              | WHA YU       | C107-511720-A  | 4.41                                                            | 660~803                                                                                          | PCB          | I-PEX          |
| 2           |              | WHA YU       | C107-511721-A  | 3.81<br>4.03                                                    | 791~960<br>1447.9~1606                                                                           | PCB          | I-PEX          |
| 3           |              | WHA YU       | C107-511722-A  | 4.27<br>5.31                                                    | 1710~2170<br>2500~2690                                                                           | PCB          | I-PEX          |
| 4           |              | WHA YU       | C107-511723-A  | 2.99<br>0.92                                                    | 2300~2400<br>3500~3700                                                                           | PCB          | I-PEX          |
| 5           |              | WHA YU       | C107-511724-A  | 6.45                                                            | 5150~5925                                                                                        | PCB          | I-PEX          |
| 6           |              | WHA YU       | C107-511725-A  | 4.89                                                            | 3400~3700                                                                                        | PCB          | I-PEX          |
| 7           |              | AVX          | 5000106-R1-X01 | 2.91                                                            | 699~803                                                                                          | Monopole     | I-PEX          |
| 8           |              | AVX          | 5000107-R1-X01 | 2.59                                                            | 791~960                                                                                          | Monopole     | I-PEX          |
| 9           |              | AVX          | 5000108-R1-X01 | 2.85                                                            | 1427~1610                                                                                        | Monopole     | I-PEX          |
| 10          |              | AVX          | 5000109-R1-X01 | 2.23<br>2.94                                                    | 1710~2200<br>5150~5925                                                                           | Monopole     | I-PEX          |
| 11          |              | AVX          | 5000110-R1-X01 | 0.9                                                             | 2300~2690                                                                                        | Monopole     | I-PEX          |
| 12          |              | AVX          | 5000111-R1-X01 | 0.87                                                            | 3300~5000                                                                                        | Monopole     | I-PEX          |
| Antenna No. | RF Chain No. | Brand        | Model          | Antenna Net Gain(dBi)                                           | Frequency range (MHz)                                                                            | Antenna Type | Connector Type |
| 13          | Tx1/<br>Rx1  | Ethertronics | 5003806        | 0.4<br>-1.61<br>0.39<br>2.95<br>1.98<br>0.38<br>0.83<br>2.31    | 698-821<br>824-960<br>1425-1515<br>1710-2200<br>2300-2690<br>3300-4200<br>4400-5000<br>5150-5925 | PIFA         | I-PEX          |
|             | Rx2          | Ethertronics | 5003807        | -2.24<br>-4.52<br>2.87<br>2.99<br>2.93<br>2.91<br>2.23<br>-0.85 | 716-821<br>824-960<br>1425-1515<br>1557-1610<br>1805-2200<br>2300-2690<br>3300-4200<br>4400-5000 | PIFA         | I-PEX          |

|    |                       |                  |         |                                        |                                                                    |      |       |
|----|-----------------------|------------------|---------|----------------------------------------|--------------------------------------------------------------------|------|-------|
|    |                       |                  |         | -3.04                                  | 5150-5925                                                          |      |       |
|    | Tx2/<br>Rx3           | Ethertronic<br>s | 5003806 | 2.21<br>2.25<br>-0.45<br>2.6           | 1710-2200<br>2300-2690<br>3300-4200<br>4400-5000                   | PIFA | I-PEX |
|    | Rx4                   | Ethertronic<br>s | 5003700 | 1.38<br>2.87<br>0.6<br>-2.09           | 1805-2200<br>2300-2690<br>3300-4200<br>4400-5000                   | PIFA | I-PEX |
| 14 | Ant. 0<br>(TX/R<br>X) | Master<br>Wave   | NA      | 2.4<br>2.2<br>2.9<br>2.9<br>2.9<br>NA  | 880~960<br>1020~2170<br>2545~2595<br>3565~3600<br>3900~4000<br>GPS | PCB  | I-PEX |
|    | Ant. 2<br>(TX/R<br>X) | Master<br>Wave   | NA      | NA<br>2.2<br>2.8<br>2.9<br>2.8<br>NA   | 880~960<br>1020~2170<br>2545~2595<br>3565~3600<br>3900~4000<br>GPS | PCB  | I-PEX |
|    | Ant. 1<br>(RX)        | Master<br>Wave   | NA      | NA<br>5.3<br>5.1<br>4.3<br>4.5<br>NA   | 880~960<br>1020~2170<br>2545~2595<br>3565~3600<br>3900~4000<br>GPS | PCB  | I-PEX |
|    | Ant. 3<br>(RX)        | Master<br>Wave   | NA      | 1.3<br>6.8<br>3.7<br>6.4<br>6.2<br>3.7 | 880~960<br>1020~2170<br>2545~2595<br>3565~3600<br>3900~4000<br>GPS | PCB  | I-PEX |

## 1.5 Host product testing guidance

HOST must follow section 3 of KDB 996369 D04 Module Integration Guide v01, to verify that the host product meets all the applicable FCC rules.

This is confidential document and covered by NDA Between Foxconn with DELL