

2017/1/6

To: SGS North America Inc.
620 Old Peachtree Road
SUITE 100
Suwanee, Georgia
United States

Dear Sir/Madam,

Re: Request for FCC module certification
[FCC ID: VPYCMABZ](#)

We hereby request a Limited Modular certification for the FCC ID referenced above. The device meets the requirements below.

- The module has metal case covering top and sides as its own RF shielding. The shielding at bottom is implemented by the GND copper plane in PCB substrate.
Please see *External Photo.pdf*
- The device has buffered modulation/data inputs to ensure that the device will comply with Part 15 requirements with any type of input signal;
There is a STM32 MCU inside module as an embedded processor to buffer the data.
- The device has power supply regulation on the module;
The IC STM32 MCU has internal power regulation circuits to regulate power distribution in the module.
- The device has demonstrated compliance in a stand-alone configuration;
- The modular has no permanent antenna. So we apply for limited single modular.
- The device will be labeled with its permanently affixed FCC ID label.
The label position of modular is clearly indicated. Please see the *Label & Location.pdf*
- The device does comply with all specific rules applicable to the transmitter including all the conditions provided in the integration instructions by the grantee;
The modular is compliant with all applicable FCC rules. Detail instructions are given in the *User Manual*
- The device does comply with RF exposure requirements.
The modular comply with applicable RF exposure requirements. Please see *MPE Report.pdf*

Sincerely,



Name: Takahiro Watanabe
Title: Senior Manager,
Product Development Sec.1 IoT Module Products Dept.
Communication Modules Division
Communication & Sensor Business Unit
Company: Murata Manufacturing Co., Ltd.
Address: 10-1, Higashikotari 1-chome, Nagaokakyo-shi, Kyoto 617-8555 Japan
Telephone: +81-75-955-6844
Email: mhayashi@murata.com

FCC Modular definitions, From FCC KDB 996369 D01 Module Equip Auth Guide v01r04

A. Single-modular transmitter is a self-contained, physically delineated, component for which compliance can be demonstrated independent of the host operating conditions, and which complies with all eight requirements of Section 15.212(a)(1) as summarized below. See Section 15.212 for more detailed information, and Section 2.901 (and sub-sections that follow) for general certification requirements.

B. Limited single-modular transmitter is a transmitter that does not meet all eight requirements listed in Section 15.212(a)(1), and compliance can be demonstrated only for specific host and applicable operating conditions in which the transmitter will be used. For example, manufacturers have flexibility with respect to requirements such as module shielding, buffered modulation/data inputs and power supply regulation. If one or more of these functions (shielding, buffered modulation/data inputs and power supply regulation) are provided by a specific host or hosts, then the module can be granted as a limited module that is limited to that specific host or hosts. The responsible party must demonstrate how it will retain control over the final installation of the device, such that compliance of the product is ensured by limiting the installation to a specific host or hosts, for example.

