


Wireless Keyboard w/Nano Receiver

USER'S GUIDE

Ver.:1.00



Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.


FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Radiation Exposure Statement:

The product comply with the FCC portable RF exposure limit set forth for an uncontrolled environment and are safe for intended operation as described in this manual. The further RF exposure reduction can be achieved if the product can be kept as far as possible from the user body or set the device to lower output power if such function is available.

Functional Introduction



Key Function (* compound key, Press with Fn key)			
1.		Media Player on	Turn on the Media player program
2.		Volume down (Voice-)	Decrease the computer's sound volume.
3.		Volume up (Voice+)	Increase the computer's sound volume.
4.		Mute	Mute (turns off) the computer's sound
5.		Previous	Switch to the previous media track
6.		Next	Switch to the next media track
7.		Play/Pause	Switch between playing and pausing media


8.	■	Stop(Media)	Stop playing the media in the media player
9.	🏠	Homepage(www/e)	Start the default Web browser and loads the home Web page
10.	✉	Outlook(E-mail)→Default	Start the default e-mail program
11.	💻	My Computer	My Computer
12.	☆	My Favorites	Open My favorite after into Internet browser application
13.	LED Indicator		Num Lock / Caps Lock / Low Battery(Pairing Indicator)
14.	ON/OFF Switch		
15.	Battery Cover		
16.	Nano Receiver		

Installing the batteries

Step 1: Take the battery cover off.

Step 2: Insert the battery as shown inside the battery compartment.

Step 3: Replace the cover.



****Warning:**

*Please insert the battery with the correct position according to the instruction labeled on the mouse & Keyboard.

Setup the Connection between the Receiver and the Keyboard.

1. Insert the battery into the Keyboard, then follow the steps below.
3. Plug the Nano receiver into the USB port on your computer, the LED indicator will flash 10sec. to complete connecting.



4. If the device does not work, please turn it into pairing mode.
5. Pairing: Re-plug the receiver into the USB port on your computer, then press keyboard "ESC + K "the LED indicator will flash 15sec. please re-plug again, the Led indicator will off complete the paring.
If the keyboard does not work after 15 seconds, pair them again.
(The receiver has auto pairing function).
6. The LED indicator on the Keyboard flashes steadily when it is in pairing mode and stops blinking when it is successfully paired with the receiver.
7. When low battery, the battery indicator on the keyboard will start to blink.

