
Multi-Function Night Light

Quick Start Guide








Product Overviw


Third Reality Zigbee Multi-Function Night Light - a compact and intelligent solution combines a motion sensor, a light sensor and color night light. With remote control via Zigbee commands, it offers versatile automation options for security, lighting, and ambiance. Experience convenience and innovation in one device.

What's In The Box

Multi-Function Night Light \times 1 Power Adapter \times 1 Quick Start Guide \times 1

Product Details





Setup

night light.

- Plug the night light into a power outlet using a USB-A power adapter. It will initially light up white and then turn yellow, indicating it is in pairing mode.
- (Note: To enter pairing mode again, press and hold the reset button through the pinhole for more than 5 seconds until it turns red, then release. The device will be reset, automatically restart, and enter pairing mode.)

 2. Install the Zigbee Hub & App on your device and log in. Ensure that
- the firmware is up to date and follow the instructions specific to your hub.

 3. Once the pairing is successful, the light will turn white, indicating a successful connection. Enjoy the functionality and control the

4 The motion sensor, illumination sensor, and color light of the multi-function night light will report their status information as individual sub-devices, facilitating the configuration of various routines and home automation tasks.

Scan the QR-code to view detailed instructions.



Local Routine

The product supports local routines where the light will turn on when both the illumination sensor and motion sensor meet the specified conditions (When the light is dim and detects human motion).

The Local Routine feature can be enabled or disabled using the button located in the pinhole. Pressing the button once and seeing a green light indicates that the feature is currently enabled. Pressing the button again and seeing a red light indicates that the routine is disabled.

In both enabled and disabled states, motion sensor, illumination sensor, and color light will be reported synchronously.

FCC Warning


This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party respon-sible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against

harmful interference in a residential installation. This equipment

generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:



- Reorient or relocate the receiving antenna.

important announcement.

- that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

FCC RF exposure statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated with minimum distance between 20cm the radiator your body.

Limited Warranty

For limited warranty, please visit www.3reality.com/devicesupport. For customer support, please contact us at info@3reality.com or visit www.3reality.com.

For help and troubleshooting related to Amazon Alexa, visit the Alexa app.