




EIRP PSD;Band:6.2G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:6415MHz;TX




EIRP PSD;Band:6.4G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:6435MHz;TX




EIRP PSD;Band:6.4G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:6475MHz;TX




EIRP PSD;Band:6.4G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:6515MHz;TX




EIRP PSD;Band:6.7G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:6875MHz;TX




EIRP PSD;Band:7.0G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:6895MHz;TX




EIRP PSD;Band:7.0G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:6995MHz;TX




EIRP PSD;Band:7.0G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:7095MHz;TX




EIRP PSD;Band:7.0G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:7115MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6435MHz;TX




EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6475MHz;TX




EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6515MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6895MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7115MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6445MHz;TX




EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6485MHz;TX




EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6525MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6885MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7005MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6465MHz;TX




EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX




EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX




EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX




EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6425MHz;TX




EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX




EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX




EIRP PSD;Band:7.0G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6435MHz;TX




EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6475MHz;TX




EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6515MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX




EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6895MHz;TX




EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX




EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX




EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7115MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6445MHz;TX




EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6485MHz;TX




EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6525MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6885MHz;TX




EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX




EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7005MHz;TX




EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6465MHz;TX




EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX




EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX




EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




EIRP PSD;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX




EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX




EIRP PSD;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX




EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX




EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX




EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6425MHz;TX




EIRP PSD;Band:6.4G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX



EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX



EIRP PSD;Band:7.0G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX






Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	77.53M	36.83	40.00	-3.17	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
QP	62.98M	36.18	40.00	-3.82	-17.79	3	Vertical	359	1.00	-	53.97	12.57	1.32	31.68		
QP	77.53M	36.83	40.00	-3.17	-17.31	3	Vertical	80	1.00	"Worst"	54.14	12.94	1.47	31.72		
PK	100.81M	40.19	43.50	-3.31	-13.16	3	Vertical	14	1.00	-	53.35	16.92	1.66	31.74		
PK	114.39M	39.92	43.50	-3.58	-12.00	3	Vertical	216	1.00	-	51.92	17.98	1.77	31.75		
PK	159.98M	38.64	43.50	-4.86	-13.59	3	Vertical	360	1.00	-	52.23	16.05	2.12	31.76		
PK	480.08M	39.40	46.00	-6.60	-5.02	3	Vertical	219	1.00	-	44.42	23.15	3.91	32.08		

Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	105.66M	36.89	43.50	-6.61	-12.77	3	Horizontal	0	1.50	"Worst"	49.66	17.27	1.70	31.74		
PK	110.51M	35.40	43.50	-8.10	-12.17	3	Horizontal	18	1.50	-	47.57	17.84	1.74	31.75		
PK	264.74M	38.29	46.00	-7.71	-9.84	3	Horizontal	206	1.25	-	48.13	19.18	2.81	31.83		
PK	271.53M	38.84	46.00	-7.16	-10.25	3	Horizontal	216	1.50	-	49.09	18.74	2.84	31.83		
PK	399.57M	38.07	46.00	-7.93	-6.97	3	Horizontal	157	1.00	-	45.04	21.49	3.53	31.99		
PK	480.08M	37.80	46.00	-8.20	-5.02	3	Horizontal	111	3.00	-	42.82	23.15	3.91	32.08		

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_4TX	Pass	AV	20.98926G	63.51	63.54	-0.03	1	Horizontal	211	1.91	-

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 24.5
03-V-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9228G	80.70	88.20	-7.50	73.26	3	Vertical	253	2.02	-	34.55	8.09	35.20			
RMS	5.9226G	67.49	68.20	-0.71	60.05	3	Vertical	253	2.02	-	34.55	8.09	35.20			
PK	5.9622G	122.78	Inf	-Inf	115.24	3	Vertical	253	2.02	-	34.60	8.13	35.19			
RMS	5.9624G	115.29	Inf	-Inf	107.75	3	Vertical	253	2.02	-	34.60	8.13	35.19			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 24.5
03-V-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9208G	76.41	88.20	-11.79	68.98	3	Horizontal	242	1.86	-	34.54	8.09	35.20			
RMS	5.9202G	63.24	68.20	-4.96	55.81	3	Horizontal	242	1.86	-	34.54	8.09	35.20			
PK	5.9586G	122.97	Inf	-Inf	115.43	3	Horizontal	242	1.86	-	34.60	8.13	35.19			
RMS	5.959G	114.89	Inf	-Inf	107.35	3	Horizontal	242	1.86	-	34.60	8.13	35.19			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 24.5
03-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.92353G	45.08	74.00	-28.92	59.87	3	Vertical	15	1.75	-	39.20	11.80	65.79			
AV	11.91018G	33.54	54.00	-20.46	48.35	3	Vertical	15	1.75	-	39.20	11.79	65.80			
PK	17.85786G	57.32	74.00	-16.68	60.82	3	Vertical	251	1.66	-	44.88	14.18	62.56			
AV	17.85783G	45.54	54.00	-8.46	49.04	3	Vertical	251	1.66	-	44.88	14.18	62.56			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 24.5
03-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91018G	48.72	74.00	-25.28	63.53	3	Horizontal	40	1.20	-	39.20	11.79	65.80			
AV	11.91G	41.21	54.00	-12.79	56.02	3	Horizontal	40	1.20	-	39.20	11.79	65.80			
PK	17.87748G	59.02	74.00	-14.98	62.50	3	Horizontal	310	1.91	-	44.85	14.19	62.52			
AV	17.85774G	46.96	54.00	-7.04	50.46	3	Horizontal	310	1.91	-	44.88	14.18	62.56			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

5955MHz_TX




EUT_V_4TX
Setting 24.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81974G	49.81	83.54	-33.73	40.54	1	Vertical	241	1.50	-	39.10	17.35	47.18			
AV	23.8198G	45.03	63.54	-18.51	35.76	1	Vertical	241	1.50	-	39.10	17.35	47.18			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

5955MHz_TX




EUT_V_4TX
Setting 24.5
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81982G	52.01	83.54	-31.53	42.74	1	Horizontal	294	1.53	-	39.10	17.35	47.18			
AV	23.81982G	48.74	63.54	-14.80	39.47	1	Horizontal	294	1.53	-	39.10	17.35	47.18			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6195MHz_TX




EUT_V_4TX
Setting 26
03-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39162G	52.72	74.00	-21.28	67.69	3	Vertical	68	1.85	-	38.62	11.80	65.39			
AV	12.39189G	40.23	54.00	-13.77	55.20	3	Vertical	68	1.85	-	38.62	11.80	65.39			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6195MHz_TX




EUT_V_4TX
Setting 26
03-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39G	52.78	74.00	-21.22	67.75	3	Horizontal	5	1.97	-	38.62	11.80	65.39			
AV	12.38991G	43.75	54.00	-10.25	58.72	3	Horizontal	5	1.97	-	38.62	11.80	65.39			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6195MHz_TX




EUT_V_4TX
Setting 26
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58638G	60.88	83.54	-22.66	57.43	1	Vertical	251	1.80	-	37.80	15.27	49.62			
AV	18.58416G	47.78	63.54	-15.76	44.33	1	Vertical	251	1.80	-	37.80	15.27	49.62			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


6195MHz_TX

EUT_V_4TX
Setting 26
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58656G	57.79	83.54	-25.75	54.34	1	Horizontal	136	1.80	-	37.80	15.27	49.62			
AV	18.58725G	44.52	63.54	-19.02	41.07	1	Horizontal	136	1.80	-	37.80	15.27	49.62			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6415MHz_TX




EUT_V_4TX
Setting 26
03-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83039G	46.32	88.20	-41.88	60.68	3	Vertical	312	2.46	-	39.12	11.77	65.25			
RMS	12.82991G	36.22	68.20	-31.98	50.58	3	Vertical	312	2.46	-	39.12	11.77	65.25			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6415MHz_TX




EUT_V_4TX
Setting 26
03-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82988G	49.30	88.20	-38.90	63.66	3	Horizontal	294	1.65	-	39.12	11.77	65.25			
RMS	12.82991G	43.53	68.20	-24.67	57.89	3	Horizontal	294	1.65	-	39.12	11.77	65.25			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX


6415MHz_TX

EUT_V_4TX
Setting 26
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.25244G	62.75	83.54	-20.79	59.03	1	Vertical	282	1.92	-	37.99	15.24	49.51			
AV	19.25154G	49.14	63.54	-14.40	45.42	1	Vertical	282	1.92	-	37.99	15.24	49.51			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_4TX

6415MHz_TX




EUT_V_4TX
Setting 26
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2465G	58.22	83.54	-25.32	54.50	1	Horizontal	226	1.84	-	37.99	15.24	49.51			
AV	19.24701G	45.01	63.54	-18.53	41.29	1	Horizontal	226	1.84	-	37.99	15.24	49.51			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6435MHz_TX



EUT Y_4TX
Setting 26
03-V-V-1


100

100

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.86922G	46.73	88.20	-41.47	61.02	3	Vertical	314	2.35	-	39.20	11.76	65.25				
RMS	12.86988G	36.25	68.20	-31.95	50.54	3	Vertical	314	2.35	-	39.20	11.76	65.25				

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6435MHz_TX




EUT_V_4TX
Setting 26
03-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.87003G	49.65	88.20	-38.55	63.94	3	Horizontal	295	1.67	-	39.20	11.76	65.25			
RMS	12.86988G	43.50	68.20	-24.70	57.79	3	Horizontal	295	1.67	-	39.20	11.76	65.25			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6435MHz_TX




EUT_V_4TX
Setting 26
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.31238G	61.71	83.54	-21.83	58.23	1	Vertical	280	1.80	-	37.80	15.23	49.55			
AV	19.31079G	48.47	63.54	-15.07	44.99	1	Vertical	280	1.80	-	37.80	15.23	49.55			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX


6435MHz_TX

EUT_V_4TX
Setting 26
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.30647G	57.64	83.54	-25.90	54.16	1	Horizontal	226	1.80	-	37.80	15.23	49.55			
AV	19.30728G	44.59	63.54	-18.95	41.11	1	Horizontal	226	1.80	-	37.80	15.23	49.55			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6475MHz_TX




EUT_V_4TX
Setting 26
03-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95303G	46.75	88.20	-41.45	60.93	3	Vertical	243	2.17	-	39.30	11.76	65.24			
RMS	12.94985G	35.65	68.20	-32.55	49.83	3	Vertical	243	2.17	-	39.30	11.76	65.24			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6475MHz_TX




EUT_V_4TX
Setting 26
03-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94982G	49.20	88.20	-39.00	63.38	3	Horizontal	294	1.67	-	39.30	11.76	65.24			
RMS	12.94988G	42.54	68.20	-25.66	56.72	3	Horizontal	294	1.67	-	39.30	11.76	65.24			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6475MHz_TX




EUT_V_4TX
Setting 26
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.43229G	60.99	83.54	-22.55	57.62	1	Vertical	288	2.03	-	37.77	15.23	49.63			
AV	19.43145G	47.91	63.54	-15.63	44.54	1	Vertical	288	2.03	-	37.77	15.23	49.63			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX


6475MHz_TX

EUT_V_4TX
Setting 26
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.43109G	57.60	83.54	-25.94	54.22	1	Horizontal	310	1.76	-	37.78	15.23	49.63			
AV	19.42977G	45.07	63.54	-18.47	41.69	1	Horizontal	310	1.76	-	37.78	15.23	49.63			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6515MHz_TX




EUT_V_4TX
Setting 26
03-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02559G	46.10	88.20	-42.10	60.18	3	Vertical	235	1.78	-	39.35	11.75	65.18			
RMS	13.02979G	35.19	68.20	-33.01	49.25	3	Vertical	235	1.78	-	39.36	11.75	65.17			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6515MHz_TX




EUT_V_4TX
Setting 26
03-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03G	49.06	88.20	-39.14	63.12	3	Horizontal	295	1.65	-	39.36	11.75	65.17			
RMS	13.02991G	40.68	68.20	-27.52	54.74	3	Horizontal	295	1.65	-	39.36	11.75	65.17			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX


6515MHz_TX

EUT_V_4TX
Setting 26
03-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5306G	59.00	83.54	-24.54	55.69	1	Vertical	287	1.76	-	37.74	15.22	49.65			
AV	19.54935G	46.57	63.54	-16.97	43.29	1	Vertical	287	1.76	-	37.70	15.22	49.64			

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

6515MHz_TX




EUT_V_4TX
Setting 26
03-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.54635G	57.22	83.54	-26.32	53.93	1	Horizontal	295	1.80	-	37.71	15.22	49.64			
AV	19.54704G	44.08	63.54	-19.46	40.79	1	Horizontal	295	1.80	-	37.71	15.22	49.64			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6535MHz_TX




EUT_V_4TX
Setting 26
03-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07528G	46.66	88.20	-41.54	60.49	3	Vertical	237	1.79	-	39.50	11.75	65.08			
RMS	13.06991G	35.37	68.20	-32.83	49.23	3	Vertical	237	1.79	-	39.48	11.75	65.09			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6535MHz_TX




EUT Y_4TX
Setting 26
03-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.07009G	48.49	88.20	-39.71	62.35	3	Horizontal	293	1.66	-	39.48	11.75	65.09				
RMS	13.06994G	40.63	68.20	-27.57	54.49	3	Horizontal	293	1.66	-	39.48	11.75	65.09				

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6535MHz_TX




EUT_V_4TX
Setting 26
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61238G	59.62	83.54	-23.92	56.29	1	Vertical	286	2.00	-	37.70	15.22	49.59			
AV	19.61142G	46.30	63.54	-17.24	42.97	1	Vertical	286	2.00	-	37.70	15.22	49.59			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6535MHz_TX




EUT_V_4TX
Setting 26
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60626G	57.82	83.54	-25.72	54.49	1	Horizontal	293.3	1.80	-	37.70	15.22	49.59			
AV	19.6071G	44.65	63.54	-18.89	41.32	1	Horizontal	293.3	1.80	-	37.70	15.22	49.59			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6695MHz_TX

EUT_V_4TX
Setting 26
03-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38154G	47.19	74.00	-26.81	59.89	3	Vertical	277	1.45	-	40.06	11.73	64.49			
AV	13.38991G	36.30	54.00	-17.70	48.96	3	Vertical	277	1.45	-	40.08	11.73	64.47			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6695MHz_TX




EUT_V_4TX
Setting 26
03-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39018G	48.17	74.00	-25.83	60.83	3	Horizontal	355	1.84	-	40.08	11.73	64.47			
AV	13.38994G	39.04	54.00	-14.96	51.70	3	Horizontal	355	1.84	-	40.08	11.73	64.47			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6695MHz_TX

EUT_V_4TX
Setting 26
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08305G	60.38	83.54	-23.16	56.56	1	Vertical	241	1.43	-	37.80	15.27	49.25			
AV	20.0829G	48.36	63.54	-15.18	44.54	1	Vertical	241	1.43	-	37.80	15.27	49.25			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6695MHz_TX

EUT_V_4TX
Setting 26
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.07075G	59.80	83.54	-23.74	55.99	1	Horizontal	212.2	1.80	-	37.80	15.26	49.25			
AV	20.09064G	46.60	63.54	-16.94	42.78	1	Horizontal	212.2	1.80	-	37.80	15.27	49.25			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX


6875MHz_TX

EUT_V_4TX
Setting 26
03-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75018G	48.79	88.20	-39.41	60.85	3	Vertical	274	2.10	-	40.60	11.70	64.36			
RMS	13.75G	39.00	68.20	-29.20	51.06	3	Vertical	274	2.10	-	40.60	11.70	64.36			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6875MHz_TX




EUT_V_4TX
Setting 26
03-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75006G	47.79	88.20	-40.41	59.85	3	Horizontal	320	1.74	-	40.60	11.70	64.36			
RMS	13.75G	38.83	68.20	-29.37	50.89	3	Horizontal	320	1.74	-	40.60	11.70	64.36			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6875MHz_TX




EUT_V_4TX
Setting 26
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.63733G	69.84	83.54	-13.70	65.30	1	Vertical	238.4	1.51	-	37.90	15.71	49.07			
AV	20.61747G	56.91	63.54	-6.63	52.40	1	Vertical	238.4	1.51	-	37.90	15.69	49.08			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

6875MHz_TX




EUT_V_4TX
Setting 26
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.63706G	67.14	83.54	-16.40	62.60	1	Horizontal	330	1.78	-	37.90	15.71	49.07			
AV	20.61798G	54.50	63.54	-9.04	49.99	1	Horizontal	330	1.78	-	37.90	15.69	49.08			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

6895MHz_TX




EUT_V_4TX
Setting 26
03-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79066G	47.57	88.20	-40.63	59.57	3	Vertical	275	2.02	-	40.68	11.70	64.38			
RMS	13.78991G	36.78	68.20	-31.42	48.78	3	Vertical	275	2.02	-	40.68	11.70	64.38			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

6895MHz_TX




EUT_V_4TX
Setting 26
03-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79006G	47.69	88.20	-40.51	59.69	3	Horizontal	319	1.78	-	40.68	11.70	64.38			
RMS	13.78988G	38.21	68.20	-29.99	50.21	3	Horizontal	319	1.78	-	40.68	11.70	64.38			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


6895MHz_TX

EUT_V_4TX
Setting 26
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.69721G	71.90	83.54	-11.64	67.28	1	Vertical	238	1.59	-	37.90	15.76	49.04			
AV	20.67774G	59.20	63.54	-4.34	54.61	1	Vertical	238	1.59	-	37.90	15.74	49.05			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

6895MHz_TX




EUT_V_4TX
Setting 26
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68368G	69.73	83.54	-13.81	65.12	1	Horizontal	329	1.87	-	37.90	15.75	49.04			
AV	20.6841G	57.79	63.54	-5.75	53.18	1	Horizontal	329	1.87	-	37.90	15.75	49.04			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

6995MHz_TX




EUT_V_4TX
Setting 26
03-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98841G	52.11	88.20	-36.09	63.74	3	Vertical	355	1.79	-	41.15	11.68	64.46			
RMS	13.99012G	38.90	68.20	-29.30	50.52	3	Vertical	355	1.79	-	41.16	11.68	64.46			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


6995MHz_TX

EUT_V_4TX
Setting 26
03-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98814G	50.49	88.20	-37.71	62.12	3	Horizontal	232	1.79	-	41.15	11.68	64.46			
RMS	13.98757G	38.77	68.20	-29.43	50.40	3	Horizontal	232	1.79	-	41.15	11.68	64.46			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


6995MHz_TX

EUT_V_4TX
Setting 26
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98794G	74.69	83.54	-8.85	69.61	1	Vertical	244	1.59	-	37.98	15.99	48.89			
AV	20.98749G	62.92	63.54	-0.62	57.85	1	Vertical	244	1.59	-	37.97	15.99	48.89			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


6995MHz_TX

EUT_V_4TX
Setting 26
03-V-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98968G	75.20	83.54	-8.34	70.12	1	Horizontal	211	1.91	-	37.98	15.99	48.89			
AV	20.98926G	63.51	63.54	-0.03	58.43	1	Horizontal	211	1.91	-	37.98	15.99	48.89			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 24
03-V-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.094G	122.22	Inf	-Inf	113.22	3	Vertical	351	1.63	-	35.69	8.45	35.14			
RMS	7.0936G	115.09	Inf	-Inf	106.09	3	Vertical	351	1.63	-	35.69	8.45	35.14			
PK	7.126G	79.60	88.20	-8.60	70.46	3	Vertical	351	1.63	-	35.80	8.48	35.14			
RMS	7.125G	67.22	68.20	-0.98	58.08	3	Vertical	351	1.63	-	35.80	8.48	35.14			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 24
03-V-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.088G	119.81	Inf	-Inf	110.83	3	Horizontal	259	1.86	-	35.68	8.44	35.14			
RMS	7.0882G	112.13	Inf	-Inf	103.15	3	Horizontal	259	1.86	-	35.68	8.44	35.14			
PK	7.128G	80.95	88.20	-7.25	71.80	3	Horizontal	259	1.86	-	35.81	8.48	35.14			
RMS	7.1252G	65.96	68.20	-2.24	56.82	3	Horizontal	259	1.86	-	35.80	8.48	35.14			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


7095MHz_TX

EUT_V_4TX
Setting 24
03-V-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18409G	49.24	88.20	-38.96	59.83	3	Vertical	275	2.65	-	41.64	11.83	64.06			
RMS	14.19G	37.96	68.20	-30.24	48.52	3	Vertical	275	2.65	-	41.66	11.83	64.05			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7095MHz_TX




EUT Y_4TX
Setting 24
03-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19279G	49.81	88.20	-38.39	60.35	3	Horizontal	346	1.89	-	41.67	11.83	64.04			
RMS	14.18985G	42.79	68.20	-25.41	53.35	3	Horizontal	346	1.89	-	41.66	11.83	64.05			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7095MHz_TX




EUT_V_4TX
Setting 24
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28635G	65.29	83.54	-18.25	59.84	1	Vertical	239	1.80	-	38.07	16.23	48.85			
AV	21.28716G	52.96	63.54	-10.58	47.51	1	Vertical	239	1.80	-	38.07	16.23	48.85			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7095MHz_TX




EUT_V_4TX
Setting 24
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28623G	65.28	83.54	-18.26	59.83	1	Horizontal	313	1.78	-	38.07	16.23	48.85			
AV	21.2871G	52.50	63.54	-11.04	47.05	1	Horizontal	313	1.78	-	38.07	16.23	48.85			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 5
03-V-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1135G	103.33	Inf	-Inf	94.25	3	Vertical	351	1.80	BP 1MHz	35.75	8.47	35.14			
RMS	7.1135G	97.57	Inf	-Inf	88.49	3	Vertical	351	1.80	BP 1MHz	35.75	8.47	35.14			
PK	7.1255G	76.34	88.20	-11.86	67.20	3	Vertical	351	1.80	BP 1MHz	35.80	8.48	35.14			
RMS	7.1255G	67.90	68.20	-0.30	58.76	3	Vertical	351	1.80	BP 1MHz	35.80	8.48	35.14			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 5
03-V-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1195G	101.31	Inf	-Inf	92.20	3	Horizontal	229	1.76	BP 1MHz	35.78	8.47	35.14			
RMS	7.1185G	95.15	Inf	-Inf	86.05	3	Horizontal	229	1.76	BP 1MHz	35.77	8.47	35.14			
PK	7.1255G	74.94	88.20	-13.26	65.80	3	Horizontal	229	1.76	BP 1MHz	35.80	8.48	35.14			
RMS	7.1255G	66.58	68.20	-1.62	57.44	3	Horizontal	229	1.76	BP 1MHz	35.80	8.48	35.14			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

7115MHz_TX




EUT_V_4TX
Setting 5
03-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23762G	48.83	88.20	-39.37	59.12	3	Vertical	289	1.69	-	41.78	11.87	63.94			
RMS	14.22988G	38.24	68.20	-29.96	48.58	3	Vertical	289	1.69	-	41.76	11.86	63.96			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


7115MHz_TX

EUT_V_4TX
Setting 5
03-V-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.24284G	49.43	88.20	-38.77	59.70	3	Horizontal	345	1.80	-	41.79	11.87	63.93			
RMS	14.24296G	37.43	68.20	-30.77	47.70	3	Horizontal	345	1.80	-	41.79	11.87	63.93			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


7115MHz_TX

EUT_V_4TX
Setting 5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.34299G	44.65	83.54	-38.89	39.12	1	Vertical	33	1.50	-	38.10	16.27	48.84			
AV	21.35655G	32.35	63.54	-31.19	26.80	1	Vertical	33	1.50	-	38.10	16.29	48.84			

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX


7115MHz_TX

EUT_V_4TX
Setting 5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.33801G	45.83	83.54	-37.71	40.30	1	Horizontal	58	1.96	-	38.10	16.27	48.84			
AV	21.35985G	32.34	63.54	-31.20	26.79	1	Horizontal	58	1.96	-	38.10	16.29	48.84			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 12.5
04-V-G-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9217G	62.12	88.20	-26.08	64.05	3	Vertical	244	1.80	-	34.83	6.31	43.07			
RMS	5.9239G	51.12	68.20	-17.08	53.04	3	Vertical	244	1.80	-	34.84	6.31	43.07			
PK	5.9634G	113.77	Inf	-Inf	115.47	3	Vertical	244	1.80	-	35.00	6.35	43.05			
RMS	5.964G	102.92	Inf	-Inf	104.62	3	Vertical	244	1.80	-	35.00	6.35	43.05			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 12.5
04-V-G-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9214G	57.13	88.20	-31.07	59.06	3	Horizontal	93	1.71	-	34.83	6.31	43.07			
RMS	5.9244G	46.18	68.20	-22.02	48.09	3	Horizontal	93	1.71	-	34.85	6.31	43.07			
PK	5.9468G	109.98	Inf	-Inf	111.73	3	Horizontal	93	1.71	-	34.98	6.33	43.06			
RMS	5.9464G	99.47	Inf	-Inf	101.22	3	Horizontal	93	1.71	-	34.98	6.33	43.06			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 12.5
04-V-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.905G	52.37	74.00	-21.63	47.04	3	Vertical	132	1.80	-	38.60	9.68	42.95			
AV	11.91202G	40.41	54.00	-13.59	35.06	3	Vertical	132	1.80	-	38.60	9.69	42.94			
PK	17.86911G	57.27	74.00	-16.73	44.51	3	Vertical	248	2.15	-	41.44	12.95	41.63			
AV	17.86934G	46.00	54.00	-8.00	33.24	3	Vertical	248	2.15	-	41.44	12.95	41.63			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 12.5
04-V-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90755G	53.09	74.00	-20.91	47.76	3	Horizontal	78	1.00	-	38.60	9.68	42.95			
AV	11.90991G	40.90	54.00	-13.10	35.57	3	Horizontal	78	1.00	-	38.60	9.68	42.95			
PK	17.86078G	56.93	74.00	-17.07	44.20	3	Horizontal	37	1.80	-	41.42	12.95	41.64			
AV	17.8681G	45.98	54.00	-8.02	33.22	3	Horizontal	37	1.80	-	41.44	12.95	41.63			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT V_4TX
Setting 12.5
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81037G	44.89	83.54	-38.65	36.21	1	Vertical	13	2.64	-	38.58	17.28	47.18			
AV	23.80989G	32.82	63.54	-30.72	24.15	1	Vertical	13	2.64	-	38.58	17.28	47.19			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 12.5
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82948G	44.54	83.54	-39.00	35.90	1	Horizontal	114	2.58	-	38.54	17.28	47.18			
AV	23.83212G	32.80	63.54	-30.74	24.14	1	Horizontal	114	2.58	-	38.54	17.29	47.17			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_V_4TX
Setting 13.5
04-V-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38731G	52.07	74.00	-21.93	46.75	3	Vertical	256	2.88	-	38.47	9.88	43.03			
AV	12.39402G	40.62	54.00	-13.38	35.28	3	Vertical	256	2.88	-	38.49	9.88	43.03			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 13.5
04-V-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39171G	51.86	74.00	-22.14	46.53	3	Horizontal	7	1.59	-	38.48	9.88	43.03			
AV	12.38995G	42.83	54.00	-11.17	37.50	3	Horizontal	7	1.59	-	38.48	9.88	43.03			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 13.5
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57252G	44.41	83.54	-39.13	40.73	1	Vertical	26	1.32	-	38.05	15.26	49.63			
AV	18.58659G	32.21	63.54	-31.33	28.51	1	Vertical	26	1.32	-	38.07	15.25	49.62			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 13.5
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58752G	43.76	83.54	-39.78	40.05	1	Horizontal	16	1.23	-	38.08	15.25	49.62			
AV	18.58389G	32.17	63.54	-31.37	28.47	1	Horizontal	16	1.23	-	38.07	15.25	49.62			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_V_4TX
Setting 26
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83276G	59.70	88.20	-28.50	42.77	3	Vertical	110	1.78	-	39.20	11.19	33.46			
RMS	12.84269G	47.18	68.20	-21.02	30.25	3	Vertical	110	1.78	-	39.20	11.19	33.46			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_V_4TX
Setting 26
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81917G	59.52	88.20	-28.68	42.59	3	Horizontal	267	1.43	-	39.20	11.18	33.45			
RMS	12.84038G	47.13	68.20	-21.07	30.20	3	Horizontal	267	1.43	-	39.20	11.19	33.46			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.23495G	65.66	83.54	-17.88	62.00	1	Vertical	257	1.64	-	37.94	15.22	49.50			
AV	19.24068G	51.90	63.54	-11.64	48.22	1	Vertical	257	1.64	-	37.96	15.22	49.50			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.23168G	57.37	83.54	-26.17	53.72	1	Horizontal	256	1.98	-	37.93	15.22	49.50			
AV	19.25139G	44.22	63.54	-19.32	40.52	1	Horizontal	256	1.98	-	38.00	15.21	49.51			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6435MHz_TX

EUT_Y_4TX
Setting 26
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.86325G	59.15	88.20	-29.05	42.18	3	Vertical	195	2.55	-	39.23	11.20	33.46			
RMS	12.86898G	47.28	68.20	-20.92	30.29	3	Vertical	195	2.55	-	39.24	11.21	33.46			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_V_4TX
Setting 26
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87735G	59.57	88.20	-28.63	42.57	3	Horizontal	78	2.02	-	39.25	11.21	33.46			
RMS	12.87858G	47.30	68.20	-20.90	30.29	3	Horizontal	78	2.02	-	39.26	11.21	33.46			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6435MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.29549G	65.01	83.54	-18.53	61.43	1	Vertical	256	1.64	-	37.91	15.21	49.54			
AV	19.31403G	51.84	63.54	-11.70	48.28	1	Vertical	256	1.64	-	37.90	15.21	49.55			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6435MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.31208G	58.17	83.54	-25.37	54.61	1	Horizontal	303	1.67	-	37.90	15.21	49.55			
AV	19.31166G	45.58	63.54	-17.96	42.02	1	Horizontal	303	1.67	-	37.90	15.21	49.55			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6475MHz_TX

EUT_V_4TX
Setting 26
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94112G	60.16	88.20	-28.04	42.93	3	Vertical	314	1.18	-	39.46	11.24	33.47			
RMS	12.93629G	47.54	68.20	-20.66	30.32	3	Vertical	314	1.18	-	39.45	11.24	33.47			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_V_4TX
Setting 26
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.94307G	59.79	88.20	-28.41	42.55	3	Horizontal	270	2.82	-	39.47	11.24	33.47			
RMS	12.93638G	47.49	68.20	-20.71	30.27	3	Horizontal	270	2.82	-	39.45	11.24	33.47			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6475MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.43325G	66.08	83.54	-17.46	62.61	1	Vertical	257	1.62	-	37.90	15.20	49.63			
AV	19.43337G	51.85	63.54	-11.69	48.38	1	Vertical	257	1.62	-	37.90	15.20	49.63			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6475MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.43304G	60.18	83.54	-23.36	56.71	1	Horizontal	314	2.00	-	37.90	15.20	49.63			
AV	19.43127G	45.05	63.54	-18.49	41.58	1	Horizontal	314	2.00	-	37.90	15.20	49.63			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 26
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01956G	59.22	88.20	-28.98	42.11	3	Vertical	216	1.81	-	39.32	11.27	33.48			
RMS	13.02367G	47.26	68.20	-20.94	30.14	3	Vertical	216	1.81	-	39.31	11.28	33.47			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_V_4TX
Setting 26
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.04287G	58.96	88.20	-29.24	41.92	3	Horizontal	30	3.00	-	39.23	11.28	33.47			
RMS	13.0246G	47.16	68.20	-21.04	30.05	3	Horizontal	30	3.00	-	39.30	11.28	33.47			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6515MHz_TX

EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54458G	65.99	83.54	-17.55	62.53	1	Vertical	239	1.63	-	37.90	15.20	49.64			
AV	19.54524G	52.55	63.54	-10.99	49.09	1	Vertical	239	1.63	-	37.90	15.20	49.64			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6515MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.54668G	54.73	83.54	-28.81	51.27	1	Horizontal	262	1.50	-	37.90	15.20	49.64			
AV	19.54632G	41.73	63.54	-21.81	38.27	1	Horizontal	262	1.50	-	37.90	15.20	49.64			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6535MHz_TX

EUT_V_4TX
Setting 26
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07513G	58.66	88.20	-29.54	41.62	3	Vertical	343	2.51	-	39.20	11.30	33.46			
RMS	13.07834G	47.38	68.20	-20.82	30.34	3	Vertical	343	2.51	-	39.20	11.30	33.46			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6535MHz_TX

EUT_V_4TX
Setting 26
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.06187G	59.07	88.20	-29.13	42.05	3	Horizontal	202	2.49	-	39.20	11.29	33.47			
RMS	13.06709G	47.34	68.20	-20.86	30.31	3	Horizontal	202	2.49	-	39.20	11.30	33.47			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6535MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60416G	64.04	83.54	-19.50	60.56	1	Vertical	240	1.64	-	37.88	15.19	49.59			
AV	19.60476G	51.35	63.54	-12.19	47.88	1	Vertical	240	1.64	-	37.87	15.19	49.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6535MHz_TX

EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60731G	56.13	83.54	-27.41	52.67	1	Horizontal	259	1.50	-	37.86	15.19	49.59			
AV	19.60578G	43.51	63.54	-20.03	40.04	1	Horizontal	259	1.50	-	37.87	15.19	49.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_V_4TX
Setting 26
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39912G	60.32	74.00	-13.68	42.26	3	Vertical	272	2.63	-	40.00	11.45	33.39			
AV	13.39006G	46.81	54.00	-7.19	28.76	3	Vertical	272	2.63	-	40.00	11.44	33.39			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 26
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38268G	59.51	74.00	-14.49	41.47	3	Horizontal	105	1.73	-	40.00	11.44	33.40			
AV	13.39267G	46.64	54.00	-7.36	28.59	3	Horizontal	105	1.73	-	40.00	11.44	33.39			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08131G	63.88	83.54	-19.66	59.95	1	Vertical	247	1.70	-	37.94	15.24	49.25			
AV	20.08083G	51.42	63.54	-12.12	47.49	1	Vertical	247	1.70	-	37.94	15.24	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08974G	59.45	83.54	-24.09	55.54	1	Horizontal	264	1.50	-	37.92	15.24	49.25			
AV	20.09034G	46.58	63.54	-16.96	42.67	1	Horizontal	264	1.50	-	37.92	15.24	49.25			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6875MHz_TX

EUT_V_4TX
Setting 26
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76452G	60.79	88.20	-27.41	42.06	3	Vertical	137	2.06	-	40.46	11.61	33.34			
RMS	13.76416G	49.07	68.20	-19.13	30.34	3	Vertical	137	2.06	-	40.46	11.61	33.34			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6875MHz_TX

EUT_V_4TX
Setting 26
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76137G	60.37	88.20	-27.83	41.65	3	Horizontal	24	2.02	-	40.45	11.61	33.34			
RMS	13.7623G	48.99	68.20	-19.21	30.27	3	Horizontal	24	2.02	-	40.45	11.61	33.34			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.63697G	75.80	83.54	-7.74	70.98	1	Vertical	234	1.80	-	38.20	15.69	49.07			
AV	20.61759G	61.73	63.54	-1.81	56.94	1	Vertical	234	1.80	-	38.20	15.67	49.08			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6875MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.61603G	71.05	83.54	-12.49	66.26	1	Horizontal	236	1.75	-	38.20	15.67	49.08			
AV	20.61633G	57.67	63.54	-5.87	52.88	1	Horizontal	236	1.75	-	38.20	15.67	49.08			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6895MHz_TX

EUT_V_4TX
Setting 26
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.7918G	60.54	88.20	-27.66	41.68	3	Vertical	171	1.65	-	40.57	11.63	33.34			
RMS	13.78073G	49.29	68.20	-18.91	30.49	3	Vertical	171	1.65	-	40.52	11.62	33.34			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 26
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80032G	61.04	88.20	-27.16	42.15	3	Horizontal	230	2.11	-	40.60	11.63	33.34			
RMS	13.78688G	49.23	68.20	-18.97	30.40	3	Horizontal	230	2.11	-	40.55	11.62	33.34			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6895MHz_TX

EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6966G	73.57	83.54	-9.97	68.76	1	Vertical	233	1.82	-	38.11	15.74	49.04			
AV	20.6972G	62.27	63.54	-1.27	57.46	1	Vertical	233	1.82	-	38.11	15.74	49.04			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6966G	65.77	83.54	-17.77	60.96	1	Horizontal	244	1.50	-	38.11	15.74	49.04			
AV	20.6966G	54.86	63.54	-8.68	50.05	1	Horizontal	244	1.50	-	38.11	15.74	49.04			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 24.5
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97578G	61.26	88.20	-26.94	41.97	3	Vertical	333	2.16	-	40.90	11.71	33.32			
RMS	13.9822G	49.91	68.20	-18.29	30.59	3	Vertical	333	2.16	-	40.93	11.71	33.32			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 24.5
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98436G	61.98	88.20	-26.22	42.65	3	Horizontal	218	2.69	-	40.94	11.71	33.32			
RMS	13.99255G	50.04	68.20	-18.16	30.67	3	Horizontal	218	2.69	-	40.97	11.72	33.32			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 24.5
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9887G	71.24	83.54	-12.30	65.83	1	Vertical	237	1.84	-	38.32	15.98	48.89			
AV	20.9883G	62.05	63.54	-1.49	56.64	1	Vertical	237	1.84	-	38.32	15.98	48.89			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 24.5
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9871G	71.34	83.54	-12.20	65.93	1	Horizontal	315	1.57	-	38.33	15.97	48.89			
AV	20.9864G	62.09	63.54	-1.45	56.68	1	Horizontal	315	1.57	-	38.33	15.97	48.89			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 12
04-V-G-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0935G	113.25	Inf	-Inf	112.26	3	Vertical	351	1.80	-	36.41	7.03	42.45			
RMS	7.0937G	102.68	Inf	-Inf	101.69	3	Vertical	351	1.80	-	36.41	7.03	42.45			
PK	7.1446G	65.14	88.20	-23.06	64.04	3	Vertical	351	1.80	-	36.58	7.04	42.52			
RMS	7.1441G	53.94	68.20	-14.26	52.84	3	Vertical	351	1.80	-	36.58	7.04	42.52			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 12
04-V-G-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0868G	108.82	Inf	-Inf	107.80	3	Horizontal	235	1.98	-	36.43	7.03	42.44			
RMS	7.0862G	97.54	Inf	-Inf	96.52	3	Horizontal	235	1.98	-	36.43	7.03	42.44			
PK	7.1281G	59.16	88.20	-29.04	58.11	3	Horizontal	235	1.98	-	36.51	7.04	42.50			
RMS	7.1251G	48.28	68.20	-19.92	47.23	3	Horizontal	235	1.98	-	36.50	7.04	42.49			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 12
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.1915G	62.42	88.20	-25.78	42.75	3	Vertical	225	1.14	-	41.30	11.81	33.44			
RMS	14.19444G	50.42	68.20	-17.78	30.75	3	Vertical	225	1.14	-	41.30	11.81	33.44			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 12
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18424G	62.19	88.20	-26.01	42.51	3	Horizontal	89	2.16	-	41.30	11.81	33.43			
RMS	14.20269G	50.55	68.20	-17.65	30.89	3	Horizontal	89	2.16	-	41.29	11.82	33.45			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2855G	70.49	83.54	-13.05	64.59	1	Vertical	254	1.72	-	38.53	16.22	48.85			
AV	21.2859G	60.51	63.54	-3.03	54.61	1	Vertical	254	1.72	-	38.53	16.22	48.85			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.2897G	68.99	83.54	-14.55	63.10	1	Horizontal	308	1.86	-	38.52	16.22	48.85			
AV	21.2876G	60.38	63.54	-3.16	54.49	1	Horizontal	308	1.86	-	38.52	16.22	48.85			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 3.5
04-V-G-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1135G	100.60	Inf	-Inf	99.60	3	Vertical	352	1.70	BP 1MHz	36.45	7.03	42.48			
RMS	7.1135G	94.84	Inf	-Inf	93.84	3	Vertical	352	1.70	BP 1MHz	36.45	7.03	42.48			
PK	7.1255G	70.38	88.20	-17.82	69.33	3	Vertical	352	1.70	BP 1MHz	36.50	7.04	42.49			
RMS	7.1255G	61.73	68.20	-6.47	60.68	3	Vertical	352	1.70	BP 1MHz	36.50	7.04	42.49			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_Y_4TX
Setting 3.5
04-V-G-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1235G	97.06	Inf	-Inf	96.02	3	Horizontal	239	1.96	BP 1MHz	36.49	7.04	42.49			
RMS	7.1065G	91.52	Inf	-Inf	90.53	3	Horizontal	239	1.96	BP 1MHz	36.43	7.03	42.47			
PK	7.1255G	76.77	88.20	-11.43	75.72	3	Horizontal	239	1.96	BP 1MHz	36.50	7.04	42.49			
RMS	7.1255G	68.07	68.20	-0.13	67.02	3	Horizontal	239	1.96	BP 1MHz	36.50	7.04	42.49			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7115MHz_TX

EUT_V_4TX
Setting 3.5
06-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.21755G	62.36	88.20	-25.84	42.73	3	Vertical	135	2.83	-	41.26	11.82	33.45			
RMS	14.2204G	50.42	68.20	-17.78	30.80	3	Vertical	135	2.83	-	41.26	11.82	33.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting 3.5
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.23027G	63.32	88.20	-24.88	43.71	3	Horizontal	304	2.59	-	41.24	11.83	33.46			
RMS	14.22412G	50.75	68.20	-17.45	31.13	3	Horizontal	304	2.59	-	41.25	11.83	33.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting 3.5
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.3439G	45.19	83.54	-38.35	39.17	1	Vertical	125	1.33	-	38.59	16.27	48.84			
AV	21.3479G	33.33	63.54	-30.21	27.30	1	Vertical	125	1.33	-	38.60	16.27	48.84			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz_TX




EUT_V_4TX
Setting 3.5
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.3135G	45.15	83.54	-38.39	39.22	1	Horizontal	255	2.18	-	38.53	16.24	48.84			
AV	21.3473G	33.30	63.54	-30.24	27.28	1	Horizontal	255	2.18	-	38.59	16.27	48.84			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 23
04-D-E-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9152G	75.46	88.20	-12.74	77.45	3	Vertical	249	1.31	-	34.79	6.30	43.08			
RMS	5.914G	64.67	68.20	-3.53	66.67	3	Vertical	249	1.31	-	34.78	6.30	43.08			
PK	5.9737G	120.28	Inf	-Inf	121.96	3	Vertical	249	1.31	-	35.00	6.36	43.04			
RMS	5.9737G	110.00	Inf	-Inf	111.68	3	Vertical	249	1.31	-	35.00	6.36	43.04			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 23
04-D-E-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	75.52	88.20	-12.68	77.43	3	Horizontal	246	2.31	-	34.85	6.31	43.07			
RMS	5.925G	65.30	68.20	-2.90	67.21	3	Horizontal	246	2.31	-	34.85	6.31	43.07			
PK	5.9674G	119.19	Inf	-Inf	120.89	3	Horizontal	246	2.31	-	35.00	6.35	43.05			
RMS	5.9677G	110.28	Inf	-Inf	111.98	3	Horizontal	246	2.31	-	35.00	6.35	43.05			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 23
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93702G	58.50	74.00	-15.50	42.75	3	Vertical	194	2.22	-	38.87	10.78	33.90			
AV	11.936G	46.09	54.00	-7.91	30.34	3	Vertical	194	2.22	-	38.87	10.78	33.90			
PK	17.9082G	61.81	74.00	-12.19	32.91	3	Vertical	338	2.50	-	49.30	13.53	33.93			
AV	17.90685G	48.34	54.00	-5.66	19.49	3	Vertical	338	2.50	-	49.25	13.53	33.93			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 23
06-W-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.94008G	57.54	74.00	-16.46	41.78	3	Horizontal	60	1.96	-	38.88	10.78	33.90			
AV	11.92436G	46.18	54.00	-7.82	30.45	3	Horizontal	60	1.96	-	38.85	10.77	33.89			
PK	17.88486G	61.61	74.00	-12.39	33.56	3	Horizontal	72	1.79	-	48.45	13.52	33.92			
AV	17.90973G	48.30	54.00	-5.70	19.35	3	Horizontal	72	1.79	-	49.35	13.53	33.93			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
Setting 23
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8598G	54.03	83.54	-29.51	45.36	1	Vertical	283	1.65	-	38.54	17.29	47.16			
AV	23.8599G	49.74	63.54	-13.80	41.07	1	Vertical	283	1.65	-	38.54	17.29	47.16			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_V_4TX
Setting 23
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8599G	51.45	83.54	-32.09	42.78	1	Horizontal	352	1.62	-	38.54	17.29	47.16			
AV	23.8598G	46.91	63.54	-16.63	38.24	1	Horizontal	352	1.62	-	38.54	17.29	47.16			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40178G	48.81	74.00	-25.19	43.46	3	Vertical	41	2.80	-	38.50	9.88	43.03			
AV	12.40997G	36.47	54.00	-17.53	31.12	3	Vertical	41	2.80	-	38.50	9.89	43.04			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.395G	48.75	74.00	-25.25	43.41	3	Horizontal	291	2.18	-	38.49	9.88	43.03			
AV	12.40151G	36.50	54.00	-17.50	31.15	3	Horizontal	291	2.18	-	38.50	9.88	43.03			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.6044G	63.68	83.54	-19.86	59.96	1	Vertical	263	1.50	-	38.08	15.25	49.61			
AV	18.6124G	52.34	63.54	-11.20	48.64	1	Vertical	263	1.50	-	38.05	15.25	49.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6205MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.638G	57.90	83.54	-25.64	54.29	1	Horizontal	218	1.57	-	37.95	15.25	49.59			
AV	18.6184G	46.48	63.54	-17.06	42.80	1	Horizontal	218	1.57	-	38.03	15.25	49.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80223G	59.57	88.20	-28.63	42.64	3	Vertical	328	1.21	-	39.20	11.18	33.45			
RMS	12.79758G	47.89	68.20	-20.31	30.98	3	Vertical	328	1.21	-	39.19	11.17	33.45			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81954G	59.76	88.20	-28.44	42.83	3	Horizontal	167	1.38	-	39.20	11.18	33.45			
RMS	12.7965G	47.78	68.20	-20.42	30.88	3	Horizontal	167	1.38	-	39.18	11.17	33.45			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2208G	65.33	83.54	-18.21	61.72	1	Vertical	263	1.73	-	37.88	15.22	49.49			
AV	19.223G	53.73	63.54	-9.81	50.11	1	Vertical	263	1.73	-	37.89	15.22	49.49			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2397G	54.15	83.54	-29.39	50.47	1	Horizontal	256	2.00	-	37.96	15.22	49.50			
AV	19.2211G	44.34	63.54	-19.20	40.73	1	Horizontal	256	2.00	-	37.88	15.22	49.49			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6445MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.881G	61.54	88.20	-26.66	44.53	3	Vertical	175	1.07	-	39.26	11.21	33.46			
RMS	12.88646G	48.14	68.20	-20.06	31.12	3	Vertical	175	1.07	-	39.27	11.21	33.46			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.8843G	59.61	88.20	-28.59	42.59	3	Horizontal	213	1.62	-	39.27	11.21	33.46			
RMS	12.88106G	48.12	68.20	-20.08	31.11	3	Horizontal	213	1.62	-	39.26	11.21	33.46			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6445MHz_TX

EUT Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.3233G	62.77	83.54	-20.77	59.22	1	Vertical	256	1.65	-	37.90	15.21	49.56			
AV	19.3249G	53.03	63.54	-10.51	49.48	1	Vertical	256	1.65	-	37.90	15.21	49.56			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6445MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.3167G	53.04	83.54	-30.50	49.49	1	Horizontal	255	1.88	-	37.90	15.21	49.56			
AV	19.3395G	43.47	63.54	-20.07	39.93	1	Horizontal	255	1.88	-	37.90	15.21	49.57			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89819G	59.83	88.20	-28.37	42.78	3	Vertical	17	2.01	-	39.30	11.22	33.47			
RMS	12.87704G	48.03	68.20	-20.17	31.03	3	Vertical	17	2.01	-	39.25	11.21	33.46			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6485MHz_TX

EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.88772G	59.34	88.20	-28.86	42.31	3	Horizontal	175	2.39	-	39.28	11.21	33.46			
RMS	12.8756G	48.08	68.20	-20.12	31.08	3	Horizontal	175	2.39	-	39.25	11.21	33.46			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4652G	61.50	83.54	-22.04	58.06	1	Vertical	258	1.64	-	37.90	15.20	49.66			
AV	19.4638G	52.01	63.54	-11.53	48.57	1	Vertical	258	1.64	-	37.90	15.20	49.66			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.45G	56.27	83.54	-27.27	52.82	1	Horizontal	311	1.65	-	37.90	15.20	49.65			
AV	19.4492G	45.08	63.54	-18.46	41.63	1	Horizontal	311	1.65	-	37.90	15.20	49.65			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06323G	59.56	88.20	-28.64	42.54	3	Vertical	189	2.57	-	39.20	11.29	33.47			
RMS	13.03983G	47.79	68.20	-20.41	30.74	3	Vertical	189	2.57	-	39.24	11.28	33.47			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.03689G	60.26	88.20	-27.94	43.20	3	Horizontal	234	2.07	-	39.25	11.28	33.47			
RMS	13.0404G	47.81	68.20	-20.39	30.76	3	Horizontal	234	2.07	-	39.24	11.28	33.47			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5759G	61.18	83.54	-22.36	57.70	1	Vertical	240	1.62	-	37.90	15.20	49.62			
AV	19.5746G	51.87	63.54	-11.67	48.39	1	Vertical	240	1.62	-	37.90	15.20	49.62			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5747G	55.93	83.54	-27.61	52.45	1	Horizontal	310	1.59	-	37.90	15.20	49.62			
AV	19.575G	46.83	63.54	-16.71	43.35	1	Horizontal	310	1.59	-	37.90	15.20	49.62			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6565MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13285G	60.32	88.20	-27.88	42.98	3	Vertical	281	1.99	-	39.46	11.33	33.45			
RMS	13.14329G	48.09	68.20	-20.11	30.66	3	Vertical	281	1.99	-	39.55	11.33	33.45			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6565MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.14317G	59.90	88.20	-28.30	42.47	3	Horizontal	21	1.07	-	39.55	11.33	33.45			
RMS	13.1414G	48.19	68.20	-20.01	30.78	3	Horizontal	21	1.07	-	39.53	11.33	33.45			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7139G	59.34	83.54	-24.20	55.89	1	Vertical	253	1.56	-	37.76	15.19	49.50			
AV	19.6919G	49.38	63.54	-14.16	46.03	1	Vertical	253	1.56	-	37.68	15.19	49.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7153G	55.80	83.54	-27.74	52.35	1	Horizontal	311	1.59	-	37.76	15.19	49.50			
AV	19.6946G	46.57	63.54	-16.97	43.21	1	Horizontal	311	1.59	-	37.69	15.19	49.52			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37963G	60.59	74.00	-13.41	42.55	3	Vertical	13	2.14	-	40.00	11.44	33.40			
AV	13.38389G	48.81	54.00	-5.19	30.77	3	Vertical	13	2.14	-	40.00	11.44	33.40			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36994G	60.33	74.00	-13.67	42.30	3	Horizontal	19	1.31	-	40.00	11.43	33.40			
AV	13.38098G	48.76	54.00	-5.24	30.72	3	Horizontal	19	1.31	-	40.00	11.44	33.40			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6685MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0718G	62.42	83.54	-21.12	58.48	1	Vertical	242	1.68	-	37.96	15.23	49.25			
AV	20.052G	51.53	63.54	-12.01	47.58	1	Vertical	242	1.68	-	38.00	15.21	49.26			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6685MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0401G	56.47	83.54	-27.07	52.53	1	Horizontal	263	1.50	-	38.00	15.20	49.26			
AV	20.0603G	46.05	63.54	-17.49	42.10	1	Horizontal	263	1.50	-	37.98	15.22	49.25			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77816G	61.18	88.20	-27.02	42.39	3	Vertical	360	2.92	-	40.51	11.62	33.34			
RMS	13.77585G	49.45	68.20	-18.75	30.67	3	Vertical	360	2.92	-	40.50	11.62	33.34			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78218G	61.64	88.20	-26.56	42.83	3	Horizontal	348	1.14	-	40.53	11.62	33.34			
RMS	13.77489G	49.43	68.20	-18.77	30.65	3	Horizontal	348	1.14	-	40.50	11.62	33.34			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6479G	70.90	83.54	-12.64	66.06	1	Vertical	233	1.81	-	38.20	15.70	49.06			
AV	20.667G	61.45	63.54	-2.09	56.62	1	Vertical	233	1.81	-	38.17	15.71	49.05			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6658G	67.22	83.54	-16.32	62.39	1	Horizontal	235	1.86	-	38.17	15.71	49.05			
AV	20.6665G	57.10	63.54	-6.44	52.27	1	Horizontal	235	1.86	-	38.17	15.71	49.05			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 25
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85831G	61.56	88.20	-26.64	42.70	3	Vertical	278	2.47	-	40.53	11.66	33.33			
RMS	13.85291G	49.77	68.20	-18.43	30.94	3	Vertical	278	2.47	-	40.51	11.65	33.33			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 25
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.85081G	62.08	88.20	-26.12	43.26	3	Horizontal	318	1.98	-	40.50	11.65	33.33			
RMS	13.86002G	49.71	68.20	-18.49	30.84	3	Horizontal	318	1.98	-	40.54	11.66	33.33			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6925MHz_TX

EUT_Y_4TX
Setting 25
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7864G	74.35	83.54	-9.19	69.26	1	Vertical	236	1.81	-	38.27	15.81	48.99			
AV	20.786G	63.42	63.54	-0.12	58.33	1	Vertical	236	1.81	-	38.27	15.81	48.99			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Y_4TX
Setting 25
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.8065G	66.60	83.54	-16.94	61.44	1	Horizontal	244	1.50	-	38.31	15.83	48.98			
AV	20.7859G	56.79	63.54	-6.75	51.70	1	Horizontal	244	1.50	-	38.27	15.81	48.99			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7005MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00043G	62.65	88.20	-25.55	43.25	3	Vertical	274	1.80	-	41.00	11.72	33.32			
RMS	14.00367G	50.25	68.20	-17.95	30.84	3	Vertical	274	1.80	-	41.01	11.72	33.32			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7005MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99875G	61.72	88.20	-26.48	42.32	3	Horizontal	119	2.39	-	41.00	11.72	33.32			
RMS	14.01243G	50.18	68.20	-18.02	30.76	3	Horizontal	119	2.39	-	41.02	11.73	33.33			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7005MHz_TX

EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9984G	71.97	83.54	-11.57	66.57	1	Vertical	238	1.80	-	38.30	15.98	48.88			
AV	21.018G	62.80	63.54	-0.74	57.34	1	Vertical	238	1.80	-	38.34	16.00	48.88			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9898G	66.71	83.54	-16.83	61.30	1	Horizontal	316	1.59	-	38.32	15.98	48.89			
AV	21.0161G	56.84	63.54	-6.70	51.39	1	Horizontal	316	1.59	-	38.33	16.00	48.88			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 22
06-W-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.103G	119.53	Inf	-Inf	108.18	3	Vertical	352	1.79	-	36.01	8.25	32.91			
RMS	7.084G	109.11	Inf	-Inf	97.90	3	Vertical	352	1.79	-	35.87	8.23	32.89			
PK	7.1256G	75.15	88.20	-13.05	63.77	3	Vertical	352	1.79	-	36.05	8.27	32.94			
RMS	7.125G	64.18	68.20	-4.02	52.80	3	Vertical	352	1.79	-	36.05	8.27	32.94			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 22
06-W-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0968G	117.07	Inf	-Inf	105.76	3	Horizontal	237	1.80	-	35.97	8.24	32.90			
RMS	7.0756G	107.12	Inf	-Inf	95.98	3	Horizontal	237	1.80	-	35.80	8.22	32.88			
PK	7.1254G	75.46	88.20	-12.74	64.08	3	Horizontal	237	1.80	-	36.05	8.27	32.94			
RMS	7.125G	64.04	68.20	-4.16	52.66	3	Horizontal	237	1.80	-	36.05	8.27	32.94			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 22
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.16436G	62.01	88.20	-26.19	42.33	3	Vertical	133	1.80	-	41.30	11.80	33.42			
RMS	14.17651G	50.33	68.20	-17.87	30.66	3	Vertical	133	1.80	-	41.30	11.80	33.43			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 22
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.16892G	62.94	88.20	-25.26	43.26	3	Horizontal	340	1.80	-	41.30	11.80	33.42			
RMS	14.18464G	50.21	68.20	-17.99	30.53	3	Horizontal	340	1.80	-	41.30	11.81	33.43			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_V_4TX
Setting 22
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.2565G	68.39	83.54	-15.15	62.46	1	Vertical	252	1.61	-	38.59	16.19	48.85			
AV	21.256G	59.64	63.54	-3.90	53.71	1	Vertical	252	1.61	-	38.59	16.19	48.85			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 22
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.255G	65.67	83.54	-17.87	59.74	1	Horizontal	316	1.50	-	38.59	16.19	48.85			
AV	21.2559G	56.99	63.54	-6.55	51.06	1	Horizontal	316	1.50	-	38.59	16.19	48.85			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 23.5
06-W-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9126G	76.99	88.20	-11.21	69.11	3	Vertical	246	2.14	-	32.40	7.44	31.96			
RMS	5.913G	66.22	68.20	-1.98	58.34	3	Vertical	246	2.14	-	32.40	7.44	31.96			
PK	5.9934G	116.99	Inf	-Inf	109.02	3	Vertical	246	2.14	-	32.49	7.47	31.99			
RMS	5.9738G	105.83	Inf	-Inf	97.90	3	Vertical	246	2.14	-	32.45	7.46	31.98			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 23.5
06-W-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9166G	75.73	88.20	-12.47	67.85	3	Horizontal	94.9	1.80	-	32.40	7.44	31.96			
RMS	5.9166G	64.47	68.20	-3.73	56.59	3	Horizontal	94.9	1.80	-	32.40	7.44	31.96			
PK	5.9974G	114.81	Inf	-Inf	106.84	3	Horizontal	94.9	1.80	-	32.49	7.47	31.99			
RMS	5.9966G	104.38	Inf	-Inf	96.41	3	Horizontal	94.9	1.80	-	32.49	7.47	31.99			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 23.5
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95899G	57.43	74.00	-16.57	41.63	3	Vertical	259	2.27	-	38.92	10.79	33.91			
AV	11.98398G	46.50	54.00	-7.50	30.64	3	Vertical	259	2.27	-	38.97	10.80	33.91			
PK	17.96544G	60.42	74.00	-13.58	29.28	3	Vertical	174	2.18	-	51.54	13.55	33.95			
AV	17.96976G	49.69	54.00	-4.31	18.34	3	Vertical	174	2.18	-	51.75	13.56	33.96			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 23.5
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.98335G	57.41	74.00	-16.59	41.55	3	Horizontal	247	2.05	-	38.97	10.80	33.91			
AV	11.98266G	45.54	54.00	-8.46	29.68	3	Horizontal	247	2.05	-	38.97	10.80	33.91			
PK	17.96964G	60.62	74.00	-13.38	29.28	3	Horizontal	283	2.81	-	51.74	13.56	33.96			
AV	17.96985G	49.58	54.00	-4.42	18.23	3	Horizontal	283	2.81	-	51.75	13.56	33.96			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
Setting 23.5
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94006G	50.41	83.54	-33.13	41.52	1	Vertical	285	1.50	-	38.70	17.31	47.12			
AV	23.93988G	45.87	63.54	-17.67	36.98	1	Vertical	285	1.50	-	38.70	17.31	47.12			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_V_4TX
Setting 23.5
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93991G	50.17	83.54	-33.37	41.28	1	Horizontal	209	1.50	-	38.70	17.31	47.12			
AV	23.93985G	45.41	63.54	-18.13	36.52	1	Horizontal	209	1.50	-	38.70	17.31	47.12			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.43764G	58.15	74.00	-15.85	41.89	3	Vertical	62	1.71	-	38.72	11.01	33.47			
AV	12.43638G	45.91	54.00	-8.09	29.64	3	Vertical	62	1.71	-	38.73	11.01	33.47			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.44004G	58.55	74.00	-15.45	42.29	3	Horizontal	7	1.93	-	38.72	11.01	33.47			
AV	12.44994G	46.41	54.00	-7.59	30.16	3	Horizontal	7	1.93	-	38.70	11.01	33.46			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.6529G	60.10	83.54	-23.44	56.54	1	Vertical	262	1.50	-	37.89	15.25	49.58			
AV	18.6723G	48.10	63.54	-15.44	44.60	1	Vertical	262	1.50	-	37.81	15.25	49.56			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6225MHz_TX

EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.6994G	56.52	83.54	-27.02	53.11	1	Horizontal	294	1.44	-	37.70	15.25	49.54			
AV	18.6591G	43.43	63.54	-20.11	39.89	1	Horizontal	294	1.44	-	37.86	15.25	49.57			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77405G	58.84	88.20	-29.36	42.09	3	Vertical	176	1.24	-	39.04	11.16	33.45			
RMS	12.78227G	46.84	68.20	-21.36	30.03	3	Vertical	176	1.24	-	39.09	11.17	33.45			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77108G	59.08	88.20	-29.12	42.34	3	Horizontal	166	1.00	-	39.03	11.16	33.45			
RMS	12.78431G	46.79	68.20	-21.41	29.96	3	Horizontal	166	1.00	-	39.11	11.17	33.45			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.186G	58.87	83.54	-24.67	55.27	1	Vertical	257	1.63	-	37.83	15.24	49.47			
AV	19.1813G	48.21	63.54	-15.33	44.59	1	Vertical	257	1.63	-	37.84	15.24	49.46			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.17G	51.67	83.54	-31.87	48.05	1	Horizontal	320	1.61	-	37.86	15.22	49.46			
AV	19.1696G	40.97	63.54	-22.57	37.35	1	Horizontal	320	1.61	-	37.86	15.22	49.46			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.93771G	61.04	88.20	-27.16	43.82	3	Vertical	124	2.47	-	39.45	11.24	33.47			
RMS	12.93543G	47.44	68.20	-20.76	30.23	3	Vertical	124	2.47	-	39.44	11.24	33.47			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92565G	59.56	88.20	-28.64	42.40	3	Horizontal	269	1.23	-	39.40	11.23	33.47			
RMS	12.93729G	47.46	68.20	-20.74	30.24	3	Horizontal	269	1.23	-	39.45	11.24	33.47			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3656G	58.92	83.54	-24.62	55.40	1	Vertical	255	1.63	-	37.90	15.21	49.59			
AV	19.3844G	47.97	63.54	-15.57	44.46	1	Vertical	255	1.63	-	37.90	15.21	49.60			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6465MHz_TX

EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4033G	51.61	83.54	-31.93	48.11	1	Horizontal	312	2.00	-	37.90	15.21	49.61			
AV	19.402G	41.46	63.54	-22.08	37.96	1	Horizontal	312	2.00	-	37.90	15.21	49.61			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07551G	59.38	88.20	-28.82	42.34	3	Vertical	139	2.28	-	39.20	11.30	33.46			
RMS	13.07887G	47.04	68.20	-21.16	30.00	3	Vertical	139	2.28	-	39.20	11.30	33.46			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08046G	58.92	88.20	-29.28	41.88	3	Horizontal	216	1.00	-	39.20	11.30	33.46			
RMS	13.07668G	46.99	68.20	-21.21	29.95	3	Horizontal	216	1.00	-	39.20	11.30	33.46			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_V_4TX
Setting 26
03-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63136G	61.53	83.54	-22.01	58.17	1	Vertical	247	1.52	-	37.71	15.22	49.57			
AV	19.63014G	47.23	63.54	-16.31	43.86	1	Vertical	247	1.52	-	37.72	15.22	49.57			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 26
03-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.635G	60.28	83.54	-23.26	56.94	1	Horizontal	203	1.54	-	37.69	15.22	49.57			
AV	19.63658G	46.54	63.54	-17.00	43.21	1	Horizontal	203	1.54	-	37.68	15.22	49.57			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.23689G	59.20	88.20	-29.00	41.69	3	Vertical	177	1.54	-	39.57	11.37	33.43			
RMS	13.23788G	47.59	68.20	-20.61	30.07	3	Vertical	177	1.54	-	39.58	11.37	33.43			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.23608G	60.01	88.20	-28.19	42.50	3	Horizontal	306	2.44	-	39.57	11.37	33.43			
RMS	13.23578G	47.60	68.20	-20.60	30.09	3	Horizontal	306	2.44	-	39.57	11.37	33.43			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 26
03-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87774G	60.12	83.54	-23.42	56.49	1	Vertical	254	1.54	-	37.79	15.21	49.37			
AV	19.87979G	47.94	63.54	-15.60	44.32	1	Vertical	254	1.54	-	37.78	15.21	49.37			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 26
03-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87071G	61.49	83.54	-22.05	57.84	1	Horizontal	214	1.55	-	37.82	15.21	49.38			
AV	19.87502G	48.94	63.54	-14.60	45.30	1	Horizontal	214	1.55	-	37.80	15.21	49.37			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6705MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41249G	60.27	88.20	-27.93	42.16	3	Vertical	205	2.70	-	40.05	11.45	33.39			
RMS	13.41653G	48.23	68.20	-19.97	30.10	3	Vertical	205	2.70	-	40.07	11.45	33.39			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6705MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.42377G	59.69	88.20	-28.51	41.52	3	Horizontal	43	2.73	-	40.10	11.46	33.39			
RMS	13.41893G	48.19	68.20	-20.01	30.04	3	Horizontal	43	2.73	-	40.08	11.46	33.39			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 26
03-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11767G	61.65	83.54	-21.89	57.66	1	Vertical	97	1.51	-	37.94	15.29	49.24			
AV	20.11163G	47.94	63.54	-15.60	43.97	1	Vertical	97	1.51	-	37.92	15.29	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 26
03-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11659G	62.15	83.54	-21.39	58.17	1	Horizontal	165	1.50	-	37.93	15.29	49.24			
AV	20.11213G	47.91	63.54	-15.63	43.94	1	Horizontal	165	1.50	-	37.92	15.29	49.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57444G	60.63	88.20	-27.57	41.91	3	Vertical	241	1.75	-	40.55	11.53	33.36			
RMS	13.55992G	48.80	68.20	-19.40	30.00	3	Vertical	241	1.75	-	40.64	11.52	33.36			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.58296G	61.58	88.20	-26.62	42.91	3	Horizontal	8	2.87	-	40.50	11.53	33.36			
RMS	13.55578G	48.78	68.20	-19.42	29.95	3	Horizontal	8	2.87	-	40.67	11.52	33.36			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_Y_4TX
Setting 26
03-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35927G	61.69	83.54	-21.85	57.08	1	Vertical	285	1.56	-	38.30	15.49	49.18			
AV	20.35028G	46.12	63.54	-17.42	41.52	1	Vertical	285	1.56	-	38.30	15.48	49.18			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_Y_4TX
Setting 26
03-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35776G	62.66	83.54	-20.88	58.05	1	Horizontal	47	1.57	-	38.30	15.49	49.18			
AV	20.35G	48.11	63.54	-15.43	43.51	1	Horizontal	47	1.57	-	38.30	15.48	49.18			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.73855G	60.02	88.20	-28.18	41.39	3	Vertical	190	1.64	-	40.38	11.60	33.35			
RMS	13.71806G	48.42	68.20	-19.78	29.84	3	Vertical	190	1.64	-	40.34	11.59	33.35			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73636G	60.56	88.20	-27.64	41.94	3	Horizontal	38	1.22	-	40.37	11.60	33.35			
RMS	13.7429G	48.47	68.20	-19.73	29.83	3	Horizontal	38	1.22	-	40.39	11.60	33.35			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
Setting 26
03-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59765G	63.15	83.54	-20.39	58.36	1	Vertical	159	1.52	-	38.20	15.68	49.09			
AV	20.59122G	48.57	63.54	-14.97	43.81	1	Vertical	159	1.52	-	38.18	15.67	49.09			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX

EUT_Y_4TX
Setting 26
03-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59584G	62.23	83.54	-21.31	57.45	1	Horizontal	119	1.56	-	38.19	15.68	49.09			
AV	20.59559G	46.37	63.54	-17.17	41.59	1	Horizontal	119	1.56	-	38.19	15.68	49.09			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.90278G	60.60	88.20	-27.60	41.54	3	Vertical	227	2.48	-	40.71	11.68	33.33			
RMS	13.90257G	49.11	68.20	-19.09	30.05	3	Vertical	227	2.48	-	40.71	11.68	33.33			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.88793G	62.27	88.20	-25.93	43.28	3	Horizontal	223	2.86	-	40.65	11.67	33.33			
RMS	13.89912G	49.07	68.20	-19.13	30.03	3	Horizontal	223	2.86	-	40.70	11.67	33.33			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6945MHz_TX

EUT_Y_4TX
Setting 26
03-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83428G	62.94	83.54	-20.60	57.67	1	Vertical	230	1.58	-	38.37	15.87	48.97			
AV	20.83G	48.00	63.54	-15.54	42.75	1	Vertical	230	1.58	-	38.36	15.86	48.97			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6945MHz_TX

EUT_Y_4TX
Setting 26
03-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.8383G	61.25	83.54	-22.29	55.96	1	Horizontal	251	1.57	-	38.38	15.87	48.96			
AV	20.83001G	47.59	63.54	-15.95	42.34	1	Horizontal	251	1.57	-	38.36	15.86	48.97			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 23
06-W-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0638G	116.98	Inf	-Inf	105.92	3	Vertical	352	2.00	-	35.71	8.21	32.86			
RMS	7.0446G	106.87	Inf	-Inf	95.94	3	Vertical	352	2.00	-	35.58	8.19	32.84			
PK	7.1262G	75.91	88.20	-12.29	64.53	3	Vertical	352	2.00	-	36.05	8.27	32.94			
RMS	7.125G	66.00	68.20	-2.20	54.62	3	Vertical	352	2.00	-	36.05	8.27	32.94			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 23
06-W-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.035G	114.47	Inf	-Inf	103.57	3	Horizontal	236	1.80	-	35.54	8.18	32.82			
RMS	7.0354G	104.69	Inf	-Inf	93.80	3	Horizontal	236	1.80	-	35.54	8.18	32.83			
PK	7.1258G	74.79	88.20	-13.41	63.41	3	Horizontal	236	1.80	-	36.05	8.27	32.94			
RMS	7.1258G	64.35	68.20	-3.85	52.97	3	Horizontal	236	1.80	-	36.05	8.27	32.94			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 23
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04808G	61.82	88.20	-26.38	42.33	3	Vertical	258.1	1.80	-	41.10	11.74	33.35			
RMS	14.06287G	49.50	68.20	-18.70	29.96	3	Vertical	258.1	1.80	-	41.15	11.75	33.36			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 23
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04127G	61.51	88.20	-26.69	42.04	3	Horizontal	168	1.80	-	41.08	11.74	33.35			
RMS	14.06086G	49.44	68.20	-18.76	29.91	3	Horizontal	168	1.80	-	41.14	11.75	33.36			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 23
03-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07384G	62.26	83.54	-21.28	56.81	1	Vertical	214	1.55	-	38.26	16.06	48.87			
AV	21.07822G	47.49	63.54	-16.05	42.07	1	Vertical	214	1.55	-	38.23	16.06	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 23
03-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07613G	63.03	83.54	-20.51	57.60	1	Horizontal	333	1.56	-	38.24	16.06	48.87			
AV	21.07829G	48.50	63.54	-15.04	43.08	1	Horizontal	333	1.56	-	38.23	16.06	48.87			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 24
06-W-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9146G	76.99	88.20	-11.21	69.11	3	Vertical	244	1.41	-	32.40	7.44	31.96			
RMS	5.9146G	67.65	68.20	-0.55	59.77	3	Vertical	244	1.41	-	32.40	7.44	31.96			
PK	5.9546G	113.96	Inf	-Inf	106.08	3	Vertical	244	1.41	-	32.41	7.45	31.98			
RMS	5.9746G	103.14	Inf	-Inf	95.21	3	Vertical	244	1.41	-	32.45	7.46	31.98			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 24
06-W-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9186G	77.08	88.20	-11.12	69.20	3	Horizontal	95	1.80	-	32.40	7.44	31.96			
RMS	5.917G	67.20	68.20	-1.00	59.32	3	Horizontal	95	1.80	-	32.40	7.44	31.96			
PK	5.997G	114.52	Inf	-Inf	106.55	3	Horizontal	95	1.80	-	32.49	7.47	31.99			
RMS	5.997G	102.20	Inf	-Inf	94.23	3	Horizontal	95	1.80	-	32.49	7.47	31.99			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 24
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.03701G	58.59	74.00	-15.41	42.49	3	Vertical	335	1.71	-	39.15	10.83	33.88			
AV	12.05429G	46.41	54.00	-7.59	30.22	3	Vertical	335	1.71	-	39.22	10.83	33.86			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT Y_4TX
Setting 24
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05012G	58.86	74.00	-15.14	42.70	3	Horizontal	52	1.95	-	39.20	10.83	33.87			
AV	12.05039G	46.41	54.00	-7.59	30.25	3	Horizontal	52	1.95	-	39.20	10.83	33.87			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 24
03-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0782G	64.63	83.54	-18.91	61.15	1	Vertical	70	1.52	-	37.66	15.30	49.48			
AV	18.07697G	49.88	63.54	-13.66	46.41	1	Vertical	70	1.52	-	37.65	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 24
03-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07776G	63.05	83.54	-20.49	59.57	1	Horizontal	191	1.51	-	37.66	15.30	49.48			
AV	18.07989G	48.89	63.54	-14.65	45.41	1	Horizontal	191	1.51	-	37.66	15.30	49.48			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36472G	57.83	74.00	-16.17	41.60	3	Vertical	161	1.06	-	38.80	10.98	33.55			
AV	12.35869G	46.24	54.00	-7.76	30.02	3	Vertical	161	1.06	-	38.80	10.97	33.55			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.362777G	58.00	74.00	-16.00	41.77	3	Horizontal	119	2.47	-	38.80	10.98	33.55			
AV	12.3553G	46.20	54.00	-7.80	29.99	3	Horizontal	119	2.47	-	38.80	10.97	33.56			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_Y_4TX
Setting 26
03-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.5559G	63.50	83.54	-20.04	59.86	1	Vertical	87	1.52	-	38.01	15.27	49.64			
AV	18.55253G	48.24	63.54	-15.30	44.60	1	Vertical	87	1.52	-	38.01	15.27	49.64			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_V_4TX
Setting 26
03-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55021G	62.51	83.54	-21.03	58.89	1	Horizontal	276	1.55	-	38.00	15.27	49.65			
AV	18.55007G	47.67	63.54	-15.87	44.05	1	Horizontal	276	1.55	-	38.00	15.27	49.65			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.6996G	58.21	74.00	-15.79	41.52	3	Vertical	251	2.96	-	39.00	11.13	33.44			
AV	12.68206G	46.48	54.00	-7.52	29.84	3	Vertical	251	2.96	-	38.96	11.12	33.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68772G	58.52	74.00	-15.48	41.86	3	Horizontal	65	1.68	-	38.98	11.12	33.44			
AV	12.69909G	46.48	54.00	-7.52	29.79	3	Horizontal	65	1.68	-	39.00	11.13	33.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 26
03-E-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03854G	63.67	83.54	-19.87	59.89	1	Vertical	287	1.57	-	37.90	15.25	49.37			
AV	19.03755G	47.38	63.54	-16.16	43.60	1	Vertical	287	1.57	-	37.90	15.25	49.37			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_Y_4TX
Setting 26
03-E-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03266G	64.87	83.54	-18.67	61.08	1	Horizontal	153	1.55	-	37.90	15.25	49.36			
AV	19.03838G	48.38	63.54	-15.16	44.60	1	Horizontal	153	1.55	-	37.90	15.25	49.37			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX

EUT_Y_4TX
Setting 26
06-W-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0022G	59.07	88.20	-29.13	41.89	3	Vertical	298	1.74	-	39.39	11.27	33.48			
RMS	13.01456G	46.94	68.20	-21.26	29.81	3	Vertical	298	1.74	-	39.34	11.27	33.48			