











Mode	21																																																																																																								
	Harmonic																																																																																																								
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH54_5270MHz																																																																																																								
ANT	3																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>47.76</td><td>68.20</td><td>-20.44</td><td>57.01</td><td>37.76</td><td>14.25</td><td>61.26</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10540.00	47.76	68.20	-20.44	57.01	37.76	14.25	61.26	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>49.23</td><td>68.20</td><td>-18.97</td><td>58.46</td><td>37.78</td><td>14.25</td><td>61.26</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10540.00	49.23	68.20	-18.97	58.46	37.78	14.25	61.26	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10540.00	47.76	68.20	-20.44	57.01	37.76	14.25	61.26	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10540.00	49.23	68.20	-18.97	58.46	37.78	14.25	61.26	0.00	---	---	PEAK																																																																																													







Mode	22																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																																			
ANT	3																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5125.76</td><td>55.51</td><td>74.00</td><td>-18.49</td><td>43.49</td><td>34.15</td><td>9.77</td><td>31.90</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5125.76	55.51	74.00	-18.49	43.49	34.15	9.77	31.90	0.00	100	312 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>104.88</td><td>-----</td><td>-----</td><td>92.28</td><td>34.52</td><td>9.89</td><td>31.81</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	104.88	-----	-----	92.28	34.52	9.89	31.81	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5125.76	55.51	74.00	-18.49	43.49	34.15	9.77	31.90	0.00	100	312 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5310.00	104.88	-----	-----	92.28	34.52	9.89	31.81	0.00	100	312 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5124.64</td><td>44.23</td><td>54.00</td><td>-9.77</td><td>32.22</td><td>34.15</td><td>9.76</td><td>31.90</td><td>0.00</td><td>100</td><td>312 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5124.64	44.23	54.00	-9.77	32.22	34.15	9.76	31.90	0.00	100	312 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>96.24</td><td>-----</td><td>-----</td><td>83.64</td><td>34.52</td><td>9.89</td><td>31.81</td><td>0.00</td><td>100</td><td>312 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	96.24	-----	-----	83.64	34.52	9.89	31.81	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5124.64	44.23	54.00	-9.77	32.22	34.15	9.76	31.90	0.00	100	312 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5310.00	96.24	-----	-----	83.64	34.52	9.89	31.81	0.00	100	312 AVERAGE																																																																																									



Mode	22																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																						
ANT	3																																																						
Pol.	Horizontal										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.80</td><td>59.55</td><td>74.00</td><td>-14.45</td><td>46.82</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>312</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.80	59.55	74.00	-14.45	46.82	34.60	9.91	31.78	0.00	100	312	PEAK	Blank
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5351.80	59.55	74.00	-14.45	46.82	34.60	9.91	31.78	0.00	100	312	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.20</td><td>48.83</td><td>54.00</td><td>-5.17</td><td>36.09</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>312</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.20	48.83	54.00	-5.17	36.09	34.61	9.91	31.78	0.00	100	312	AVERAGE	Blank
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5354.20	48.83	54.00	-5.17	36.09	34.61	9.91	31.78	0.00	100	312	AVERAGE																																											



Mode	22																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																																				
ANT	3																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5115.36</td><td>54.81</td><td>74.00</td><td>-19.19</td><td>42.83</td><td>34.13</td><td>9.76</td><td>31.91</td><td>0.00</td><td>100</td><td>129 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5115.36	54.81	74.00	-19.19	42.83	34.13	9.76	31.91	0.00	100	129 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>98.25</td><td>-----</td><td>-----</td><td>85.67</td><td>34.50</td><td>9.89</td><td>31.81</td><td>0.00</td><td>100</td><td>129 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	98.25	-----	-----	85.67	34.50	9.89	31.81	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5115.36	54.81	74.00	-19.19	42.83	34.13	9.76	31.91	0.00	100	129 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5310.00	98.25	-----	-----	85.67	34.50	9.89	31.81	0.00	100	129 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5116.32</td><td>44.35</td><td>54.00</td><td>-9.65</td><td>32.37</td><td>34.13</td><td>9.76</td><td>31.91</td><td>0.00</td><td>100</td><td>129 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5116.32	44.35	54.00	-9.65	32.37	34.13	9.76	31.91	0.00	100	129 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>89.34</td><td>-----</td><td>-----</td><td>76.74</td><td>34.52</td><td>9.89</td><td>31.81</td><td>0.00</td><td>100</td><td>129 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	89.34	-----	-----	76.74	34.52	9.89	31.81	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5116.32	44.35	54.00	-9.65	32.37	34.13	9.76	31.91	0.00	100	129 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5310.00	89.34	-----	-----	76.74	34.52	9.89	31.81	0.00	100	129 AVERAGE																																																																																										







Mode	22																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																							
ANT	3																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5370.80</td><td>55.03</td><td>74.00</td><td>-18.97</td><td>42.24</td><td>34.64</td><td>9.92</td><td>31.77</td><td>0.00</td><td>100</td><td>129</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5370.80	55.03	74.00	-18.97	42.24	34.64	9.92	31.77	0.00	100	129	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5370.80	55.03	74.00	-18.97	42.24	34.64	9.92	31.77	0.00	100	129	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.60</td><td>44.30</td><td>54.00</td><td>-9.70</td><td>31.56</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>129</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.60	44.30	54.00	-9.70	31.56	34.61	9.91	31.78	0.00	100	129	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5353.60	44.30	54.00	-9.70	31.56	34.61	9.91	31.78	0.00	100	129	AVERAGE																																												




Mode	22																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2A_5.25-5.35_802.11ac VHT40_CH62_5310MHz																																																																																																																													
ANT	3																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>48.32</td><td>74.00</td><td>-25.68</td><td>57.39</td><td>37.88</td><td>14.31</td><td>61.26</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>39.68</td><td>54.00</td><td>-14.32</td><td>48.76</td><td>37.88</td><td>14.30</td><td>61.26</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	48.32	74.00	-25.68	57.39	37.88	14.31	61.26	0.00	300	0	PEAK	2	10620.00	39.68	54.00	-14.32	48.76	37.88	14.30	61.26	0.00	300	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>48.37</td><td>74.00</td><td>-25.63</td><td>57.44</td><td>37.88</td><td>14.31</td><td>61.26</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>38.58</td><td>54.00</td><td>-15.42</td><td>47.65</td><td>37.88</td><td>14.31</td><td>61.26</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	48.37	74.00	-25.63	57.44	37.88	14.31	61.26	0.00	100	0	PEAK	2	10620.00	38.58	54.00	-15.42	47.65	37.88	14.31	61.26	0.00	100	0	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	10620.00	48.32	74.00	-25.68	57.39	37.88	14.31	61.26	0.00	300	0	PEAK																																																																																																																		
2	10620.00	39.68	54.00	-14.32	48.76	37.88	14.30	61.26	0.00	300	0	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	10620.00	48.37	74.00	-25.63	57.44	37.88	14.31	61.26	0.00	100	0	PEAK																																																																																																																		
2	10620.00	38.58	54.00	-15.42	47.65	37.88	14.31	61.26	0.00	100	0	AVERAGE																																																																																																																		



Mode	23																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																																	
ANT	3																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.16</td><td>56.50</td><td>74.00</td><td>-17.50</td><td>43.43</td><td>34.78</td><td>10.02</td><td>31.73</td><td>0.00</td><td>100</td><td>321 PEAK</td></tr><tr><td>2</td><td>5467.44</td><td>58.82</td><td>68.20</td><td>-9.38</td><td>45.73</td><td>34.77</td><td>10.04</td><td>31.72</td><td>0.00</td><td>100</td><td>321 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.16	56.50	74.00	-17.50	43.43	34.78	10.02	31.73	0.00	100	321 PEAK	2	5467.44	58.82	68.20	-9.38	45.73	34.77	10.04	31.72	0.00	100	321 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>103.03</td><td>-----</td><td>-----</td><td>89.94</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>100</td><td>321 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	103.03	-----	-----	89.94	34.70	10.09	31.70	0.00	100	321 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5458.16	56.50	74.00	-17.50	43.43	34.78	10.02	31.73	0.00	100	321 PEAK																																																																																																							
2	5467.44	58.82	68.20	-9.38	45.73	34.77	10.04	31.72	0.00	100	321 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5510.00	103.03	-----	-----	89.94	34.70	10.09	31.70	0.00	100	321 PEAK																																																																																																							
Avg																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.28</td><td>48.39</td><td>54.00</td><td>-5.61</td><td>35.31</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>100</td><td>321 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.28	48.39	54.00	-5.61	35.31	34.78	10.03	31.73	0.00	100	321 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>94.22</td><td>-----</td><td>-----</td><td>81.13</td><td>34.69</td><td>10.10</td><td>31.70</td><td>0.00</td><td>100</td><td>321 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	94.22	-----	-----	81.13	34.69	10.10	31.70	0.00	100	321 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5459.28	48.39	54.00	-5.61	35.31	34.78	10.03	31.73	0.00	100	321 AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5510.00	94.22	-----	-----	81.13	34.69	10.10	31.70	0.00	100	321 AVERAGE																																																																																																							




Mode	23																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																							
ANT	3																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.72</td><td>55.37</td><td>68.20</td><td>-12.83</td><td>42.29</td><td>34.60</td><td>10.35</td><td>31.87</td><td>0.00</td><td>100</td><td>321</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.72	55.37	68.20	-12.83	42.29	34.60	10.35	31.87	0.00	100	321	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5735.72	55.37	68.20	-12.83	42.29	34.60	10.35	31.87	0.00	100	321	PEAK																																												





Mode	23																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																	
ANT	3																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.64</td><td>53.16</td><td>74.00</td><td>-20.84</td><td>40.08</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>325 103 PEAK</td></tr><tr><td>2</td><td>5467.12</td><td>54.08</td><td>68.20</td><td>-14.12</td><td>40.99</td><td>34.77</td><td>10.04</td><td>31.72</td><td>0.00</td><td>325 103 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.64	53.16	74.00	-20.84	40.08	34.79	10.02	31.73	0.00	325 103 PEAK	2	5467.12	54.08	68.20	-14.12	40.99	34.77	10.04	31.72	0.00	325 103 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5454.64	53.16	74.00	-20.84	40.08	34.79	10.02	31.73	0.00	325 103 PEAK																																																								
2	5467.12	54.08	68.20	-14.12	40.99	34.77	10.04	31.72	0.00	325 103 PEAK																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>90.41</td><td>-----</td><td>-----</td><td>85.32</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>325 103 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	90.41	-----	-----	85.32	34.70	10.09	31.70	0.00	325 103 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	90.41	-----	-----	85.32	34.70	10.09	31.70	0.00	325 103 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.12</td><td>44.70</td><td>54.00</td><td>-9.30</td><td>31.62</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>325 103 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	44.70	54.00	-9.30	31.62	34.78	10.03	31.73	0.00	325 103 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5459.12	44.70	54.00	-9.30	31.62	34.78	10.03	31.73	0.00	325 103 AVERAGE																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>90.47</td><td>-----</td><td>-----</td><td>77.38</td><td>34.69</td><td>10.10</td><td>31.70</td><td>0.00</td><td>325 103 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	90.47	-----	-----	77.38	34.69	10.10	31.70	0.00	325 103 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	90.47	-----	-----	77.38	34.69	10.10	31.70	0.00	325 103 AVERAGE																																																								





Mode	23																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																						
ANT	3																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.64</td><td>54.69</td><td>68.20</td><td>-13.51</td><td>41.64</td><td>34.60</td><td>10.37</td><td>31.92</td><td>0.00</td><td>325</td><td>103</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.64	54.69	68.20	-13.51	41.64	34.60	10.37	31.92	0.00	325	103	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5755.64	54.69	68.20	-13.51	41.64	34.60	10.37	31.92	0.00	325	103	PEAK																																											







Mode	23																																																																																																																
	Harmonic																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																																
ANT	3																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>53.38</td><td>74.00</td><td>-20.62</td><td>62.02</td><td>38.00</td><td>14.58</td><td>61.22</td><td>0.00</td><td>279</td><td>292</td><td>PEAK</td></tr><tr><td>2</td><td>11020.00</td><td>44.11</td><td>54.00</td><td>-9.89</td><td>52.75</td><td>38.00</td><td>14.58</td><td>61.22</td><td>0.00</td><td>279</td><td>292</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	53.38	74.00	-20.62	62.02	38.00	14.58	61.22	0.00	279	292	PEAK	2	11020.00	44.11	54.00	-9.89	52.75	38.00	14.58	61.22	0.00	279	292	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>46.11</td><td>74.00</td><td>-27.89</td><td>54.75</td><td>38.00</td><td>14.58</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	46.11	74.00	-27.89	54.75	38.00	14.58	61.22	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11020.00	53.38	74.00	-20.62	62.02	38.00	14.58	61.22	0.00	279	292	PEAK																																																																																																					
2	11020.00	44.11	54.00	-9.89	52.75	38.00	14.58	61.22	0.00	279	292	AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	11020.00	46.11	74.00	-27.89	54.75	38.00	14.58	61.22	0.00	---	---	PEAK																																																																																																					



Mode	24																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																																													
ANT	3																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>54.00</td><td>74.00</td><td>-19.20</td><td>63.38</td><td>38.00</td><td>14.63</td><td>61.21</td><td>0.00</td><td>118</td><td>50</td><td>PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>45.10</td><td>54.00</td><td>-8.90</td><td>53.68</td><td>38.00</td><td>14.63</td><td>61.21</td><td>0.00</td><td>118</td><td>50</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	54.00	74.00	-19.20	63.38	38.00	14.63	61.21	0.00	118	50	PEAK	2	11100.00	45.10	54.00	-8.90	53.68	38.00	14.63	61.21	0.00	118	50	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>49.27</td><td>74.00</td><td>-24.73</td><td>57.85</td><td>38.00</td><td>14.63</td><td>61.21</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11100.00</td><td>41.29</td><td>54.00</td><td>-12.71</td><td>49.87</td><td>38.00</td><td>14.63</td><td>61.21</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	49.27	74.00	-24.73	57.85	38.00	14.63	61.21	0.00	300	0	PEAK	2	11100.00	41.29	54.00	-12.71	49.87	38.00	14.63	61.21	0.00	300	0	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11100.00	54.00	74.00	-19.20	63.38	38.00	14.63	61.21	0.00	118	50	PEAK																																																																																																																		
2	11100.00	45.10	54.00	-8.90	53.68	38.00	14.63	61.21	0.00	118	50	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11100.00	49.27	74.00	-24.73	57.85	38.00	14.63	61.21	0.00	300	0	PEAK																																																																																																																		
2	11100.00	41.29	54.00	-12.71	49.87	38.00	14.63	61.21	0.00	300	0	AVERAGE																																																																																																																		







Mode	25																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																
ANT	3																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5365.68</td><td>54.52</td><td>74.00</td><td>-19.48</td><td>41.75</td><td>34.63</td><td>9.92</td><td>31.78</td><td>0.00</td><td>100</td><td>327 PEAK</td></tr><tr><td>2</td><td>5467.76</td><td>52.22</td><td>68.20</td><td>-15.98</td><td>39.14</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>100</td><td>327 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5365.68	54.52	74.00	-19.48	41.75	34.63	9.92	31.78	0.00	100	327 PEAK	2	5467.76	52.22	68.20	-15.98	39.14	34.76	10.04	31.72	0.00	100	327 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>102.06</td><td>-----</td><td>-----</td><td>88.87</td><td>34.60</td><td>10.30</td><td>31.71</td><td>0.00</td><td>100</td><td>327 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	102.06	-----	-----	88.87	34.60	10.30	31.71	0.00	100	327 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5365.68	54.52	74.00	-19.48	41.75	34.63	9.92	31.78	0.00	100	327 PEAK																																																																																																						
2	5467.76	52.22	68.20	-15.98	39.14	34.76	10.04	31.72	0.00	100	327 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	102.06	-----	-----	88.87	34.60	10.30	31.71	0.00	100	327 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5425.20</td><td>43.38</td><td>54.00</td><td>-10.62</td><td>30.40</td><td>34.75</td><td>9.97</td><td>31.74</td><td>0.00</td><td>100</td><td>327 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5425.20	43.38	54.00	-10.62	30.40	34.75	9.97	31.74	0.00	100	327 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>94.00</td><td>-----</td><td>-----</td><td>88.81</td><td>34.60</td><td>10.30</td><td>31.71</td><td>0.00</td><td>100</td><td>327 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	94.00	-----	-----	88.81	34.60	10.30	31.71	0.00	100	327 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5425.20	43.38	54.00	-10.62	30.40	34.75	9.97	31.74	0.00	100	327 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	94.00	-----	-----	88.81	34.60	10.30	31.71	0.00	100	327 AVERAGE																																																																																																						




Mode	25																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																													
ANT	3																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.56</td><td>61.34</td><td>68.20</td><td>-6.86</td><td>48.23</td><td>34.60</td><td>10.35</td><td>31.84</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.56	61.34	68.20	-6.86	48.23	34.60	10.35	31.84	0.00	100	327	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5725.56	61.34	68.20	-6.86	48.23	34.60	10.35	31.84	0.00	100	327	PEAK																																		





Mode	25																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																													
ANT	3																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5438.48</td><td>53.71</td><td>74.00</td><td>-20.29</td><td>40.68</td><td>34.78</td><td>9.99</td><td>31.74</td><td>0.00</td><td>301 110 PEAK</td></tr><tr><td>2</td><td>5462.80</td><td>52.12</td><td>68.20</td><td>-16.08</td><td>39.04</td><td>34.77</td><td>10.03</td><td>31.72</td><td>0.00</td><td>301 110 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5438.48	53.71	74.00	-20.29	40.68	34.78	9.99	31.74	0.00	301 110 PEAK	2	5462.80	52.12	68.20	-16.08	39.04	34.77	10.03	31.72	0.00	301 110 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>99.50</td><td>-----</td><td>-----</td><td>86.31</td><td>34.60</td><td>10.30</td><td>31.71</td><td>0.00</td><td>301 110 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.50	-----	-----	86.31	34.60	10.30	31.71	0.00	301 110 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5438.48	53.71	74.00	-20.29	40.68	34.78	9.99	31.74	0.00	301 110 PEAK																																																																																																				
2	5462.80	52.12	68.20	-16.08	39.04	34.77	10.03	31.72	0.00	301 110 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5670.00	99.50	-----	-----	86.31	34.60	10.30	31.71	0.00	301 110 PEAK																																																																																																				
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.08</td><td>43.31</td><td>54.00</td><td>-10.69</td><td>30.23</td><td>34.00</td><td>10.01</td><td>31.73</td><td>0.00</td><td>301 110 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.08	43.31	54.00	-10.69	30.23	34.00	10.01	31.73	0.00	301 110 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>91.11</td><td>-----</td><td>-----</td><td>77.92</td><td>34.60</td><td>10.30</td><td>31.71</td><td>0.00</td><td>301 110 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	91.11	-----	-----	77.92	34.60	10.30	31.71	0.00	301 110 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5452.08	43.31	54.00	-10.69	30.23	34.00	10.01	31.73	0.00	301 110 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5670.00	91.11	-----	-----	77.92	34.60	10.30	31.71	0.00	301 110 AVERAGE																																																																																																				







Mode	25																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																							
ANT	3																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.00</td><td>58.90</td><td>68.20</td><td>-9.30</td><td>45.80</td><td>34.60</td><td>10.34</td><td>31.84</td><td>0.00</td><td>301</td><td>110</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.00	58.90	68.20	-9.30	45.80	34.60	10.34	31.84	0.00	301	110	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.00	58.90	68.20	-9.30	45.80	34.60	10.34	31.84	0.00	301	110	PEAK																																												



Mode	25																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																																				
ANT	3																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>56.22</td><td>74.00</td><td>-17.78</td><td>64.57</td><td>38.04</td><td>14.80</td><td>61.19</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>47.96</td><td>54.00</td><td>-6.04</td><td>56.29</td><td>38.05</td><td>14.81</td><td>61.19</td><td>0.00</td><td>100</td><td>35 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	56.22	74.00	-17.78	64.57	38.04	14.80	61.19	0.00	100	35 PEAK	2	11340.00	47.96	54.00	-6.04	56.29	38.05	14.81	61.19	0.00	100	35 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>55.39</td><td>38.04</td><td>14.80</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	47.04	74.00	-26.96	55.39	38.04	14.80	61.19	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11340.00	56.22	74.00	-17.78	64.57	38.04	14.80	61.19	0.00	100	35 PEAK																																																																																																										
2	11340.00	47.96	54.00	-6.04	56.29	38.05	14.81	61.19	0.00	100	35 AVERAGE																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11340.00	47.04	74.00	-26.96	55.39	38.04	14.80	61.19	0.00	---	---	PEAK																																																																																																									







		26																																																																																																		
Mode	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																			
ANT	3																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.56</td><td>62.15</td><td>74.00</td><td>-11.85</td><td>50.07</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>100</td><td>320 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.56	62.15	74.00	-11.85	50.07	34.19	9.78	31.89	0.00	100	320 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>100.01</td><td>-----</td><td>-----</td><td>87.78</td><td>34.24</td><td>9.84</td><td>31.85</td><td>0.00</td><td>100</td><td>320 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	100.01	-----	-----	87.78	34.24	9.84	31.85	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5146.56	62.15	74.00	-11.85	50.07	34.19	9.78	31.89	0.00	100	320 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5210.00	100.01	-----	-----	87.78	34.24	9.84	31.85	0.00	100	320 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5130.88</td><td>50.62</td><td>54.00</td><td>-3.38</td><td>38.59</td><td>34.16</td><td>9.77</td><td>31.90</td><td>0.00</td><td>100</td><td>320 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5130.88	50.62	54.00	-3.38	38.59	34.16	9.77	31.90	0.00	100	320 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>91.50</td><td>-----</td><td>-----</td><td>79.30</td><td>34.22</td><td>9.84</td><td>31.86</td><td>0.00</td><td>100</td><td>320 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	91.50	-----	-----	79.30	34.22	9.84	31.86	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5130.88	50.62	54.00	-3.38	38.59	34.16	9.77	31.90	0.00	100	320 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5210.00	91.50	-----	-----	79.30	34.22	9.84	31.86	0.00	100	320 AVERAGE																																																																																									





Mode	26																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																							
ANT	3																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5308.66</td><td>53.47</td><td>74.00</td><td>-20.53</td><td>40.62</td><td>34.68</td><td>9.93</td><td>31.76</td><td>0.00</td><td>100</td><td>320</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5308.66	53.47	74.00	-20.53	40.62	34.68	9.93	31.76	0.00	100	320	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5308.66	53.47	74.00	-20.53	40.62	34.68	9.93	31.76	0.00	100	320	PEAK																																												
Avg	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.66</td><td>44.14</td><td>54.00</td><td>-9.86</td><td>31.40</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>320</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.66	44.14	54.00	-9.86	31.40	34.61	9.91	31.78	0.00	100	320	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5352.66	44.14	54.00	-9.86	31.40	34.61	9.91	31.78	0.00	100	320	AVERAGE																																												





Mode	26																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																	
ANT	3																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5140.00</td><td>56.22</td><td>74.00</td><td>-17.78</td><td>44.16</td><td>34.18</td><td>9.78</td><td>31.90</td><td>0.00</td><td>104 328 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5140.00	56.22	74.00	-17.78	44.16	34.18	9.78	31.90	0.00	104 328 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>93.29</td><td>-----</td><td>-----</td><td>81.09</td><td>34.22</td><td>9.84</td><td>31.86</td><td>0.00</td><td>104 328 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	93.29	-----	-----	81.09	34.22	9.84	31.86	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5140.00	56.22	74.00	-17.78	44.16	34.18	9.78	31.90	0.00	104 328 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5210.00	93.29	-----	-----	81.09	34.22	9.84	31.86	0.00	104 328 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5136.00</td><td>46.40</td><td>54.00</td><td>-7.60</td><td>34.36</td><td>34.17</td><td>9.77</td><td>31.90</td><td>0.00</td><td>104 328 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.00	46.40	54.00	-7.60	34.36	34.17	9.77	31.90	0.00	104 328 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>84.43</td><td>-----</td><td>-----</td><td>72.23</td><td>34.22</td><td>9.84</td><td>31.86</td><td>0.00</td><td>104 328 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	84.43	-----	-----	72.23	34.22	9.84	31.86	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5136.00	46.40	54.00	-7.60	34.36	34.17	9.77	31.90	0.00	104 328 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5210.00	84.43	-----	-----	72.23	34.22	9.84	31.86	0.00	104 328 AVERAGE																																																																																								



Mode	26																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																							
ANT	3																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5379.30</td><td>53.30</td><td>74.00</td><td>-20.70</td><td>40.48</td><td>34.66</td><td>9.93</td><td>31.77</td><td>0.00</td><td>104</td><td>328</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5379.30	53.30	74.00	-20.70	40.48	34.66	9.93	31.77	0.00	104	328	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5379.30	53.30	74.00	-20.70	40.48	34.66	9.93	31.77	0.00	104	328	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.56</td><td>43.70</td><td>54.00</td><td>-10.30</td><td>30.96</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>104</td><td>328</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.56	43.70	54.00	-10.30	30.96	34.61	9.91	31.78	0.00	104	328	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5353.56	43.70	54.00	-10.30	30.96	34.61	9.91	31.78	0.00	104	328	AVERAGE																																												





Mode	26																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																					
ANT	3																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>48.01</td><td>68.20</td><td>-20.19</td><td>57.54</td><td>37.56</td><td>14.18</td><td>61.27</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	48.01	68.20	-20.19	57.54	37.56	14.18	61.27	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>47.59</td><td>68.20</td><td>-20.61</td><td>57.13</td><td>37.56</td><td>14.17</td><td>61.27</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	47.59	68.20	-20.61	57.13	37.56	14.17	61.27	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10420.00	48.01	68.20	-20.19	57.54	37.56	14.18	61.27	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10420.00	47.59	68.20	-20.61	57.13	37.56	14.17	61.27	0.00	---	PEAK																																																																																											







Mode	27																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																	
ANT	3																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5105.92</td><td>56.85</td><td>74.00</td><td>-17.15</td><td>44.90</td><td>34.11</td><td>9.75</td><td>31.91</td><td>0.00</td><td>100 328 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5105.92	56.85	74.00	-17.15	44.90	34.11	9.75	31.91	0.00	100 328 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>100.79</td><td>-----</td><td>-----</td><td>88.24</td><td>34.48</td><td>9.88</td><td>31.81</td><td>0.00</td><td>100 328 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	100.79	-----	-----	88.24	34.48	9.88	31.81	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5105.92	56.85	74.00	-17.15	44.90	34.11	9.75	31.91	0.00	100 328 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5290.00	100.79	-----	-----	88.24	34.48	9.88	31.81	0.00	100 328 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.88</td><td>45.60</td><td>54.00</td><td>-8.40</td><td>33.52</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>100 328 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.88	45.60	54.00	-8.40	33.52	34.19	9.78	31.89	0.00	100 328 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>92.00</td><td>-----</td><td>-----</td><td>79.56</td><td>34.46</td><td>9.88</td><td>31.82</td><td>0.00</td><td>100 328 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	92.00	-----	-----	79.56	34.46	9.88	31.82	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5146.88	45.60	54.00	-8.40	33.52	34.19	9.78	31.89	0.00	100 328 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5290.00	92.00	-----	-----	79.56	34.46	9.88	31.82	0.00	100 328 AVERAGE																																																																																								



Mode	27																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																							
ANT	3																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.50</td><td>63.21</td><td>74.00</td><td>-10.79</td><td>50.47</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>328</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.50	63.21	74.00	-10.79	50.47	34.61	9.91	31.78	0.00	100	328	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5363.50	63.21	74.00	-10.79	50.47	34.61	9.91	31.78	0.00	100	328	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.60</td><td>50.84</td><td>54.00</td><td>-3.16</td><td>38.07</td><td>34.63</td><td>9.92</td><td>31.78</td><td>0.00</td><td>100</td><td>328</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.60	50.84	54.00	-3.16	38.07	34.63	9.92	31.78	0.00	100	328	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5363.60	50.84	54.00	-3.16	38.07	34.63	9.92	31.78	0.00	100	328	AVERAGE																																												





Mode	27																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																	
ANT	3																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5109.76</td><td>54.44</td><td>74.00</td><td>-19.56</td><td>42.48</td><td>34.12</td><td>9.75</td><td>31.91</td><td>0.00</td><td>100 128 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5109.76	54.44	74.00	-19.56	42.48	34.12	9.75	31.91	0.00	100 128 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>92.17</td><td>-----</td><td>-----</td><td>79.59</td><td>34.50</td><td>9.89</td><td>31.81</td><td>0.00</td><td>100 128 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	92.17	-----	-----	79.59	34.50	9.89	31.81	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5109.76	54.44	74.00	-19.56	42.48	34.12	9.75	31.91	0.00	100 128 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5290.00	92.17	-----	-----	79.59	34.50	9.89	31.81	0.00	100 128 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.16</td><td>44.69</td><td>54.00</td><td>-9.31</td><td>32.59</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>100 128 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.16	44.69	54.00	-9.31	32.59	34.20	9.79	31.89	0.00	100 128 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>84.08</td><td>-----</td><td>-----</td><td>71.53</td><td>34.48</td><td>9.88</td><td>31.81</td><td>0.00</td><td>100 128 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	84.08	-----	-----	71.53	34.48	9.88	31.81	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5148.16	44.69	54.00	-9.31	32.59	34.20	9.79	31.89	0.00	100 128 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5290.00	84.08	-----	-----	71.53	34.48	9.88	31.81	0.00	100 128 AVERAGE																																																																																								



Mode	27																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																							
ANT	3																																																							
Pol.	Vertical						Fundamental																																																	
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5366.80</td><td>55.07</td><td>74.00</td><td>-18.93</td><td>42.30</td><td>34.63</td><td>9.92</td><td>31.78</td><td>0.00</td><td>100</td><td>128</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5366.80	55.07	74.00	-18.93	42.30	34.63	9.92	31.78	0.00	100	128	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5366.80	55.07	74.00	-18.93	42.30	34.63	9.92	31.78	0.00	100	128	PEAK																																												
Avg	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5374.70</td><td>45.76</td><td>54.00</td><td>-8.24</td><td>32.96</td><td>34.65</td><td>9.92</td><td>31.77</td><td>0.00</td><td>100</td><td>128</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5374.70	45.76	54.00	-8.24	32.96	34.65	9.92	31.77	0.00	100	128	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5374.70	45.76	54.00	-8.24	32.96	34.65	9.92	31.77	0.00	100	128	AVERAGE																																												





Mode	27																																																																																										
	Harmonic																																																																																										
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																										
ANT	3																																																																																										
Pol.	Horizontal	Vertical																																																																																									
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>47.44</td><td>74.00</td><td>-26.56</td><td>56.51</td><td>37.89</td><td>14.30</td><td>61.26</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	47.44	74.00	-26.56	56.51	37.89	14.30	61.26	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>46.69</td><td>68.20</td><td>-21.51</td><td>55.77</td><td>37.89</td><td>14.29</td><td>61.26</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	46.69	68.20	-21.51	55.77	37.89	14.29	61.26	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	10500.00	47.44	74.00	-26.56	56.51	37.89	14.30	61.26	0.00	---	PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	10500.00	46.69	68.20	-21.51	55.77	37.89	14.29	61.26	0.00	---	PEAK																																																																																







Mode	27	
	18G-40G	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz	
ANT	3	
Pol.	Horizontal	Vertical
Peak Avg		




Mode	27																																																																																																																																																																																																											
	30-1G																																																																																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																																																																																																																											
ANT	3																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																					
Peak																																																																																																																																																																																																												
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>20.72</td><td>40.00</td><td>-19.28</td><td>28.46</td><td>24.57</td><td>0.71</td><td>33.02</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>103.72</td><td>18.91</td><td>43.50</td><td>-24.59</td><td>33.23</td><td>17.01</td><td>1.54</td><td>32.87</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>151.25</td><td>24.00</td><td>43.50</td><td>-19.50</td><td>38.56</td><td>16.40</td><td>1.86</td><td>32.82</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>202.66</td><td>25.02</td><td>43.50</td><td>-18.48</td><td>40.11</td><td>15.58</td><td>2.17</td><td>32.84</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>314.21</td><td>21.72</td><td>46.00</td><td>-24.28</td><td>32.23</td><td>19.64</td><td>2.70</td><td>32.85</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>652.74</td><td>25.73</td><td>46.00</td><td>-20.27</td><td>29.56</td><td>25.22</td><td>3.90</td><td>32.95</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	30.00	20.72	40.00	-19.28	28.46	24.57	0.71	33.02	0.00	---	Peak	2	103.72	18.91	43.50	-24.59	33.23	17.01	1.54	32.87	0.00	---	Peak	3	151.25	24.00	43.50	-19.50	38.56	16.40	1.86	32.82	0.00	---	Peak	4	202.66	25.02	43.50	-18.48	40.11	15.58	2.17	32.84	0.00	---	Peak	5	314.21	21.72	46.00	-24.28	32.23	19.64	2.70	32.85	0.00	---	Peak	6	652.74	25.73	46.00	-20.27	29.56	25.22	3.90	32.95	0.00	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>21.55</td><td>40.00</td><td>-18.45</td><td>29.29</td><td>24.57</td><td>0.71</td><td>33.02</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>44.55</td><td>20.16</td><td>40.00</td><td>-19.84</td><td>35.71</td><td>16.47</td><td>0.96</td><td>32.98</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>68.80</td><td>20.30</td><td>40.00</td><td>-19.70</td><td>39.60</td><td>12.29</td><td>1.23</td><td>32.82</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>97.90</td><td>19.98</td><td>43.50</td><td>-23.52</td><td>34.68</td><td>16.68</td><td>1.49</td><td>32.87</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>151.25</td><td>30.07</td><td>43.50</td><td>-13.43</td><td>44.63</td><td>16.40</td><td>1.86</td><td>32.82</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>201.69</td><td>24.27</td><td>43.50</td><td>-19.23</td><td>39.42</td><td>15.53</td><td>2.16</td><td>32.84</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	30.00	21.55	40.00	-18.45	29.29	24.57	0.71	33.02	0.00	---	Peak	2	44.55	20.16	40.00	-19.84	35.71	16.47	0.96	32.98	0.00	---	Peak	3	68.80	20.30	40.00	-19.70	39.60	12.29	1.23	32.82	0.00	---	Peak	4	97.90	19.98	43.50	-23.52	34.68	16.68	1.49	32.87	0.00	---	Peak	5	151.25	30.07	43.50	-13.43	44.63	16.40	1.86	32.82	0.00	---	Peak	6	201.69	24.27	43.50	-19.23	39.42	15.53	2.16	32.84	0.00	---	Peak
		Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																		
1	30.00	20.72	40.00	-19.28	28.46	24.57	0.71	33.02	0.00	---	Peak																																																																																																																																																																																																	
2	103.72	18.91	43.50	-24.59	33.23	17.01	1.54	32.87	0.00	---	Peak																																																																																																																																																																																																	
3	151.25	24.00	43.50	-19.50	38.56	16.40	1.86	32.82	0.00	---	Peak																																																																																																																																																																																																	
4	202.66	25.02	43.50	-18.48	40.11	15.58	2.17	32.84	0.00	---	Peak																																																																																																																																																																																																	
5	314.21	21.72	46.00	-24.28	32.23	19.64	2.70	32.85	0.00	---	Peak																																																																																																																																																																																																	
6	652.74	25.73	46.00	-20.27	29.56	25.22	3.90	32.95	0.00	---	Peak																																																																																																																																																																																																	
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																		
1	30.00	21.55	40.00	-18.45	29.29	24.57	0.71	33.02	0.00	---	Peak																																																																																																																																																																																																	
2	44.55	20.16	40.00	-19.84	35.71	16.47	0.96	32.98	0.00	---	Peak																																																																																																																																																																																																	
3	68.80	20.30	40.00	-19.70	39.60	12.29	1.23	32.82	0.00	---	Peak																																																																																																																																																																																																	
4	97.90	19.98	43.50	-23.52	34.68	16.68	1.49	32.87	0.00	---	Peak																																																																																																																																																																																																	
5	151.25	30.07	43.50	-13.43	44.63	16.40	1.86	32.82	0.00	---	Peak																																																																																																																																																																																																	
6	201.69	24.27	43.50	-19.23	39.42	15.53	2.16	32.84	0.00	---	Peak																																																																																																																																																																																																	



Mode	28																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																												
ANT	3																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																							
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5434.80</td><td>59.46</td><td>74.00</td><td>-14.54</td><td>46.44</td><td>34.77</td><td>9.99</td><td>31.74</td><td>0.00</td><td>102 327 PEAK</td></tr><tr><td>2</td><td>5469.84</td><td>56.67</td><td>68.20</td><td>-11.53</td><td>43.59</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>102 327 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5434.80	59.46	74.00	-14.54	46.44	34.77	9.99	31.74	0.00	102 327 PEAK	2	5469.84	56.67	68.20	-11.53	43.59	34.76	10.04	31.72	0.00	102 327 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>97.20</td><td>-----</td><td>-----</td><td>84.12</td><td>34.65</td><td>10.12</td><td>31.69</td><td>0.00</td><td>102 327 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.20	-----	-----	84.12	34.65	10.12	31.69	0.00	102 327 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5434.80	59.46	74.00	-14.54	46.44	34.77	9.99	31.74	0.00	102 327 PEAK																																																																																																			
2	5469.84	56.67	68.20	-11.53	43.59	34.76	10.04	31.72	0.00	102 327 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5530.00	97.20	-----	-----	84.12	34.65	10.12	31.69	0.00	102 327 PEAK																																																																																																			
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5437.52</td><td>50.13</td><td>54.00</td><td>-3.87</td><td>37.10</td><td>34.78</td><td>9.99</td><td>31.74</td><td>0.00</td><td>102 327 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.52	50.13	54.00	-3.87	37.10	34.78	9.99	31.74	0.00	102 327 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>89.01</td><td>-----</td><td>-----</td><td>75.93</td><td>34.65</td><td>10.12</td><td>31.69</td><td>0.00</td><td>102 327 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	89.01	-----	-----	75.93	34.65	10.12	31.69	0.00	102 327 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5437.52	50.13	54.00	-3.87	37.10	34.78	9.99	31.74	0.00	102 327 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5530.00	89.01	-----	-----	75.93	34.65	10.12	31.69	0.00	102 327 AVERAGE																																																																																																			




Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																							
ANT	3																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.72</td><td>55.10</td><td>68.20</td><td>-13.10</td><td>41.99</td><td>34.60</td><td>10.35</td><td>31.84</td><td>0.00</td><td>102</td><td>327</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.72	55.10	68.20	-13.10	41.99	34.60	10.35	31.84	0.00	102	327	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.72	55.10	68.20	-13.10	41.99	34.60	10.35	31.84	0.00	102	327	PEAK																																												





		28																																																															
Mode	Band Edge - L																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																
ANT	3																																																																
Pol.	Vertical																																																																
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5436.56</td><td>55.58</td><td>74.00</td><td>-18.42</td><td>42.56</td><td>34.77</td><td>9.99</td><td>31.74</td><td>0.00</td><td>321 113 PEAK</td></tr><tr><td>2</td><td>5462.16</td><td>53.91</td><td>68.20</td><td>-14.29</td><td>40.82</td><td>34.78</td><td>10.03</td><td>31.72</td><td>0.00</td><td>321 113 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.56	55.58	74.00	-18.42	42.56	34.77	9.99	31.74	0.00	321 113 PEAK	2	5462.16	53.91	68.20	-14.29	40.82	34.78	10.03	31.72	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5436.56	55.58	74.00	-18.42	42.56	34.77	9.99	31.74	0.00	321 113 PEAK																																																							
2	5462.16	53.91	68.20	-14.29	40.82	34.78	10.03	31.72	0.00	321 113 PEAK																																																							
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>92.81</td><td>-----</td><td>-----</td><td>79.73</td><td>34.63</td><td>10.14</td><td>31.69</td><td>0.00</td><td>321 113 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	92.81	-----	-----	79.73	34.63	10.14	31.69	0.00	321 113 PEAK										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5530.00	92.81	-----	-----	79.73	34.63	10.14	31.69	0.00	321 113 PEAK																																																							
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5437.52</td><td>45.39</td><td>54.00</td><td>-8.61</td><td>32.36</td><td>34.78</td><td>9.99</td><td>31.74</td><td>0.00</td><td>321 113 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.52	45.39	54.00	-8.61	32.36	34.78	9.99	31.74	0.00	321 113 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5437.52	45.39	54.00	-8.61	32.36	34.78	9.99	31.74	0.00	321 113 AVERAGE																																																							
AVERAGE																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>84.43</td><td>-----</td><td>-----</td><td>71.35</td><td>34.64</td><td>10.13</td><td>31.69</td><td>0.00</td><td>321 113 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	84.43	-----	-----	71.35	34.64	10.13	31.69	0.00	321 113 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5530.00	84.43	-----	-----	71.35	34.64	10.13	31.69	0.00	321 113 AVERAGE																																																							







Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																							
ANT	3																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.48</td><td>55.38</td><td>68.20</td><td>-12.82</td><td>42.29</td><td>34.60</td><td>10.35</td><td>31.06</td><td>0.00</td><td>321</td><td>113</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.48	55.38	68.20	-12.82	42.29	34.60	10.35	31.06	0.00	321	113	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5731.48	55.38	68.20	-12.82	42.29	34.60	10.35	31.06	0.00	321	113	PEAK																																												




Mode	28																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																									
ANT	3																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>50.89</td><td>74.00</td><td>-23.11</td><td>59.50</td><td>38.00</td><td>14.61</td><td>61.22</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>40.48</td><td>54.00</td><td>-13.52</td><td>49.09</td><td>38.00</td><td>14.61</td><td>61.22</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	50.89	74.00	-23.11	59.50	38.00	14.61	61.22	0.00	100	0 PEAK	2	11060.00	40.48	54.00	-13.52	49.09	38.00	14.61	61.22	0.00	100	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>48.11</td><td>74.00</td><td>-25.89</td><td>56.72</td><td>38.00</td><td>14.61</td><td>61.22</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>39.32</td><td>54.00</td><td>-14.68</td><td>47.93</td><td>38.00</td><td>14.61</td><td>61.22</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	48.11	74.00	-25.89	56.72	38.00	14.61	61.22	0.00	300	0 PEAK	2	11060.00	39.32	54.00	-14.68	47.93	38.00	14.61	61.22	0.00	300	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11060.00	50.89	74.00	-23.11	59.50	38.00	14.61	61.22	0.00	100	0 PEAK																																																																																																															
2	11060.00	40.48	54.00	-13.52	49.09	38.00	14.61	61.22	0.00	100	0 AVERAGE																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11060.00	48.11	74.00	-25.89	56.72	38.00	14.61	61.22	0.00	300	0 PEAK																																																																																																															
2	11060.00	39.32	54.00	-14.68	47.93	38.00	14.61	61.22	0.00	300	0 AVERAGE																																																																																																															







Mode	29																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																
ANT	3																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.40</td><td>54.09</td><td>74.00</td><td>-19.91</td><td>41.00</td><td>34.80</td><td>10.02</td><td>31.73</td><td>0.00</td><td>100</td><td>327 PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>53.18</td><td>68.20</td><td>-15.02</td><td>40.10</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>100</td><td>327 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.40	54.09	74.00	-19.91	41.00	34.80	10.02	31.73	0.00	100	327 PEAK	2	5469.68	53.18	68.20	-15.02	40.10	34.76	10.04	31.72	0.00	100	327 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>97.87</td><td>-----</td><td>-----</td><td>84.65</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>100</td><td>327 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	97.87	-----	-----	84.65	34.60	10.26	31.64	0.00	100	327 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5452.40	54.09	74.00	-19.91	41.00	34.80	10.02	31.73	0.00	100	327 PEAK																																																																																																						
2	5469.68	53.18	68.20	-15.02	40.10	34.76	10.04	31.72	0.00	100	327 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	97.87	-----	-----	84.65	34.60	10.26	31.64	0.00	100	327 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5444.08</td><td>44.12</td><td>54.00</td><td>-9.88</td><td>31.06</td><td>34.79</td><td>10.00</td><td>31.73</td><td>0.00</td><td>100</td><td>327 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.08	44.12	54.00	-9.88	31.06	34.79	10.00	31.73	0.00	100	327 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>89.03</td><td>-----</td><td>-----</td><td>75.81</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>100</td><td>327 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	89.03	-----	-----	75.81	34.60	10.26	31.64	0.00	100	327 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5444.08	44.12	54.00	-9.88	31.06	34.79	10.00	31.73	0.00	100	327 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	89.03	-----	-----	75.81	34.60	10.26	31.64	0.00	100	327 AVERAGE																																																																																																						




Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																							
ANT	3																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.80</td><td>57.67</td><td>68.20</td><td>-10.53</td><td>44.57</td><td>34.60</td><td>10.35</td><td>31.85</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.80	57.67	68.20	-10.53	44.57	34.60	10.35	31.85	0.00	100	327	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5729.80	57.67	68.20	-10.53	44.57	34.60	10.35	31.85	0.00	100	327	PEAK																																												





		29																																																																																																	
Mode		Band Edge - L																																																																																																	
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																	
ANT		3																																																																																																	
Pol.		Vertical					Fundamental																																																																																												
Peak																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5414.96	53.30	74.00	-20.70	40.36	34.73	9.96	31.75	0.00	331 103 PEAK	2	5468.88	52.28	68.20	-15.92	39.20	34.76	10.04	31.72	0.00	331 103 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>95.53</td><td>-----</td><td>-----</td><td>82.33</td><td>34.60</td><td>10.25</td><td>31.65</td><td>0.00</td><td>331 103 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	95.53	-----	-----	82.33	34.60	10.25	31.65	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5414.96	53.30	74.00	-20.70	40.36	34.73	9.96	31.75	0.00	331 103 PEAK																																																																																									
2	5468.88	52.28	68.20	-15.92	39.20	34.76	10.04	31.72	0.00	331 103 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5610.00	95.53	-----	-----	82.33	34.60	10.25	31.65	0.00	331 103 PEAK																																																																																									
Avg																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.00	43.97	54.00	-10.03	30.89	34.79	10.02	31.73	0.00	331 103 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>87.17</td><td>-----</td><td>-----</td><td>73.98</td><td>34.60</td><td>10.24</td><td>31.65</td><td>0.00</td><td>331 103 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	87.17	-----	-----	73.98	34.60	10.24	31.65	0.00	331 103 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5454.00	43.97	54.00	-10.03	30.89	34.79	10.02	31.73	0.00	331 103 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5610.00	87.17	-----	-----	73.98	34.60	10.24	31.65	0.00	331 103 AVERAGE																																																																																									






Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																							
ANT	3																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5738.68</td><td>57.18</td><td>68.20</td><td>-11.02</td><td>44.09</td><td>34.60</td><td>10.36</td><td>31.87</td><td>0.00</td><td>331</td><td>103</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5738.68	57.18	68.20	-11.02	44.09	34.60	10.36	31.87	0.00	331	103	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5738.68	57.18	68.20	-11.02	44.09	34.60	10.36	31.87	0.00	331	103	PEAK																																												





Mode	29																																																																																																																
	Harmonic																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																
ANT	3																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11220.00</td><td>50.86</td><td>74.00</td><td>-23.14</td><td>59.34</td><td>38.00</td><td>14.72</td><td>61.20</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>41.59</td><td>54.00</td><td>-12.41</td><td>50.07</td><td>38.00</td><td>14.72</td><td>61.20</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	50.86	74.00	-23.14	59.34	38.00	14.72	61.20	0.00	100	0	PEAK	2	11220.00	41.59	54.00	-12.41	50.07	38.00	14.72	61.20	0.00	100	0	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11220.00</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>55.19</td><td>38.00</td><td>14.72</td><td>61.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	46.71	74.00	-27.29	55.19	38.00	14.72	61.20	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11220.00	50.86	74.00	-23.14	59.34	38.00	14.72	61.20	0.00	100	0	PEAK																																																																																																					
2	11220.00	41.59	54.00	-12.41	50.07	38.00	14.72	61.20	0.00	100	0	AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11220.00	46.71	74.00	-27.29	55.19	38.00	14.72	61.20	0.00	---	---	PEAK																																																																																																					





Mode	30																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																							
ANT	3																																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5632.40</td><td>54.39</td><td>68.20</td><td>-13.81</td><td>41.15</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>100</td><td>325 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>52.98</td><td>69.39</td><td>-16.41</td><td>39.75</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>325 PEAK</td></tr><tr><td>3</td><td>5714.00</td><td>59.55</td><td>109.22</td><td>-49.67</td><td>46.42</td><td>34.60</td><td>10.34</td><td>31.81</td><td>0.00</td><td>100</td><td>325 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>57.95</td><td>110.90</td><td>-52.95</td><td>44.84</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>325 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5632.40	54.39	68.20	-13.81	41.15	34.60	10.27	31.63	0.00	100	325 PEAK	2	5651.60	52.98	69.39	-16.41	39.75	34.60	10.29	31.66	0.00	100	325 PEAK	3	5714.00	59.55	109.22	-49.67	46.42	34.60	10.34	31.81	0.00	100	325 PEAK	4	5720.00	57.95	110.90	-52.95	44.84	34.60	10.34	31.83	0.00	100	325 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.66</td><td>-----</td><td>-----</td><td>91.59</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>100</td><td>325 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.66	-----	-----	91.59	34.60	10.36	31.89	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5632.40	54.39	68.20	-13.81	41.15	34.60	10.27	31.63	0.00	100	325 PEAK																																																																																																																													
2	5651.60	52.98	69.39	-16.41	39.75	34.60	10.29	31.66	0.00	100	325 PEAK																																																																																																																													
3	5714.00	59.55	109.22	-49.67	46.42	34.60	10.34	31.81	0.00	100	325 PEAK																																																																																																																													
4	5720.00	57.95	110.90	-52.95	44.84	34.60	10.34	31.83	0.00	100	325 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5745.00	104.66	-----	-----	91.59	34.60	10.36	31.89	0.00	100	325 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.93</td><td>-----</td><td>-----</td><td>83.86</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>100</td><td>325 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	96.93	-----	-----	83.86	34.60	10.36	31.89	0.00	100	325 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5745.00	96.93	-----	-----	83.86	34.60	10.36	31.89	0.00	100	325 AVERAGE																																																																																																																													





Mode	30																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																											
ANT	3																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5606.40</td><td>54.65</td><td>68.20</td><td>-13.55</td><td>41.45</td><td>34.60</td><td>10.25</td><td>31.65</td><td>0.00</td><td>300</td><td>119 PEAK</td></tr><tr><td>2</td><td>5658.00</td><td>51.71</td><td>68.20</td><td>-16.49</td><td>38.48</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>300</td><td>119 PEAK</td></tr><tr><td>3</td><td>5715.20</td><td>57.28</td><td>109.56</td><td>-52.28</td><td>44.16</td><td>34.60</td><td>10.34</td><td>31.82</td><td>0.00</td><td>300</td><td>119 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>56.12</td><td>110.90</td><td>-54.78</td><td>43.01</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>300</td><td>119 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5606.40	54.65	68.20	-13.55	41.45	34.60	10.25	31.65	0.00	300	119 PEAK	2	5658.00	51.71	68.20	-16.49	38.48	34.60	10.28	31.65	0.00	300	119 PEAK	3	5715.20	57.28	109.56	-52.28	44.16	34.60	10.34	31.82	0.00	300	119 PEAK	4	5720.00	56.12	110.90	-54.78	43.01	34.60	10.34	31.83	0.00	300	119 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5606.40	54.65	68.20	-13.55	41.45	34.60	10.25	31.65	0.00	300	119 PEAK																																																																																	
2	5658.00	51.71	68.20	-16.49	38.48	34.60	10.28	31.65	0.00	300	119 PEAK																																																																																	
3	5715.20	57.28	109.56	-52.28	44.16	34.60	10.34	31.82	0.00	300	119 PEAK																																																																																	
4	5720.00	56.12	110.90	-54.78	43.01	34.60	10.34	31.83	0.00	300	119 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>94.54</td><td>-----</td><td>-----</td><td>81.47</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>300</td><td>119 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	94.54	-----	-----	81.47	34.60	10.36	31.89	0.00	300	119 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	94.54	-----	-----	81.47	34.60	10.36	31.89	0.00	300	119 AVERAGE																																																																																	






Mode	30																																																																																																							
	Harmonic																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																							
ANT	3																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>56.23</td><td>74.00</td><td>-17.77</td><td>64.31</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>191</td><td>327 PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>45.26</td><td>54.00</td><td>-8.74</td><td>53.34</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>191</td><td>327 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	11490.00	56.23	74.00	-17.77	64.31	38.19	14.91	61.18	0.00	191	327 PEAK	2	11490.00	45.26	54.00	-8.74	53.34	38.19	14.91	61.18	0.00	191	327 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>55.93</td><td>74.00</td><td>-18.07</td><td>64.01</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>300</td><td>359 PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>45.10</td><td>54.00</td><td>-8.90</td><td>53.18</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>300</td><td>359 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	11490.00	55.93	74.00	-18.07	64.01	38.19	14.91	61.18	0.00	300	359 PEAK	2	11490.00	45.10	54.00	-8.90	53.18	38.19	14.91	61.18	0.00	300	359 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
1	11490.00	56.23	74.00	-17.77	64.31	38.19	14.91	61.18	0.00	191	327 PEAK																																																																																													
2	11490.00	45.26	54.00	-8.74	53.34	38.19	14.91	61.18	0.00	191	327 AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
1	11490.00	55.93	74.00	-18.07	64.01	38.19	14.91	61.18	0.00	300	359 PEAK																																																																																													
2	11490.00	45.10	54.00	-8.90	53.18	38.19	14.91	61.18	0.00	300	359 AVERAGE																																																																																													



Mode	31																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																												
ANT	3																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>60.95</td><td>74.00</td><td>-13.05</td><td>68.91</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>199</td><td>317 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>49.84</td><td>54.00</td><td>-4.16</td><td>57.80</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>199</td><td>317 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	60.95	74.00	-13.05	68.91	38.27	14.97	61.20	0.00	199	317 PEAK	2	11570.00	49.84	54.00	-4.16	57.80	38.27	14.97	61.20	0.00	199	317 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>57.37</td><td>74.00</td><td>-16.63</td><td>65.33</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>173</td><td>0 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.80</td><td>54.00</td><td>-8.20</td><td>53.76</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>173</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	57.37	74.00	-16.63	65.33	38.27	14.97	61.20	0.00	173	0 PEAK	2	11570.00	45.80	54.00	-8.20	53.76	38.27	14.97	61.20	0.00	173	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11570.00	60.95	74.00	-13.05	68.91	38.27	14.97	61.20	0.00	199	317 PEAK																																																																																																																		
2	11570.00	49.84	54.00	-4.16	57.80	38.27	14.97	61.20	0.00	199	317 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11570.00	57.37	74.00	-16.63	65.33	38.27	14.97	61.20	0.00	173	0 PEAK																																																																																																																		
2	11570.00	45.80	54.00	-8.20	53.76	38.27	14.97	61.20	0.00	173	0 AVERAGE																																																																																																																		





Mode	32																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																	
ANT	3																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>57.18</td><td>111.36</td><td>-54.18</td><td>44.17</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>302 PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>54.02</td><td>105.69</td><td>-51.67</td><td>40.92</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>302 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>53.18</td><td>68.64</td><td>-15.46</td><td>39.77</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>302 PEAK</td></tr><tr><td>4</td><td>5963.20</td><td>55.00</td><td>68.20</td><td>-13.20</td><td>41.37</td><td>35.25</td><td>10.55</td><td>32.17</td><td>0.00</td><td>100</td><td>302 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5854.00	57.18	111.36	-54.18	44.17	34.72	10.45	32.16	0.00	100	302 PEAK	2	5873.60	54.02	105.69	-51.67	40.92	34.79	10.47	32.16	0.00	100	302 PEAK	3	5924.40	53.18	68.64	-15.46	39.77	35.05	10.52	32.16	0.00	100	302 PEAK	4	5963.20	55.00	68.20	-13.20	41.37	35.25	10.55	32.17	0.00	100	302 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.37</td><td>-----</td><td>-----</td><td>90.37</td><td>34.65</td><td>10.43</td><td>32.00</td><td>0.00</td><td>100</td><td>302 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5825.00	103.37	-----	-----	90.37	34.65	10.43	32.00	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5854.00	57.18	111.36	-54.18	44.17	34.72	10.45	32.16	0.00	100	302 PEAK																																																																																																							
2	5873.60	54.02	105.69	-51.67	40.92	34.79	10.47	32.16	0.00	100	302 PEAK																																																																																																							
3	5924.40	53.18	68.64	-15.46	39.77	35.05	10.52	32.16	0.00	100	302 PEAK																																																																																																							
4	5963.20	55.00	68.20	-13.20	41.37	35.25	10.55	32.17	0.00	100	302 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5825.00	103.37	-----	-----	90.37	34.65	10.43	32.00	0.00	100	302 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.65</td><td>-----</td><td>-----</td><td>82.65</td><td>34.65</td><td>10.43</td><td>32.00</td><td>0.00</td><td>100</td><td>302 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5825.00	95.65	-----	-----	82.65	34.65	10.43	32.00	0.00	100	302 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5825.00	95.65	-----	-----	82.65	34.65	10.43	32.00	0.00	100	302 AVERAGE																																																																																																							



Mode	32																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																			
ANT	3																																																																																																																																			
Pol.	Vertical										Fundamental																																																																																																																									
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>53.13</td><td>111.36</td><td>-58.23</td><td>40.12</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>273</td><td>109 PEAK</td></tr><tr><td>2 5872.00</td><td>55.05</td><td>106.14</td><td>-51.09</td><td>41.95</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>273</td><td>109 PEAK</td></tr><tr><td>3 5923.20</td><td>52.75</td><td>69.53</td><td>-16.78</td><td>39.36</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>273</td><td>109 PEAK</td></tr><tr><td>4 5956.40</td><td>55.60</td><td>68.20</td><td>-12.60</td><td>42.00</td><td>35.23</td><td>10.54</td><td>32.17</td><td>0.00</td><td>273</td><td>109 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	53.13	111.36	-58.23	40.12	34.72	10.45	32.16	0.00	273	109 PEAK	2 5872.00	55.05	106.14	-51.09	41.95	34.79	10.47	32.16	0.00	273	109 PEAK	3 5923.20	52.75	69.53	-16.78	39.36	35.04	10.51	32.16	0.00	273	109 PEAK	4 5956.40	55.60	68.20	-12.60	42.00	35.23	10.54	32.17	0.00	273	109 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>104.73</td><td>-----</td><td>-----</td><td>91.73</td><td>34.65</td><td>10.43</td><td>32.00</td><td>0.00</td><td>273</td><td>109 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	104.73	-----	-----	91.73	34.65	10.43	32.00	0.00	273	109 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.00	53.13	111.36	-58.23	40.12	34.72	10.45	32.16	0.00	273	109 PEAK																																																																																																																										
2 5872.00	55.05	106.14	-51.09	41.95	34.79	10.47	32.16	0.00	273	109 PEAK																																																																																																																										
3 5923.20	52.75	69.53	-16.78	39.36	35.04	10.51	32.16	0.00	273	109 PEAK																																																																																																																										
4 5956.40	55.60	68.20	-12.60	42.00	35.23	10.54	32.17	0.00	273	109 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	104.73	-----	-----	91.73	34.65	10.43	32.00	0.00	273	109 PEAK																																																																																																																										
Avg	Blank										<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>95.61</td><td>-----</td><td>-----</td><td>82.61</td><td>34.65</td><td>10.43</td><td>32.00</td><td>0.00</td><td>273</td><td>109 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	95.61	-----	-----	82.61	34.65	10.43	32.00	0.00	273	109 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	95.61	-----	-----	82.61	34.65	10.43	32.00	0.00	273	109 AVERAGE																																																																																																																										





Mode	32																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																										
ANT	3																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																				
Peak Avg																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>60.18</td><td>74.00</td><td>-13.82</td><td>68.03</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>199</td><td>307 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>49.91</td><td>54.00</td><td>-4.09</td><td>57.76</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>199</td><td>307 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	60.18	74.00	-13.82	68.03	38.35	15.02	61.22	0.00	199	307 PEAK	2	11650.00	49.91	54.00	-4.09	57.76	38.35	15.02	61.22	0.00	199	307 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>57.61</td><td>74.00</td><td>-16.39</td><td>65.46</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>177</td><td>0 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.70</td><td>54.00</td><td>-7.30</td><td>54.55</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>177</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	57.61	74.00	-16.39	65.46	38.35	15.02	61.22	0.00	177	0 PEAK	2	11650.00	46.70	54.00	-7.30	54.55	38.35	15.02	61.22	0.00	177
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	11650.00	60.18	74.00	-13.82	68.03	38.35	15.02	61.22	0.00	199	307 PEAK																																																																																																																
2	11650.00	49.91	54.00	-4.09	57.76	38.35	15.02	61.22	0.00	199	307 AVERAGE																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	11650.00	57.61	74.00	-16.39	65.46	38.35	15.02	61.22	0.00	177	0 PEAK																																																																																																																
2	11650.00	46.70	54.00	-7.30	54.55	38.35	15.02	61.22	0.00	177	0 AVERAGE																																																																																																																






Mode	32	
	18G-40G	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	3	
Pol.	Horizontal	Vertical
Peak		
Avg		








Mode	32																								
	30-1G																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																								
ANT	3																								
Pol.	Horizontal											Vertical													
Peak																									
	Limit Line Over ReadAntenna Cable Preamp Aux A/Pos T/Pos											Limit Line Over ReadAntenna Cable Preamp Aux A/Pos T/Pos													
	Freq Level dB dB dB dB dB dB dB dB dB dB dB											Freq Level dB dB dB dB dB dB dB dB dB dB dB													
	MHz dBuV/m dBuV/m dB dB dB dB dB dB dB dB dB dB dB											MHz dBuV/m dBuV/m dB dB dB dB dB dB dB dB dB dB dB													
1	30.00	21.88	40.00	-18.12	29.62	24.57	0.71	33.02	0.00	---	---	Peak	1	30.00	22.25	40.00	-17.75	29.99	24.57	0.71	33.02	0.00	---	---	Peak
2	99.84	20.54	43.50	-22.96	34.84	17.06	1.51	32.87	0.00	---	---	Peak	2	68.00	20.41	40.00	-19.59	39.71	12.29	1.23	32.82	0.00	---	---	Peak
3	155.13	24.68	43.50	-18.82	39.30	16.32	1.88	32.82	0.00	---	---	Peak	3	98.87	19.98	43.50	-23.52	34.48	16.87	1.50	32.87	0.00	---	---	Peak
4	201.69	25.04	43.50	-18.46	40.19	15.53	2.16	32.84	0.00	---	---	Peak	4	150.28	29.75	43.50	-13.75	44.30	16.42	1.85	32.82	0.00	---	---	Peak
5	314.21	21.72	46.00	-24.28	32.23	19.64	2.70	32.85	0.00	---	---	Peak	5	198.78	23.40	43.50	-20.10	38.67	15.43	2.14	32.84	0.00	---	---	Peak
6	552.83	24.37	46.00	-21.63	28.79	25.10	3.59	33.11	0.00	---	---	Peak	6	552.83	24.47	46.00	-21.53	28.89	25.10	3.59	33.11	0.00	---	---	Peak





Mode	33																																																																																																																																													
	Band Edge																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																													
ANT	3																																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5626.40</td><td>53.75</td><td>68.20</td><td>-14.45</td><td>40.52</td><td>34.60</td><td>10.27</td><td>31.64</td><td>0.00</td><td>100</td><td>325</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>53.46</td><td>68.20</td><td>-14.74</td><td>40.23</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>325</td><td>PEAK</td></tr><tr><td>3</td><td>5700.80</td><td>55.65</td><td>105.52</td><td>-49.87</td><td>42.50</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100</td><td>325</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>58.21</td><td>110.90</td><td>-52.69</td><td>45.10</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>325</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5626.40	53.75	68.20	-14.45	40.52	34.60	10.27	31.64	0.00	100	325	PEAK	2	5650.00	53.46	68.20	-14.74	40.23	34.60	10.28	31.65	0.00	100	325	PEAK	3	5700.80	55.65	105.52	-49.87	42.50	34.60	10.33	31.78	0.00	100	325	PEAK	4	5720.00	58.21	110.90	-52.69	45.10	34.60	10.34	31.83	0.00	100	325	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.55</td><td>-----</td><td>-----</td><td>91.47</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>325</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.55	-----	-----	91.47	34.60	10.36	31.88	0.00	100	325
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5626.40	53.75	68.20	-14.45	40.52	34.60	10.27	31.64	0.00	100	325	PEAK																																																																																																																																		
2	5650.00	53.46	68.20	-14.74	40.23	34.60	10.28	31.65	0.00	100	325	PEAK																																																																																																																																		
3	5700.80	55.65	105.52	-49.87	42.50	34.60	10.33	31.78	0.00	100	325	PEAK																																																																																																																																		
4	5720.00	58.21	110.90	-52.69	45.10	34.60	10.34	31.83	0.00	100	325	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	104.55	-----	-----	91.47	34.60	10.36	31.88	0.00	100	325	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.71</td><td>-----</td><td>-----</td><td>83.64</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>100</td><td>325</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	96.71	-----	-----	83.64	34.60	10.36	31.89	0.00	100	325	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	96.71	-----	-----	83.64	34.60	10.36	31.89	0.00	100	325	AVERAGE																																																																																																																																		





Mode	33																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																											
ANT	3																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5636.00</td><td>54.59</td><td>68.20</td><td>-13.61</td><td>41.35</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>294</td><td>111 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.28</td><td>68.20</td><td>-17.92</td><td>37.05</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>294</td><td>111 PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>58.79</td><td>110.90</td><td>-52.11</td><td>45.68</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>294</td><td>111 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>58.79</td><td>110.90</td><td>-52.11</td><td>45.68</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>294</td><td>111 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5636.00	54.59	68.20	-13.61	41.35	34.60	10.27	31.63	0.00	294	111 PEAK	2	5650.00	50.28	68.20	-17.92	37.05	34.60	10.28	31.65	0.00	294	111 PEAK	3	5720.00	58.79	110.90	-52.11	45.68	34.60	10.34	31.83	0.00	294	111 PEAK	4	5720.00	58.79	110.90	-52.11	45.68	34.60	10.34	31.83	0.00	294	111 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5636.00	54.59	68.20	-13.61	41.35	34.60	10.27	31.63	0.00	294	111 PEAK																																																																																	
2	5650.00	50.28	68.20	-17.92	37.05	34.60	10.28	31.65	0.00	294	111 PEAK																																																																																	
3	5720.00	58.79	110.90	-52.11	45.68	34.60	10.34	31.83	0.00	294	111 PEAK																																																																																	
4	5720.00	58.79	110.90	-52.11	45.68	34.60	10.34	31.83	0.00	294	111 PEAK																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.11</td><td>-----</td><td>-----</td><td>90.03</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>294</td><td>111 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.11	-----	-----	90.03	34.60	10.36	31.88	0.00	294	111 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	103.11	-----	-----	90.03	34.60	10.36	31.88	0.00	294	111 PEAK																																																																																	
Blank																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>95.46</td><td>-----</td><td>-----</td><td>82.39</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>294</td><td>111 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.46	-----	-----	82.39	34.60	10.36	31.89	0.00	294	111 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	95.46	-----	-----	82.39	34.60	10.36	31.89	0.00	294	111 AVERAGE																																																																																	
Fundamental																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.11</td><td>-----</td><td>-----</td><td>90.03</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>294</td><td>111 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.11	-----	-----	90.03	34.60	10.36	31.88	0.00	294	111 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	103.11	-----	-----	90.03	34.60	10.36	31.88	0.00	294	111 PEAK																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>95.46</td><td>-----</td><td>-----</td><td>82.39</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>294</td><td>111 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.46	-----	-----	82.39	34.60	10.36	31.89	0.00	294	111 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	95.46	-----	-----	82.39	34.60	10.36	31.89	0.00	294	111 AVERAGE																																																																																	






Mode	33																																																																																																																																		
	Harmonic																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																																		
ANT	3																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																												
Peak Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>62.22</td><td>74.00</td><td>-11.78</td><td>70.30</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>197</td><td>330</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>49.88</td><td>54.00</td><td>-4.12</td><td>57.96</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>197</td><td>330</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	62.22	74.00	-11.78	70.30	38.19	14.91	61.18	0.00	197	330	PEAK	2	11490.00	49.88	54.00	-4.12	57.96	38.19	14.91	61.18	0.00	197	330	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>56.50</td><td>74.00</td><td>-17.50</td><td>64.58</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>215</td><td>353</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>45.02</td><td>54.00</td><td>-8.98</td><td>53.10</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>215</td><td>353</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	56.50	74.00	-17.50	64.58	38.19	14.91	61.18	0.00	215	353	PEAK	2	11490.00	45.02	54.00	-8.98	53.10	38.19	14.91	61.18	0.00	215	353	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11490.00	62.22	74.00	-11.78	70.30	38.19	14.91	61.18	0.00	197	330	PEAK																																																																																																																							
2	11490.00	49.88	54.00	-4.12	57.96	38.19	14.91	61.18	0.00	197	330	AVERAGE																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11490.00	56.50	74.00	-17.50	64.58	38.19	14.91	61.18	0.00	215	353	PEAK																																																																																																																							
2	11490.00	45.02	54.00	-8.98	53.10	38.19	14.91	61.18	0.00	215	353	AVERAGE																																																																																																																							






Mode	34																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																																																								
ANT	3																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>59.54</td><td>74.00</td><td>-14.46</td><td>67.50</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>192</td><td>299 PEAK</td></tr><tr><td>2 11570.00</td><td>49.03</td><td>54.00</td><td>-4.97</td><td>56.99</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>192</td><td>299 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	59.54	74.00	-14.46	67.50	38.27	14.97	61.20	0.00	192	299 PEAK	2 11570.00	49.03	54.00	-4.97	56.99	38.27	14.97	61.20	0.00	192	299 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>56.77</td><td>74.00</td><td>-17.23</td><td>64.73</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>193</td><td>351 PEAK</td></tr><tr><td>2 11570.00</td><td>45.89</td><td>54.00</td><td>-8.11</td><td>53.85</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>193</td><td>351 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	56.77	74.00	-17.23	64.73	38.27	14.97	61.20	0.00	193	351 PEAK	2 11570.00	45.89	54.00	-8.11	53.85	38.27	14.97	61.20	0.00	193	351 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 11570.00	59.54	74.00	-14.46	67.50	38.27	14.97	61.20	0.00	192	299 PEAK																																																																																																															
2 11570.00	49.03	54.00	-4.97	56.99	38.27	14.97	61.20	0.00	192	299 AVERAGE																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 11570.00	56.77	74.00	-17.23	64.73	38.27	14.97	61.20	0.00	193	351 PEAK																																																																																																															
2 11570.00	45.89	54.00	-8.11	53.85	38.27	14.97	61.20	0.00	193	351 AVERAGE																																																																																																															





	35																																																																																																																																	
Mode	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																	
ANT	3																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>54.53</td><td>112.27</td><td>-57.74</td><td>41.52</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>309 PEAK</td></tr><tr><td>2 5869.20</td><td>55.57</td><td>106.92</td><td>-51.35</td><td>42.48</td><td>34.78</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>309 PEAK</td></tr><tr><td>3 5924.40</td><td>53.10</td><td>68.64</td><td>-15.54</td><td>39.69</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>309 PEAK</td></tr><tr><td>4 5927.20</td><td>55.81</td><td>68.20</td><td>-12.39</td><td>42.39</td><td>35.06</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>309 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	54.53	112.27	-57.74	41.52	34.72	10.45	32.16	0.00	100	309 PEAK	2 5869.20	55.57	106.92	-51.35	42.48	34.78	10.47	32.16	0.00	100	309 PEAK	3 5924.40	53.10	68.64	-15.54	39.69	35.05	10.52	32.16	0.00	100	309 PEAK	4 5927.20	55.81	68.20	-12.39	42.39	35.06	10.52	32.16	0.00	100	309 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>104.82</td><td>-----</td><td>-----</td><td>91.82</td><td>34.65</td><td>10.43</td><td>32.00</td><td>0.00</td><td>100</td><td>309 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	104.82	-----	-----	91.82	34.65	10.43	32.00	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5854.40	54.53	112.27	-57.74	41.52	34.72	10.45	32.16	0.00	100	309 PEAK																																																																																																																								
2 5869.20	55.57	106.92	-51.35	42.48	34.78	10.47	32.16	0.00	100	309 PEAK																																																																																																																								
3 5924.40	53.10	68.64	-15.54	39.69	35.05	10.52	32.16	0.00	100	309 PEAK																																																																																																																								
4 5927.20	55.81	68.20	-12.39	42.39	35.06	10.52	32.16	0.00	100	309 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	104.82	-----	-----	91.82	34.65	10.43	32.00	0.00	100	309 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>97.02</td><td>-----</td><td>-----</td><td>84.02</td><td>34.65</td><td>10.43</td><td>32.00</td><td>0.00</td><td>100</td><td>309 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	97.02	-----	-----	84.02	34.65	10.43	32.00	0.00	100	309 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	97.02	-----	-----	84.02	34.65	10.43	32.00	0.00	100	309 AVERAGE																																																																																																																								






Mode	35																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																			
ANT	3																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5853.60</td><td>56.00</td><td>114.09</td><td>-57.29</td><td>43.00</td><td>34.71</td><td>10.45</td><td>32.16</td><td>0.00</td><td>286</td><td>108 PEAK</td></tr><tr><td>2 5874.40</td><td>54.46</td><td>105.47</td><td>-51.01</td><td>41.35</td><td>34.00</td><td>10.47</td><td>32.16</td><td>0.00</td><td>286</td><td>108 PEAK</td></tr><tr><td>3 5920.40</td><td>55.11</td><td>71.60</td><td>-16.49</td><td>41.74</td><td>35.02</td><td>10.51</td><td>32.16</td><td>0.00</td><td>286</td><td>108 PEAK</td></tr><tr><td>4 5996.40</td><td>55.29</td><td>68.20</td><td>-12.91</td><td>41.49</td><td>35.39</td><td>10.58</td><td>32.17</td><td>0.00</td><td>286</td><td>108 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5853.60	56.00	114.09	-57.29	43.00	34.71	10.45	32.16	0.00	286	108 PEAK	2 5874.40	54.46	105.47	-51.01	41.35	34.00	10.47	32.16	0.00	286	108 PEAK	3 5920.40	55.11	71.60	-16.49	41.74	35.02	10.51	32.16	0.00	286	108 PEAK	4 5996.40	55.29	68.20	-12.91	41.49	35.39	10.58	32.17	0.00	286	108 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.05</td><td>-----</td><td>-----</td><td>90.05</td><td>34.65</td><td>10.43</td><td>32.00</td><td>0.00</td><td>286</td><td>108 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	103.05	-----	-----	90.05	34.65	10.43	32.00	0.00	286	108 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5853.60	56.00	114.09	-57.29	43.00	34.71	10.45	32.16	0.00	286	108 PEAK																																																																																																																										
2 5874.40	54.46	105.47	-51.01	41.35	34.00	10.47	32.16	0.00	286	108 PEAK																																																																																																																										
3 5920.40	55.11	71.60	-16.49	41.74	35.02	10.51	32.16	0.00	286	108 PEAK																																																																																																																										
4 5996.40	55.29	68.20	-12.91	41.49	35.39	10.58	32.17	0.00	286	108 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	103.05	-----	-----	90.05	34.65	10.43	32.00	0.00	286	108 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>95.56</td><td>-----</td><td>-----</td><td>82.56</td><td>34.65</td><td>10.43</td><td>32.00</td><td>0.00</td><td>286</td><td>108 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	95.56	-----	-----	82.56	34.65	10.43	32.00	0.00	286	108 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	95.56	-----	-----	82.56	34.65	10.43	32.00	0.00	286	108 AVERAGE																																																																																																																										




Mode	35																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																													
ANT	3																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>58.16</td><td>74.00</td><td>-15.84</td><td>66.01</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>280</td><td>352</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>47.26</td><td>54.00</td><td>-6.74</td><td>55.11</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>280</td><td>352</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	58.16	74.00	-15.84	66.01	38.35	15.02	61.22	0.00	280	352	PEAK	2	11650.00	47.26	54.00	-6.74	55.11	38.35	15.02	61.22	0.00	280	352	AVERAGE	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>56.44</td><td>74.00</td><td>-17.56</td><td>64.29</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>197</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.95</td><td>54.00</td><td>-8.05</td><td>53.80</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>197</td><td>359</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	56.44	74.00	-17.56	64.29	38.35	15.02	61.22	0.00	197	359	PEAK	2	11650.00	45.95	54.00	-8.05	53.80	38.35	15.02	61.22	0.00	197	359	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11650.00	58.16	74.00	-15.84	66.01	38.35	15.02	61.22	0.00	280	352	PEAK																																																																																																																		
2	11650.00	47.26	54.00	-6.74	55.11	38.35	15.02	61.22	0.00	280	352	AVERAGE																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11650.00	56.44	74.00	-17.56	64.29	38.35	15.02	61.22	0.00	197	359	PEAK																																																																																																																		
2	11650.00	45.95	54.00	-8.05	53.80	38.35	15.02	61.22	0.00	197	359	AVERAGE																																																																																																																		






Mode	36																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																								
ANT	3																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 5755 MHz. The plot shows a rising red line and a blue line with peaks labeled 1, 2, 3, and 4. A red label 'U-NII-3' is in the top right corner. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.97</td><td>54.98</td><td>68.20</td><td>-13.22</td><td>41.75</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>302 PEAK</td></tr><tr><td>2</td><td>5658.22</td><td>54.10</td><td>68.36</td><td>-14.26</td><td>40.88</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>100</td><td>302 PEAK</td></tr><tr><td>3</td><td>5711.29</td><td>64.25</td><td>108.46</td><td>-44.21</td><td>51.13</td><td>34.60</td><td>10.33</td><td>31.81</td><td>0.00</td><td>100</td><td>302 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>63.71</td><td>111.19</td><td>-47.48</td><td>50.60</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>302 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.97	54.98	68.20	-13.22	41.75	34.60	10.28	31.65	0.00	100	302 PEAK	2	5658.22	54.10	68.36	-14.26	40.88	34.60	10.28	31.66	0.00	100	302 PEAK	3	5711.29	64.25	108.46	-44.21	51.13	34.60	10.33	31.81	0.00	100	302 PEAK	4	5720.13	63.71	111.19	-47.48	50.60	34.60	10.34	31.83	0.00	100	302 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line with a sharp peak at 5800 MHz and a blue line. A red label 'U-NII-3' is in the top right corner. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>101.54</td><td>-----</td><td>-----</td><td>88.47</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>100</td><td>302 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	101.54	-----	-----	88.47	34.60	10.36	31.89	0.00	100	302 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5646.97	54.98	68.20	-13.22	41.75	34.60	10.28	31.65	0.00	100	302 PEAK																																																																																																																														
2	5658.22	54.10	68.36	-14.26	40.88	34.60	10.28	31.66	0.00	100	302 PEAK																																																																																																																														
3	5711.29	64.25	108.46	-44.21	51.13	34.60	10.33	31.81	0.00	100	302 PEAK																																																																																																																														
4	5720.13	63.71	111.19	-47.48	50.60	34.60	10.34	31.83	0.00	100	302 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5755.00	101.54	-----	-----	88.47	34.60	10.36	31.89	0.00	100	302 PEAK																																																																																																																														
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line labeled 'U-NII-3(AVG)' and a blue line with a peak at 5800 MHz. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>93.53</td><td>-----</td><td>-----</td><td>88.47</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>100</td><td>302 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	93.53	-----	-----	88.47	34.60	10.37	31.91	0.00	100	302 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5755.00	93.53	-----	-----	88.47	34.60	10.37	31.91	0.00	100	302 AVERAGE																																																																																																																														




Mode	36																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																							
ANT	3																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>53.81</td><td>112.60</td><td>-58.79</td><td>40.00</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100 302 PEAK</td></tr><tr><td>2</td><td>5872.59</td><td>54.22</td><td>105.98</td><td>-51.76</td><td>41.12</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100 302 PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>52.45</td><td>68.46</td><td>-16.01</td><td>39.04</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100 302 PEAK</td></tr><tr><td>4</td><td>5931.87</td><td>54.70</td><td>68.20</td><td>-13.50</td><td>41.25</td><td>35.09</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100 302 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.26	53.81	112.60	-58.79	40.00	34.72	10.45	32.16	0.00	100 302 PEAK	2	5872.59	54.22	105.98	-51.76	41.12	34.79	10.47	32.16	0.00	100 302 PEAK	3	5924.65	52.45	68.46	-16.01	39.04	35.05	10.52	32.16	0.00	100 302 PEAK	4	5931.87	54.70	68.20	-13.50	41.25	35.09	10.52	32.16	0.00	100 302 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.26	53.81	112.60	-58.79	40.00	34.72	10.45	32.16	0.00	100 302 PEAK																																																																														
2	5872.59	54.22	105.98	-51.76	41.12	34.79	10.47	32.16	0.00	100 302 PEAK																																																																														
3	5924.65	52.45	68.46	-16.01	39.04	35.05	10.52	32.16	0.00	100 302 PEAK																																																																														
4	5931.87	54.70	68.20	-13.50	41.25	35.09	10.52	32.16	0.00	100 302 PEAK																																																																														





Mode	36																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																							
ANT	3																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5643.40</td><td>54.83</td><td>68.20</td><td>-13.37</td><td>41.59</td><td>34.60</td><td>10.28</td><td>31.64</td><td>0.00</td><td>292</td><td>109 PEAK</td></tr><tr><td>2 5651.15</td><td>53.39</td><td>69.06</td><td>-15.67</td><td>40.16</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>292</td><td>109 PEAK</td></tr><tr><td>3 5711.29</td><td>62.70</td><td>108.46</td><td>-45.76</td><td>49.58</td><td>34.60</td><td>10.33</td><td>31.81</td><td>0.00</td><td>292</td><td>109 PEAK</td></tr><tr><td>4 5720.28</td><td>62.53</td><td>111.54</td><td>-49.01</td><td>49.42</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>292</td><td>109 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5643.40	54.83	68.20	-13.37	41.59	34.60	10.28	31.64	0.00	292	109 PEAK	2 5651.15	53.39	69.06	-15.67	40.16	34.60	10.29	31.66	0.00	292	109 PEAK	3 5711.29	62.70	108.46	-45.76	49.58	34.60	10.33	31.81	0.00	292	109 PEAK	4 5720.28	62.53	111.54	-49.01	49.42	34.60	10.34	31.83	0.00	292	109 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5643.40	54.83	68.20	-13.37	41.59	34.60	10.28	31.64	0.00	292	109 PEAK																																																																														
2 5651.15	53.39	69.06	-15.67	40.16	34.60	10.29	31.66	0.00	292	109 PEAK																																																																														
3 5711.29	62.70	108.46	-45.76	49.58	34.60	10.33	31.81	0.00	292	109 PEAK																																																																														
4 5720.28	62.53	111.54	-49.01	49.42	34.60	10.34	31.83	0.00	292	109 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5755.00</td><td>100.94</td><td>-----</td><td>-----</td><td>87.88</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>292</td><td>109 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	100.94	-----	-----	87.88	34.60	10.37	31.91	0.00	292	109 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5755.00	100.94	-----	-----	87.88	34.60	10.37	31.91	0.00	292	109 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5755.00</td><td>92.61</td><td>-----</td><td>-----</td><td>79.56</td><td>34.60</td><td>10.37</td><td>31.92</td><td>0.00</td><td>292</td><td>109 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	92.61	-----	-----	79.56	34.60	10.37	31.92	0.00	292	109 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5755.00	92.61	-----	-----	79.56	34.60	10.37	31.92	0.00	292	109 AVERAGE																																																																														






Mode	36																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																															
ANT	3																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>53.40</td><td>111.71</td><td>-58.31</td><td>40.39</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>292</td><td>109</td><td>PEAK</td></tr><tr><td>2</td><td>5869.86</td><td>55.10</td><td>106.74</td><td>-51.64</td><td>42.01</td><td>34.78</td><td>10.47</td><td>32.16</td><td>0.00</td><td>292</td><td>109</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>52.86</td><td>68.46</td><td>-15.60</td><td>39.45</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>292</td><td>109</td><td>PEAK</td></tr><tr><td>4</td><td>5948.83</td><td>54.78</td><td>68.20</td><td>-13.42</td><td>41.22</td><td>35.19</td><td>10.54</td><td>32.17</td><td>0.00</td><td>292</td><td>109</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.65	53.40	111.71	-58.31	40.39	34.72	10.45	32.16	0.00	292	109	PEAK	2	5869.86	55.10	106.74	-51.64	42.01	34.78	10.47	32.16	0.00	292	109	PEAK	3	5924.65	52.86	68.46	-15.60	39.45	35.05	10.52	32.16	0.00	292	109	PEAK	4	5948.83	54.78	68.20	-13.42	41.22	35.19	10.54	32.17	0.00	292	109	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.65	53.40	111.71	-58.31	40.39	34.72	10.45	32.16	0.00	292	109	PEAK																																																																																				
2	5869.86	55.10	106.74	-51.64	42.01	34.78	10.47	32.16	0.00	292	109	PEAK																																																																																				
3	5924.65	52.86	68.46	-15.60	39.45	35.05	10.52	32.16	0.00	292	109	PEAK																																																																																				
4	5948.83	54.78	68.20	-13.42	41.22	35.19	10.54	32.17	0.00	292	109	PEAK																																																																																				




Mode	36																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																											
ANT	3																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg																																																																																																																												
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>56.68</td><td>74.00</td><td>-17.32</td><td>64.73</td><td>38.21</td><td>14.92</td><td>61.18</td><td>0.00</td><td>200</td><td>321</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>45.95</td><td>54.00</td><td>-8.05</td><td>54.00</td><td>38.21</td><td>14.92</td><td>61.18</td><td>0.00</td><td>200</td><td>321</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	56.68	74.00	-17.32	64.73	38.21	14.92	61.18	0.00	200	321	PEAK	2	11510.00	45.95	54.00	-8.05	54.00	38.21	14.92	61.18	0.00	200	321	AVERAGE	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>50.03</td><td>74.00</td><td>-23.97</td><td>58.08</td><td>38.21</td><td>14.92</td><td>61.18</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>40.23</td><td>54.00</td><td>-13.77</td><td>48.28</td><td>38.21</td><td>14.92</td><td>61.18</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	50.03	74.00	-23.97	58.08	38.21	14.92	61.18	0.00	300	360	PEAK	2	11510.00	40.23	54.00	-13.77	48.28	38.21	14.92	61.18	0.00	300	360	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	11510.00	56.68	74.00	-17.32	64.73	38.21	14.92	61.18	0.00	200	321	PEAK																																																																																																																
2	11510.00	45.95	54.00	-8.05	54.00	38.21	14.92	61.18	0.00	200	321	AVERAGE																																																																																																																
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	11510.00	50.03	74.00	-23.97	58.08	38.21	14.92	61.18	0.00	300	360	PEAK																																																																																																																
2	11510.00	40.23	54.00	-13.77	48.28	38.21	14.92	61.18	0.00	300	360	AVERAGE																																																																																																																






Mode	37																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																		
ANT	3																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.40</td><td>54.76</td><td>68.20</td><td>-13.44</td><td>41.53</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>326 PEAK</td></tr><tr><td>2</td><td>5658.80</td><td>51.73</td><td>68.80</td><td>-17.07</td><td>38.50</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>326 PEAK</td></tr><tr><td>3</td><td>5785.20</td><td>54.24</td><td>106.76</td><td>-52.52</td><td>41.10</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>100</td><td>326 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.00</td><td>110.90</td><td>-57.90</td><td>39.89</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>326 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5646.40	54.76	68.20	-13.44	41.53	34.60	10.28	31.65	0.00	100	326 PEAK	2	5658.80	51.73	68.80	-17.07	38.50	34.60	10.29	31.66	0.00	100	326 PEAK	3	5785.20	54.24	106.76	-52.52	41.10	34.60	10.33	31.79	0.00	100	326 PEAK	4	5720.00	53.00	110.90	-57.90	39.89	34.60	10.34	31.83	0.00	100	326 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>102.25</td><td>-----</td><td>-----</td><td>89.26</td><td>34.60</td><td>10.41</td><td>32.02</td><td>0.00</td><td>100</td><td>326 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5795.00	102.25	-----	-----	89.26	34.60	10.41	32.02	0.00	100	326 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5646.40	54.76	68.20	-13.44	41.53	34.60	10.28	31.65	0.00	100	326 PEAK																																																																																																								
2	5658.80	51.73	68.80	-17.07	38.50	34.60	10.29	31.66	0.00	100	326 PEAK																																																																																																								
3	5785.20	54.24	106.76	-52.52	41.10	34.60	10.33	31.79	0.00	100	326 PEAK																																																																																																								
4	5720.00	53.00	110.90	-57.90	39.89	34.60	10.34	31.83	0.00	100	326 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5795.00	102.25	-----	-----	89.26	34.60	10.41	32.02	0.00	100	326 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>93.52</td><td>-----</td><td>-----</td><td>80.53</td><td>34.60</td><td>10.40</td><td>32.01</td><td>0.00</td><td>100</td><td>326 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5795.00	93.52	-----	-----	80.53	34.60	10.40	32.01	0.00	100	326 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5795.00	93.52	-----	-----	80.53	34.60	10.40	32.01	0.00	100	326 AVERAGE																																																																																																								




Mode	37																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																															
ANT	3																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>56.32</td><td>111.36</td><td>-55.04</td><td>43.31</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>326</td><td>PEAK</td></tr><tr><td>2</td><td>5862.00</td><td>60.86</td><td>108.94</td><td>-48.08</td><td>47.81</td><td>34.75</td><td>10.46</td><td>32.16</td><td>0.00</td><td>100</td><td>326</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>52.04</td><td>68.64</td><td>-16.60</td><td>38.63</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>326</td><td>PEAK</td></tr><tr><td>4</td><td>5964.00</td><td>55.31</td><td>68.20</td><td>-12.89</td><td>41.67</td><td>35.26</td><td>10.55</td><td>32.17</td><td>0.00</td><td>100</td><td>326</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	56.32	111.36	-55.04	43.31	34.72	10.45	32.16	0.00	100	326	PEAK	2	5862.00	60.86	108.94	-48.08	47.81	34.75	10.46	32.16	0.00	100	326	PEAK	3	5924.40	52.04	68.64	-16.60	38.63	35.05	10.52	32.16	0.00	100	326	PEAK	4	5964.00	55.31	68.20	-12.89	41.67	35.26	10.55	32.17	0.00	100	326	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.00	56.32	111.36	-55.04	43.31	34.72	10.45	32.16	0.00	100	326	PEAK																																																																																				
2	5862.00	60.86	108.94	-48.08	47.81	34.75	10.46	32.16	0.00	100	326	PEAK																																																																																				
3	5924.40	52.04	68.64	-16.60	38.63	35.05	10.52	32.16	0.00	100	326	PEAK																																																																																				
4	5964.00	55.31	68.20	-12.89	41.67	35.26	10.55	32.17	0.00	100	326	PEAK																																																																																				





Mode	37																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																		
ANT	3																																																																																																																																		
Pol.	Vertical					Fundamental																																																																																																																													
Peak	 <table border="1"> <thead> <tr> <th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1 5637.20</td><td>53.74</td><td>68.20</td><td>-14.46</td><td>40.50</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>281</td><td>101 PEAK</td></tr> <tr> <td>2 5658.40</td><td>51.63</td><td>68.50</td><td>-16.87</td><td>38.41</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>281</td><td>101 PEAK</td></tr> <tr> <td>3 5712.00</td><td>56.27</td><td>108.66</td><td>-52.39</td><td>43.15</td><td>34.60</td><td>10.33</td><td>31.81</td><td>0.00</td><td>281</td><td>101 PEAK</td></tr> <tr> <td>4 5720.80</td><td>53.85</td><td>112.72</td><td>-58.87</td><td>40.74</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>281</td><td>101 PEAK</td></tr> </tbody> </table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5637.20	53.74	68.20	-14.46	40.50	34.60	10.27	31.63	0.00	281	101 PEAK	2 5658.40	51.63	68.50	-16.87	38.41	34.60	10.28	31.66	0.00	281	101 PEAK	3 5712.00	56.27	108.66	-52.39	43.15	34.60	10.33	31.81	0.00	281	101 PEAK	4 5720.80	53.85	112.72	-58.87	40.74	34.60	10.34	31.83	0.00	281	101 PEAK	 <table border="1"> <thead> <tr> <th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1 5795.00</td><td>99.89</td><td>-----</td><td>-----</td><td>86.90</td><td>34.60</td><td>10.40</td><td>32.01</td><td>0.00</td><td>281</td><td>101 PEAK</td></tr> </tbody> </table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	99.89	-----	-----	86.90	34.60	10.40	32.01	0.00	281	101 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5637.20	53.74	68.20	-14.46	40.50	34.60	10.27	31.63	0.00	281	101 PEAK																																																																																																																									
2 5658.40	51.63	68.50	-16.87	38.41	34.60	10.28	31.66	0.00	281	101 PEAK																																																																																																																									
3 5712.00	56.27	108.66	-52.39	43.15	34.60	10.33	31.81	0.00	281	101 PEAK																																																																																																																									
4 5720.80	53.85	112.72	-58.87	40.74	34.60	10.34	31.83	0.00	281	101 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5795.00	99.89	-----	-----	86.90	34.60	10.40	32.01	0.00	281	101 PEAK																																																																																																																									
Avg	Blank					 <table border="1"> <thead> <tr> <th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1 5795.00</td><td>91.43</td><td>-----</td><td>-----</td><td>78.44</td><td>34.60</td><td>10.41</td><td>32.02</td><td>0.00</td><td>281</td><td>101 AVERAGE</td></tr> </tbody> </table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	91.43	-----	-----	78.44	34.60	10.41	32.02	0.00	281	101 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5795.00	91.43	-----	-----	78.44	34.60	10.41	32.02	0.00	281	101 AVERAGE																																																																																																																									






Mode	37																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																						
ANT	3																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>57.34</td><td>114.09</td><td>-56.75</td><td>44.34</td><td>34.71</td><td>10.45</td><td>32.16</td><td>0.00</td><td>281</td><td>101</td><td>PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>54.75</td><td>106.14</td><td>-51.39</td><td>41.65</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>281</td><td>101</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>53.98</td><td>68.64</td><td>-14.66</td><td>40.57</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>281</td><td>101</td><td>PEAK</td></tr><tr><td>4</td><td>5944.00</td><td>55.90</td><td>68.20</td><td>-12.30</td><td>42.38</td><td>35.16</td><td>10.53</td><td>32.17</td><td>0.00</td><td>281</td><td>101</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.60	57.34	114.09	-56.75	44.34	34.71	10.45	32.16	0.00	281	101	PEAK	2	5872.00	54.75	106.14	-51.39	41.65	34.79	10.47	32.16	0.00	281	101	PEAK	3	5924.40	53.98	68.64	-14.66	40.57	35.05	10.52	32.16	0.00	281	101	PEAK	4	5944.00	55.90	68.20	-12.30	42.38	35.16	10.53	32.17	0.00	281	101	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5853.60	57.34	114.09	-56.75	44.34	34.71	10.45	32.16	0.00	281	101	PEAK																																																																											
2	5872.00	54.75	106.14	-51.39	41.65	34.79	10.47	32.16	0.00	281	101	PEAK																																																																											
3	5924.40	53.98	68.64	-14.66	40.57	35.05	10.52	32.16	0.00	281	101	PEAK																																																																											
4	5944.00	55.90	68.20	-12.30	42.38	35.16	10.53	32.17	0.00	281	101	PEAK																																																																											




		37																																																																			
Mode		Harmonic																																																																			
		U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																			
ANT		3																																																																			
Pol.		Horizontal																																																																			
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11587.00</td><td>54.61</td><td>74.00</td><td>-19.39</td><td>62.54</td><td>38.29</td><td>14.98</td><td>61.20</td><td>0.00</td><td>299</td><td>0 Peak</td></tr><tr><td>2</td><td>11587.00</td><td>46.28</td><td>54.00</td><td>-7.72</td><td>54.21</td><td>38.29</td><td>14.98</td><td>61.20</td><td>0.00</td><td>299</td><td>0 Average</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11587.00	54.61	74.00	-19.39	62.54	38.29	14.98	61.20	0.00	299	0 Peak	2	11587.00	46.28	54.00	-7.72	54.21	38.29	14.98	61.20	0.00	299	0 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11587.00	54.61	74.00	-19.39	62.54	38.29	14.98	61.20	0.00	299	0 Peak																																																										
2	11587.00	46.28	54.00	-7.72	54.21	38.29	14.98	61.20	0.00	299	0 Average																																																										
		Vertical																																																																			
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>52.06</td><td>74.00</td><td>-21.94</td><td>60.00</td><td>38.29</td><td>14.98</td><td>61.21</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>40.57</td><td>54.00</td><td>-13.43</td><td>48.51</td><td>38.29</td><td>14.98</td><td>61.21</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	52.06	74.00	-21.94	60.00	38.29	14.98	61.21	0.00	100	0 PEAK	2	11590.00	40.57	54.00	-13.43	48.51	38.29	14.98	61.21	0.00	100	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11590.00	52.06	74.00	-21.94	60.00	38.29	14.98	61.21	0.00	100	0 PEAK																																																										
2	11590.00	40.57	54.00	-13.43	48.51	38.29	14.98	61.21	0.00	100	0 AVERAGE																																																										






Mode	38																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																			
ANT	3																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-3 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5621.60</td><td>54.13</td><td>68.20</td><td>-14.07</td><td>40.91</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>100</td><td>325 PEAK</td></tr><tr><td>2 5650.40</td><td>52.83</td><td>68.50</td><td>-15.67</td><td>39.61</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>100</td><td>325 PEAK</td></tr><tr><td>3 5700.80</td><td>60.36</td><td>105.52</td><td>-45.16</td><td>47.21</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100</td><td>325 PEAK</td></tr><tr><td>4 5720.00</td><td>60.33</td><td>110.90</td><td>-50.57</td><td>47.22</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>325 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5621.60	54.13	68.20	-14.07	40.91	34.60	10.26	31.64	0.00	100	325 PEAK	2 5650.40	52.83	68.50	-15.67	39.61	34.60	10.28	31.66	0.00	100	325 PEAK	3 5700.80	60.36	105.52	-45.16	47.21	34.60	10.33	31.78	0.00	100	325 PEAK	4 5720.00	60.33	110.90	-50.57	47.22	34.60	10.34	31.83	0.00	100	325 PEAK	 Level (dBuV/m) Frequency (MHz) U-NII-3 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>96.98</td><td>-----</td><td>-----</td><td>83.97</td><td>34.60</td><td>10.39</td><td>31.98</td><td>0.00</td><td>100</td><td>325 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	96.98	-----	-----	83.97	34.60	10.39	31.98	0.00	100	325 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5621.60	54.13	68.20	-14.07	40.91	34.60	10.26	31.64	0.00	100	325 PEAK																																																																																																																										
2 5650.40	52.83	68.50	-15.67	39.61	34.60	10.28	31.66	0.00	100	325 PEAK																																																																																																																										
3 5700.80	60.36	105.52	-45.16	47.21	34.60	10.33	31.78	0.00	100	325 PEAK																																																																																																																										
4 5720.00	60.33	110.90	-50.57	47.22	34.60	10.34	31.83	0.00	100	325 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	96.98	-----	-----	83.97	34.60	10.39	31.98	0.00	100	325 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) U-NII-3(AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>89.37</td><td>-----</td><td>-----</td><td>76.34</td><td>34.60</td><td>10.38</td><td>31.95</td><td>0.00</td><td>100</td><td>325 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	89.37	-----	-----	76.34	34.60	10.38	31.95	0.00	100	325 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	89.37	-----	-----	76.34	34.60	10.38	31.95	0.00	100	325 AVERAGE																																																																																																																										




Mode	38																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_ 5.725-5.85_ 802.11ac VHT80_ CH155_ 5775MHz																																																																																											
ANT	3																																																																																											
Pol.	Horizontal					Fundamental																																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>60.84</td><td>113.18</td><td>-52.34</td><td>47.83</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>325 PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>61.54</td><td>105.47</td><td>-43.93</td><td>48.43</td><td>34.80</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>325 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>53.95</td><td>68.94</td><td>-14.99</td><td>40.56</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>325 PEAK</td></tr><tr><td>4</td><td>5948.80</td><td>54.93</td><td>68.20</td><td>-13.27</td><td>41.37</td><td>35.19</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>325 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	60.84	113.18	-52.34	47.83	34.72	10.45	32.16	0.00	100	325 PEAK	2	5874.40	61.54	105.47	-43.93	48.43	34.80	10.47	32.16	0.00	100	325 PEAK	3	5924.00	53.95	68.94	-14.99	40.56	35.04	10.51	32.16	0.00	100	325 PEAK	4	5948.80	54.93	68.20	-13.27	41.37	35.19	10.54	32.17	0.00	100	325 PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.00	60.84	113.18	-52.34	47.83	34.72	10.45	32.16	0.00	100	325 PEAK																																																																																	
2	5874.40	61.54	105.47	-43.93	48.43	34.80	10.47	32.16	0.00	100	325 PEAK																																																																																	
3	5924.00	53.95	68.94	-14.99	40.56	35.04	10.51	32.16	0.00	100	325 PEAK																																																																																	
4	5948.80	54.93	68.20	-13.27	41.37	35.19	10.54	32.17	0.00	100	325 PEAK																																																																																	





Mode	38																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																											
ANT	3																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5617.60</td><td>53.51</td><td>68.20</td><td>-14.69</td><td>40.29</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>307</td><td>109</td><td>PEAK</td></tr><tr><td>2</td><td>5658.40</td><td>52.10</td><td>68.50</td><td>-16.40</td><td>38.88</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>307</td><td>109</td><td>PEAK</td></tr><tr><td>3</td><td>5781.20</td><td>58.14</td><td>105.64</td><td>-47.50</td><td>44.99</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>307</td><td>109</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>56.01</td><td>110.90</td><td>-54.89</td><td>42.90</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>307</td><td>109</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5617.60	53.51	68.20	-14.69	40.29	34.60	10.26	31.64	0.00	307	109	PEAK	2	5658.40	52.10	68.50	-16.40	38.88	34.60	10.28	31.66	0.00	307	109	PEAK	3	5781.20	58.14	105.64	-47.50	44.99	34.60	10.33	31.78	0.00	307	109	PEAK	4	5720.00	56.01	110.90	-54.89	42.90	34.60	10.34	31.83	0.00	307	109	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>95.97</td><td>-----</td><td>-----</td><td>82.98</td><td>34.60</td><td>10.40</td><td>32.01</td><td>0.00</td><td>307</td><td>109</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5775.00	95.97	-----	-----	82.98	34.60	10.40	32.01	0.00	307	109
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																	
1	5617.60	53.51	68.20	-14.69	40.29	34.60	10.26	31.64	0.00	307	109	PEAK																																																																																																																
2	5658.40	52.10	68.50	-16.40	38.88	34.60	10.28	31.66	0.00	307	109	PEAK																																																																																																																
3	5781.20	58.14	105.64	-47.50	44.99	34.60	10.33	31.78	0.00	307	109	PEAK																																																																																																																
4	5720.00	56.01	110.90	-54.89	42.90	34.60	10.34	31.83	0.00	307	109	PEAK																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																	
1	5775.00	95.97	-----	-----	82.98	34.60	10.40	32.01	0.00	307	109	PEAK																																																																																																																
Avg	Blank																																																																																																																											
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>87.90</td><td>-----</td><td>-----</td><td>74.89</td><td>34.60</td><td>10.39</td><td>31.98</td><td>0.00</td><td>307</td><td>109</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5775.00	87.90	-----	-----	74.89	34.60	10.39	31.98	0.00	307	109	AVERAGE																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																	
1	5775.00	87.90	-----	-----	74.89	34.60	10.39	31.98	0.00	307	109	AVERAGE																																																																																																																





Mode	38																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																															
ANT	3																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>58.47</td><td>111.36</td><td>-52.89</td><td>45.46</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>307</td><td>109</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>57.27</td><td>105.58</td><td>-48.31</td><td>44.16</td><td>34.00</td><td>10.47</td><td>32.16</td><td>0.00</td><td>307</td><td>109</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>53.62</td><td>69.23</td><td>-15.61</td><td>40.23</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>307</td><td>109</td><td>PEAK</td></tr><tr><td>4</td><td>5945.20</td><td>54.90</td><td>68.20</td><td>-13.30</td><td>41.37</td><td>35.17</td><td>10.53</td><td>32.17</td><td>0.00</td><td>307</td><td>109</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	58.47	111.36	-52.89	45.46	34.72	10.45	32.16	0.00	307	109	PEAK	2	5874.00	57.27	105.58	-48.31	44.16	34.00	10.47	32.16	0.00	307	109	PEAK	3	5923.60	53.62	69.23	-15.61	40.23	35.04	10.51	32.16	0.00	307	109	PEAK	4	5945.20	54.90	68.20	-13.30	41.37	35.17	10.53	32.17	0.00	307	109	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.00	58.47	111.36	-52.89	45.46	34.72	10.45	32.16	0.00	307	109	PEAK																																																																																				
2	5874.00	57.27	105.58	-48.31	44.16	34.00	10.47	32.16	0.00	307	109	PEAK																																																																																				
3	5923.60	53.62	69.23	-15.61	40.23	35.04	10.51	32.16	0.00	307	109	PEAK																																																																																				
4	5945.20	54.90	68.20	-13.30	41.37	35.17	10.53	32.17	0.00	307	109	PEAK																																																																																				





Mode	38																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																													
ANT	3																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>55.91</td><td>38.25</td><td>14.95</td><td>61.19</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>39.43</td><td>54.00</td><td>-14.57</td><td>47.42</td><td>38.25</td><td>14.95</td><td>61.19</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	47.92	74.00	-26.08	55.91	38.25	14.95	61.19	0.00	300	0	PEAK	2	11550.00	39.43	54.00	-14.57	47.42	38.25	14.95	61.19	0.00	300	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>51.68</td><td>74.00</td><td>-22.32</td><td>59.67</td><td>38.25</td><td>14.95</td><td>61.19</td><td>0.00</td><td>300</td><td>358</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>43.08</td><td>54.00</td><td>-10.92</td><td>51.07</td><td>38.25</td><td>14.95</td><td>61.19</td><td>0.00</td><td>300</td><td>358</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	51.68	74.00	-22.32	59.67	38.25	14.95	61.19	0.00	300	358	PEAK	2	11550.00	43.08	54.00	-10.92	51.07	38.25	14.95	61.19	0.00	300	358	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11550.00	47.92	74.00	-26.08	55.91	38.25	14.95	61.19	0.00	300	0	PEAK																																																																																																																		
2	11550.00	39.43	54.00	-14.57	47.42	38.25	14.95	61.19	0.00	300	0	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11550.00	51.68	74.00	-22.32	59.67	38.25	14.95	61.19	0.00	300	358	PEAK																																																																																																																		
2	11550.00	43.08	54.00	-10.92	51.07	38.25	14.95	61.19	0.00	300	358	AVERAGE																																																																																																																		







Mode	39																																																																																																																																		
	Harmonic																																																																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																																																																																		
ANT	3																																																																																																																																		
Pol.	Horizontal											Vertical																																																																																																																							
Peak Avg																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>59.44</td><td>74.00</td><td>-14.56</td><td>67.62</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>100</td><td>299</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>48.49</td><td>54.00</td><td>-5.51</td><td>56.65</td><td>38.14</td><td>14.88</td><td>61.18</td><td>0.00</td><td>100</td><td>299</td><td>AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	59.44	74.00	-14.56	67.62	38.14	14.87	61.19	0.00	100	299	PEAK	2	11440.00	48.49	54.00	-5.51	56.65	38.14	14.88	61.18	0.00	100	299	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>55.38</td><td>74.00</td><td>-18.62</td><td>63.56</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>291</td><td>357</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>44.69</td><td>54.00</td><td>-9.31</td><td>52.87</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>291</td><td>357</td><td>AVERAGE</td></tr></tbody></table>			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	55.38	74.00	-18.62	63.56	38.14	14.87	61.19	0.00	291	357	PEAK	2	11440.00	44.69	54.00	-9.31	52.87	38.14	14.87	61.19	0.00	291	357	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11440.00	59.44	74.00	-14.56	67.62	38.14	14.87	61.19	0.00	100	299	PEAK																																																																																																																							
2	11440.00	48.49	54.00	-5.51	56.65	38.14	14.88	61.18	0.00	100	299	AVERAGE																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11440.00	55.38	74.00	-18.62	63.56	38.14	14.87	61.19	0.00	291	357	PEAK																																																																																																																							
2	11440.00	44.69	54.00	-9.31	52.87	38.14	14.87	61.19	0.00	291	357	AVERAGE																																																																																																																							





Mode	40																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH144_5720MHz																																																																																																																																	
ANT	3																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>56.21</td><td>74.00</td><td>-17.79</td><td>64.39</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>199</td><td>338</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>45.37</td><td>54.00</td><td>-8.63</td><td>53.55</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>199</td><td>338</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	56.21	74.00	-17.79	64.39	38.14	14.87	61.19	0.00	199	338	PEAK	2	11440.00	45.37	54.00	-8.63	53.55	38.14	14.87	61.19	0.00	199	338	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>56.59</td><td>74.00</td><td>-17.41</td><td>64.77</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>291</td><td>354</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>45.67</td><td>54.00</td><td>-8.33</td><td>53.85</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>291</td><td>354</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	56.59	74.00	-17.41	64.77	38.14	14.87	61.19	0.00	291	354	PEAK	2	11440.00	45.67	54.00	-8.33	53.85	38.14	14.87	61.19	0.00	291	354	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11440.00	56.21	74.00	-17.79	64.39	38.14	14.87	61.19	0.00	199	338	PEAK																																																																																																																						
2	11440.00	45.37	54.00	-8.63	53.55	38.14	14.87	61.19	0.00	199	338	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11440.00	56.59	74.00	-17.41	64.77	38.14	14.87	61.19	0.00	291	354	PEAK																																																																																																																						
2	11440.00	45.67	54.00	-8.33	53.85	38.14	14.87	61.19	0.00	291	354	AVERAGE																																																																																																																						







Mode	41																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH142_5710MHz																																																																																																																																
ANT	3																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>59.70</td><td>74.00</td><td>-14.30</td><td>67.91</td><td>38.12</td><td>14.86</td><td>61.19</td><td>0.00</td><td>195</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>50.07</td><td>54.00</td><td>-3.93</td><td>58.28</td><td>38.12</td><td>14.86</td><td>61.19</td><td>0.00</td><td>195</td><td>327</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	59.70	74.00	-14.30	67.91	38.12	14.86	61.19	0.00	195	327	PEAK	2	11420.00	50.07	54.00	-3.93	58.28	38.12	14.86	61.19	0.00	195	327	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>51.63</td><td>74.00</td><td>-22.37</td><td>59.84</td><td>38.12</td><td>14.86</td><td>61.19</td><td>0.00</td><td>284</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>43.15</td><td>54.00</td><td>-10.85</td><td>51.36</td><td>38.12</td><td>14.86</td><td>61.19</td><td>0.00</td><td>284</td><td>0</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	51.63	74.00	-22.37	59.84	38.12	14.86	61.19	0.00	284	0	PEAK	2	11420.00	43.15	54.00	-10.85	51.36	38.12	14.86	61.19	0.00	284	0	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	11420.00	59.70	74.00	-14.30	67.91	38.12	14.86	61.19	0.00	195	327	PEAK																																																																																																																					
2	11420.00	50.07	54.00	-3.93	58.28	38.12	14.86	61.19	0.00	195	327	AVERAGE																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	11420.00	51.63	74.00	-22.37	59.84	38.12	14.86	61.19	0.00	284	0	PEAK																																																																																																																					
2	11420.00	43.15	54.00	-10.85	51.36	38.12	14.86	61.19	0.00	284	0	AVERAGE																																																																																																																					
																																																																																																																																	





Mode	42																																																																						
	Harmonic																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH138_5690MHz																																																																						
ANT	3																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>48.51</td><td>74.00</td><td>-25.49</td><td>56.79</td><td>38.08</td><td>14.83</td><td>61.19</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>39.90</td><td>54.00</td><td>-14.10</td><td>48.15</td><td>38.10</td><td>14.84</td><td>61.19</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	48.51	74.00	-25.49	56.79	38.08	14.83	61.19	0.00	100	0	PEAK	2	11380.00	39.90	54.00	-14.10	48.15	38.10	14.84	61.19	0.00	100	0	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	11380.00	48.51	74.00	-25.49	56.79	38.08	14.83	61.19	0.00	100	0	PEAK																																																											
2	11380.00	39.90	54.00	-14.10	48.15	38.10	14.84	61.19	0.00	100	0	AVERAGE																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>47.79</td><td>74.00</td><td>-26.21</td><td>56.87</td><td>38.08</td><td>14.83</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	47.79	74.00	-26.21	56.87	38.08	14.83	61.19	0.00	---	---	PEAK														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	11380.00	47.79	74.00	-26.21	56.87	38.08	14.83	61.19	0.00	---	---	PEAK																																																											







Mode	43																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																			
ANT	3																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5121.92</td><td>54.92</td><td>74.00</td><td>-19.08</td><td>42.93</td><td>34.14</td><td>9.76</td><td>31.91</td><td>0.00</td><td>100</td><td>277 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5121.92	54.92	74.00	-19.08	42.93	34.14	9.76	31.91	0.00	100	277 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>97.71</td><td>-----</td><td>-----</td><td>85.25</td><td>34.41</td><td>9.87</td><td>31.82</td><td>0.00</td><td>100</td><td>277 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	97.71	-----	-----	85.25	34.41	9.87	31.82	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5121.92	54.92	74.00	-19.08	42.93	34.14	9.76	31.91	0.00	100	277 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5290.00	97.71	-----	-----	85.25	34.41	9.87	31.82	0.00	100	277 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5117.60</td><td>45.38</td><td>54.00</td><td>-8.62</td><td>33.39</td><td>34.14</td><td>9.76</td><td>31.91</td><td>0.00</td><td>100</td><td>277 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5117.60	45.38	54.00	-8.62	33.39	34.14	9.76	31.91	0.00	100	277 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>89.43</td><td>-----</td><td>-----</td><td>76.93</td><td>34.44</td><td>9.88</td><td>31.82</td><td>0.00</td><td>100</td><td>277 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	89.43	-----	-----	76.93	34.44	9.88	31.82	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5117.60	45.38	54.00	-8.62	33.39	34.14	9.76	31.91	0.00	100	277 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5290.00	89.43	-----	-----	76.93	34.44	9.88	31.82	0.00	100	277 AVERAGE																																																																																									





Mode	43																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																							
ANT	3																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.30</td><td>60.90</td><td>74.00</td><td>-13.10</td><td>48.16</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>277</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.30	60.90	74.00	-13.10	48.16	34.61	9.91	31.78	0.00	100	277	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5355.30	60.90	74.00	-13.10	48.16	34.61	9.91	31.78	0.00	100	277	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.60</td><td>46.65</td><td>54.00</td><td>-7.35</td><td>33.91</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>277</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.60	46.65	54.00	-7.35	33.91	34.61	9.91	31.78	0.00	100	277	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5352.60	46.65	54.00	-7.35	33.91	34.61	9.91	31.78	0.00	100	277	AVERAGE																																												





Mode	43																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																			
ANT	3																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5143.68</td><td>54.95</td><td>74.00</td><td>-19.05</td><td>42.87</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.68	54.95	74.00	-19.05	42.87	34.19	9.78	31.89	0.00	100	112 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>89.91</td><td>-----</td><td>-----</td><td>77.36</td><td>34.48</td><td>9.88</td><td>31.81</td><td>0.00</td><td>100</td><td>112 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	89.91	-----	-----	77.36	34.48	9.88	31.81	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5143.68	54.95	74.00	-19.05	42.87	34.19	9.78	31.89	0.00	100	112 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5290.00	89.91	-----	-----	77.36	34.48	9.88	31.81	0.00	100	112 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5113.12</td><td>44.72</td><td>54.00</td><td>-9.28</td><td>32.75</td><td>34.13</td><td>9.75</td><td>31.91</td><td>0.00</td><td>100</td><td>112 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5113.12	44.72	54.00	-9.28	32.75	34.13	9.75	31.91	0.00	100	112 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>81.12</td><td>-----</td><td>-----</td><td>68.57</td><td>34.48</td><td>9.88</td><td>31.81</td><td>0.00</td><td>100</td><td>112 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	81.12	-----	-----	68.57	34.48	9.88	31.81	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5113.12	44.72	54.00	-9.28	32.75	34.13	9.75	31.91	0.00	100	112 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5290.00	81.12	-----	-----	68.57	34.48	9.88	31.81	0.00	100	112 AVERAGE																																																																																									







Mode	43																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																							
ANT	3																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5360.20</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>41.93</td><td>34.62</td><td>9.92</td><td>31.78</td><td>0.00</td><td>100</td><td>112</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.20	54.69	74.00	-19.31	41.93	34.62	9.92	31.78	0.00	100	112	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5360.20	54.69	74.00	-19.31	41.93	34.62	9.92	31.78	0.00	100	112	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.80</td><td>44.02</td><td>54.00</td><td>-9.98</td><td>31.28</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>112</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.80	44.02	54.00	-9.98	31.28	34.61	9.91	31.78	0.00	100	112	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5355.80	44.02	54.00	-9.98	31.28	34.61	9.91	31.78	0.00	100	112	AVERAGE																																												







Mode	43																																																																																																								
	Harmonic																																																																																																								
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																								
ANT	3																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10580.00</td><td>46.61</td><td>68.20</td><td>-21.59</td><td>55.73</td><td>37.86</td><td>14.28</td><td>61.26</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10580.00	46.61	68.20	-21.59	55.73	37.86	14.28	61.26	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10580.00</td><td>46.10</td><td>68.20</td><td>-22.10</td><td>55.21</td><td>37.87</td><td>14.28</td><td>61.26</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10580.00	46.10	68.20	-22.10	55.21	37.87	14.28	61.26	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10580.00	46.61	68.20	-21.59	55.73	37.86	14.28	61.26	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10580.00	46.10	68.20	-22.10	55.21	37.87	14.28	61.26	0.00	---	---	PEAK																																																																																													





Co-location

		44																																																																																																															
Mode		Band Edge																																																																																																															
		2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																															
ANT		6																																																																																																															
Pol.		Horizontal					Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2494.00</td><td>57.27</td><td>74.00</td><td>-16.73</td><td>44.10</td><td>32.66</td><td>6.75</td><td>32.24</td><td>6.00</td><td>240 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.00	57.27	74.00	-16.73	44.10	32.66	6.75	32.24	6.00	240 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>105.24</td><td>-----</td><td>92.16</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>240 Peak</td></tr><tr><td>2</td><td>2584.00</td><td>119.94</td><td>-----</td><td>106.95</td><td>32.36</td><td>6.87</td><td>32.24</td><td>6.00</td><td>100</td><td>240 Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	105.24	-----	92.16	32.58	6.73	32.23	6.00	100	240 Peak	2	2584.00	119.94	-----	106.95	32.36	6.87	32.24	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2494.00	57.27	74.00	-16.73	44.10	32.66	6.75	32.24	6.00	240 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2480.00	105.24	-----	92.16	32.58	6.73	32.23	6.00	100	240 Peak																																																																																																							
2	2584.00	119.94	-----	106.95	32.36	6.87	32.24	6.00	100	240 Peak																																																																																																							
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>46.65</td><td>54.00</td><td>-7.35</td><td>33.55</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>240 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	46.65	54.00	-7.35	33.55	32.60	6.73	32.23	6.00	240 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.98</td><td>-----</td><td>89.90</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>240 Average</td></tr><tr><td>2</td><td>2584.00</td><td>117.59</td><td>-----</td><td>104.60</td><td>32.36</td><td>6.87</td><td>32.24</td><td>6.00</td><td>100</td><td>240 Average</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.98	-----	89.90	32.58	6.73	32.23	6.00	100	240 Average	2	2584.00	117.59	-----	104.60	32.36	6.87	32.24	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2483.62	46.65	54.00	-7.35	33.55	32.60	6.73	32.23	6.00	240 AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2480.00	102.98	-----	89.90	32.58	6.73	32.23	6.00	100	240 Average																																																																																																							
2	2584.00	117.59	-----	104.60	32.36	6.87	32.24	6.00	100	240 Average																																																																																																							







Mode	44																																																																																																																	
	Band Edge																																																																																																																	
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																	
ANT	6																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.78</td><td>56.34</td><td>74.00</td><td>-17.66</td><td>43.19</td><td>32.65</td><td>6.74</td><td>32.24</td><td>6.00</td><td>362</td><td>174</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.78	56.34	74.00	-17.66	43.19	32.65	6.74	32.24	6.00	362	174	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.25</td><td>-----</td><td>89.17</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>362</td><td>174</td><td>Peak</td></tr><tr><td>2</td><td>2584.00</td><td>110.84</td><td>-----</td><td>97.85</td><td>32.36</td><td>6.87</td><td>32.24</td><td>6.00</td><td>362</td><td>174</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.25	-----	89.17	32.58	6.73	32.23	6.00	362	174	Peak	2	2584.00	110.84	-----	97.85	32.36	6.87	32.24	6.00	362	174
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	2491.78	56.34	74.00	-17.66	43.19	32.65	6.74	32.24	6.00	362	174	PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	2480.00	102.25	-----	89.17	32.58	6.73	32.23	6.00	362	174	Peak																																																																																																							
2	2584.00	110.84	-----	97.85	32.36	6.87	32.24	6.00	362	174	Peak																																																																																																							
Avg																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.64</td><td>46.39</td><td>54.00</td><td>-7.61</td><td>33.28</td><td>32.61</td><td>6.73</td><td>32.23</td><td>6.00</td><td>362</td><td>174</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.64	46.39	54.00	-7.61	33.28	32.61	6.73	32.23	6.00	362	174	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.98</td><td>-----</td><td>86.90</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>362</td><td>174</td><td>Average</td></tr><tr><td>2</td><td>2584.00</td><td>108.54</td><td>-----</td><td>95.55</td><td>32.36</td><td>6.87</td><td>32.24</td><td>6.00</td><td>362</td><td>174</td><td>Average</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.98	-----	86.90	32.58	6.73	32.23	6.00	362	174	Average	2	2584.00	108.54	-----	95.55	32.36	6.87	32.24	6.00	362	174
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	2484.64	46.39	54.00	-7.61	33.28	32.61	6.73	32.23	6.00	362	174	AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	2480.00	99.98	-----	86.90	32.58	6.73	32.23	6.00	362	174	Average																																																																																																							
2	2584.00	108.54	-----	95.55	32.36	6.87	32.24	6.00	362	174	Average																																																																																																							





Mode	44																																																																																																																										
	Harmonic																																																																																																																										
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																										
ANT	6																																																																																																																										
Pol.	Horizontal											Vertical																																																																																																															
Peak Avg																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.46</td><td>74.00</td><td>-32.54</td><td>59.01</td><td>34.00</td><td>9.61</td><td>61.16</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>5290.00</td><td>53.24</td><td>74.00</td><td>-20.76</td><td>69.73</td><td>34.46</td><td>9.88</td><td>60.83</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.46	74.00	-32.54	59.01	34.00	9.61	61.16	0.00	--- PEAK	2	5290.00	53.24	74.00	-20.76	69.73	34.46	9.88	60.83	0.00	--- Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.74</td><td>74.00</td><td>-32.26</td><td>59.29</td><td>34.00</td><td>9.61</td><td>61.16</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>5290.00</td><td>45.80</td><td>74.00</td><td>-28.20</td><td>62.29</td><td>34.46</td><td>9.88</td><td>60.83</td><td>0.00</td><td>--- Peak</td></tr></table>			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.74	74.00	-32.26	59.29	34.00	9.61	61.16	0.00	--- PEAK	2	5290.00	45.80	74.00	-28.20	62.29	34.46	9.88	60.83	0.00	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	4960.00	41.46	74.00	-32.54	59.01	34.00	9.61	61.16	0.00	--- PEAK																																																																																																																	
2	5290.00	53.24	74.00	-20.76	69.73	34.46	9.88	60.83	0.00	--- Peak																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	4960.00	41.74	74.00	-32.26	59.29	34.00	9.61	61.16	0.00	--- PEAK																																																																																																																	
2	5290.00	45.80	74.00	-28.20	62.29	34.46	9.88	60.83	0.00	--- Peak																																																																																																																	



Mode	44																																																							
	Band Edge - L																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																							
ANT	3																																																							
Pol.	Horizontal																																																							
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5112.32</td><td>55.65</td><td>74.00</td><td>-18.35</td><td>43.69</td><td>34.12</td><td>9.75</td><td>31.91</td><td>0.00</td><td>100</td><td>326 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5112.32	55.65	74.00	-18.35	43.69	34.12	9.75	31.91	0.00	100	326 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5112.32	55.65	74.00	-18.35	43.69	34.12	9.75	31.91	0.00	100	326 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>98.07</td><td>-----</td><td>-----</td><td>85.49</td><td>34.50</td><td>9.89</td><td>31.81</td><td>0.00</td><td>100</td><td>326 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	98.07	-----	-----	85.49	34.50	9.89	31.81	0.00	100	326 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5290.00	98.07	-----	-----	85.49	34.50	9.89	31.81	0.00	100	326 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.60</td><td>45.83</td><td>54.00</td><td>-8.17</td><td>33.76</td><td>34.18</td><td>9.78</td><td>31.89</td><td>0.00</td><td>100</td><td>326 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.60	45.83	54.00	-8.17	33.76	34.18	9.78	31.89	0.00	100	326 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5141.60	45.83	54.00	-8.17	33.76	34.18	9.78	31.89	0.00	100	326 AVERAGE																																													
AVERAGE																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>90.93</td><td>-----</td><td>-----</td><td>78.43</td><td>34.44</td><td>9.88</td><td>31.82</td><td>0.00</td><td>100</td><td>326 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	90.93	-----	-----	78.43	34.44	9.88	31.82	0.00	100	326 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5290.00	90.93	-----	-----	78.43	34.44	9.88	31.82	0.00	100	326 AVERAGE																																													





Mode	44																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																							
ANT	3																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5367.90</td><td>60.78</td><td>74.00</td><td>-13.22</td><td>47.99</td><td>34.64</td><td>9.92</td><td>31.77</td><td>0.00</td><td>100</td><td>326</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5367.90	60.78	74.00	-13.22	47.99	34.64	9.92	31.77	0.00	100	326	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5367.90	60.78	74.00	-13.22	47.99	34.64	9.92	31.77	0.00	100	326	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.20</td><td>48.75</td><td>54.00</td><td>-5.25</td><td>36.02</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>326</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.20	48.75	54.00	-5.25	36.02	34.60	9.91	31.78	0.00	100	326	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.20	48.75	54.00	-5.25	36.02	34.60	9.91	31.78	0.00	100	326	AVERAGE																																												





Mode	44																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																			
ANT	3																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5124.64</td><td>55.72</td><td>74.00</td><td>-18.28</td><td>43.71</td><td>34.15</td><td>9.76</td><td>31.90</td><td>0.00</td><td>100</td><td>129 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5124.64	55.72	74.00	-18.28	43.71	34.15	9.76	31.90	0.00	100	129 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>92.03</td><td>-----</td><td>-----</td><td>79.60</td><td>34.39</td><td>9.87</td><td>31.83</td><td>0.00</td><td>100</td><td>129 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	92.03	-----	-----	79.60	34.39	9.87	31.83	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5124.64	55.72	74.00	-18.28	43.71	34.15	9.76	31.90	0.00	100	129 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5290.00	92.03	-----	-----	79.60	34.39	9.87	31.83	0.00	100	129 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.04</td><td>45.01</td><td>54.00</td><td>-8.99</td><td>32.93</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>100</td><td>129 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.04	45.01	54.00	-8.99	32.93	34.19	9.78	31.89	0.00	100	129 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>83.00</td><td>-----</td><td>-----</td><td>70.58</td><td>34.44</td><td>9.88</td><td>31.82</td><td>0.00</td><td>100</td><td>129 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	83.00	-----	-----	70.58	34.44	9.88	31.82	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5147.04	45.01	54.00	-8.99	32.93	34.19	9.78	31.89	0.00	100	129 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5290.00	83.00	-----	-----	70.58	34.44	9.88	31.82	0.00	100	129 AVERAGE																																																																																									



Mode	44																																														
	Band Edge - R																																														
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																														
ANT	3																																														
Pol.	Vertical	Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5366.60</td><td>55.65</td><td>74.00</td><td>-18.35</td><td>42.88</td><td>34.63</td><td>9.92</td><td>31.78</td><td>0.00</td><td>100</td><td>129 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5366.60	55.65	74.00	-18.35	42.88	34.63	9.92	31.78	0.00	100	129 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5366.60	55.65	74.00	-18.35	42.88	34.63	9.92	31.78	0.00	100	129 PEAK																																				
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5372.90</td><td>44.62</td><td>54.00</td><td>-9.38</td><td>31.82</td><td>34.65</td><td>9.92</td><td>31.77</td><td>0.00</td><td>100</td><td>129 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5372.90	44.62	54.00	-9.38	31.82	34.65	9.92	31.77	0.00	100	129 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5372.90	44.62	54.00	-9.38	31.82	34.65	9.92	31.77	0.00	100	129 AVERAGE																																				




Mode	44																																																																																							
	Harmonic																																																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																							
ANT	3																																																																																							
Pol.	Horizontal																																																																																							
Peak Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10336.30</td><td>47.69</td><td>68.20</td><td>-20.51</td><td>57.49</td><td>37.37</td><td>14.11</td><td>61.28</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2 10580.00</td><td>45.60</td><td>68.20</td><td>-22.60</td><td>54.68</td><td>37.89</td><td>14.29</td><td>61.26</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3 12921.30</td><td>50.67</td><td>68.20</td><td>-17.53</td><td>57.29</td><td>39.40</td><td>15.99</td><td>62.01</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4 15505.20</td><td>47.38</td><td>74.00</td><td>-26.62</td><td>53.67</td><td>40.01</td><td>17.50</td><td>63.80</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10336.30	47.69	68.20	-20.51	57.49	37.37	14.11	61.28	0.00	---	Peak	2 10580.00	45.60	68.20	-22.60	54.68	37.89	14.29	61.26	0.00	---	PEAK	3 12921.30	50.67	68.20	-17.53	57.29	39.40	15.99	62.01	0.00	---	Peak	4 15505.20	47.38	74.00	-26.62	53.67	40.01	17.50	63.80	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10336.30	47.69	68.20	-20.51	57.49	37.37	14.11	61.28	0.00	---	Peak																																																																														
2 10580.00	45.60	68.20	-22.60	54.68	37.89	14.29	61.26	0.00	---	PEAK																																																																														
3 12921.30	50.67	68.20	-17.53	57.29	39.40	15.99	62.01	0.00	---	Peak																																																																														
4 15505.20	47.38	74.00	-26.62	53.67	40.01	17.50	63.80	0.00	---	Peak																																																																														
Vertical																																																																																								
Peak Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10336.30</td><td>55.50</td><td>68.20</td><td>-12.70</td><td>65.30</td><td>37.37</td><td>14.11</td><td>61.28</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2 10580.00</td><td>48.45</td><td>68.20</td><td>-19.75</td><td>57.53</td><td>37.89</td><td>14.29</td><td>61.26</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3 12920.20</td><td>56.52</td><td>68.20</td><td>-11.68</td><td>63.14</td><td>39.40</td><td>15.99</td><td>62.01</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4 15505.20</td><td>49.63</td><td>74.00</td><td>-24.37</td><td>55.92</td><td>40.01</td><td>17.50</td><td>63.80</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10336.30	55.50	68.20	-12.70	65.30	37.37	14.11	61.28	0.00	---	Peak	2 10580.00	48.45	68.20	-19.75	57.53	37.89	14.29	61.26	0.00	---	PEAK	3 12920.20	56.52	68.20	-11.68	63.14	39.40	15.99	62.01	0.00	---	Peak	4 15505.20	49.63	74.00	-24.37	55.92	40.01	17.50	63.80	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 10336.30	55.50	68.20	-12.70	65.30	37.37	14.11	61.28	0.00	---	Peak																																																																														
2 10580.00	48.45	68.20	-19.75	57.53	37.89	14.29	61.26	0.00	---	PEAK																																																																														
3 12920.20	56.52	68.20	-11.68	63.14	39.40	15.99	62.01	0.00	---	Peak																																																																														
4 15505.20	49.63	74.00	-24.37	55.92	40.01	17.50	63.80	0.00	---	Peak																																																																														



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.25	-	-	10Hz
802.11ac VHT20	98.13	-	-	10Hz
802.11ac VHT40	96.27	0.935	1.070	1.1KHz
802.11ac VHT80	93.20	0.457	2.190	2.2KHz


802.11a




Date: 19.SEP.2024 10:45:49



802.11ac VHT20




802.11ac VHT40





802.11ac VHT80



Date: 19.SEP.2024 10:50:39