







11.6. APPENDIX F: INBAND EMISSIONS

11.6.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Result	Limit	Verdict
		5975	See test graph	See test graph	PASS
		6135	See test graph	See test graph	PASS
		6375	See test graph	See test graph	PASS
		6455	See test graph	See test graph	PASS
11A	Ant2	6535	See test graph	See test graph	PASS
	Antz	6695	See test graph	See test graph	PASS
		6855	See test graph	See test graph	PASS
		6935	See test graph	See test graph	PASS
		7015	See test graph	See test graph	PASS
		7095	See test graph	See test graph	PASS
	Ant2	5955	See test graph	See test graph	PASS
	Ant2	6175	See test graph	See test graph	PASS
	Ant2	6415	See test graph	See test graph	PASS
	Ant2	6435	See test graph	See test graph	PASS
	Ant2	6475	See test graph	See test graph	PASS
	Ant2	6515	See test graph	See test graph	PASS
11AX20	Ant2	6535	See test graph	See test graph	PASS
	Ant2	6715	See test graph	See test graph	PASS
	Ant2	6855	See test graph	See test graph	PASS
	Ant2	6875	See test graph	See test graph	PASS
	Ant2	7015	See test graph	See test graph	PASS
	Ant2	7095	See test graph	See test graph	PASS
	Ant2	7115	See test graph	See test graph	PASS
	Ant2	5965	See test graph	See test graph	PASS
	Ant2	6165	See test graph	See test graph	PASS
	Ant2	6405	See test graph	See test graph	PASS
	Ant2	6445	See test graph	See test graph	PASS
	Ant2	6485	See test graph	See test graph	PASS
	Ant2	6525	See test graph	See test graph	PASS
11AX40	Ant2	6565	See test graph	See test graph	PASS
	Ant2	6725	See test graph	See test graph	PASS
	Ant2	6845	See test graph	See test graph	PASS
	Ant2	6885	See test graph	See test graph	PASS
	Ant2	7005	See test graph	See test graph	PASS
	Ant2	7085	See test graph	See test graph	PASS
	Ant2	5985	See test graph	See test graph	PASS
	Ant2	6145	See test graph	See test graph	PASS
	Ant2	6385	See test graph	See test graph	PASS
	Ant2	6465	See test graph	See test graph	PASS
	Ant2	6545	See test graph	See test graph	PASS
11AX80	Ant2	6705	See test graph	See test graph	PASS
	Ant2	6785	See test graph	See test graph	PASS
	Ant2	6865	See test graph	See test graph	PASS
	Ant2	6945	See test graph	See test graph	PASS
	Ant2	7025	See test graph	See test graph	PASS
	Ant2 Ant2	6025	See test graph	See test graph	PASS
	Ant2 Ant2	6185	See test graph	See test graph	PASS
	Ant2 Ant2	6345	See test graph	See test graph	PASS
11AX160	Ant2 Ant2	6505	See test graph	See test graph	PASS
TIANTOU	Ant2 Ant2	6665			PASS
		6825	See test graph	See test graph	PASS
	Ant2		See test graph	See test graph	
118520	Ant2	6985 5055	See test graph	See test graph	PASS
11BE20	Ant2	5955	See test graph	See test graph	PASS

UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch FORM NO: 10-SL-F0035 This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.




	 			-	
	Ant2	6175	See test graph	See test graph	PASS
	Ant2	6415	See test graph	See test graph	PASS
	Ant2	6435	See test graph	See test graph	PASS
	Ant2	6475	See test graph	See test graph	PASS
	Ant2	6515	See test graph	See test graph	PASS
	Ant2	6535	See test graph	See test graph	PASS
	Ant2	6715	See test graph	See test graph	PASS
	Ant2	6855	See test graph	See test graph	PASS
	Ant2	6875	See test graph	See test graph	PASS
	Ant2	7015	See test graph	See test graph	PASS
	Ant2	7095	See test graph	See test graph	PASS
	Ant2	7115	See test graph	See test graph	PASS
	Ant2	5965	See test graph	See test graph	PASS
	Ant2	5965	See test graph	See test graph	PASS
	Ant2	6165	See test graph	See test graph	PASS
	Ant2	6405	See test graph	See test graph	PASS
	Ant2	6445	See test graph	See test graph	PASS
	Ant2	6485	See test graph	See test graph	PASS
11BE40	Ant2	6525	See test graph	See test graph	PASS
	Ant2	6565	See test graph	See test graph	PASS
	Ant2	6725	See test graph	See test graph	PASS
	Ant2	6845	See test graph	See test graph	PASS
	Ant2	6885	See test graph	See test graph	PASS
	Ant2	7005	See test graph	See test graph	PASS
	Ant2	7085	See test graph	See test graph	PASS
	Ant2	5985	See test graph	See test graph	PASS
	Ant2	6145	See test graph	See test graph	PASS
	Ant2	6385	See test graph	See test graph	PASS
	Ant2	6465	See test graph	See test graph	PASS
440500	Ant2	6545	See test graph	See test graph	PASS
11BE80	Ant2	6705	See test graph	See test graph	PASS
	Ant2	6785	See test graph	See test graph	PASS
	Ant2	6865	See test graph	See test graph	PASS
	Ant2	6945	See test graph	See test graph	PASS
	Ant2	7025	See test graph	See test graph	PASS
	Ant2	6025	See test graph	See test graph	PASS
	Ant2	6185	See test graph	See test graph	PASS
	Ant2	6345	See test graph	See test graph	PASS
11BE160	Ant2	6505	See test graph	See test graph	PASS
	Ant2	6665	See test graph	See test graph	PASS
	Ant2	6825	See test graph	See test graph	PASS

Note:


1. All antennas and test modes have been tested, only the worst data record in the report.




11.6.2. Test Graphs






























































































































































11.7. APPENDIX G: CONTENTION BASED PROTOCOL

11.7.1. Test Result

Mode	Freq	Ant	AWGN Frequency	Pmeas	Loss	Pinj	Gant Gain	Limit	Adjusted Limit	UT Tx Status	Verdict
	1104	7.00	(MHz)	(dBm)	(dB)	(dBm)	(dBi)	(dBm)	(dBm)	(Note1)	ronalot
			6135	-69.81	1.80	-71.61	0.60	-62.00	-61.40	ON	
	6135	Ant2	6135	-67.78	1.80	-69.58	0.60	-62.00	-61.40	Minimal	
			6135	-62.53	1.80	-64.33	0.60	-62.00	-61.40	OFF	PASS
			6455	-71.86	1.80	-73.66	0.98	-62.00	-61.02	ON	
	6455	Ant2	6455	-68.28	1.80	-70.08	0.98	-62.00	-61.02	Minimal	
ba20			6455	-62.13	1.80	-63.93	0.98	-62.00	-61.02	OFF	PASS
be20			6695	-74.19	1.80	-75.99	1.06	-62.00	-60.94	ON	
	6695	Ant2	6695	-65.44	1.80	-67.24	1.06	-62.00	-60.94	Minimal	
			6695	-62.85	1.80	-64.65	1.06	-62.00	-60.94	OFF	PASS
			7015	-69.84	1.80	-71.64	-0.98	-62.00	-62.98	ON	
	7015	Ant2	7015	-68.07	1.80	-69.87	-0.98	-62.00	-62.98	Minimal	
			7015	-62.20	1.80	-64.00	-0.98	-62.00	-62.98	OFF	PASS
			6110	-70.78	1.80	-72.58	0.60	-62.00	-61.40	ON	
		Ant2	6110	-67.48	1.80	-69.28	0.60	-62.00	-61.40	Minimal	
			6110	-62.56	1.80	-64.36	0.60	-62.00	-61.40	OFF	PASS
	6185	Ant2 Ant2	6185	-74.57	1.80	-76.37	0.60	-62.00	-61.40	ON	
			6185	-65.28	1.80	-67.08	0.60	-62.00	-61.40	Minimal	
			6185	-62.80	1.80	-64.60	0.60	-62.00	-61.40	OFF	PASS
			6260	-71.36	1.80	-73.16	0.60	-62.00	-61.40	ON	
			6260	-66.75	1.80	-68.55	0.60	-62.00	-61.40	Minimal	
			6260	-62.62	1.80	-64.42	0.60	-62.00	-61.40	OFF	PASS
		Ant2	6430	-71.99	1.80	-73.79	0.98	-62.00	-61.02	ON	
			6430	-65.86	1.80	-67.66	0.98	-62.00	-61.02	Minimal	
			6430	-62.65	1.80	-64.45	0.98	-62.00	-61.02	OFF	PASS
be160			6505	-70.34	1.80	-72.14	0.98	-62.00	-61.02	ON	
	6505	Ant2	6505	-67.45	1.80	-69.25	0.98	-62.00	-61.02	Minimal	
			6505	-62.42	1.80	-64.22	0.98	-62.00	-61.02	OFF	PASS
			6580	-70.15	1.80	-71.95	0.98	-62.00	-61.02	ON	
		Ant2	6580	-67.92	1.80	-69.72	0.98	-62.00	-61.02	Minimal	
			6580	-62.21	1.80	-64.01	0.98	-62.00	-61.02	OFF	PASS
			6590	-69.93	1.80	-71.73	1.06	-62.00	-60.94	ON	
		Ant2	6590	-66.23	1.80	-68.03	1.06	-62.00	-60.94	Minimal	
			6590	-62.74	1.80	-64.54	1.06	-62.00	-60.94	OFF	PASS
	6665		6665	-69.78	1.80	-71.58	1.06	-62.00	-60.94	ON	
		Ant2	6665	-67.90	1.80	-69.70	1.06	-62.00	-60.94	Minimal	
			6665	-62.04	1.80	-63.84	1.06	-62.00	-60.94	OFF	PASS
		Ant2	6740	-69.77	1.80	-71.57	1.06	-62.00	-60.94	ON	



		6740	-68.73	1.80	-70.53	1.06	-62.00	-60.94	Minimal	
		6740	-62.48	1.80	-64.28	1.06	-62.00	-60.94	OFF	PASS
		6910	-71.82	1.80	-73.62	-0.98	-62.00	-62.98	ON	
	Ant2	6910	-67.85	1.80	-69.65	-0.98	-62.00	-62.98	Minimal	
		6910	-62.35	1.80	-64.15	-0.98	-62.00	-62.98	OFF	PASS
		6985	-71.13	1.80	-72.93	-0.98	-62.00	-62.98	ON	
6985 Ant2	Ant2	6985	-67.97	1.80	-69.77	-0.98	-62.00	-62.98	Minimal	
		6985	-62.30	1.80	-64.10	-0.98	-62.00	-62.98	OFF	PASS
		7060	-70.08	1.80	-71.88	-0.98	-62.00	-62.98	ON	
	Ant2	7060	-66.32	1.80	-68.12	-0.98	-62.00	-62.98	Minimal	
		7060	-62.72	1.80	-64.52	-0.98	-62.00	-62.98	OFF	PASS

Note 1: The AWGN level is reported for the following conditions:

- OFF = AWGN level at which no transmission is detected, consistently for a minimum period of 10 seconds

- Minimal: AWGN level at which the system begins to trigger the transmission switch-off, albeit not being kept off consistently

- ON = AWGN level at which no impact on the transmission is detected, consistently for a minimum period of 10 seconds.

Both of SISO and MIMO mode had been tested, only the worst data were recorded in the report.

Pmeas is measured AWGN signal level.

Loss is the total path losses of cables / attenuators / couplers between measurement point and EUT injection point. If the measurement is made at the end of the cable that connects to the EUT antenna port then this is 0dBm.

Pinj is the power injected at EUT's antenna connect port.

Adjusted limit is the FCC limit (-62dBm) corrected for the EUT antenna gain (= -62dBm - grant gain)

Note 2: The EUT does not support channel puncturing.

Note 3: The EUT does not support channel bandwidth reduction.

Note 4: Test is performed by starting at a level much lower than required detection level and then increased based on KDB 987594.

Mode	Frequency (MHz)	Antenna	AWGN Location	AWGN Frequency	Test Number	Number Detected	Result (%)	Limit (%)	Verdict
				(MHz)					
be20	6135	Ant2	Center	6135	10	10	100	90	Pass
be20	6455	Ant2	Center	6455	10	10	100	90	Pass
be20	6695	Ant2	Center	6695	10	10	100	90	Pass
be20	7015	Ant2	Center	7015	10	10	100	90	Pass
be160	6185	Ant2	Low	6110	10	10	100	90	Pass
be160	6185	Ant2	Center	6185	10	10	100	90	Pass
be160	6185	Ant2	High	6260	10	10	100	90	Pass
be160	6505	Ant2	Low	6430	10	10	100	90	Pass
be160	6505	Ant2	Center	6505	10	10	100	90	Pass
be160	6505	Ant2	High	6580	10	10	100	90	Pass
be160	6665	Ant2	Low	6590	10	10	100	90	Pass
be160	6665	Ant2	Center	6665	10	10	100	90	Pass
be160	6665	Ant2	High	6740	10	10	100	90	Pass
be160	6985	Ant2	Low	6910	10	10	100	90	Pass
be160	6985	Ant2	Center	6985	10	10	100	90	Pass
be160	6985	Ant2	High	7060	10	10	100	90	Pass

UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch FORM NO: 10-SL-F0035 This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



Mode	Frequency (MHz)	Antenna	AWGN Location	AWGN Frequency (MHz)	Test Time	Is Detected	Verdict
be20	6135	Ant2	Center	6135	1	Yes	Pass
be20	6135	Ant2	Center	6135	2	Yes	Pass
be20	6135	Ant2	Center	6135	3	Yes	Pass
be20	6135	Ant2	Center	6135	4	Yes	Pass
be20	6135	Ant2	Center	6135	5	Yes	Pass
be20	6135	Ant2	Center	6135	6	Yes	Pass
be20	6135	Ant2	Center	6135	7	Yes	Pass
be20	6135	Ant2	Center	6135	8	Yes	Pass
be20	6135	Ant2	Center	6135	9	Yes	Pass
be20	6135	Ant2	Center	6135	10	Yes	Pass
be20	6455	Ant2	Center	6455	1	Yes	Pass
be20	6455	Ant2	Center	6455	2	Yes	Pass
be20	6455	Ant2	Center	6455	3	Yes	Pass
be20	6455	Ant2	Center	6455	4	Yes	Pass
be20	6455	Ant2	Center	6455	5	Yes	Pass
be20	6455	Ant2	Center	6455	6	Yes	Pass
be20	6455	Ant2	Center	6455	7	Yes	Pass
be20	6455	Ant2	Center	6455	8	Yes	Pass
be20	6455	Ant2	Center	6455	9	Yes	Pass
be20	6455	Ant2	Center	6455	10	Yes	Pass
be20	6695	Ant2	Center	6695	1	Yes	Pass
be20	6695	Ant2	Center	6695	2	Yes	Pass
be20	6695	Ant2	Center	6695	3	Yes	Pass
be20	6695	Ant2	Center	6695	4	Yes	Pass
be20	6695	Ant2	Center	6695	5	Yes	Pass
be20	6695	Ant2	Center	6695	6	Yes	Pass
be20	6695	Ant2	Center	6695	7	Yes	Pass
be20	6695	Ant2	Center	6695	8	Yes	Pass
be20	6695	Ant2	Center	6695	9	Yes	Pass
be20	6695	Ant2	Center	6695	10	Yes	Pass
be20	7015	Ant2	Center	7015	1	Yes	Pass
be20	7015	Ant2	Center	7015	2	Yes	Pass
be20	7015	Ant2	Center	7015	3	Yes	Pass
be20	7015	Ant2	Center	7015	4	Yes	Pass
be20	7015	Ant2	Center	7015	5	Yes	Pass
be20	7015	Ant2	Center	7015	6	Yes	Pass
be20	7015	Ant2	Center	7015	7	Yes	Pass
be20	7015	Ant2	Center	7015	8	Yes	Pass
be20	7015	Ant2	Center	7015	9	Yes	Pass
be20	7015	Ant2	Center	7015	10	Yes	Pass
be160	6185	Ant2	Low	6110	1	Yes	Pass
be160	6185	Ant2	Low	6110	2	Yes	Pass
be160	6185	Ant2	Low	6110	3	Yes	Pass
be160	6185	Ant2	Low	6110	4	Yes	Pass
be160	6185	Ant2	Low	6110	5	Yes	Pass
be160	6185	Ant2	Low	6110	6	Yes	Pass
be160	6185	Ant2		6110	7	Yes	Pass
be160	6185	Ant2 Ant2	Low Low	6110	8	Yes	Pass
be160 be160				6110			
	6185	Ant2	Low	6110	9	Yes	Pass
be160	6185	Ant2	Low		10	Yes	Pass
be160	6185	Ant2	Center	6185	1	Yes	Pass
be160	6185	Ant2	Center	6185	2	Yes	Pass
be160	6185	Ant2	Center	6185	3	Yes	Pass
be160	6185	Ant2	Center	6185	4	Yes	Pass
be160	6185	Ant2	Center	6185	5	Yes	Pass
be160	6185	Ant2	Center	6185	6	Yes	Pass
be160	6185	Ant2	Center	6185	7	Yes	Pass
be160	6185	Ant2	Center	6185	8	Yes	Pass
be160	6185	Ant2	Center	6185	9	Yes	Pass

UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.




be160	6185	Ant2	Center	6185	10	Yes	Pass
be160	6185	Ant2	High	6260	1	Yes	Pass
be160	6185	Ant2	High	6260	2	Yes	Pass
be160	6185	Ant2	High	6260	3	Yes	Pass
be160	6185	Ant2	High	6260	4	Yes	Pass
be160	6185	Ant2	High	6260	5	Yes	Pass
be160	6185	Ant2	High	6260	6	Yes	Pass
be160	6185	Ant2	High	6260	7	Yes	Pass
be160	6185	Ant2	High	6260	8	Yes	Pass
be160	6185	Ant2	High	6260	9	Yes	Pass
be160	6185	Ant2	High	6260	10	Yes	Pass
be160	6505	Ant2	Low	6430	1	Yes	Pass
be160	6505	Ant2	Low	6430	2	Yes	Pass
be160	6505	Ant2	Low	6430	3	Yes	Pass
be160	6505	Ant2	Low	6430	4	Yes	Pass
be160	6505	Ant2	Low	6430	5	Yes	Pass
be160	6505	Ant2	Low	6430	6	Yes	Pass
be160	6505	Ant2 Ant2	Low	6430	7	Yes	Pass
be160	6505	Ant2 Ant2	Low	6430	8	Yes	Pass
be160	6505	Ant2 Ant2	Low	6430	9	Yes	Pass
be160	6505	Ant2		6430	10	Yes	Pass
be160	6505		Low	6505		Yes	Pass
be160 be160		Ant2	Center	6505	1 2	Yes	Pass
	6505	Ant2	Center			Yes	
be160	6505	Ant2	Center	6505	3		Pass
be160	6505	Ant2	Center	6505	4	Yes	Pass
be160	6505	Ant2	Center	6505	5	Yes	Pass
be160	6505	Ant2	Center	6505	6	Yes	Pass
be160	6505	Ant2	Center	6505	7	Yes	Pass
be160	6505	Ant2	Center	6505	8	Yes	Pass
be160	6505	Ant2	Center	6505	9	Yes	Pass
be160	6505	Ant2	Center	6505	10	Yes	Pass
be160	6505	Ant2	High	6580	1	Yes	Pass
be160	6505	Ant2	High	6580	2	Yes	Pass
be160	6505	Ant2	High	6580	3	Yes	Pass
be160	6505	Ant2	High	6580	4	Yes	Pass
be160	6505	Ant2	High	6580	5	Yes	Pass
be160	6505	Ant2	High	6580	6	Yes	Pass
be160	6505	Ant2	High	6580	7	Yes	Pass
be160	6505	Ant2	High	6580	8	Yes	Pass
be160	6505	Ant2	High	6580	9	Yes	Pass
be160	6505	Ant2	High	6580	10	Yes	Pass
be160	6665	Ant2	Low	6590	1	Yes	Pass
be160	6665	Ant2	Low	6590	2	Yes	Pass
be160	6665	Ant2	Low	6590	3	Yes	Pass
be160	6665	Ant2	Low	6590	4	Yes	Pass
be160	6665	Ant2	Low	6590	5	Yes	Pass
be160	6665	Ant2	Low	6590	6	Yes	Pass
be160	6665	Ant2	Low	6590	7	Yes	Pass
be160	6665	Ant2	Low	6590	8	Yes	Pass
be160	6665	Ant2	Low	6590	9	Yes	Pass
be160	6665	Ant2	Low	6590	10	Yes	Pass
be160	6665	Ant2	Center	6665	1	Yes	Pass
be160	6665	Ant2	Center	6665	2	Yes	Pass
be160	6665	Ant2	Center	6665	3	Yes	Pass
be160	6665	Ant2	Center	6665	4	Yes	Pass
be160	6665	Ant2	Center	6665	5	Yes	Pass
be160	6665	Ant2	Center	6665	6	Yes	Pass
be160	6665	Ant2	Center	6665	7	Yes	Pass
be160	6665	Ant2	Center	6665	8	Yes	Pass
be160	6665	Ant2	Center	6665	9	Yes	Pass
be160	6665	Ant2 Ant2	Center	6665	10	Yes	Pass
be160	6665	Ant2 Ant2	High	6740	1	Yes	Pass
00100	0000	AIIIZ	riigii	0740	1	162	rass

UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch This report shall not be reproduced except in full, without the written approval of UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch.



ho160	REEF	A nt2	High	6740	2	Yes	Dooo
be160	6665	Ant2	High		2		Pass
be160	6665	Ant2	High	6740	3	Yes	Pass
be160	6665	Ant2	High	6740	4	Yes	Pass
be160	6665	Ant2	High	6740	5	Yes	Pass
be160	6665	Ant2	High	6740	6	Yes	Pass
be160	6665	Ant2	High	6740	7	Yes	Pass
be160	6665	Ant2	High	6740	8	Yes	Pass
be160	6665	Ant2	High	6740	9	Yes	Pass
be160	6665	Ant2	High	6740	10	Yes	Pass
be160	6985	Ant2	Low	6910	1	Yes	Pass
be160	6985	Ant2	Low	6910	2	Yes	Pass
be160	6985	Ant2	Low	6910	3	Yes	Pass
be160	6985	Ant2	Low	6910	4	Yes	Pass
be160	6985	Ant2	Low	6910	5	Yes	Pass
be160	6985	Ant2	Low	6910	6	Yes	Pass
be160	6985	Ant2	Low	6910	7	Yes	Pass
be160	6985	Ant2	Low	6910	8	Yes	Pass
be160	6985	Ant2	Low	6910	9	Yes	Pass
be160	6985	Ant2	Low	6910	10	Yes	Pass
be160	6985	Ant2	Center	6985	1	Yes	Pass
be160	6985	Ant2	Center	6985	2	Yes	Pass
be160	6985	Ant2	Center	6985	3	Yes	Pass
be160	6985	Ant2	Center	6985	4	Yes	Pass
be160	6985	Ant2	Center	6985	5	Yes	Pass
be160	6985	Ant2	Center	6985	6	Yes	Pass
be160	6985	Ant2	Center	6985	7	Yes	Pass
be160	6985	Ant2	Center	6985	8	Yes	Pass
be160	6985	Ant2	Center	6985	9	Yes	Pass
be160	6985	Ant2	Center	6985	10	Yes	Pass
be160	6985	Ant2	High	7060	1	Yes	Pass
be160	6985	Ant2	High	7060	2	Yes	Pass
be160	6985	Ant2	High	7060	3	Yes	Pass
be160	6985	Ant2	High	7060	4	Yes	Pass
be160	6985	Ant2	High	7060	5	Yes	Pass
be160	6985	Ant2	High	7060	6	Yes	Pass
be160	6985	Ant2	High	7060	7	Yes	Pass
be160	6985	Ant2	High	7060	8	Yes	Pass
be160	6985	Ant2	High	7060	9	Yes	Pass
be160	6985	Ant2	High	7060	10	Yes	Pass



11.7.2. Test Graphs

Solutions

