






11N40SISO Ant1 5670



11N40SISO Ant1 5755




11N40SISO Ant1 5795

CTC Laboratories, Inc.


Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11AC20SISO_Ant1_5180



11AC20SISO_Ant1_5200



11AC20SISO_Ant1_5240

CTC Laboratories, Inc.


Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn


For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11AC20SISO_Ant1_5260



11AC20SISO_Ant1_5280



11AC20SISO_Ant1_5320


CTC Laboratories, Inc.

Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059


Fax: (86)755-27521011 Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11AC20SISO_Ant1_5500



11AC20SISO_Ant1_5580



11AC20SISO_Ant1_5700

CTC Laboratories, Inc.


Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn


For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11AC20SISO_Ant1_5745



11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825

CTC Laboratories, Inc.


Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059




Fax: (86)755-27521011 Http://www.sz-ctc.org.cn
For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11AC40SISO_Ant1_5190



11AC40SISO_Ant1_5230




11AC40SISO_Ant1_5270

CTC Laboratories, Inc.


Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11AC40SISO_Ant1_5310



11AC40SISO_Ant1_5510




11AC40SISO_Ant1_5550

CTC Laboratories, Inc.


Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11AC40SISO_Ant1_5670



11AC40SISO_Ant1_5755



11AC40SISO_Ant1_5795

CTC Laboratories, Inc.

Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China


Tel.: (86)755-27521059

Fax: (86)755-27521011


Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and


Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11AC80SISO_Ant1_5210



11AC80SISO_Ant1_5290




11AC80SISO_Ant1_5530

CTC Laboratories, Inc.


Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11AC80SISO Ant1 5610



11AC80SISO Ant1 5775





3.5. Peak Output Power

Limit


FCC CFR Title 47 Part 15 Subpart E Section 15.407(a)

Test Item	Limit	Frequency Range (MHz)
Conducted Output Power	Fixed: 1 Watt (30dBm) Mobile and Portable: 250mW (24dBm)	5150~5250
	250mW (24dBm)	5250~5350
	250mW (24dBm)	5500~5700
	1 Watt (30dBm)	5725~5850

RSS-247 6.2

IC Power@PSD Limit					
Frequency	Type of devices	Maximum Conducted Output Power	EIRP Output Power	Conducted Power Spectral Density	EIRP Power Spectral Density
5150MHz-5250MHz	in vehicles		30mW or $1.76 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)		
	Other Devices		200mW or $10 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)		10dBm/MHz
5250MHz-5350MHz	in vehicles		30mW or $1.76 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)		
	Other Devices	250mW or $11 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)	1W or $17 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)	11dBm/MHz	
5470MHz-5600MHz 5650MHz-5725MHz	ALL Devices	250mW or $11 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)	1W or $17 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)	11dBm/MHz	
5725MHz-5850MHz	ALL Devices	1W		30dBm/500KHz	

Test Configuration





Test Procedure

The measurement is according to section 3 of KDB 789033 D02 General UNII Test Procedures New Rules V02r01.

Test Mode

Please refer to the clause 2.4.

Test Result

Test Mode	Freq(MHz)	Conducted Output Power [dBm]	Limit [dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11A	5180	16.78	≤24	19.28	≤23	PASS
	5200	16.77	≤24	19.27	≤23	PASS
	5240	17.44	≤24	19.94	≤23	PASS
	5260	17.69	≤24	20.19	≤30	PASS
	5280	17.89	≤24	20.39	≤30	PASS
	5320	18.15	≤24	20.65	≤30	PASS
	5500	15.54	≤24	18.04	≤30	PASS
	5580	16.12	≤24	18.62	≤30	PASS
	5700	15.97	≤24	18.47	≤30	PASS
	5745	15.66	≤30	/	/	PASS
	5785	15.50	≤30	/	/	PASS
	5825	15.73	≤30	/	/	PASS
11N20SISO	5180	16.09	≤24	18.59	≤23	PASS
	5200	15.55	≤24	18.05	≤23	PASS
	5240	15.36	≤24	17.86	≤23	PASS
	5260	15.66	≤24	18.16	≤30	PASS
	5280	15.90	≤24	18.40	≤30	PASS
	5320	16.34	≤24	18.84	≤30	PASS
	5500	15.86	≤24	18.36	≤30	PASS
	5580	16.46	≤24	18.96	≤30	PASS
	5700	16.88	≤24	19.38	≤30	PASS
	5745	16.36	≤30	/	/	PASS
	5785	16.25	≤30	/	/	PASS
	5825	16.61	≤30	/	/	PASS
11N40SISO	5190	16.69	≤24	19.19	≤23	PASS
	5230	16.45	≤24	18.95	≤23	PASS
	5270	16.69	≤24	19.19	≤30	PASS
	5310	16.88	≤24	19.38	≤30	PASS
	5510	16.82	≤24	19.32	≤30	PASS
	5550	16.87	≤24	19.37	≤30	PASS
	5670	16.62	≤24	19.12	≤30	PASS
	5755	16.35	≤30	/	/	PASS
	5795	16.00	≤30	/	/	PASS
11AC20SISO	5180	17.54	≤24	20.04	≤23	PASS
	5200	17.41	≤24	19.91	≤23	PASS
	5240	17.15	≤24	19.65	≤23	PASS
	5260	17.56	≤24	20.06	≤30	PASS
	5280	17.59	≤24	20.09	≤30	PASS
	5320	16.97	≤24	19.47	≤30	PASS
	5500	15.27	≤24	17.77	≤30	PASS
	5580	15.45	≤24	17.95	≤30	PASS
	5700	13.89	≤24	16.39	≤30	PASS
	5745	13.25	≤30	/	/	PASS
	5785	13.53	≤30	/	/	PASS
	5825	13.69	≤30	/	/	PASS

CTC Laboratories, Inc.

Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11AC40SISO	5190	12.80	≤24	15.30	≤23	PASS
	5230	12.23	≤24	14.73	≤23	PASS
	5270	12.70	≤24	15.20	≤30	PASS
	5310	12.24	≤24	14.74	≤30	PASS
	5510	12.15	≤24	14.65	≤30	PASS
	5550	12.36	≤24	14.86	≤30	PASS
	5670	15.50	≤24	18.00	≤30	PASS
	5755	15.13	≤30	/	/	PASS
11AC80SISO	5795	15.54	≤30	/	/	PASS
	5210	10.48	≤24	12.98	≤23	PASS
	5290	10.57	≤24	13.07	≤30	PASS
	5530	11.58	≤24	14.08	≤30	PASS
	5610	16.40	≤24	18.90	≤30	PASS
	5775	15.84	≤30	/	/	PASS



3.6. Power Spectral Density

Limit

FCC CFR Title 47 Part 15 Subpart E Section 15.407(a)

For the 5.15~5.25GHz band:

- Outdoor AP
The peak power spectral density (PSD) shall not exceed the lesser of 17dBm/MHz.
If $G_{TX} > 6\text{dBi}$, then $\text{PSD} = 17 - (G_{TX} - 6)$.
- Indoor AP
The peak power spectral density (PSD) shall not exceed the lesser of 17dBm/MHz.
If $G_{TX} > 6\text{dBi}$, then $\text{PSD} = 17 - (G_{TX} - 6)$.
- Point-to-point AP
The peak power spectral density (PSD) shall not exceed the lesser of 17dBm/MHz.
If $G_{TX} > 23\text{dBi}$, then $\text{PSD} = 17 - (G_{TX} - 23)$.
- Client devices
The peak power spectral density (PSD) shall not exceed the lesser of 11dBm/MHz.
If $G_{TX} > 6\text{dBi}$, then $\text{PSD} = 11 - (G_{TX} - 6)$.

For the 5.25~5.35GHz band:

The peak power spectral density (PSD) shall not exceed the lesser of 11dBm/MHz.
If $G_{TX} > 6\text{dBi}$, then $\text{PSD} = 11 - (G_{TX} - 6)$.

For the 5.47~5.725GHz band:

The peak power spectral density (PSD) shall not exceed the lesser of 11dBm/MHz.
If $G_{TX} > 6\text{dBi}$, then $\text{PSD} = 11 - (G_{TX} - 6)$.

For the 5.725~5.85GHz band:

- Point-to-multipoint systems (P2M)
The peak power spectral density (PSD) shall not exceed the lesser of 30dBm/500kHz.
If $G_{TX} > 6\text{dBi}$, then $\text{PSD} = 30 - (G_{TX} - 6)$.
- Point-to-point systems (P2P)
The peak power spectral density (PSD) shall not exceed the lesser of 30dBm/500kHz.

Note: G_{TX} : EUT Antenna gain.

RSS-247 6.2

IC Power&PSD Limit					
Frequency	Type of devices	Maximum Conducted Output Power	EIRP Output Power	Conducted Power Spectral Density	EIRP Power Spectral Density
5150MHz-5250MHz	in vehicles		30mW or $1.76 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)		
	Other Devices		200mW or $10 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)		10dBm/MHz
5250MHz-5350MHz	in vehicles		30mW or $1.76 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)		
	Other Devices	250mW or $11 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)	1W or $17 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)	11dBm/MHz	
5470MHz-5600MHz 5650MHz-5725MHz	ALL Devices	250mW or $11 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)	1W or $17 + 10 \times \log_{10} B$ dBm, whichever is less (B=99% OBW in MHz)	11dBm/MHz	
5725MHz-5850MHz	ALL Devices	1W		30dBm/500KHz	

CTC Laboratories, Inc.


Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



Test Configuration



Test Procedure

The EUT was directly connected to the Spectrum Analyzer and antenna output port as show in the block diagram above. The measurement is according to KDB 789033 D02 General UNII Test Procedures New Rules V02r01.

- (1) The EUT was directly connected to the spectrum analyzer and antenna output port as show in the block diagram above.
- (2) Set analyzer center frequency to transmitting frequency.
- (3) Set the span to encompass the entire emissions bandwidth (EBW) (alternatively, the entire 99% OBW) of the signal.
- (4) RBW=1MHz for devices operating in the bands 5.15-5.25 GHz, 5.25-5.35 GHz, and 5.47-5.725 GHz
RBW=500kHz for devices operating in the band 5.725-5.85 GHz.
- (5) Set the VBW to: ≥ 3 RBW
- (6) Detector: AVG
- (7) Trace: Max Hold and View
- (7) Sweep time: auto
- (8) Trace average at least 100 traces in power averaging.
- (9) User the peak marker function to determine the maximum amplitude level within the RBW. Apply correction to the result if different RBW is used.

NOTE: The EUT was set to continuously transmitting in each mode and low, middle and high channel for the test.

Test Mode

Please refer to the clause 2.4.

**Test Result**

Test Mode	Freq(MHz)	Conducted PSD [dBm/MHz]	Conducted PSD Limit [dBm/MHz]	Conducted PSD Limit [dBm/500kHz]	EIRP PSD [dBm/MHz]	EIRP PSD Limit [dBm/MHz]	Verdict
11A	5180	6.45	≤11	/	8.95	≤10	PASS
	5200	6.49	≤11	/	8.99	≤10	PASS
	5240	7.04	≤11	/	9.54	≤10	PASS
	5260	7.13	≤11	/	/	/	PASS
	5280	7.60	≤11	/	/	/	PASS
	5320	7.90	≤11	/	/	/	PASS
	5500	5.16	≤11	/	/	/	PASS
	5580	5.64	≤11	/	/	/	PASS
	5700	5.71	≤11	/	/	/	PASS
	5745	2.43	/	≤30	/	/	PASS
	5785	2.49	/	≤30	/	/	PASS
	5825	2.69	/	≤30	/	/	PASS
11N20SISO	5180	5.39	≤11	/	7.89	≤10	PASS
	5200	4.92	≤11	/	7.42	≤10	PASS
	5240	4.65	≤11	/	7.15	≤10	PASS
	5260	5.03	≤11	/	/	/	PASS
	5280	5.19	≤11	/	/	/	PASS
	5320	5.69	≤11	/	/	/	PASS
	5500	5.23	≤11	/	/	/	PASS
	5580	5.67	≤11	/	/	/	PASS
	5700	6.28	≤11	/	/	/	PASS
	5745	3.01	/	≤30	/	/	PASS
	5785	2.75	/	≤30	/	/	PASS
	5825	3.53	/	≤30	/	/	PASS
11N40SISO	5190	3.01	≤11	/	5.51	≤10	PASS
	5230	2.78	≤11	/	5.28	≤10	PASS
	5270	2.85	≤11	/	/	/	PASS
	5310	3.33	≤11	/	/	/	PASS
	5510	3.10	≤11	/	/	/	PASS
	5550	3.32	≤11	/	/	/	PASS
	5670	3.05	≤11	/	/	/	PASS
	5755	0.18	/	≤30	/	/	PASS
	5795	-0.35	/	≤30	/	/	PASS
11AC20SISO	5180	6.98	≤11	/	9.48	≤10	PASS
	5200	6.78	≤11	/	9.28	≤10	PASS
	5240	6.62	≤11	/	9.12	≤10	PASS
	5260	6.94	≤11	/	/	/	PASS
	5280	7.08	≤11	/	/	/	PASS
	5320	6.38	≤11	/	/	/	PASS
	5500	4.36	≤11	/	/	/	PASS
	5580	4.69	≤11	/	/	/	PASS
	5700	3.21	≤11	/	/	/	PASS
	5745	-0.13	/	≤30	/	/	PASS
	5785	0.14	/	≤30	/	/	PASS
	5825	0.30	/	≤30	/	/	PASS
11AC40SISO	5190	-0.73	≤11	/	1.77	≤10	PASS
	5230	-1.37	≤11	/	1.13	≤10	PASS
	5270	-0.92	≤11	/	/	/	PASS
	5310	-1.17	≤11	/	/	/	PASS
	5510	-1.37	≤11	/	/	/	PASS
	5550	-1.69	≤11	/	/	/	PASS
	5670	1.69	≤11	/	/	/	PASS
	5755	-1.06	/	≤30	/	/	PASS
	5795	-0.80	/	≤30	/	/	PASS
11AC80SISO	5210	-6.45	≤11	/	-3.95	≤10	PASS

CTC Laboratories, Inc.

Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China

Tel.: (86)755-27521059

Fax: (86)755-27521011

Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and

Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>




	5290	-6.00	≤ 11	/	/	/	PASS
	5530	-5.37	≤ 11	/	/	/	PASS
	5610	-0.15	≤ 11	/	/	/	PASS
	5775	-3.83	/	≤ 30	/	/	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.



Test Graphs



CTC Laboratories, Inc.

Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11A Ant1 5280




11A Ant1 5320



11A Ant1 5500



11A Ant1 5580




11A Ant1 5700




11A Ant1 5745



11A Ant1 5785




11A Ant1 5825




11N20SISO Ant1 5180



11N20SISO Ant1 5200



11N20SISO Ant1 5240



11N20SISO Ant1 5260

CTC Laboratories, Inc.


Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059




Fax: (86)755-27521011 Http://www.sz-ctc.org.cn
For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11N20SISO Ant1 5280



11N20SISO Ant1 5320



11N20SISO Ant1 5500

CTC Laboratories, Inc.


Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059 Fax: (86)755-27521011 Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11N20SISO Ant1 5580



11N20SISO Ant1 5700



11N20SISO Ant1 5745

CTC Laboratories, Inc.


Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059



Fax: (86)755-27521011 Http://www.sz-ctc.org.cn
For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11N20SISO Ant1 5785



11N20SISO Ant1 5825





11N40SISO Ant1 5190

CTC Laboratories, Inc.

Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059



Fax: (86)755-27521011 Http://www.sz-ctc.org.cn
For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



CTC Laboratories, Inc.


Room 101 Building B, No. 7, Lanqing 1st Road, Luhu Community, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China
Tel.: (86)755-27521059



Fax: (86)755-27521011 Http://www.sz-ctc.org.cn
For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : <http://yz.cnca.cn>



11N40SISO Ant1 5510



11N40SISO Ant1 5550



11N40SISO Ant1 5670