





Mode	58																																																																
	SHF																																																																
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																
ANT	1+2																																																																
Pol.	Horizontal						Vertical																																																										
Peak																																																																	
	Site : 03CH23-HY Condition: PEAK(UNII) 1m SHF_1223_240624 HORIZONTAL																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39610.12</td><td>48.04</td><td>74.00</td><td>-25.96</td><td>42.11</td><td>45.08</td><td>31.05</td><td>60.66</td><td>-9.54</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>39610.12</td><td>38.37</td><td>54.00</td><td>-15.63</td><td>32.44</td><td>45.08</td><td>31.05</td><td>60.66</td><td>-9.54</td><td>--</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	39610.12	48.04	74.00	-25.96	42.11	45.08	31.05	60.66	-9.54	--	PEAK	2	39610.12	38.37	54.00	-15.63	32.44	45.08	31.05	60.66	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	39610.12	48.04	74.00	-25.96	42.11	45.08	31.05	60.66	-9.54	--	PEAK																																																						
2	39610.12	38.37	54.00	-15.63	32.44	45.08	31.05	60.66	-9.54	--	Average																																																						
Site : 03CH23-HY Condition: PEAK(UNII) 1m SHF_1223_240624 VERTICAL																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39601.86</td><td>48.99</td><td>74.00</td><td>-25.01</td><td>42.96</td><td>45.18</td><td>31.05</td><td>60.66</td><td>-9.54</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>39601.86</td><td>38.75</td><td>54.00</td><td>-15.25</td><td>32.72</td><td>45.18</td><td>31.05</td><td>60.66</td><td>-9.54</td><td>--</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	39601.86	48.99	74.00	-25.01	42.96	45.18	31.05	60.66	-9.54	--	PEAK	2	39601.86	38.75	54.00	-15.25	32.72	45.18	31.05	60.66	-9.54	--	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	39601.86	48.99	74.00	-25.01	42.96	45.18	31.05	60.66	-9.54	--	PEAK																																																						
2	39601.86	38.75	54.00	-15.25	32.72	45.18	31.05	60.66	-9.54	--	Average																																																						



Appendix D. Duty Cycle Plots

Chain	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
0+1	802.11a	97.54	1390	0.72	750Hz
0+1	5GHz 802.11ax HE20 Full RU	96.60	1023	0.98	1kHz
0+1	5GHz 802.11ax HE20 26 RU	94.17	582	1.72	1.8KHz
0+1	5GHz 802.11ax HE20 106 RU	92.77	436	2.29	2.4KHz
0+1	5GHz 802.11ax HE40 Full RU	93.77	542	1.85	2kHz
0+1	5GHz 802.11ax HE80 Full RU	89.16	296	3.38	3.6KHz

