

Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	5.453	30	Pass
NVNT	BLE	2442	Ant1	5.069	30	Pass
NVNT	BLE	2480	Ant1	4.476	30	Pass



			Test Grap	ohs		
		Power	NVNT BLE 2	402MHz Ant1		
Spectrum Analyzer 1 Swept SA	• +					
R T Input: RF Coupling: DC Align: Auto	Input Ζ: 50 Ω Corr CCorr Freq Ref: Int (S)	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off	Avg Type: Log-Por Avg Hold: 100/100 Trig: Free Run		
1 Spectrum V			Ref LvI Offset 2			Mkr1 2.401 910 4 GHz
Scale/Div 10 dB			Ref Level 20.00) dBm		5.45 dBm
-10.0						
-20.0						
-40.0						
-70.0						
Center 2.402000 GHz #Res BW 2.0 MHz			#Video BW 6.	0 MHz		Span 8.000 MHz Sweep 1.33 ms (10001 pts)
	Nov 22, 2024 10:32:38 AM					
		Power	NVNT BLE 2	442MHz Ant1		
Spectrum Analyzer 1 Swept SA	• +					
KEYSIGHT Input: RF R T ↔ Align: Auto	Input Ζ: 50 Ω Corr CCorr Freq Ref: Int (S)	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off	Avg Type: Log-Por Avg Hold: 100/100 Trig: Free Run	I 2 3 4 5 6 M W W W W W W P N	
1 Spectrum v Scale/Div 10 dB Log			Ref LvI Offset 2 Ref Level 20.00			Mkr1 2.441 899 2 GHz 5.07 dBm
10.0			1			
-10.0						
-30.0						
-50.0						
-70.0						
			#Video BW 6	0 MHz		Span 8 000 MHz
Center 2.442000 GHz #Res BW 2.0 MHz	Nov 22, 2024 10:35:21 AM		#Video BW 6.	0 MHz		Span 8.000 MHz Sweep 1.33 ms (10001 pts)







-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.625	0.5	Pass
NVNT	BLE	2442	Ant1	0.623	0.5	Pass
NVNT	BLE	2480	Ant1	0.623	0.5	Pass







Spectrum An Occupied BV	N	• +					
KEYSIGH R T +>	Coupling: DC	Input Ζ: 50 Ω Corr CCorr Freq Ref: Int (S)	Atten: 30 dB	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 2.48000000 GHz Avg Hold: 1000/1000 Radio Std: None		
1 Graph	•			Ref LvI Offset 2	60 dB	Mkr3 2.48031	4000 GHz
Scale/Div 10	0.0 dB			Ref Value 22.60			-2.82 dBm
Log 12.6 2.60			2		3		
-7.40 -17.4 -27.4							
-37.4	······································						
-57.4 -67.4							
Center 2.480 #Res BW 10				#Video BW 300.0	00 kHz	Sweep 1.33 r	Span 2 MHz ns (10001 pts)
2 Metrics	v						
	Occupied Ba	andwidtn 1.0430 MHz			Total Power	8.05 dBm	
	Transmit Fre x dB Bandwi		2.664 kHz 623.5 kHz		% of OBW Power x dB	99.00 % -6.00 dB	
1 5	2	Nov 22, 2024 10:38:30 AM					



Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	1.047
NVNT	BLE	2442	Ant1	1.047
NVNT	BLE	2480	Ant1	1.046











Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-0.861	8	Pass
NVNT	BLE	2442	Ant1	-1.224	8	Pass
NVNT	BLE	2480	Ant1	-1.868	8	Pass












Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-60.21	-20	Pass
NVNT	BLE	2480	Ant1	-58.85	-20	Pass



			Test Grap				
		Band Edg	e NVNT BLE 2	402MHz Ant1 Ref			
Spectrum Analyzer 1 Swept SA	• +						
R T +	Corr CCorr	#Atten: 30 dB	PNO: Best Wide Gate: Off	Avg Hold: 300/300	1 2 3 4 5 6 M₩₩₩₩₩₩		
Align: Auto	Freq Ref: Int (S)		IF Gain: Low Sig Track: Off	Trig: Free Run	PNNNN		
1 Spectrum ▼ Scale/Div 10 dB			Ref LvI Offset 2 Ref Level 20.00			Mkr1 2.4	01 976 GHz 4.15 dBm
Log							4.10 0.011
10.0			1				
0.00				\sim			
-10.0							
-20.0							
-30.0		مس		hang			
-40.0		and the second second			N		
-50.0 Jieduthangerationary particula	May Marin Marin Marine	۳ _{۳۹} ۵۳			and	hand many and the second	hunthaulthulaunthanas
-60.0							anningan a strange parter
-70.0							
Center 2.402000 GHz			#Video BW 30	0 kHz			Span 8.000 MHz
#Res BW 100 kHz	9 Nov 22, 2024	\rightarrow \wedge					0 ms (1001 pts)
	? Nov 22, 2024 10:34:05 AM	$\supset \triangle$					
	E	Band Edge N	IVNT BLE 2402	2MHz Ant1 Emissi	on		
Spectrum Analyzer 1 Swept SA	• •	Band Edge N	IVNT BLE 2402	2MHz Ant1 Emissi	on		
Swept SA KEYSIGHT Input: RF Coupling: DC	• +	Band Edge N #Atten: 30 dB	IVNT BLE 2402 PNO: Fast Gate: Off	Avg Type: Log-Power	123456		
Swept SA	Γ	_	PNO: Fast				
Swept SA KEYSIGHT Input: RF R T LNI 1 Spectrum	Input Ζ: 50 Ω Corr CCorr	_	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2	Avg Type: Log-Power Avg Hold: 300/300 Trig: Free Run 2.56 dB	123456 M₩₩₩₩₩₩	Mkr1 2	.402 0 GHz
Swept SA KEYSIGHT Input: RF R T R T Scale/Div 10 dB Log	Input Ζ: 50 Ω Corr CCorr	_	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off	Avg Type: Log-Power Avg Hold: 300/300 Trig: Free Run 2.56 dB	123456 M₩₩₩₩₩₩	Mkr1 2	3.68 dBm
Swept SA KEYSIGHT Input: RF R T Scale/Div 10 dB Log 0.00	Input Ζ: 50 Ω Corr CCorr	_	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2	Avg Type: Log-Power Avg Hold: 300/300 Trig: Free Run 2.56 dB	123456 M₩₩₩₩₩₩	Mkr1 2	
Swept SA KEYSIGHT R T Scale/Div 10 dB Log 10.00 20.0 Sector Market Same Input: RF Coupling: DC Align: Auto Scale/Div 10 dB Coupling: DC Align: Auto Coupling: DC Align: Align: A	Input Ζ: 50 Ω Corr CCorr	_	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2	Avg Type: Log-Power Avg Hold: 300/300 Trig: Free Run 2.56 dB	123456 M₩₩₩₩₩₩	Mkr1 2	3.68 dBm
Swept SA KEYSIGHT R T Ispectrum Scale/Div 10 dB Log 10.0	Input Ζ: 50 Ω Corr CCorr	_	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2	Avg Type: Log-Power Avg Hold: 300/300 Trig: Free Run 2.56 dB dBm	123456 M₩₩₩₩₩₩		3.68 dBm
Swept SA KEYSIGHT Input: RF R T	Input Ζ: 50 Ω Corr CCorr	_	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2	Avg Type: Log-Power Avg Hold: 300/300 Trig: Free Run 2.56 dB	123456 M₩₩₩₩₩₩	Mkr1 2	3.68 dBm
Swept SA KEYSIGHT Input: RF R T I Spectrum V Scale/Div 10 dB Log 10.0 -0.0 -0.0 -0.0 -0.0 -0.0 -0.0 -0.0 -0.0 -0.0	Input Ζ: 50 Ω Corr CCorr	_	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2 Ref Level 20.00	Avg Type: Log-Power Avg Hold: 300/300 Trig: Free Run 2.56 dB dBm	123456 M₩₩₩₩₩₩	<u>}3</u>	3.68 dBm
Swept SA KEYSIGHT Input: RF R T Spectrum V 1 Spectrum V Scale/Div 10 dB Log 10.0 -0.0 -0.0 -0.0 -0.0 -0.0 -0.0 -0.0	Input Ζ: 50 Ω Corr CCorr	_	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2	Avg Type: Log-Power Avg Hold: 300/300 Trig: Free Run 2.56 dB dBm	123456 M₩₩₩₩₩₩	3	3.68 dBm
Swept SA KEYSIGHT Input: RF R T J Spectrum V Scale/Div 10 dB Log 1.0.0 0.0 -0.0 -0.0 -0.0 -0.0 -0.0 -0.0 -0.0	Input Ζ: 50 Ω Corr CCorr	_	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2 Ref Level 20.00	Avg Type: Log-Power Avg Hold: 300/300 Trig: Free Run 2.56 dB dBm	123456 M₩₩₩₩₩₩	3	3.68 dBm
Swept SA KEYSIGHT Input: RF R T	e X	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track. Off Ref Level 20.000	Avg Type: Log-Power Avg Hold: 300/300 Trig: Free Run	123456 M₩₩₩₩₩₩	3	3.68 dBm
Swept SA KEYSIGHT Input: RF R T	P + Input Z: 50 Ω Corr CCorr Freq Ref: Int (S)	_	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref Level 20.00	Avg Type: Log-Power Avg Hold: 300/300 Trig: Free Run		Str #Sweep 50.	3.68 dBm
Swept SA KEYSIGHT Input: RF R T Ispectrum V Scale/Div 10 dB Log 100 200 300 300 300 400	P + Input Z: 50 Ω Corr CCorr Freq Ref: Int (S)	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref Level 20.00 #Video BW 30 #Video BW 30	Avg Type: Log-Power Avg Hold: 300/300 Trig: Free Run		Str #Sweep 50.	3.68 dBm
Swept SA KEYSIGHT Input: RF R T Input: RF Ispectrum V State Scale/Div 10 dB Input: RF Input: RF Log Input: RF Input: RF Scale/Div 10 dB Input: RF Input: RF Scale/Div 10 dB Input: RF Input: RF State 2.30600 GHz Input: RF Input: RF State 2.30600 GHz Input: RF Input: RF Mode Trace Scale 1 1 1 3 1 1 Mode Trace Scale 1 1 1 3 1 1 4 1 1 1 5 6 6 6	P + Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) P X P X 2.40 2.35 2.36	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2 Ref Level 20.00 #Video BW 30 #Video BW 30	Avg Type: Log-Power Avg Hold: 300/300 Trig: Free Run		Str #Sweep 50.	3.68 dBm
Swept SA KEYSIGHT Input: RF R T Ispectrum V Scale/Div 10 dB Log 1 Spectrum V Scale/Div 10 dB Log 100 200 200 200 200	P + Input Z: 50 Ω Corr CCorr Freq Ref: Int (S)	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref Level 20.00 #Video EW 30 *Video EW 30 Y 3.684 dBm -49.14 dBm -58.23 dBm -56.06 dBm	Avg Type: Log-Power Avg Hold: 300/300 Trig: Free Run	1 2 3 4 5 6 M W W W W W W P N N N N N Image: Second state s	Str #Sweep 50.	3.68 dBm







Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-53.22	-20	Pass
NVNT	BLE	2442	Ant1	-52.78	-20	Pass
NVNT	BLE	2480	Ant1	-51.74	-20	Pass



			Test Grap				
		Tx. Spuriou	us NVNT BLE 2	2402MHz Ant1 R	ef		
Spectrum Analyzer 1 Swept SA	• +						
KEYSIGHT Input: RF R T ↔ Coupling DC Align: Auto	Input Ζ: 50 Ω Corr CCorr Freq Ref: Int (S)	#Atten: 30 dB	PNO: Best Wide Gate: Off IF Gain: Low Sig Track: Off	Avg Type: Log-Pow Avg Hold: 300/300 Trig: Free Run	er 1 2 3 4 5 6 M \vee vee vee vee P N N N N N		
1 Spectrum 🔻			Ref LvI Offset 2	.56 dB		Mkr1 2.402	
Scale/Div 10 dB Log			Ref Level 20.00	dBm			3.76 dBm
10.0							
0.00							
-10.0							
-20.0							and the second s
-30.0							
-40.0							
-50.0							
-60.0							
-70.0							
Center 2.4020000 GHz			#Video BW 30				Span 1.500 MHz
#Res BW 100 kHz			#VIGEO BVV 30			Sweep 1.0	0 ms (1001 pts)
	? Nov 22, 2024 10:34:29 AM						
	т	x. Spurious I	NVNT BLE 240	2MHz Ant1 Emis	sion		
Spectrum Analyzer 1		x. Spurious I	NVNT BLE 240	2MHz Ant1 Emis	sion		
Spectrum Analyzer 1 Swept SA	• +						
Swept SA KEYSIGHT Input: RF R T Coupling: DC	Input Ζ: 50 Ω Corr CCorr	x. Spurious I #Atten: 30 dB	PNO: Fast Gate: Off	Avg Type: Log-Powe Avg Hold: 10/10			
Swept SA KEYSIGHT Input: RF	Γ		PNO: Fast	Avg Type: Log-Powe	er 123456		
Swept SA KEYSIGHT R T ↔ Coupling: DC Align: Auto 1 Spectrum	Input Ζ: 50 Ω Corr CCorr		PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2	Avg Type: Log-Pow Avg]Hold: 10/10 Trig: Free Run .56 dB	er 123456 M₩₩₩₩₩₩	Mkr1	2.402 GHz
Swept SA KEYSIGHT Input: RF R T Coupling: DC Align: Auto VV 1 Spectrum Scale/Div 10 dB Log	Input Ζ: 50 Ω Corr CCorr		PNO: Fast Gate: Off IF Gain: Low Sig Track: Off	Avg Type: Log-Pow Avg]Hold: 10/10 Trig: Free Run .56 dB	er 123456 M₩₩₩₩₩₩	Mkr1	2.402 GHz 2.02 dBm
Swept SA KEYSIGHT Input: RF R T Scale/Div 10 dB Log 0.00	Input Ζ: 50 Ω Corr CCorr		PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2	Avg Type: Log-Pow Avg]Hold: 10/10 Trig: Free Run .56 dB	er 123456 M₩₩₩₩₩₩	Mkr1	
Swept SA KEYSIGHT Input: RF R T \rightarrow Coupling: DC Align: Auto VV 1 Spectrum Scale/Div 10 dB Log 10.0	Input Ζ: 50 Ω Corr CCorr		PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2	Avg Type: Log-Pow Avg]Hold: 10/10 Trig: Free Run .56 dB	er 123456 M₩₩₩₩₩₩	Mkr1	
Swept SA KEYSIGHT R T Coupling. DC Align: Auto VV Scale/Div 10 dB Log 10.0 .00 .00 .00 .00 .00 .00 .0	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S)		PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2	Avg Type: Log-Pow Avg]Hold: 10/10 Trig: Free Run .56 dB	er 123456 M₩₩₩₩₩₩		2.02 dBm
Swept SA KEYSIGHT Input: RF R T Coupling: DC Align: Auto Align: Auto V// Y Scale/Div 10 dB J Log 1 10.0 1 -0.0 -10.0 -10.0 -10.0 -20.0 -10.0 -30.0 -10.0 -50.0 -10.0	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S)	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2	Avg Type: Log-Pow Avg]Hold: 10/10 Trig: Free Run .56 dB	er 123456 M₩₩₩₩₩₩	Mkr1	2.02 dBm
Swept SA KEYSIGHT Input: RF R T I Spectrum V Scale/Div 10 dB Log 10.0 -0.0 -0.0 -0.0 -0.0	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S)	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2 Ref Level 20.00	Avg Type: Log-Pow Avg]Hold: 10/10 Trig: Free Run .56 dB	er 123456 M₩₩₩₩₩₩		2.02 dBm
Swept SA KEYSIGHT Input: RF R T Coupling: DC Align: Auto Align: Auto V/ 1 Spectrum 1 Spectrum V Scale/Div 10 dB 1 Log 1 10.0 1 20.0 1 -0.0 - -0.0<	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S)	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2 Ref Level 20.00	Avg Type: Log-Pow Avg Hold: 10/10 Trig: Free Run	er 123456 M₩₩₩₩₩₩	<u>\$</u>	2.02 dBm
Swept SA KEYSIGHT Input: RF R T	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S)	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2 Ref Level 20.00	Avg Type: Log-Pow Avg Hold: 10/10 Trig: Free Run	er 123456 M₩₩₩₩₩₩	<u>\$</u>	2.02 dBm
Swept SA KEYSIGHT Input RF R T T I Spectrum V Scale/Div 10 dB 1 Log 1 1 0.00 1 1 0.00 1 1 0.00 1 1 1 0.00 1 1 1 0.00 1 1 1 1 0.00 1 1 1 1 1 0.00 1 <th< td=""><td>Input Z: 50 Ω Corr CCorr Freq Ref: Int (S)</td><td>#Atten: 30 dB</td><td>PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2 Ref Level 20.00</td><td>Avg Type: Log-Pow Avg Hold: 10/10 Trig: Free Run .56 dB dBm</td><td>er 1 2 3 4 5 6 M W W W W W P N N N N N </td><td>5 Sweep ~2</td><td>2.02 dBm DL1 -16.24 dBm Stop 25.00 GHz .49 s (1001 pts)</td></th<>	Input Z: 50 Ω Corr CCorr Freq Ref: Int (S)	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2 Ref Level 20.00	Avg Type: Log-Pow Avg Hold: 10/10 Trig: Free Run .56 dB dBm	er 1 2 3 4 5 6 M W W W W W P N N N N N 	5 Sweep ~2	2.02 dBm DL1 -16.24 dBm Stop 25.00 GHz .49 s (1001 pts)
Swept SA KEYSIGHT Input: RF R T I Spectrum I Coupling: DC I Spectrum I Scale/Div 10 dB Log 1 100 1 200 1 300 Start 30 MHz #Res BW 100 kHz I 5 Marker Table V Mode Trace Scale	e X	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2 Ref Level 20.00 #Video BW 300 #Video BW 300	Avg Type: Log-Pow Avg Hold: 10/10 Trig: Free Run	er 123456 M₩₩₩₩₩₩	<u>\$</u>	2.02 dBm
Swept SA KEYSIGHT Input RF R T P I Spectrum V Cale/Div 10 dB Log 1 1 0.00 1 0 0.00 1 0 0.00 1 0 0.00 1 0 20.0 0 1 0 0.00 0 0 0 0 20.0 0 1 1 1 Start 30 MHz Kes EW 100 kHz 5 5 Marker Table V Mode Trace Scale 1 1 1 N 1 1 1 1 1	e X	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2 Ref Level 20.00 #Video BW 300 #Video BW 300 Y 2.021 dBm -52.99 dBm -54.79 dBm	Avg Type: Log-Pow Avg Hold: 10/10 Trig: Free Run .56 dB dBm	er 1 2 3 4 5 6 M W W W W W P N N N N N 	5 Sweep ~2	2.02 dBm DL1 -16.24 dBm Stop 25.00 GHz .49 s (1001 pts)
Swept SA KEYSIGHT Input: RF R T Coupling: DC I Spectrum V Cale/Div 10 dB Log 1 0 100 1 0 200 1 0 200 1 0 200 1 0 200 1 0 300 1 1 Start 30 MHz #Res BW 100 kHz 5 5 Marker Table V 1 Mode Trace Scale/1 1 1 1 1 2 1 1 1 5 1 1 1	e X	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2 Ref Level 20.00 # #Video BW 30 Y 2.021 dBm -52.99 dBm	Avg Type: Log-Pow Avg Hold: 10/10 Trig: Free Run .56 dB dBm	er 1 2 3 4 5 6 M W W W W W P N N N N N 	5 Sweep ~2	2.02 dBm DL1 -16.24 dBm Stop 25.00 GHz .49 s (1001 pts)
Swept SA KEYSIGHT Input: RF R T I Spectrum V Scale/Div 10 dB Log 1 100 1 Scale/Div 10 dB 1 200 1 300 Start 30 MHz Start 30 MHz Mode Trace Scale M 1 f	P + Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) 2 2 2 4 7 9 21.	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2 Ref Level 20.00 #Video BW 300 #Video BW 300 Y 2.021 dBm -52.99 dBm -54.79 dBm -54.34 dBm	Avg Type: Log-Pow Avg Hold: 10/10 Trig: Free Run .56 dB dBm	er 1 2 3 4 5 6 M W W W W W P N N N N N 	Sweep ~2	2.02 dBm
Swept SA KEYSIGHT Input: RF R T Coupling: DC I Spectrum V Cale/Div 10 dB Log 1 0 100 1 0 200 1 0 200 1 0 200 1 0 200 1 0 300 1 1 Start 30 MHz #Res BW 100 kHz 5 5 Marker Table V 1 Mode Trace Scale/1 1 1 1 1 2 1 1 1 5 1 1 1	e X	#Atten: 30 dB	PNO: Fast Gate: Off IF Gain: Low Sig Track: Off Ref LvI Offset 2 Ref Level 20.00 #Video BW 300 Y 2.021 dBm -52.99 dBm -54.79 dBm -54.34 dBm -49.46 dBm	Avg Type: Log-Pow Avg Hold: 10/10 Trig: Free Run .56 dB dBm	er	5 Sweep ~2	2.02 dBm







