



TEST REPORT

Report No.: SHE20060042-02GE

Date: 2021-01-15

Page 41 of 66

Conducted spurious emissions 30MHz-25GHz




TEST REPORT

Report No.: SHE20060042-02GE


Date: 2021-01-15

Page 42 of 66

Figure 28: Conducted Spurious Emission & Authorized-band band-edge, 802.11g, 2412MHz Carrier Level



Band Edge





TEST REPORT

Report No.: SHE20060042-02GE

Date: 2021-01-15

Page 43 of 66

Conducted spurious emissions 30MHz-25GHz




TEST REPORT

Report No.: SHE20060042-02GE


Date: 2021-01-15

Page 44 of 66

Figure 29: Conducted Spurious Emission & Authorized-band band-edge, 802.11g, 2437MHz Carrier Level



Conducted spurious emissions 30MHz-25GHz



TEST REPORT

Report No.: SHE20060042-02GE

Date: 2021-01-15

Page 45 of 66





Figure 30: Conducted Spurious Emission & Authorized-band band-edge, 802.11g, 2462MHz Carrier Level




TEST REPORT

Report No.: SHE20060042-02GE


Date: 2021-01-15

Page 46 of 66

Band Edge



Conducted spurious emissions 30MHz-25GHz



TEST REPORT


Report No.: SHE20060042-02GE

Date: 2021-01-15

Page 47 of 66



Figure 31: Conducted Spurious Emission & Authorized-band band-edge, 802.11n(HT20), 2412MHz Carrier Level



TEST REPORT

Report No.: SHE20060042-02GE


Date: 2021-01-15

Page 48 of 66


Band Edge



Conducted spurious emissions 30MHz-25GHz



Page 49 of 66





TEST REPORT

Report No.: SHE20060042-02GE

Date: 2021-01-15

Page 50 of 66

Conducted spurious emissions 30MHz-25GHz




TEST REPORT

Report No.: SHE20060042-02GE


Date: 2021-01-15

Page 51 of 66

Figure 33: Conducted Spurious Emission & Authorized-band band-edge, 802.11n(HT20), 2462MHz Carrier Level



Band Edge




TEST REPORT

Report No.: SHE20060042-02GE

Date: 2021-01-15

Page 52 of 66

Conducted spurious emissions 30MHz-25GHz




TEST REPORT

Report No.: SHE20060042-02GE

Date: 2021-01-15

Page 53 of 66

Figure 34: Conducted Spurious Emission & Authorized-band band-edge, 802.11n(HT40), 2422MHz Carrier Level



Band Edge





TEST REPORT

Report No.: SHE20060042-02GE

Date: 2021-01-15

Page 54 of 66

Conducted spurious emissions 30MHz-25GHz




TEST REPORT

Report No.: SHE20060042-02GE


Date: 2021-01-15

Page 55 of 66

Figure 35: Conducted Spurious Emission & Authorized-band band-edge, 802.11n(HT40), 2437MHz Carrier Level



Conducted spurious emissions 30MHz-25GHz



TEST REPORT


Report No.: SHE20060042-02GE

Date: 2021-01-15

Page 56 of 66



Figure 36: Conducted Spurious Emission & Authorized-band band-edge, 802.11n(HT40), 2452MHz Carrier Level




TEST REPORT

Report No.: SHE20060042-02GE


Date: 2021-01-15

Page 57 of 66

Band Edge



Conducted spurious emissions 30MHz-25GHz




TEST REPORT

Report No.: SHE20060042-02GE

Date: 2021-01-15

Page 58 of 66



TEST REPORT

Report No.: SHE20060042-02GE

Date: 2021-01-15

Page 59 of 66

4.1.6 Spurious Emission

RESULT:

PASS

Test standard	: FCC Part 15.247(d), 15.205, 15.209 RSS-247 5.5
Requirement	: ANSI C63.10-2013, KDB 558074
Kind of test site	: 3m Semi-Anechoic Chamber

Test setup

Test Channel	: Low/Middle/High
Operation Mode	: A
Ambient temperature	: 25°C
Relative humidity	: 52%

Notes

Test plots please refer to the annex document "WIFI 2.4GHz-TX EXHIBIT A of SHE20060042-02GE".

1. For 9 kHz ~ 30 MHz, the amplitude of spurious emissions that are attenuated by more than 20dB below the permissible. The value has no need to be reported.
2. The spurious above 18GHz is noise only and 20dB below the limit. The value has no need to be reported.
3. The EUT is working in the Normal link mode below 1 GHz.

TEST REPORT

Report No.: SHE20060042-02GE

Date: 2021-01-15

Page 60 of 66

4.1.7 Band Edge (Restricted-band band-edge)

RESULT:

PASS

Test standard	: FCC Part 15.247(d), 15.205, 15.209 RSS-247 5.5
Requirement	: ANSI C63.10-2013, KDB 558074
Kind of test site	: 3m Semi-Anechoic Chamber

Test setup

Test Channel	: Low/Middle/High
Operation Mode	: A.1
Ambient temperature	: 25°C
Relative humidity	: 52%

Notes:

Test plots please refer to the annex document "WIFI 2.4GHz-TX EXHIBIT A of SHE20060042-02GE".

TEST REPORT

Report No.: SHE20060042-02GE

Date: 2021-01-15

Page 61 of 66

4.2 Mains Emissions

4.2.1 Conducted Emission on AC Mains

RESULT:

PASS

Test standard	: FCC Part 15.207(a) RSS-Gen 8.8
Requirement	: ANSI C63.10-2013
Kind of test site	: Shielded room

Test setup

Input Voltage	: AC 120V, 60Hz; AC 240V, 50Hz
Operation Mode	: A
Earthing	: Not Connected
Ambient temperature	: 25°C
Relative humidity	: 52%

For details refer to following test plot.

TEST REPORT

Report No.: SHE20060042-02GE

Date: 2021-01-15


Page 62 of 66

Note:

The all configurations were tested respectively, but only the worst configuration shown here.

Figure 37: Conducted Emission on AC Mains, L Phase

C:Emission Test case_FCC_CE_FCC PART 15B_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.602	43.02	9.74	56.00	-12.98	Peak	L	Pass
1*	0.602	39.15	9.74	56.00	-16.85	QP	L	Pass
1**	0.602	29.54	9.74	46.00	-16.46	AV	L	Pass
2	1.072	33.44	9.67	56.00	-22.56	Peak	L	Pass
2*	1.072	26.90	9.67	56.00	-29.10	QP	L	Pass
2**	1.072	24.80	9.67	46.00	-21.20	AV	L	Pass
3	1.612	35.11	9.67	56.00	-20.89	Peak	L	Pass
3*	1.612	27.70	9.67	56.00	-28.30	QP	L	Pass
3**	1.612	28.15	9.67	46.00	-17.85	AV	L	Pass
4	3.612	33.48	9.68	56.00	-22.52	Peak	L	Pass
4*	3.612	25.61	9.68	56.00	-30.39	QP	L	Pass
4**	3.612	21.33	9.68	46.00	-24.67	AV	L	Pass
5	7.838	29.46	9.67	60.00	-30.54	Peak	L	Pass
5*	7.838	22.29	9.67	60.00	-37.71	QP	L	Pass
5**	7.838	26.23	9.67	50.00	-23.77	AV	L	Pass
6	20.038	36.36	9.41	60.00	-23.64	Peak	L	Pass
6*	20.038	29.29	9.41	60.00	-30.71	QP	L	Pass
6**	20.038	29.28	9.41	50.00	-20.72	AV	L	Pass


TEST REPORT

Report No.: SHE20060042-02GE

Date: 2021-01-15

Page 63 of 66

Figure 38: Conducted Emission on AC Mains, N Phase



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.594	46.36	9.76	56.00	-9.64	Peak	N	Pass
1*	0.594	42.80	9.76	56.00	-13.20	QP	N	Pass
1**	0.594	31.84	9.76	46.00	-14.16	AV	N	Pass
2	0.878	39.02	9.76	56.00	-16.98	Peak	N	Pass
2*	0.878	32.80	9.76	56.00	-23.20	QP	N	Pass
2**	0.878	27.62	9.76	46.00	-18.38	AV	N	Pass
3	1.174	39.87	9.66	56.00	-16.13	Peak	N	Pass
3*	1.174	33.80	9.66	56.00	-22.20	QP	N	Pass
3**	1.174	27.71	9.66	46.00	-18.29	AV	N	Pass
4	1.410	39.69	9.67	56.00	-16.31	Peak	N	Pass
4*	1.410	32.77	9.67	56.00	-23.23	QP	N	Pass
4**	1.410	28.10	9.67	46.00	-17.90	AV	N	Pass
5	5.274	40.37	9.70	60.00	-19.63	Peak	N	Pass
5*	5.274	33.13	9.70	60.00	-26.87	QP	N	Pass
5**	5.274	27.39	9.70	50.00	-22.61	AV	N	Pass
6	23.614	33.29	9.44	60.00	-26.71	Peak	N	Pass
6*	23.614	27.38	9.44	60.00	-32.62	QP	N	Pass
6**	23.614	34.31	9.44	50.00	-15.69	AV	N	Pass

TEST REPORT

Report No.: SHE20060042-02GE

Date: 2021-01-15

Page 64 of 66

5 Appendixes

5.1 Photographs of the Sample



Front of the sample



Rear of the sample


TEST REPORT

Report No.: SHE20060042-02GE

Date: 2021-01-15

Page 65 of 66

5.2 Set-up for Conducted Emissions



5.3 Set-up for Conducted RF test at Antenna Port



TEST REPORT

Report No.: SHE20060042-02GE

Date: 2021-01-15

Page 66 of 66

5.4 Set-up for Spurious Emissions below 1GHz



Below 1 GHz

5.5 Set-up for Spurious Emissions above 1GHz



Above 1GHz

End of the report