


ANTENNA SPECIFICATION

Specifications

Summary


ITEM	SPEC.					
Model Name						
Center Frequency	Horizontal			Vertical		
	2402MHz	2440MHz	2480MHz	2402MHz	2440MHz	2480MHz
	-1.36	-0.84	-0.61	-6.03	-3.65	-2.21
MAX. Gain	-0.61					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	29mm					
Manufacture	Shenzhen Hangshi Eelectronic Technology Co.,Ltd.					
Address	Hangshi Technology Park, Democracy West Industry Area, Shajing Town, Bao'an District, Shenzhen, China.					

Antenna Photo & Length (mm)



Horizontal:


2402MHz 2440MHz 2480MHz



Frequency (MHz)	Gain (dBi)		
	Max.	Min.	Avg.
2402	-1.36179	-30.2813	-8.78713
2440	-0.84781	-38.7595	-7.87812
2480	-0.61559	-23.6329	-6.99139

Vertical:

2402MHz 2440MHz 2480MHz



Frequency (MHz)	Gain (dBi)		
	Max.	Min.	Avg.
2402	-6.0323	-23.1425	-12.5295
2440	-3.6534	-26.2866	-10.6699
2480	-2.2110	-29.4381	-9.58526