



Label





每单变更
生产年周号

Label Location



Warning

120mm

<p>WARNING</p> <p>To Reduce The Risk Of Electric Shock - Use indoors only. To Reduce The Risk Of Electric Shock - Do not expose to rain. Store indoors. Do not immerse. To reduce risk of electric shock - Use only on carpet moistened by cleaning process. To Reduce the Risk of Fire and Electric Shock - Use only Tineco cleaning products intended for use with this machine. TO REDUCE THE RISK OF ELECTRIC SHOCK - UNPLUG BEFORE CLEANING OR SERVICING. To reduce the risk of electric shock, always install float before any wet pick-up operation.</p> <p>CAUTION</p> <p>Risk Of Injury. Brush May Start Unexpectedly. Unplug Before Cleaning or Servicing. This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference. (2) This device must accept any interference received, including interference that may cause undesired operation.</p>	<p>AVERTISSEMENT</p> <p>Pour réduire le risque de choc électrique - Utiliser à l'intérieur seulement. Pour réduire le risque de choc électrique - Ne pas exposer à la pluie. Ranger à l'intérieur. Ne pas immerger. Pour réduire les risques de choc électrique, utiliser seulement sur un tapis mouillé par le dispositif de nettoyage. Pour réduire le risque d'incendie et de choc électrique - Utiliser uniquement les produits de nettoyage Tineco prévus pour cet appareil. POUR RÉDUIRE LE RISQUE DE CHOC ÉLECTRIQUE, DÉBRANCHER L'APPAREIL AVANT LE NETTOYAGE OU LE DÉPANNAGE. Pour réduire le risque de choc électrique, toujours installer le flotteur avant d'aspirer des déchets humides.</p> <p>ATTENTION</p> <p>Risque de blessures. La brosse motorisée peut se mettre en marche d'une manière imprévue. Débrancher l'appareil avant le nettoyage ou le dépannage. Cet appareil est conforme à la section 15 de la réglementation FCC. Son fonctionnement est soumis aux deux conditions suivantes: (1) Ce appareil ne doit pas causer d'interférences nuisibles. (2) Cet appareil doit accepter toute interférence reçue, y compris les interférences peuvent entraîner un fonctionnement indésirable.</p>
---	---

50mm

Location

