

Report No.: SUZR/2021/A002303

Rev.: 01 Page: 1 of 8

RF Exposure Evaluation Report

Application No.: ZR/2021/A0023

Applicant: Fibocom Wireless Inc.

Address of Applicant: 1101, Tower A, Building 6, Shenzhen International Innovation Valley, Dashi

1st Rd, Nanshan, Shenzhen, China

Manufacturer: Fibocom Wireless Inc.

Address of Manufacturer: 1101, Tower A, Building 6, Shenzhen International Innovation Valley, Dashi

1st Rd, Nanshan, Shenzhen, China

EUT Description: LTE CatM1&NB-IoT&EGPRS Module

Model No.: MA510-GL Trade Mark: Fibocom

FCC ID: ZMOMA510GL Standards: 47 CFR Part 2.1091

FCC KDB 447498 D01 v06

Date of Receipt: 2021/10/29

Date of Test: 2021/11/10 to 2021/11/16

Date of Issue: 2021/11/22

Test Result: PASS*

* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:

Panta Sun Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Con



Report No.: SUZR/2021/A002303

Rev.: 01 Page: 2 of 8

Version

Revision Record									
Version	Chapter	Date	Modifier	Remark					
01		2021/11/22		Original					

Authorized for issue by:	
Prepared By	(King-p Li) / Engineer
Checked By	(Well Wei) /Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Conditions/Terms

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SUZR/2021/A002303

Rev.: 01 3 of 8 Page:

Contents

1	VERS	SION	
2	GENI	ERAL INFORMATION	4
	2.1	CLIENT INFORMATION	4
	2.2	TEST LOCATION	4
	2.3	TEST FACILITY	5
		GENERAL DESCRIPTION OF EUT	
3	RF E	XPOSURE EVALUATION	7
	3.1	RF EXPOSURE COMPLIANCE REQUIREMENT	7
		Limits	
	3.1.2	Test Procedure	8
		R FUT RF Exposure Evaluation	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Conditions/Terms

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SUZR/2021/A002303

Rev.: 01 Page: 4 of 8

2 General Information

2.1 Client Information

Applicant:	Fibocom Wireless Inc.				
Address of Applicant:	1101,Tower A, Building 6, Shenzhen International Innovation Valley, Dashi 1st Rd, Nanshan,Shenzhen,China				
Manufacturer:	Fibocom Wireless Inc.				
Address of Manufacturer:	1101,Tower A, Building 6, Shenzhen International Innovation Valley, Dashi 1st Rd, Nanshan,Shenzhen,China				

2.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd		
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone		
Post code:	215000		
Test engineer:	Weller Liu, King-p Li, Nature Shen, Tizzy Song		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-and-Conditions-and-Conditions-And-Ferms-and-Conditions-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-And-Conditions-and-



Report No.: SUZR/2021/A002303

Rev.: 01 Page: 5 of 8

2.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accordited to stime laboratory.

accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number:0031225543



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.appx.and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SUZR/2021/A002303

Rev.: 01 Page: 6 of 8

2.4 General Description of EUT

EUT Description:	LTE CatM1&NB-IoT&E	GPRS Module								
Model No.:	MA510-GL									
Trade Mark:	Fibocom									
Hardware Version:	V1.0.3									
Software Version:	69400.1000.00.00.00.0	69400.1000.00.00.001								
Sample Type:	☐ Portable Device, ⊠	Module								
Antenna Type:	⊠ External, ☐ Integra	ited								
	⊠Provided by applicant									
	GSM850:	-1.0dBi	GSM1900:	0.9dBi						
	LTE CatM1 Band 2:	0.9dBi	LTE CatM1 Band 4:	1.6dBi						
	LTE CatM1 Band 5:	-1.0dBi	LTE CatM1 Band 12:	-1.4dBi						
	LTE CatM1 Band 13:	-0.7dBi	LTE CatM1 Band 14:	-0.7dBi						
Antenna Gain*:	LTE CatM1 Band 25:	0.9dBi	LTE CatM1 Band 26:	-1.0dBi						
Antenna Gam .	LTE CatM1 Band 66:	1.6dBi	LTE CatM1 Band 85:	-0.7dBi						
	LTE NB1 Band 2:	0.9dBi	LTE NB1 Band 4:	1.6dBi						
	LTE NB1 Band 5:	-1.0dBi	LTE NB1 Band 12:	-1.4dBi						
	LTE NB1 Band 13:	-0.7dBi	LTE NB1 Band 25:	0.9dBi						
	LTE NB1 Band 26:	-1.0dBi	LTE NB1 Band 66:	1.6dBi						
	LTE NB1 Band 71:	-1.5dBi	LTE NB1 Band 85:	-0.7dBi						

Remark:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.app.and, for electronic Documents as this:

Author of the Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-en-Document.app.

Author of Italians of Italians and Italians

South of No. 6 Pfart, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com

^{*}Since the above data and/or information is provided by the applicant relevant results or conclusions of this report are only made for these data and/or information , SGS is not responsible for the authenticity, integrity and results of the data and information and/or the validity of the conclusion.



Report No.: SUZR/2021/A002303

Rev.: 01 Page: 7 of 8

3 RF Exposure Evaluation

3.1 RF Exposure Compliance Requirement

3.1.1 Limits

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm2)	Averaging time (minutes)						
(A) Limits for Occupational/Controlled Exposures										
0.3-3.0 614 1.63 *(100) 6										
3.0-30	1842/f	4.89/f	*(900/f2)	6						
30-300	61.4	0.163	1.0	6						
300-1500	1	1	f/300	6						
1500-100,000	1	1	5	6						
	(B) Limits for General Population/Uncontrolled Exposure									
0.3-1.34	0.3-1.34 614 1.63 *(100) 30									
1.34-30	824/f	2.19/f	*(180/f2)	30						
30-300	27.5	0.073	0.2	30						
300-1500	1	1	f/1500	30						
1500-100,000	/	1	1.0	30						

F=frequency in MHz

RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: Pd = (Pout*G)/(4* Pi * R 2)

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of list intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Attention:**To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Tothor the contact us at telephone: (86-755) 8307 1443, **Tothor the contact us at telephone: (86-755) 8307 1443, **Tothor the contact us at telephone: (86-755) 8307 1443, **Tothor the contact us at telephone: (86-755) 8307 1443, **Tothor the contact us at telephone: (86-755) 8307 1443, **Tothor the contact us at telephone: (86-7

South of No. 6 Plant, No. 1, Runsherg Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

Annah an a fath a COO Consum (COO CA

sgs.china@sgs.com

t (86-512) 62992980

t (86-512) 62992980

^{*=}Plane-wave equivalent power density



Report No.: SUZR/2021/A002303

Rev.: 01 Page: 8 of 8

3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

3.1.3 EUT RF Exposure Evaluation

Antenna Gain: The maximum Gain measured in fully anechoic chamber is 2.0 / 2.0 in linear scale.

Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	Max Conducted Average Output Power (dBm)	Output Power to Antenna (dBm)	EIRP(ERP) Limit (dBm)	Output Power to Antenna (mw)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Gain according to EIRP (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	conclusion
GSM 850	824.20	-1.00	23.31	20.16	38.45	103.7528	0.0339	0.5495	8.10	14.25	8.10	Pass
GSM 1900	1850.20	0.90	20.81	21.71	33.00	148.2518	0.0295	1.0000	3.00	15.30	3.00	Pass
LTE NB1 Band 2	1850.10	0.90	21.00	21.90	33.00	154.8817	0.0308	1.0000	12.00	15.11	12.00	Pass
LTE NB1 Band 4	1710.10	1.60	21.00	22.60	30.00	125.8925	0.0362	1.0000	9.00	16.01	9.00	Pass
LTE NB1 Band 5	824.10	-1.00	21.00	17.85	38.45	125.8925	0.0199	0.5494	19.60	13.41	13.41	Pass
LTE NB1 Band 12	699.10	-1.40	21.00	17.45	34.77	125.8925	0.0181	0.4661	15.92	12.69	12.69	Pass
LTE NB1 Band 13	777.10	-0.70	21.00	18.15	34.77	125.8925	0.0213	0.5181	15.92	13.15	13.15	Pass
LTE NB1 Band 25	1850.10	1.60	21.00	22.60	33.00	125.8925	0.0362	1.0000	12.00	16.01	12.00	Pass
LTE NB1 Band 26 (814-824)	814.20	-1.00	21.00	17.85	50.00	125.8925	0.0199	0.5428	31.15	13.35	13.35	Pass
LTE NB1 Band 26 (824-849)	824.10	-1.00	21.00	17.85	38.45	125.8925	0.0199	0.5494	19.60	13.41	13.41	Pass
LTE NB1 Band 66	1710.10	1.60	21.00	19.50	30.00	125.8925	0.0362	1.0000	9.00	16.01	9.00	Pass
LTE NB1 Band 71	663.10	-1.50	21.00	18.15	34.77	125.8925	0.0177	0.4421	15.92	12.46	12.46	Pass
LTE NB1 Band 85	698.10	-0.70	21.00	19.75	34.77	125.8925	0.0213	0.4654	15.92	12.69	12.69	Pass
LTE CatM1 Band 2	1850.70	0.90	22.00	22.90	33.00	158.4893	0.0388	1.0000	11.00	15.01	11.00	Pass
LTE CatM1 Band 4	1710.70	1.60	22.00	23.60	30.00	158.4893	0.0456	1.0000	8.00	15.01	8.00	Pass
LTE CatM1 Band 5	824.70	-1.00	22.00	18.85	38.45	158.4893	0.0250	0.5498	18.60	12.41	12.41	Pass
LTE CatM1 Band 12	699.70	-1.40	22.00	18.45	34.77	158.4893	0.0228	0.4665	14.92	11.70	11.70	Pass
LTE CatM1 Band 13	779.50	-0.70	22.00	19.15	34.77	158.4893	0.0268	0.5197	14.92	12.16	12.16	Pass
LTE CatM1 Band 14	790.50	-0.70	22.00	19.15	34.77	158.4893	0.0268	0.5270	14.92	12.23	12.23	Pass
LTE CatM1 Band 25	1850.70	0.90	22.00	22.90	33.00	158.4893	0.0388	1.0000	11.00	15.01	11.00	Pass
LTE CatM1 Band 26 (814-824)	814.70	-1.00	22.00	18.85	50.00	158.4893	0.0250	0.5431	30.15	12.36	12.36	Pass
LTE CatM1 Band 26 (824-849)	824.70	-1.00	22.00	18.85	38.45	158.4893	0.0250	0.5498	18.60	12.41	12.41	Pass
LTE CatM1 Band 66	1710.70	1.60	22.00	23.60	30.00	158.4893	0.0456	1.0000	8.00	15.01	8.00	Pass
LTE CatM1 Band 85	700.50	-0.70	22.00	19.15	34.77	158.4893	0.0268	0.4670	14.92	11.70	11.70	Pass

The End



this document is issued by the Company subject to its General Conditions of Service pressible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format docume Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document. filability, indemnification and jurisdiction issues defined therein. Any holder of this documererere or reflects the Company's findings at the time of its intervention only and within the limin many's sole responsibility is to its Client and this document does not exonerate parties rights and obligations under the transaction documents. This document cannot be repred approval of the Company. Any unauthorized alteration, forgery or falsification of the conte wiful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise state only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

t (86-512) 62992980 t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com