

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 1 of 574

# TEST REPORT

**Application No.:** SZCR2306001787AT Applicant: Ruijie Networks Co., Ltd.

**Address of Applicant:** Building 19, Juyuanzhou Industrial Park, No. 618 Jinshan Road, Cangshan

District, Fuzhou, Fujian, 350002, China

Manufacturer: Ruijie Networks Co., Ltd.

Address of Manufacturer: Building 19, Juyuanzhou Industrial Park, No. 618 Jinshan Road, Cangshan

District, Fuzhou, Fujian, 350002, China

**Equipment Under Test (EUT):** 

Trade Mark:

**EUT Name:** 6000M Dual Band 2.5 Gigabit Wi-Fi 6 Router Model No.: RG-E6. RG-EW6000GX PRO

Please refer to section 2 of this report which indicates which model was

actually tested and which were electrically identical.

Ruijie Reyee Reyee Reyee

FCC ID: 2AX5J-E6

47 CFR Part 15, Subpart E 15.407 Standard(s):

**Date of Receipt:** 2023-06-12

2023-06-14 to 2023-06-29 Date of Test:

Date of Issue: 2023-06-30

Pass\* Test Result:

Keny Xu **EMC Laboratory Manager** 

Ceny. Ku

中国・广东・深圳市南山区科技园中区№-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of lient's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

<sup>\*</sup> In the configuration tested, the EUT complied with the standards specified above.



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 2 of 574

|                                  | Revision Record |            |  |          |  |  |
|----------------------------------|-----------------|------------|--|----------|--|--|
| Version Chapter Date Modifier Re |                 |            |  |          |  |  |
| 01                               |                 | 2023-06-30 |  | Original |  |  |
|                                  |                 |            |  |          |  |  |
|                                  |                 |            |  |          |  |  |

| Authorized for issue by: |                            |  |
|--------------------------|----------------------------|--|
|                          | Gebin Sun                  |  |
|                          | Gebin Sun/Project Engineer |  |
|                          | Exic Fu                    |  |
|                          | Eric Fu/Reviewer           |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@ags.com

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 3 of 574

#### 2 **Test Summary**

| Radio Spectrum Technical Requirement |                  |        |                                         |        |  |
|--------------------------------------|------------------|--------|-----------------------------------------|--------|--|
| Item                                 | Standard         | Method | Requirement                             | Result |  |
| Antenna Requirement                  | 47 CFR Part 15,  | N/A    | 47 CFR Part 15, Subpart<br>C 15.203     | Pass   |  |
| Transmission in the Absence of Data  | Subpart E 15.407 | N/A    | 47 CFR Part 15, Subpart<br>E 15.407 (c) | Pass   |  |

| Item                                                        | Standard                            | Method                            | Requirement                                                    | Result |
|-------------------------------------------------------------|-------------------------------------|-----------------------------------|----------------------------------------------------------------|--------|
| Conducted Emissions<br>at AC Power Line<br>(150kHz-30MHz)   |                                     | ANSI C63.10 (2013)<br>Section 6.2 | 47 CFR Part 15, Subpart<br>C 15.207 & Subpart E<br>15.407 b(9) | Pass   |
| Duty Cycle                                                  |                                     | KDB 789033 II B 1                 | KDB 789033 D02 II B 1                                          | Pass   |
| 99% Bandwidth                                               |                                     | KDB 789033 II D                   | N/A                                                            | Pass   |
| 26dB Emission bandwidth                                     |                                     | KDB 789033 D02 II C<br>1          | 47 CFR Part 15, Subpart<br>E 15.407 (a)                        | Pass   |
| Minimum 6 dB<br>bandwidth (5.725-<br>5.85 GHz band )        |                                     | KDB 789033 D02 II C<br>2          | 47 CFR Part 15, Subpart<br>E 15.407 (e)                        | Pass   |
| Maximum Conducted output power                              |                                     | KDB 789033 D02 II E               | 47 CFR Part 15, Subpart<br>E 15.407 (a)                        | Pass   |
| Transmitter Power Control                                   | 47 CFR Part 15,<br>Subpart E 15.407 | KDB 789033 D02 II E               | 47 CFR Part 15, Subpart<br>E 15.407 (h)(1)                     | Pass   |
| Peak Power spectrum density                                 |                                     | KDB 789033 D02 II F               | 47 CFR Part 15, Subpart<br>E 15.407 (a)                        | Pass   |
| Radiated Emissions<br>(Below 1GHz)                          |                                     | KDB 789033 D02 II G               | 47 CFR Part 15, Subpart<br>C 15.209 & Subpart E<br>15.407(b)   | Pass   |
| Radiated Emissions<br>(Above 1GHz)                          |                                     | KDB 789033 D02 II G               | 47 CFR Part 15, Subpart<br>C 15.209 & Subpart E<br>15.407(b)   | Pass   |
| Radiated Emissions<br>which fall in the<br>restricted bands |                                     | KDB 789033 D02 II G               | 47 CFR Part 15, Subpart<br>C 15.209 & Subpart E<br>15.407(b)   | Pass   |
| Frequency Stability                                         |                                     | ANSI C63.10 (2013)<br>Section 6.8 | 47 CFR Part 15, Subpart<br>E 15.407 (g)                        | Pass   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com Member of the SGS Group (SGS SA)



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 4 of 574

### **Declaration of EUT Family Grouping:**

Model No.: RG-E6, RG-EW6000GX PRO

Only the model RG-EW6000GX PRO was tested, since according to the declaration from the applicant, the electrical circuit design, PCB layout, components used, internal wiring and functions were identical for all the above models, with only difference on distribution channel.

Adapter Model: F36L7-120300SPAU, F36L7-120300SPACP

Only the model F36L7-120300SPAU was tested, since according to the declaration from the applicant, the electrical circuit design, PCB layout, components used, internal wiring and functions were identical for all the above models, with only difference on plug structure.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 5 of 574

### 3 Contents

|   |                                         | Page        |
|---|-----------------------------------------|-------------|
| 1 | 1 Cover Page                            | 1           |
| 2 | 2 Test Summary                          | 3           |
| 3 | 3 Contents                              |             |
|   |                                         | _           |
| 4 |                                         |             |
|   |                                         |             |
|   | • • • • • • • • • • • • • • • • • • • • | ξ           |
|   | •                                       | <u> </u>    |
|   |                                         |             |
|   | •                                       |             |
|   |                                         |             |
|   |                                         | S           |
| 5 | 5 Equipment List                        | 10          |
| 6 | 6 Radio Spectrum Technical Requirement  | 4.4         |
| 0 |                                         |             |
|   |                                         | 12          |
|   | ·                                       | 1           |
|   |                                         | 14          |
|   |                                         | 15          |
|   | ·                                       | 15<br>      |
|   |                                         |             |
| 7 | 7 Radio Spectrum Matter Test Results    | 16          |
|   |                                         | Iz-30MHz)16 |
|   | ·                                       | 16          |
|   | • • • • • • • • • • • • • • • • • • •   | 16          |
|   | · •                                     | 17          |
|   |                                         | 17          |
|   | · ·                                     | 20          |
|   |                                         | 20          |
|   | • • • • • • • • • • • • • • • • • • •   | 20          |
|   |                                         | 21          |
|   |                                         | 21          |
|   |                                         | 22          |
|   | · · · · · · · · · · · · · · · · · · ·   |             |
|   |                                         |             |
|   | · •                                     | 23          |
|   |                                         |             |
|   |                                         |             |
|   | ·                                       |             |
|   | · · · · · · · · · · · · · · · · · · ·   |             |
|   | · · · · · · · · · · · · · · · · · · ·   |             |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com"

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ags.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nonshan District, Shenzhen, Guangdong, Chine 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/0 Aug01,2022

| Report No.: SZCR230600178703 |
|------------------------------|
|------------------------------|

Page: 6 of 574

| 10 | Appe           | endix                                                 | 174             |
|----|----------------|-------------------------------------------------------|-----------------|
| 9  | EUT            | Constructional Details (EUT Photos)                   | 173             |
| 8  | Test           | Setup Photo                                           | 173             |
|    | 7.12.          | Measurement Procedure and Data                        | 172             |
|    | 7.12.          |                                                       |                 |
|    | 7.12.          | ·                                                     |                 |
|    | 7.12.          |                                                       | 17              |
| 7. | 12             | Frequency Stability                                   | 17 <sup>2</sup> |
|    | 7.11.          |                                                       |                 |
|    | 7.11.          | ·                                                     |                 |
|    | 7.11.          | ·                                                     |                 |
| ٠. | 7.11.          |                                                       |                 |
| 7  |                | Radiated Emissions which fall in the restricted bands |                 |
|    | 7.10.          |                                                       |                 |
|    | 7.10.          | ·                                                     |                 |
|    | 7.10.<br>7.10. | ·                                                     |                 |
| 7. | 10<br>7.10.    | Radiated Emissions (Above 1GHz)  1 E.U.T. Operation   |                 |
| 7  | 7.9.4          |                                                       |                 |
|    | 7.9.3          |                                                       |                 |
|    | 7.9.2          |                                                       |                 |
|    | 7.9.1          | E.U.T. Operation                                      |                 |
| 7. |                | Radiated Emissions (Below 1GHz)                       |                 |
| _  | 7.8.4          |                                                       |                 |
|    | 7.8.3          |                                                       |                 |
|    | 7.8.2          |                                                       |                 |
|    | 7.8.1          | E.U.T. Operation                                      |                 |
| 7. |                | Peak Power spectrum density                           |                 |
|    | 7.7.4          |                                                       |                 |
|    | 7.7.3          | 1 0                                                   |                 |
|    | 7.7.2          | · ·                                                   |                 |
|    | 7.7.1          | E.U.T. Operation                                      |                 |
| 7. | 7              | Transmitter Power Control                             |                 |
|    | 7.6.4          |                                                       |                 |
|    | 7.6.3          | Test Setup Diagram                                    | 28              |
|    | 7.6.2          | ·                                                     |                 |
|    | 7.6.1          | E.U.T. Operation                                      |                 |
| 7. |                | Maximum Conducted output power                        |                 |
|    | 7.5.4          |                                                       |                 |
|    | 7.5.3          | ·                                                     |                 |
|    | 7.5.2          |                                                       |                 |
| ٠. | 7.5.1          | E.U.T. Operation                                      |                 |
| 7. |                | Minimum 6 dB bandwidth (5.725-5.85 GHz band )         |                 |
|    | 7.4.4          | Measurement Procedure and Data                        | 21              |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com"

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sgs.com

No.1 Workshop, Nr.10, Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guanqdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 7 of 574

### **General Information**

#### 4.1 Details of E.U.T.

| 4.1 Details of E.O.1.                                |                                                            |                                                     |                         |                    |  |  |
|------------------------------------------------------|------------------------------------------------------------|-----------------------------------------------------|-------------------------|--------------------|--|--|
| Power su                                             | ipply:                                                     | Adapter Model:                                      |                         |                    |  |  |
|                                                      |                                                            | F36L7-120300SPAU:                                   |                         |                    |  |  |
|                                                      |                                                            | F36L7-120300SPACP;<br>Input:AC100-240V 50/60Hz 0.9A |                         |                    |  |  |
|                                                      |                                                            |                                                     |                         |                    |  |  |
| Cable(s):                                            |                                                            | DC cable:120cm unshielded                           |                         |                    |  |  |
|                                                      |                                                            | Network Cable:120cm unshielded                      |                         |                    |  |  |
| Operation Frequency:                                 | Band                                                       | Mode                                                | Frequency<br>Range(MHz) | Number of channels |  |  |
|                                                      | UNII Band I                                                | 802.11a/n(HT20)/ac(HT20)/ax(HEW20):                 | 5180-5240               | 4                  |  |  |
|                                                      |                                                            | 802.11n(HT40)/ac(HT40)/ax(HEW40)                    | 5190-5230               | 2                  |  |  |
|                                                      |                                                            | 802.11ac(HT80)/ax(HEW80)                            | 5210                    | 1                  |  |  |
|                                                      |                                                            | 802.11ac(HT160)/ax(HEW160)                          | 5250                    | 1                  |  |  |
|                                                      | UNII Band II-A                                             | 802.11a/n(HT20)/ac(HT20)/ax(HEW20):                 | 5260-5320               | 4                  |  |  |
|                                                      |                                                            | 802.11n(HT40)/ac(HT40)/ax(HEW40)                    | 5270-5310               | 2                  |  |  |
|                                                      |                                                            | 802.11ac(HT80)/ax(HEW80)                            | 5290                    | 1                  |  |  |
|                                                      | UNII Band II-C                                             | 802.11a/n(HT20)/ac(HT20)/ax(HEW20):                 | 5500-5700               | 11                 |  |  |
|                                                      |                                                            | 802.11n(HT40)/ac(HT40)/ax(HEW40)                    | 5510-5670               | 5                  |  |  |
|                                                      |                                                            | 802.11ac(HT80)/ax(HEW80)                            | 5530,5610               | 2                  |  |  |
|                                                      |                                                            | 802.11ac(HT160)/ax(HEW160)                          | 5570                    | 1                  |  |  |
|                                                      | UNII Band III                                              | 802.11a/n(HT20)/ac(HT20)/ax(HEW20):                 | 5745-5825               | 5                  |  |  |
|                                                      |                                                            | 802.11n(HT40)/ac(HT40)/ax(HEW40)                    | 5755-5795               | 2                  |  |  |
|                                                      |                                                            | 802.11ac(HT80)/ax(HEW80)                            | 5775                    | 1                  |  |  |
| Modulation                                           | 802.11a: OFDM(16QAM, 64QAM, QPSK, BPSK)                    |                                                     |                         |                    |  |  |
| Туре:                                                | 802.11n: OFDM(16QAM, 64QAM, QPSK, BPSK)                    |                                                     |                         |                    |  |  |
|                                                      | 802.11ac: OFDM(16QAM, 64QAM, 256QAM, QPSK, BPSK)           |                                                     |                         |                    |  |  |
|                                                      | 802.11ax: OFDMA(16QAM, 64QAM, 256QAM, 1024QAM, QPSK, BPSK) |                                                     |                         |                    |  |  |
| DFS<br>Function:                                     | Master                                                     |                                                     |                         |                    |  |  |
| TPC<br>Function:                                     |                                                            |                                                     |                         |                    |  |  |
| Sample Type:                                         | pple Type: Fixed device                                    |                                                     |                         |                    |  |  |
| Antenna Type:  External flat omnidirectional antenna |                                                            |                                                     |                         |                    |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 8 of 574

#### 5G WIFI Antenna Gain:

| Band          | Ant1 gain<br>(dBi) | Ant2 gain<br>(dBi) | Ant3 gain<br>(dBi) | Ant4 gain<br>(dBi) |
|---------------|--------------------|--------------------|--------------------|--------------------|
| U-NII Band 1  | 7.64               | 9.39               | 7.77               | 6.76               |
| U-NII Band 2A | 7.62               | 9.39               | 8.22               | 7.16               |
| U-NII Band 2C | 7.53               | 9.39               | 8.46               | 7.17               |
| U-NII Band 3  | 7.08               | 8.16               | 7.12               | 7.14               |

Remark: The information in this section is provided by the applicant or manufacturer, SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

| Description                | Manufacturer                                    | Model No. | Serial No. |  |  |  |
|----------------------------|-------------------------------------------------|-----------|------------|--|--|--|
|                            |                                                 |           |            |  |  |  |
| The EUT has been tested as | The EUT has been tested as an independent unit. |           |            |  |  |  |

### 4.3 Measurement Uncertainty

| Test Item                                             | Measurement Uncertainty                     |
|-------------------------------------------------------|---------------------------------------------|
| Conducted Emissions at AC Power Line (150kHz-30MHz)   | ± 3.1dB                                     |
| Duty Cycle                                            | ± 0.37%                                     |
| 99% Bandwidth                                         | ± 3%                                        |
| 26dB Emission bandwidth                               | ± 3%                                        |
| Minimum 6 dB bandwidth (5.725-5.85 GHz band )         | ± 3%                                        |
| Maximum Conducted output power                        | ± 0.75dB                                    |
| Transmitter Power Control                             | ± 0.75dB                                    |
| Peak Power spectrum density                           | ± 2.84dB                                    |
| Radiated Emissions (Below 1GHz)                       | ± 6.0dB for 3m; ± 5.0dB for 10m             |
| Radiated Emissions (Above 1GHz)                       | ± 4.6dB (1-18GHz);± 4.8dB (18-<br>40GHz)    |
| Radiated Emissions which fall in the restricted bands | ± 6.0dB (below 1GHz); ± 4.6dB (above 1GHz); |
| Frequency Stability                                   | ± 7.25 x 10-8                               |

#### Remark:

The Ulab (lab Uncertainty) is less than Ucispr/ETSI (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 9 of 574

### 4.4 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

### 4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

### A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

### VCCI (Member No. 1937)

The 3m Fully-anechoic chamber for above 1GHz. 10m Semi-anechoic chamber for below 1GHz. Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen EMC laboratory have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

### • FCC -Designation Number: CN1336

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1336. Test Firm Registration Number: 787754.

#### Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

### 4.6 Deviation from Standards

None

#### 4.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 10 of 574

#### 5 **Equipment List**

| Conducted Emissions at AC Power Line (150kHz-30MHz) |                  |                      |               |            |              |  |
|-----------------------------------------------------|------------------|----------------------|---------------|------------|--------------|--|
| Equipment                                           | Manufacturer     | Model No.            | Inventory No. | Cal Date   | Cal Due Date |  |
| Shielding Room                                      | ZhongYu Electron | GB-88                | SEM001-06     | 2022-05-14 | 2025-05-13   |  |
| EMI Test Receiver                                   | Rohde&Schwarz    | ESCI                 | SEM004-02     | 2023-03-20 | 2024-03-19   |  |
| Matching Pad                                        | N/A              | N/A                  | SEM021-23     | 2023-03-22 | 2024-03-21   |  |
| Matching Pad                                        | N/A              | N/A                  | SEM021-24     | 2023-03-22 | 2024-03-21   |  |
| Measurement Software                                | AUDIX            | e3 V8.2014-6-<br>27a | N/A           | N/A        | N/A          |  |
| Coaxial Cable                                       | SGS              | N/A                  | SEM024-01     | 2022-07-08 | 2023-07-07   |  |
| LISN                                                | Rohde&Schwarz    | ENV216               | SEM007-01     | 2022-09-20 | 2023-09-19   |  |
| LISN                                                | ETS-LINDGREN     | 3816/2               | SEM007-02     | 2023-03-20 | 2024-03-19   |  |

| 99% Bandwidth                               |                                    |                   |               |            |              |
|---------------------------------------------|------------------------------------|-------------------|---------------|------------|--------------|
| Equipment                                   | Manufacturer                       | Model No.         | Inventory No. | Cal Date   | Cal Due Date |
| DC Power Supply                             | Chroma                             | 62012P-80-60      | SEM011-11     | 2022-10-20 | 2023-10-19   |
| MXA Signal Analyzer                         | KEYSIGHT                           | N9020A            | SEM004-19     | 2023-03-21 | 2024-03-20   |
| Signal Generator                            | KEYSIGHT                           | N5173B            | SEM006-05     | 2022-09-29 | 2023-09-28   |
| Measurement Software                        | TST PASS                           | TST PASS<br>V2.0  | N/A           | N/A        | N/A          |
| Coaxial Cable                               | SGS                                | N/A               | SEM031-01     | 2022-07-08 | 2023-07-07   |
| Attenuator                                  | Huber+Suhner                       | 6620_SMA-50-<br>1 | SEM021-09     | 2023-03-31 | 2024-03-30   |
| Programmable Temperature & Humidity Chamber | Votsch<br>Industrietechnik<br>GmbH | VT 4002           | SEM002-15     | 2023-03-21 | 2024-03-20   |

| 26dB Emission bandwidth                     |                                    |                   |               |            |              |  |  |  |  |  |
|---------------------------------------------|------------------------------------|-------------------|---------------|------------|--------------|--|--|--|--|--|
| Equipment                                   | Manufacturer                       | Model No.         | Inventory No. | Cal Date   | Cal Due Date |  |  |  |  |  |
| DC Power Supply                             | Chroma                             | 62012P-80-60      | SEM011-11     | 2022-10-20 | 2023-10-19   |  |  |  |  |  |
| MXA Signal Analyzer                         | KEYSIGHT                           | N9020A            | SEM004-19     | 2023-03-21 | 2024-03-20   |  |  |  |  |  |
| Signal Generator                            | KEYSIGHT                           | N5173B            | SEM006-05     | 2022-09-29 | 2023-09-28   |  |  |  |  |  |
| Measurement Software                        | TST PASS                           | TST PASS<br>V2.0  | N/A           | N/A        | N/A          |  |  |  |  |  |
| Coaxial Cable                               | SGS                                | N/A               | SEM031-01     | 2022-07-08 | 2023-07-07   |  |  |  |  |  |
| Attenuator                                  | Huber+Suhner                       | 6620_SMA-50-<br>1 | SEM021-09     | 2023-03-31 | 2024-03-30   |  |  |  |  |  |
| Programmable Temperature & Humidity Chamber | Votsch<br>Industrietechnik<br>GmbH | VT 4002           | SEM002-15     | 2023-03-21 | 2024-03-20   |  |  |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 11 of 574

| Minimum 6 dB bandwidth (5.725-5.85 GHz band ) |                                    |                   |               |            |              |  |  |  |  |  |
|-----------------------------------------------|------------------------------------|-------------------|---------------|------------|--------------|--|--|--|--|--|
| Equipment                                     | Manufacturer                       | Model No.         | Inventory No. | Cal Date   | Cal Due Date |  |  |  |  |  |
| DC Power Supply                               | Chroma                             | 62012P-80-60      | SEM011-11     | 2022-10-20 | 2023-10-19   |  |  |  |  |  |
| MXA Signal Analyzer                           | KEYSIGHT                           | N9020A            | SEM004-19     | 2023-03-21 | 2024-03-20   |  |  |  |  |  |
| Signal Generator                              | KEYSIGHT                           | N5173B            | SEM006-05     | 2022-09-29 | 2023-09-28   |  |  |  |  |  |
| Measurement Software                          | TST PASS                           | TST PASS<br>V2.0  | N/A           | N/A        | N/A          |  |  |  |  |  |
| Coaxial Cable                                 | SGS                                | N/A               | SEM031-01     | 2022-07-08 | 2023-07-07   |  |  |  |  |  |
| Attenuator                                    | Huber+Suhner                       | 6620_SMA-50-<br>1 | SEM021-09     | 2023-03-31 | 2024-03-30   |  |  |  |  |  |
| Programmable Temperature & Humidity Chamber   | Votsch<br>Industrietechnik<br>GmbH | VT 4002           | SEM002-15     | 2023-03-21 | 2024-03-20   |  |  |  |  |  |

| Maximum Conducted output power              |                                    |                   |               |            |              |  |  |  |  |
|---------------------------------------------|------------------------------------|-------------------|---------------|------------|--------------|--|--|--|--|
| Equipment                                   | Manufacturer                       | Model No.         | Inventory No. | Cal Date   | Cal Due Date |  |  |  |  |
| Power Sensor                                | TST PASS                           | TSPS2023R         | SEM009-26     | 2023-04-01 | 2024-03-31   |  |  |  |  |
| Power Sensor                                | KEYSIGHT                           | U2021XA           | SEM009-16     | 2023-03-21 | 2024-03-20   |  |  |  |  |
| DC Power Supply                             | Chroma                             | 62012P-80-60      | SEM011-11     | 2022-10-20 | 2023-10-19   |  |  |  |  |
| MXA Signal Analyzer                         | KEYSIGHT                           | N9020A            | SEM004-19     | 2023-03-21 | 2024-03-20   |  |  |  |  |
| Signal Generator                            | KEYSIGHT                           | N5173B            | SEM006-05     | 2022-09-29 | 2023-09-28   |  |  |  |  |
| Measurement Software                        | TST PASS                           | TST PASS<br>V2.0  | N/A           | N/A        | N/A          |  |  |  |  |
| Coaxial Cable                               | SGS                                | N/A               | SEM031-01     | 2022-07-08 | 2023-07-07   |  |  |  |  |
| Attenuator                                  | Huber+Suhner                       | 6620_SMA-50-<br>1 | SEM021-09     | 2023-03-31 | 2024-03-30   |  |  |  |  |
| Programmable Temperature & Humidity Chamber | Votsch<br>Industrietechnik<br>GmbH | VT 4002           | SEM002-15     | 2023-03-21 | 2024-03-20   |  |  |  |  |

| Transmitter Power Control                         |                                    |                    |               |            |              |  |  |  |  |
|---------------------------------------------------|------------------------------------|--------------------|---------------|------------|--------------|--|--|--|--|
| Equipment                                         | Manufacturer                       | Model No.          | Inventory No. | Cal Date   | Cal Due Date |  |  |  |  |
| Power Sensor                                      | TST PASS                           | TSPS2023R          | SEM009-26     | 2023-04-01 | 2024-03-31   |  |  |  |  |
| Power Sensor                                      | KEYSIGHT                           | U2021XA            | SEM009-16     | 2023-03-21 | 2024-03-20   |  |  |  |  |
| DC Power Supply                                   | Chroma                             | 62012P-80-60       | SEM011-11     | 2022-10-20 | 2023-10-19   |  |  |  |  |
| MXA Signal Analyzer                               | KEYSIGHT                           | N9020A             | SEM004-19     | 2023-03-21 | 2024-03-20   |  |  |  |  |
| Signal Generator                                  | KEYSIGHT                           | KEYSIGHT N5173B SE |               | 2022-09-29 | 2023-09-28   |  |  |  |  |
| Measurement Software                              | TST PASS                           | TST PASS<br>V2.0   | N/A           | N/A        | N/A          |  |  |  |  |
| Coaxial Cable                                     | SGS                                | N/A                | SEM031-01     | 2022-07-08 | 2023-07-07   |  |  |  |  |
| Attenuator                                        | Huber+Suhner                       | 6620_SMA-50-<br>1  | SEM021-09     | 2023-03-31 | 2024-03-30   |  |  |  |  |
| Programmable<br>Temperature & Humidity<br>Chamber | Votsch<br>Industrietechnik<br>GmbH | VT 4002            | SEM002-15     | 2023-03-21 | 2024-03-20   |  |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@ags.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 12 of 574

| Peak Power spectrum density                 |                                    |                  |               |            |              |  |  |  |  |
|---------------------------------------------|------------------------------------|------------------|---------------|------------|--------------|--|--|--|--|
| Equipment                                   | Manufacturer                       | Model No.        | Inventory No. | Cal Date   | Cal Due Date |  |  |  |  |
| DC Power Supply                             | Chroma                             | 62012P-80-60     | SEM011-11     | 2022-10-20 | 2023-10-19   |  |  |  |  |
| MXA Signal Analyzer                         | KEYSIGHT                           | N9020A           | SEM004-19     | 2023-03-21 | 2024-03-20   |  |  |  |  |
| Signal Generator                            | KEYSIGHT                           | KEYSIGHT N5173B  |               | 2022-09-29 | 2023-09-28   |  |  |  |  |
| Measurement Software                        | TST PASS                           | TST PASS<br>V2.0 | N/A           | N/A        | N/A          |  |  |  |  |
| Coaxial Cable                               | SGS                                | N/A              | SEM031-01     | 2022-07-08 | 2023-07-07   |  |  |  |  |
| Attenuator                                  |                                    |                  | SEM021-09     | 2023-03-31 | 2024-03-30   |  |  |  |  |
| Programmable Temperature & Humidity Chamber | Votsch<br>Industrietechnik<br>GmbH | VT 4002          | SEM002-15     | 2023-03-21 | 2024-03-20   |  |  |  |  |

| Radiated Emissions (Below 1GHz) |                      |                     |               |            |              |  |  |  |  |  |
|---------------------------------|----------------------|---------------------|---------------|------------|--------------|--|--|--|--|--|
| Equipment                       | Manufacturer         | Model No.           | Inventory No. | Cal Date   | Cal Due Date |  |  |  |  |  |
| Loop Antenna                    | ETS-Lindgren         | 6502                | SEM003-08     | 2021-11-30 | 2023-11-29   |  |  |  |  |  |
| 3m Semi-Anechoic<br>Chamber     | ETS-LINDGREN         | N/A                 | SEM001-01     | 2020-07-19 | 2023-07-18   |  |  |  |  |  |
| MXE EMI Receiver                | Agilent Technologies | N9038A              | SEM004-15     | 2022-10-20 | 2023-10-19   |  |  |  |  |  |
| BiConiLog Antenna               | ETS-LINDGREN         | 3142C               | SEM003-01     | 2021-09-17 | 2023-09-16   |  |  |  |  |  |
| Pre-Amplifier                   | Agilent Technologies | 8447D               | SEM005-01     | 2023-03-20 | 2024-03-19   |  |  |  |  |  |
| Measurement Software            | AUDIX                | e3 V8.2014-6-<br>27 | N/A           | N/A        | N/A          |  |  |  |  |  |
| Coaxial Cable                   | SGS                  | N/A                 | SEM025-01     | 2022-07-08 | 2023-07-07   |  |  |  |  |  |

| Radiated Emissions (Above 1GHz) |                 |                     |               |            |              |  |  |  |  |
|---------------------------------|-----------------|---------------------|---------------|------------|--------------|--|--|--|--|
| Equipment                       | Manufacturer    | Model No.           | Inventory No. | Cal Date   | Cal Due Date |  |  |  |  |
| 3m Semi-Anechoic<br>Chamber     | AUDIX           | N/A                 | SEM001-02     | 2022-04-02 | 2025-04-01   |  |  |  |  |
| Signal Analyzer                 | Rohde & Schwarz | FSV40               | SEM008-04     | 2023-03-20 | 2024-03-19   |  |  |  |  |
| Horn Antenna                    | Rohde&Schwarz   | HF907               | SEM003-07     | 2022-07-24 | 2024-07-23   |  |  |  |  |
| Microwave system amplifier      | Agilent         | 83017A              | SEM005-25     | 2022-09-21 | 2023-09-20   |  |  |  |  |
| Measurement Software            | AUDIX           | e3 V8.2014-6-<br>27 | N/A           | N/A        | N/A          |  |  |  |  |
| Coaxial Cable                   | SGS             | N/A                 | SEM026-01     | 2022-07-08 | 2023-07-07   |  |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@ags.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 13 of 574

| Radiated Emissions which fall in the restricted bands |                 |                                   |               |            |              |  |  |  |  |  |
|-------------------------------------------------------|-----------------|-----------------------------------|---------------|------------|--------------|--|--|--|--|--|
| Equipment                                             | Manufacturer    | Model No.                         | Inventory No. | Cal Date   | Cal Due Date |  |  |  |  |  |
| 3m Semi-Anechoic<br>Chamber                           | AUDIX           | N/A                               | SEM001-02     | 2022-04-02 | 2025-04-01   |  |  |  |  |  |
| Signal Analyzer                                       | Rohde & Schwarz | FSV40                             | SEM008-04     | 2023-03-20 | 2024-03-19   |  |  |  |  |  |
| Horn Antenna                                          | Rohde&Schwarz   | HF907                             | SEM003-07     | 2022-07-24 | 2024-07-23   |  |  |  |  |  |
| Microwave system amplifier                            | Agilent         | 83017A                            | SEM005-25     | 2022-09-21 | 2023-09-20   |  |  |  |  |  |
| Measurement Software                                  | AUDIX           | AUDIX e3 V8.2014-6-<br>27 N/A N/A |               | N/A        | N/A          |  |  |  |  |  |
| Coaxial Cable                                         | SGS             | N/A                               | SEM026-01     | 2022-07-08 | 2023-07-07   |  |  |  |  |  |

| Frequency Stability                         |                                    |                   |               |            |              |
|---------------------------------------------|------------------------------------|-------------------|---------------|------------|--------------|
| Equipment                                   | Manufacturer                       | Model No.         | Inventory No. | Cal Date   | Cal Due Date |
| DC Power Supply                             | Chroma                             | 62012P-80-60      | SEM011-11     | 2022-10-20 | 2023-10-19   |
| MXA Signal Analyzer                         | KEYSIGHT                           | N9020A            | SEM004-19     | 2023-03-21 | 2024-03-20   |
| Signal Generator                            | KEYSIGHT                           | N5173B            | SEM006-05     | 2022-09-29 | 2023-09-28   |
| Measurement Software                        | TST PASS                           | TST PASS<br>V2.0  | N/A           | N/A        | N/A          |
| Coaxial Cable                               | SGS                                | N/A               | SEM031-01     | 2022-07-08 | 2023-07-07   |
| Attenuator                                  | Huber+Suhner                       | 6620_SMA-50-<br>1 | SEM021-09     | 2023-03-31 | 2024-03-30   |
| Programmable Temperature & Humidity Chamber | Votsch<br>Industrietechnik<br>GmbH | VT 4002           | SEM002-15     | 2023-03-21 | 2024-03-20   |

| General used equipment          |                                                 |           |               |            |              |  |  |  |  |
|---------------------------------|-------------------------------------------------|-----------|---------------|------------|--------------|--|--|--|--|
| Equipment                       | Manufacturer                                    | Model No. | Inventory No. | Cal Date   | Cal Due Date |  |  |  |  |
| Humidity/ Temperature Indicator | Mingle                                          | N/A       | SEM002-08     | 2022-09-04 | 2023-09-03   |  |  |  |  |
| Humidity/ Temperature Indicator | Anymetre                                        | TH101B    | SEM002-09     | 2022-09-04 | 2023-09-03   |  |  |  |  |
| Barometer                       | Changchun<br>Meteorological<br>Industry Factory | DYM3      | SEM002-01     | 2023-03-23 | 2024-03-22   |  |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@ags.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 14 of 574

## Radio Spectrum Technical Requirement

### 6.1 Antenna Requirement

### 6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203

#### 6.1.2 Conclusion

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

#### **EUT Antenna:**

The device uses nondetachable antennas and no consideration of replacement. The best case gain of the antenna as the following table:.

The EUT supports CDD, and all antenna gains are not equal, according to KDB662911 D01 2) f) (iii) guidelines:

Directional gain =  $G_{ANT}$  + Array Gain

#### Remark:

- 1.For power measurements: Array Gain=0dB for N<sub>ANT</sub>≤ 4
- 2.For power spectral density measurements, Array Gain=10\*log(Nant/Nss), (where Nss=1)

### 5G WIFI Antenna Gain:

| Band          | Ant1 gain<br>(dBi) | Ant2 gain<br>(dBi) | Ant3 gain<br>(dBi) | Ant4 gain<br>(dBi) | Directional<br>gain for<br>power<br>(dBi) | Directional<br>gain for<br>PSD<br>(dBi) |
|---------------|--------------------|--------------------|--------------------|--------------------|-------------------------------------------|-----------------------------------------|
| U-NII Band 1  | 7.64               | 9.39               | 7.77               | 6.76               | 9.39                                      | 15.41                                   |
| U-NII Band 2A | 7.62               | 9.39               | 8.22               | 7.16               | 9.39                                      | 15.41                                   |
| U-NII Band 2C | 7.53               | 9.39               | 8.46               | 7.17               | 9.39                                      | 15.41                                   |
| U-NII Band 3  | 7.08               | 8.16               | 7.12               | 7.14               | 8.16                                      | 14.18                                   |

Antenna location: Refer to external photos



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057

Member of the SGS Group (SGS SA)



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 15 of 574

### 6.2 Transmission in the Absence of Data

### 6.2.1 Test Requirement:

47 CFR Part 15, Subpart E 15.407 (c)

#### 6.2.2 Conclusion

#### Standard Requirement:

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signalling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals.

Applicants shall include in their application for equipment authorization a description of how this requirement is met.

#### **EUT Details:**

WIFI chip support automatically discontinue transmission in case of either absence of information to transmit or operational failure, if the chip detect absence of information to transmit or operational failure, it will be automatically shut off.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 16 of 574

# **Radio Spectrum Matter Test Results**

### 7.1 Conducted Emissions at AC Power Line (150kHz-30MHz)

47 CFR Part 15, Subpart C 15.207 & Subpart E 15.407 b(9) Test Requirement

Test Method: ANSI C63.10 (2013) Section 6.2

#### Limit:

| Eroquency of emission/MUz)                      | Conducted limit(dB $\mu$ V) |           |  |  |
|-------------------------------------------------|-----------------------------|-----------|--|--|
| Frequency of emission(MHz)                      | Quasi-peak                  | Average   |  |  |
| 0.15-0.5                                        | 66 to 56*                   | 56 to 46* |  |  |
| 0.5-5                                           | 56                          | 46        |  |  |
| 5-30                                            | 60                          | 50        |  |  |
| *Decreases with the logarithm of the frequency. |                             |           |  |  |

### 7.1.1 E.U.T. Operation

Operating Environment:

Temperature: 23.8 °C Humidity: 43.9 % RH Atmospheric Pressure: 1005 mbar

#### 7.1.2 Test Mode Description

| 7.1.2 Test Mode Description |              |                                                                                                                                                                                                                                                                                                                                                         |  |
|-----------------------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Pre-scan /<br>Final test    | Mode<br>Code | Description                                                                                                                                                                                                                                                                                                                                             |  |
| Final test                  | 02           | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report.   |  |
| Pre-scan                    | 03           | TX mode (U-NII-2A) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.     |  |
| Pre-scan                    | 04           | TX mode (U-NII-2C) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report. |  |
| Pre-scan                    | 05           | TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.      |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 17 of 574

### 7.1.3 Test Setup Diagram



#### 7.1.4 Measurement Procedure and Data

- 1) The mains terminal disturbance voltage test was conducted in a shielded room.
- 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50ohm/50µH + 5ohm linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.
- 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane,
- 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.
- 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

- 1) Level=Read Level+ Cable Loss+ LISN Factor
- 2) Through pre-scan found the worst case is the lowest channel. Only the worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 18 of 574

Test Mode: 02; Line: Live line; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



: Shielding Room

Condition: Line Job No. : 01787AT

Test mode: 02

|     | Freq    | Cable<br>Loss | LISN<br>Factor | Read<br>Level | Level | Limit<br>Line | Over<br>Limit | Remark  |
|-----|---------|---------------|----------------|---------------|-------|---------------|---------------|---------|
|     | MHz     | dB            | dB             | dBuV          | dBuV  | dBuV          | dB            |         |
| 1   | 0.1740  | 0.03          | 9.76           | 26.91         | 36.70 | 64.77         | -28.07        | QP      |
| 2   | 0.1740  | 0.03          | 9.76           | 11.54         | 21.33 | 54.77         | -33.44        | Average |
| 3   | 0.2007  | 0.04          | 9.76           | 23.30         | 33.10 | 63.58         | -30.48        | QP      |
| 4   | 0.2007  | 0.04          | 9.76           | 11.76         | 21.56 | 53.58         | -32.02        | Average |
| 5 * | 0.3692  | 0.05          | 9.76           | 21.43         | 31.24 | 58.52         | -27.28        | QP      |
| 6 * | 0.3692  | 0.05          | 9.76           | 13.39         | 23.20 | 48.52         | -25.32        | Average |
| 7   | 1.6450  | 0.09          | 9.81           | 8.31          | 18.21 | 56.00         | -37.79        | QP      |
| 8   | 1.6450  | 0.09          | 9.81           | 1.95          | 11.85 | 46.00         | -34.15        | Average |
| 9   | 4.9519  | 0.15          | 9.91           | 10.65         | 20.71 | 56.00         | -35.29        | QP      |
| 10  | 4.9519  | 0.15          | 9.91           | 4.09          | 14.15 | 46.00         | -31.85        | Average |
| 11  | 13.4080 | 0.15          | 10.48          | 14.73         | 25.36 | 60.00         | -34.64        | QP      |
| 12  | 13.4080 | 0.15          | 10.48          | 8.30          | 18.93 | 50.00         | -31.07        | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 19 of 574

Test Mode: 02; Line: Neutral Line; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



: Shielding Room

Condition: Neutral Job No. : 01787AT

Test mode: 02

|     |         | Cable | LISN   | Read  |       | Limit | 0ver   |         |
|-----|---------|-------|--------|-------|-------|-------|--------|---------|
|     | Freq    | Loss  | Factor | Level | Level | Line  | Limit  | Remark  |
|     |         |       |        |       |       |       |        |         |
|     | MHz     | dB    | dB     | dBuV  | dBuV  | dBuV  | dB     |         |
|     |         |       |        |       |       |       |        |         |
| 1 * | 0.1573  | 0.03  | 9.74   | 30.73 | 40.50 | 65.60 | -25.10 | QP      |
| 2 * | 0.1573  | 0.03  | 9.74   | 18.60 | 28.37 | 55.60 | -27.23 | Average |
| 3   | 0.2040  | 0.04  | 9.73   | 22.52 | 32.29 | 63.45 | -31.16 | QP      |
| 4   | 0.2040  | 0.04  | 9.73   | 7.80  | 17.57 | 53.45 | -35.88 | Average |
| 5   | 0.3149  | 0.04  | 9.73   | 15.72 | 25.49 | 59.84 | -34.35 | QP      |
| 6   | 0.3149  | 0.04  | 9.73   | 5.36  | 15.13 | 49.84 | -34.71 | Average |
| 7   | 1.2756  | 0.08  | 9.77   | 4.94  | 14.79 | 56.00 | -41.21 | QP      |
| 8   | 1.2756  | 0.08  | 9.77   | -2.54 | 7.31  | 46.00 | -38.69 | Average |
| 9   | 3.2583  | 0.13  | 9.84   | 4.85  | 14.82 | 56.00 | -41.18 | QP      |
| 10  | 3.2583  | 0.13  | 9.84   | -1.72 | 8.25  | 46.00 | -37.75 | Average |
| 11  | 13.6952 | 0.15  | 10.55  | 15.66 | 26.36 | 60.00 | -33.64 | QP      |
| 12  | 13.6952 | 0.15  | 10.55  | 8.70  | 19.40 | 50.00 | -30.60 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 20 of 574

### 7.2 Duty Cycle

Test Requirement KDB 789033 D02 II B 1 Test Method: KDB 789033 II B 1

### 7.2.1 E.U.T. Operation

Operating Environment:

Temperature: 27.2 °C Humidity: 49.4 % RH Atmospheric Pressure: 1005 mbar

### 7.2.2 Test Mode Description

|                          | 7.2.2 Test mode Description |                                                                                                                                                                                                                                                                                                                                                         |  |  |
|--------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| Pre-scan /<br>Final test | Mode<br>Code                | Description                                                                                                                                                                                                                                                                                                                                             |  |  |
| Final test               | 02                          | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report.   |  |  |
| Final test               | 03                          | TX mode (U-NII-2A) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.     |  |  |
| Final test               | 04                          | TX mode (U-NII-2C) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report. |  |  |
| Final test               | 05                          | TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.      |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 21 of 574

### 7.2.3 Test Setup Diagram



Ground Reference Plane

#### 7.2.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@egs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 22 of 574

### 7.3 99% Bandwidth

Test Method:

**Test Requirement** N/A

KDB 789033 II D

### 7.3.1 E.U.T. Operation

Operating Environment:

Temperature: 27.2 °C Humidity: 49.4 % RH Atmospheric Pressure: 1005 mbar

### 7.3.2 Test Mode Description

| 11012 100111             | 7.3.2 Test mode Description |                                                                                                                                                                                                                                                                                                                                                         |  |  |
|--------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| Pre-scan /<br>Final test | Mode<br>Code                | Description                                                                                                                                                                                                                                                                                                                                             |  |  |
| Final test               | 02                          | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report.   |  |  |
| Final test               | 03                          | TX mode (U-NII-2A) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.     |  |  |
| Final test               | 04                          | TX mode (U-NII-2C) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report. |  |  |
| Final test               | 05                          | TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.      |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 23 of 574

### 7.3.3 Test Setup Diagram



Ground Reference Plane

#### 7.3.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@egs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 24 of 574

### 7.4 26dB Emission bandwidth

Test Requirement 47 CFR Part 15, Subpart E 15.407 (a)

Test Method: KDB 789033 D02 II C 1

### 7.4.1 E.U.T. Operation

Operating Environment:

Temperature: 27.2 °C Humidity: 49.4 % RH Atmospheric Pressure: 1005 mbar

### 7.4.2 Test Mode Description

|                          | 7.4.2 Test mode Description |                                                                                                                                                                                                                                                                                                                                                         |  |  |
|--------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| Pre-scan /<br>Final test | Mode<br>Code                | Description                                                                                                                                                                                                                                                                                                                                             |  |  |
| Final test               | 02                          | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report.   |  |  |
| Final test               | 03                          | TX mode (U-NII-2A) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.     |  |  |
| Final test               | 04                          | TX mode (U-NII-2C) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report. |  |  |
| Final test               | 05                          | TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.      |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 25 of 574

### 7.4.3 Test Setup Diagram



Ground Reference Plane

#### 7.4.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@egs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 26 of 574

### 7.5 Minimum 6 dB bandwidth (5.725-5.85 GHz band )

**Test Requirement** 47 CFR Part 15, Subpart E 15.407 (e)

Test Method: KDB 789033 D02 II C 2

#### Limit:

| Frequency band(MHz) | Limit    |
|---------------------|----------|
| 5725-5850           | ≥500 kHz |

### 7.5.1 E.U.T. Operation


Operating Environment:

Temperature: 27.2 °C Humidity: 49.4 % RH Atmospheric Pressure: 1005 mbar

### 7.5.2 Test Mode Description

| Pre-scan /<br>Final test | Mode<br>Code | Description                                                                                                                                                                                                                                                                                                                                        |
|--------------------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Final test               | 05           | TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report. |

### 7.5.3 Test Setup Diagram



**Ground Reference Plane** 

#### 7.5.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 27 of 574

### 7.6 Maximum Conducted output power

47 CFR Part 15, Subpart E 15.407 (a) Test Requirement

Test Method: KDB 789033 D02 II E

#### Limit:

| Frequen   | cy band(MHz)                                                                                                                                                             | Limit                             |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| 5150-5250 |                                                                                                                                                                          | ≤1W(30dBm) for master device      |
| 5150-     | 5250                                                                                                                                                                     | ≤250mW(24dBm) for client device   |
| 5250-     | 5350                                                                                                                                                                     | ≤250mW(24dBm) or 11dBm+10logB*    |
| 5470-     | 5725                                                                                                                                                                     | ≤250mW(24dBm) or 11dBm+10logB*    |
| 5725-     | 5850                                                                                                                                                                     | ≤1W(30dBm)                        |
| Remark:   | * Where B is the                                                                                                                                                         | e 26dB emission bandwidth in MHz. |
|           | The maximum conducted output power must be measured over any interval of continuous transmission using instrumentation calibrated in terms of an rms-equivalent voltage. |                                   |

### 7.6.1 E.U.T. Operation

Operating Environment:

Temperature: 27.2 °C Humidity: 49.4 % RH Atmospheric Pressure: 1005 mbar

#### 7.6.2 Test Mode Description

| 7.0.2 Test mode Description |              |                                                                                                                                                                                                                                                                                                                                                         |  |
|-----------------------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Pre-scan /<br>Final test    | Mode<br>Code | Description                                                                                                                                                                                                                                                                                                                                             |  |
| Final test                  | 02           | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report.   |  |
| Final test                  | 03           | TX mode (U-NII-2A) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.     |  |
| Final test                  | 04           | TX mode (U-NII-2C) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report. |  |
| Final test                  | 05           | TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and                                                                                                                                                                                               |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 28 of 574

| found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0  |
|----------------------------------------------------------------------------------|
| is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is |
| recorded in the report.                                                          |

### 7.6.3 Test Setup Diagram



#### 7.6.4 Measurement Procedure and Data

Note: Since the verify power the same operating range bandwidth and smaller power can be covered by the higher power.

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 29 of 574

### 7.7 Transmitter Power Control

Test Requirement 47 CFR Part 15, Subpart E 15.407 (h)(1)

Test Method: KDB 789033 D02 II E

Limit:

Able to lower EIRP below 24dBm when Max\_EIRP ≥ 500 mW (27 dBm).

### 7.7.1 E.U.T. Operation


Operating Environment:

27.2 °C Temperature: Humidity: 49.4 % RH Atmospheric Pressure: 1005 mbar

#### 7.7.2 Test Mode Description

| Pre-scan /<br>Final test | Mode<br>Code | Description                                                                                                                                                                                                                                                                                                                                             |
|--------------------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Final test               | 03           | TX mode (U-NII-2A) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.     |
| Final test               | 04           | TX mode (U-NII-2C) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report. |

### 7.7.3 Test Setup Diagram



**Ground Reference Plane** 

#### 7.7.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 30 of 574

### 7.8 Peak Power spectrum density

47 CFR Part 15, Subpart E 15.407 (a) Test Requirement

Test Method: KDB 789033 D02 II F

Limit:

| Frequenc | y band(MHz)                                                                                                                                        | Limit                            |  |  |  |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|--|--|--|
| E1E0 E   | 250                                                                                                                                                | ≤17dBm in 1MHz for master device |  |  |  |
| 5150-5   | 250                                                                                                                                                | ≤11dBm in 1MHz for client device |  |  |  |
| 5250-5   | 350                                                                                                                                                | ≤11dBm in 1MHz                   |  |  |  |
| 5470-5   | 725                                                                                                                                                | ≤11dBm in 1MHz                   |  |  |  |
| 5725-5   | 850                                                                                                                                                | ≤30dBm in 500 kHz                |  |  |  |
| Remark:  | The maximum power spectral density is measured as a conducted emiss by direct connection of a calibrated test instrument to the equipment ur test. |                                  |  |  |  |

### 7.8.1 E.U.T. Operation

Operating Environment:

Temperature: 27.2 °C Humidity: 49.4 % RH Atmospheric Pressure: 1005 mbar



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022


Report No.: SZCR230600178703

Page: 31 of 574

### 7.8.2 Test Mode Description

| Pre-scan /<br>Final test | Mode<br>Code | Description                                                                                                                                                                                                                                                                                                                                             |
|--------------------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Final test               | 02           | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report.   |
| Final test               | 03           | TX mode (U-NII-2A) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.     |
| Final test               | 04           | TX mode (U-NII-2C) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report. |
| Final test               | 05           | TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.      |

### 7.8.3 Test Setup Diagram



**Ground Reference Plane** 

#### 7.8.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 32 of 574

### 7.9 Radiated Emissions (Below 1GHz)

Test Requirement 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)

KDB 789033 D02 II G Test Method:

Measurement Distance: 3m

#### Limit:

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) |
|----------------|----------------------------------|------------------------------|
| 0.009-0.490    | 2400/F(kHz)                      | 300                          |
| 0.490-1.705    | 24000/F(kHz)                     | 30                           |
| 1.705-30.0     | 30                               | 30                           |
| 30-88          | 100                              | 3                            |
| 88-216         | 150                              | 3                            |
| 216-960        | 200                              | 3                            |
| 960-1000       | 500                              | 3                            |

### 7.9.1 E.U.T. Operation

Operating Environment:

Temperature: 22.1 °C Humidity: 41.2 % RH Atmospheric Pressure: 1000 mbar

### 7.9.2 Test Mode Description

| 1.0.2 Test mode bescription |              |                                                                                                                                                                                                                                                                                                                                                         |  |  |  |  |
|-----------------------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|
| Pre-scan /<br>Final test    | Mode<br>Code | Description                                                                                                                                                                                                                                                                                                                                             |  |  |  |  |
| Final test                  | 02           | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report.   |  |  |  |  |
| Pre-scan                    | 03           | TX mode (U-NII-2A) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.     |  |  |  |  |
| Pre-scan                    | 04           | TX mode (U-NII-2C) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report. |  |  |  |  |
| Pre-scan                    | 05           | TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.      |  |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn





SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 33 of 574

### 7.9.3 Test Setup Diagram





30MHz-1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 34 of 574

#### 7.9.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using quasi-peak method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.

#### Remark:

- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. For emission below 1GHz, through the pre-scan found the worst case is the lowest channel of 802.11a. Only the worst case is recorded in the report.
- 3. Scan from 9kHz to 30MHz, the disturbance below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 4. The disturbance below 1GHz was very low and the harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilient's instructions, if any. The Company's sole responsibility is to its Cilient and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 35 of 574

Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No. : 01787AT

Test Mode: 02

|     |        | Ant    | Cable | Preamp | Read  |        | Limit  | 0ver   |        |
|-----|--------|--------|-------|--------|-------|--------|--------|--------|--------|
|     | Freq   | Factor | Loss  | Factor | Level | Level  | Line   | Limit  | Remark |
| -   | MHz    | dB/m   | dB    | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1   | 33.33  | 19.32  | 0.64  | 27.22  | 32.06 | 24.80  | 40.00  | -15.20 | QP     |
| 2   | 119.44 | 11.82  | 1.25  | 26.92  | 40.30 | 26.45  | 43.50  | -17.05 | QP     |
| 3 q | 180.02 | 14.66  | 1.58  | 26.68  | 45.10 | 34.66  | 43.50  | -8.84  | QP     |
| 4   | 226.10 | 16.45  | 1.80  | 26.50  | 42.48 | 34.23  | 46.00  | -11.77 | QP     |
| 5   | 499.42 | 23.08  | 2.81  | 26.80  | 34.49 | 33.58  | 46.00  | -12.42 | QP     |
| 6   | 766.06 | 26.65  | 3.58  | 26.44  | 30.48 | 34.27  | 46.00  | -11.73 | OP     |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057

t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 36 of 574

Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No. : 01787AT

Test Mode: 02

|     |             | Ant   | Cable | Preamp | Read  |        | Limit  | 0ver   |        |
|-----|-------------|-------|-------|--------|-------|--------|--------|--------|--------|
|     | Freq Factor |       | Loss  | Factor | Level | Level  | Line   | Limit  | Remark |
| _   | MHz         | dB/m  | dB    | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1 q | 33.33       | 19.32 | 0.64  | 27.22  | 42.00 | 34.74  | 40.00  | -5.26  | QP     |
| 2   | 107.51      | 12.76 | 1.18  | 26.97  | 46.14 | 33.11  | 43.50  | -10.39 | QP     |
| 3   | 165.49      | 13.79 | 1.50  | 26.74  | 43.93 | 32.48  | 43.50  | -11.02 | QP     |
| 4   | 294.11      | 18.31 | 2.09  | 26.22  | 35.14 | 29.32  | 46.00  | -16.68 | QP     |
| 5   | 467.24      | 22.64 | 2.70  | 26.70  | 33.18 | 31.82  | 46.00  | -14.18 | QP     |
| 6   | 541.37      | 24.27 | 2.94  | 26.92  | 35.36 | 35.65  | 46.00  | -10.35 | OP     |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 37 of 574

#### 7.10 Radiated Emissions (Above 1GHz)

Test Requirement 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)

Test Method: KDB 789033 D02 II G

Measurement Distance: 3m

#### Limit:

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) |
|----------------|----------------------------------|------------------------------|
| Above 1GHz     | 500                              | 3                            |

- \*(1) For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (2) For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (3) For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (4) For transmitters operating in the 5.725-5.85 GHz band:
- (i) All emissions shall be limited to a level of −27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

#### 7.10.1 E.U.T. Operation

Operating Environment:

Humidity: 60.7 % RH Temperature: 22.3 °C Atmospheric Pressure: 1000 mbar



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057



SZEMC-TRF-01 Rev. A/0 Aug01,2022


Report No.: SZCR230600178703

Page: 38 of 574

#### 7.10.2 Test Mode Description

| Pre-scan /<br>Final test | Mode<br>Code | Description                                                                                                                                                                                                                                                                                                                                             |
|--------------------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Final test               | 02           | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report.   |
| Final test               | 03           | TX mode (U-NII-2A) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.     |
| Final test               | 04           | TX mode (U-NII-2C) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report. |
| Final test               | 05           | TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.      |

#### 7.10.3 Test Setup Diagram



Above 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@egs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 39 of 574

#### 7.10.4 Measurement Procedure and Data

- a. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak or average method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.

#### Remark:

- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 18GHz to 40GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.
- 4. The disturbance above 18GHz were very low and the harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.
- 5. For devices with multiple operating modes, measurements on the middle channel is used to determine the worst-case mode(s). Only the worst case mode with the highest output power and the mode with the highest output power spectral density for each modulation family (e.g., OFDM and direct sequence spread spectrum) is recorded in the test report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilient's instructions, if any. The Company's sole responsibility is to its Cilient and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 40 of 574

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5180 TX RSE

Note : 5G WIFI 11AX20

|   |   |          | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|---|---|----------|-------|--------|--------|-------|--------|--------|--------|--------|
|   |   | Freq     | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|   |   |          |       |        |        |       |        |        |        |        |
|   |   | MHz      | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |   |          |       |        |        |       |        |        |        |        |
| 1 |   | 1252.89  | 2.89  | 24.51  | 37.55  | 40.71 | 30.56  | 68.20  | -37.64 | peak   |
| 2 |   | 1583.39  | 3.35  | 26.30  | 36.67  | 41.17 | 34.15  | 74.00  | -39.85 | peak   |
| 3 |   | 4341.89  | 6.62  | 33.60  | 34.57  | 37.28 | 42.93  | 74.00  | -31.07 | peak   |
| 4 | q | 8688.48  | 9.86  | 36.68  | 35.68  | 39.70 | 50.56  | 68.20  | -17.64 | peak   |
| 5 |   | 10360.00 | 10.81 | 37.46  | 35.74  | 37.80 | 50.33  | 68.20  | -17.87 | peak   |
| 6 |   | 15540.00 | 13.61 | 40.94  | 37.47  | 35.57 | 52.65  | 74.00  | -21.35 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com Member of the SGS Group (SGS SA)




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 41 of 574

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5180 TX RSE

Note : 5G WIFI 11AX20

|     |          | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|-----|----------|-------|--------|--------|-------|--------|--------|--------|--------|
|     | Freq     | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|     |          |       |        |        |       |        |        |        |        |
|     | MHz      | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|     |          |       |        |        |       |        |        |        |        |
| 1   | 1135.62  | 2.69  | 24.14  | 37.92  | 41.81 | 30.72  | 74.00  | -43.28 | peak   |
| 2   | 1625.12  | 3.40  | 26.60  | 36.57  | 40.70 | 34.13  | 74.00  | -39.87 | peak   |
| 3   | 4341.89  | 6.62  | 33.60  | 34.57  | 37.36 | 43.01  | 74.00  | -30.99 | peak   |
| 4   | 8866.06  | 10.01 | 36.70  | 35.58  | 39.29 | 50.42  | 68.20  | -17.78 | peak   |
| 5 q | 10360.00 | 10.81 | 37.46  | 35.74  | 38.00 | 50.53  | 68.20  | -17.67 | peak   |
| 6   | 15540.00 | 13.61 | 40.94  | 37.47  | 35.55 | 52.63  | 74.00  | -21.37 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 42 of 574

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5200 TX RSE

Note : 5G WIFI 11AX20

|   |   | Freq     |       |       | Preamp<br>Factor |       |       |       |        | Remark |   |
|---|---|----------|-------|-------|------------------|-------|-------|-------|--------|--------|---|
|   | - | MHz      | dB    |       | dB               |       |       |       |        |        | _ |
| 1 |   | 1129.07  | 2.68  | 24.12 | 37.94            | 41.83 | 30.69 | 74.00 | -43.31 | peak   |   |
| 2 |   | 1574.27  |       |       |                  |       |       |       |        | •      |   |
| 3 |   | 4145.66  | 6.43  | 33.09 | 34.43            | 38.07 | 43.16 | 74.00 | -30.84 | peak   |   |
| 4 |   | 8563.82  | 9.75  | 36.53 | 35.75            | 39.44 | 49.97 | 68.20 | -18.23 | peak   |   |
| 5 | q | 10440.00 | 10.87 | 37.50 | 35.77            | 37.89 | 50.49 | 68.20 | -17.71 | peak   |   |
| 6 |   | 15660.00 | 13.75 | 41.06 | 37.52            | 35.40 | 52.69 | 74.00 | -21.31 | peak   |   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 43 of 574

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5200 TX RSE

Note : 5G WIFI 11AX20

|     |          | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|-----|----------|-------|--------|--------|-------|--------|--------|--------|--------|
|     | Freq     | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|     |          |       |        |        |       |        |        |        |        |
|     | MHz      | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|     |          |       |        |        |       |        |        |        |        |
| 1   | 1249.27  | 2.88  | 24.50  | 37.56  | 40.83 | 30.65  | 68.20  | -37.55 | peak   |
| 2   | 1702.04  | 3.49  | 26.80  | 36.40  | 40.50 | 34.39  | 74.00  | -39.61 | peak   |
| 3   | 4341.89  | 6.62  | 33.60  | 34.57  | 38.27 | 43.92  | 74.00  | -30.08 | peak   |
| 4   | 8738.85  | 9.90  | 36.70  | 35.65  | 39.32 | 50.27  | 68.20  | -17.93 | peak   |
| 5 q | 10440.00 | 10.87 | 37.50  | 35.77  | 38.71 | 51.31  | 68.20  | -16.89 | peak   |
| 6   | 15660.00 | 13.75 | 41.06  | 37.52  | 35.67 | 52.96  | 74.00  | -21.04 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

44 of 574 Page:

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

15720.00

Note

1

2

3

5

6

Condition: 3m HORIZONTAL : 01787AT/01788AT : 5240 TX RSE Mode

: 5G WIFI 11AX20

13.83

41.14 37.54

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Limit Remark Freq Level Level Line dBuV dBuV/m dBuV/m MHz dB dB/m dB 1300.86 2.96 40.57 30.82 74.00 -43.18 peak 24.70 37.41 26.25 1578.82 3.34 36.68 41.20 34.11 74.00 -39.89 peak 33.59 34.58 74.00 -30.53 peak 4354.45 6.63 37.83 43.47 4 q 8764.15 9.92 36.70 35.63 39.22 50.21 68.20 -17.99 peak 10480.00 10.90 37.50 35.79 37.60 50.21 68.20 -17.99 peak 35.26 52.69 74.00 -21.31 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

45 of 574 Page:

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

15720.00

13.83

41.14 37.54

Condition: 3m VERTICAL

: 01787AT/01788AT

: 5240 TX RSE Mode : 5G WIFI 11AX20 Note

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Limit Remark Freq Level Level Line dBuV dBuV/m dBuV/m MHz dB dB/m 1206.68 24.41 41.46 30.99 74.00 -43.01 peak 2.81 37.69 1677.62 3.46 26.76 36.45 39.77 33.54 74.00 -40.46 peak 4417.84 6.69 33.50 34.62 38.34 43.91 68.20 -24.29 peak 8563.82 9.75 36.53 35.75 39.57 50.10 68.20 -18.10 peak 5 q 10480.00 10.90 37.50 35.79 37.95 50.56 68.20 -17.64 peak



1

2

3

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

35.98 53.41 74.00 -20.59 peak

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

46 of 574 Page:

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Note

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5190 TX RSE

: 5G WIFI 11AX40

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Limit Remark Freq Level Level Line dBuV dBuV/m dBuV/m MHz dB dB/m 1 1155.48 24.22 37.86 41.86 30.95 74.00 -43.05 peak 2.73 2 1658.34 3.44 26.72 36.50 40.70 34.36 68.20 -33.84 peak 34.59 37.51 43.14 74.00 -30.86 peak 3 4367.06 6.65 33.57 4 q 8713.63 9.88 36.70 35.66 39.10 50.02 68.20 -18.18 peak 5 10380.00 35.74 37.39 49.96 68.20 -18.24 peak 10.83 37.48 6 36.11 53.25 74.00 -20.75 peak 15570.00 13.65 40.97 37.48



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

47 of 574 Page:

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

15570.00

13.65

40.97

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5190 TX RSE : 5G WIFI 11AX40 Note

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Limit Remark Freq Level Level Line dBuV dBuV/m dBuV/m MHz dB dB/m 41.33 30.33 74.00 -43.67 peak 1145.51 2.71 24.18 37.89 1692.23 3.48 26.78 36.42 40.24 34.08 74.00 -39.92 peak 4482.15 6.75 33.50 34.66 38.65 44.24 68.20 -23.96 peak 8764.15 9.92 36.70 35.63 39.14 50.13 68.20 -18.07 peak 5 q 10380.00 35.74 37.65 50.22 68.20 -17.98 peak 10.83 37.48



1

2 3

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

37.48 36.08 53.22 74.00 -20.78 peak

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 48 of 574

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5230 TX RSE

Note : 5G WIFI 11AX40

|     |          | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|-----|----------|-------|--------|--------|-------|--------|--------|--------|--------|
|     | Freq     | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|     |          |       |        |        |       |        |        |        |        |
|     | MHz      | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|     |          |       |        |        |       |        |        |        |        |
| 1   | 1245.66  | 2.87  | 24.49  | 37.57  | 41.85 | 31.64  | 68.20  | -36.56 | peak   |
| 2   | 1687.35  | 3.47  | 26.77  | 36.43  | 39.93 | 33.74  | 74.00  | -40.26 | peak   |
| 3   | 4242.64  | 6.53  | 33.57  | 34.50  | 37.71 | 43.31  | 74.00  | -30.69 | peak   |
| 4   | 8738.85  | 9.90  | 36.70  | 35.65  | 39.60 | 50.55  | 68.20  | -17.65 | peak   |
| 5 q | 10460.00 | 10.89 | 37.50  | 35.78  | 38.54 | 51.15  | 68.20  | -17.05 | peak   |
| 6   | 15690.00 | 13.79 | 41.09  | 37.53  | 35.72 | 53.07  | 74.00  | -20.93 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 49 of 574

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5230 TX RSE

Note : 5G WIFI 11AX40

|     |          | ****  | 11/01/0 |        |       |        |        |        |        |
|-----|----------|-------|---------|--------|-------|--------|--------|--------|--------|
|     |          | Cable | Ant     | Preamp | Read  |        | Limit  | 0ver   |        |
|     | Freq     | Loss  | Factor  | Factor | Level | Level  | Line   | Limit  | Remark |
|     |          |       |         |        |       |        |        |        |        |
|     | MHz      | dB    | dB/m    | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|     |          |       |         |        |       |        |        |        |        |
| 1   | 1271.12  | 2.91  | 24.59   | 37.50  | 40.94 | 30.94  | 68.20  | -37.26 | peak   |
| 2   | 1672.78  | 3.46  | 26.75   | 36.46  | 40.20 | 33.95  | 74.00  | -40.05 | peak   |
| 3   | 4279.59  | 6.56  | 33.60   | 34.53  | 37.68 | 43.31  | 74.00  | -30.69 | peak   |
| 4   | 8588.61  | 9.77  | 36.58   | 35.73  | 39.93 | 50.55  | 68.20  | -17.65 | peak   |
| 5 q | 10460.00 | 10.89 | 37.50   | 35.78  | 38.52 | 51.13  | 68.20  | -17.07 | peak   |
| 6   | 15690.00 | 13.79 | 41.09   | 37.53  | 35.46 | 52.81  | 74.00  | -21.19 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 50 of 574

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5210 TX RSE

Note : 5G WIFI 11AX80

|     |          | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|-----|----------|-------|--------|--------|-------|--------|--------|--------|--------|
|     | Freq     | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|     |          |       |        |        |       |        |        |        |        |
|     | MHz      | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|     |          |       |        |        |       |        |        |        |        |
| 1   | 1242.07  | 2.87  | 24.48  | 37.58  | 41.24 | 31.01  | 68.20  | -37.19 | peak   |
| 2   | 1702.04  | 3.49  | 26.80  | 36.40  | 39.54 | 33.43  | 74.00  | -40.57 | peak   |
| 3   | 4417.84  | 6.69  | 33.50  | 34.62  | 37.92 | 43.49  | 68.20  | -24.71 | peak   |
| 4   | 8764.15  | 9.92  | 36.70  | 35.63  | 38.91 | 49.90  | 68.20  | -18.30 | peak   |
| 5 q | 10420.00 | 10.86 | 37.50  | 35.76  | 37.53 | 50.13  | 68.20  | -18.07 | peak   |
| 6   | 15630.00 | 13.72 | 41.03  | 37.50  | 35.92 | 53.17  | 74.00  | -20.83 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 51 of 574

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5210 TX RSE Note : 5G WIFI 11AX80

|     | Freq     |       |       | Preamp<br>Factor |       |        |        |        | Remark |
|-----|----------|-------|-------|------------------|-------|--------|--------|--------|--------|
|     | MHz      | dB    | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1   | 1234.91  | 2.86  | 24.47 | 37.61            | 42.08 | 31.80  | 74.00  | -42.20 | peak   |
| 2   | 1692.23  | 3.48  | 26.78 | 36.42            | 40.55 | 34.39  | 74.00  | -39.61 | peak   |
| 3   | 4482.15  | 6.75  | 33.50 | 34.66            | 38.25 | 43.84  | 68.20  | -24.36 | peak   |
| 4   | 8789.52  | 9.95  | 36.70 | 35.62            | 39.59 | 50.62  | 68.20  | -17.58 | peak   |
| 5 d | 10420.00 | 10.86 | 37.50 | 35.76            | 38.05 | 50.65  | 68.20  | -17.55 | peak   |
| 6   | 15630.00 | 13.72 | 41.03 | 37.50            | 35.74 | 52.99  | 74.00  | -21.01 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 52 of 574

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5260 TX RSE

Note : 5G WIFI 11AX20

|   |            | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|---|------------|-------|--------|--------|-------|--------|--------|--------|--------|
|   | Freq       | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|   |            |       |        |        |       |        |        |        |        |
|   | MHz        | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |            |       |        |        |       |        |        |        |        |
| 1 | 1300.86    | 2.96  | 24.70  | 37.41  | 40.99 | 31.24  | 74.00  | -42.76 | peak   |
| 2 | 1682.48    | 3.47  | 26.77  | 36.44  | 39.68 | 33.48  | 74.00  | -40.52 | peak   |
| 3 | 3801.33    | 6.02  | 32.80  | 34.53  | 39.57 | 43.86  | 74.00  | -30.14 | peak   |
| 4 | 8891.73    | 10.04 | 36.70  | 35.56  | 39.01 | 50.19  | 68.20  | -18.01 | peak   |
| 5 | q 10520.00 | 10.93 | 37.52  | 35.80  | 38.96 | 51.61  | 68.20  | -16.59 | peak   |
| 6 | 15780.00   | 13.90 | 41.26  | 37.56  | 35.12 | 52.72  | 74.00  | -21.28 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com Member of the SGS Group (SGS SA)




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 53 of 574

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5260 TX RSE

Note : 5G WIFI 11AX20

|     |          | ****  | TTIOLEO |        |       |        |        |        |        |
|-----|----------|-------|---------|--------|-------|--------|--------|--------|--------|
|     |          | Cable | Ant     | Preamp | Read  |        | Limit  | 0ver   |        |
|     | Freq     | Loss  | Factor  | Factor | Level | Level  | Line   | Limit  | Remark |
|     |          |       |         |        |       |        |        |        |        |
|     | MHz      | dB    | dB/m    | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|     |          |       |         |        |       |        |        |        |        |
| 1   | 1300.86  | 2.96  | 24.70   | 37.41  | 41.13 | 31.38  | 74.00  | -42.62 | peak   |
| 2   | 1592.57  | 3.36  | 26.41   | 36.65  | 40.28 | 33.40  | 74.00  | -40.60 | peak   |
| 3   | 4062.63  | 6.34  | 32.93   | 34.38  | 38.53 | 43.42  | 74.00  | -30.58 | peak   |
| 4   | 8738.85  | 9.90  | 36.70   | 35.65  | 39.43 | 50.38  | 68.20  | -17.82 | peak   |
| 5 q | 10520.00 | 10.93 | 37.52   | 35.80  | 38.74 | 51.39  | 68.20  | -16.81 | peak   |
| 6   | 15780.00 | 13.90 | 41.26   | 37.56  | 36.12 | 53.72  | 74.00  | -20.28 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 54 of 574

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5300 TX RSE

Note : 5G WIFI 11AX20

|     |          | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|-----|----------|-------|--------|--------|-------|--------|--------|--------|--------|
|     | Freq     | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|     |          |       |        |        |       |        |        |        |        |
|     | MHz      | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|     |          |       |        |        |       |        |        |        |        |
| 1   | 1210.17  | 2.82  | 24.42  | 37.68  | 40.96 | 30.52  | 74.00  | -43.48 | peak   |
| 2   | 1672.78  | 3.46  | 26.75  | 36.46  | 40.22 | 33.97  | 74.00  | -40.03 | peak   |
| 3   | 4316.86  | 6.60  | 33.60  | 34.55  | 38.27 | 43.92  | 74.00  | -30.08 | peak   |
| 4   | 8588.61  | 9.77  | 36.58  | 35.73  | 39.52 | 50.14  | 68.20  | -18.06 | peak   |
| 5 q | 10600.00 | 10.98 | 37.60  | 35.84  | 37.83 | 50.57  | 68.20  | -17.63 | peak   |
| 6   | 15900.00 | 14.04 | 41.50  | 37.61  | 35.47 | 53.40  | 74.00  | -20.60 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 55 of 574

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5300 TX RSE Note : 5G WIFI 11AX20

Cable Limit Ant Preamp Read 0ver

|   |            | CUDIC | 7416   | · · camp | III GG |        |        | 0.00   |        |
|---|------------|-------|--------|----------|--------|--------|--------|--------|--------|
|   | Freq       | Loss  | Factor | Factor   | Level  | Level  | Line   | Limit  | Remark |
|   | MHz        | dB    | dB/m   | dB       | dBuV   | dBuV/m | dBuV/m | dB     |        |
| 1 | 1145.51    | 2.71  | 24.18  | 37.89    | 41.16  | 30.16  | 74.00  | -43.84 | peak   |
| 2 | 1663.14    | 3.45  | 26.73  | 36.48    | 40.14  | 33.84  | 74.00  | -40.16 | peak   |
| 3 | 4341.89    | 6.62  | 33.60  | 34.57    | 38.14  | 43.79  | 74.00  | -30.21 | peak   |
| 4 | 8764.15    | 9.92  | 36.70  | 35.63    | 38.70  | 49.69  | 68.20  | -18.51 | peak   |
| 5 | q 10600.00 | 10.98 | 37.60  | 35.84    | 38.04  | 50.78  | 68.20  | -17.42 | peak   |
| 6 | 15900.00   | 14.04 | 41.50  | 37.61    | 35.66  | 53.59  | 74.00  | -20.41 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

56 of 574 Page:

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Note

1

2

3

5

6

Condition: 3m HORIZONTAL : 01787AT/01788AT : 5320 TX RSE Mode

: 5G WIFI 11AX20

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Limit Remark Freq Level Level Line dBuV dBuV/m dBuV/m MHz dB dB/m 2.84 24.45 41.39 31.04 74.00 -42.96 peak 1224.25 37.64 1672.78 3.46 26.75 36.46 39.98 33.73 74.00 -40.27 peak 4430.63 6.71 33.50 34.63 37.76 43.34 68.20 -24.86 peak 4 q 8688.48 9.86 36.68 35.68 39.74 50.60 68.20 -17.60 peak 10640.00 37.60 39.64 52.40 74.00 -21.60 peak 11.01 35.85 14.11 15960.00 41.56 37.63 35.24 53.28 74.00 -20.72 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057

t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 57 of 574

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5320 TX RSE

Note : 5G WIFI 11AX20

|   |          | ***                                                           | TITOTEO                                                                                 |                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                             |
|---|----------|---------------------------------------------------------------|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   |          | Cable                                                         | Ant                                                                                     | Preamp                                                                                                                            | Read                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Limit                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0ver                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                             |
|   | Freq     | Loss                                                          | Factor                                                                                  | Factor                                                                                                                            | Level                                                                                                                                                                                                                                                                                                                                                                                                       | Level                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Line                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Limit                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Remark                                                                                                                                                      |
|   |          |                                                               |                                                                                         |                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                             |
|   | MHz      | dB                                                            | dB/m                                                                                    | dB                                                                                                                                | dBuV                                                                                                                                                                                                                                                                                                                                                                                                        | dBuV/m                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | dBuV/m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | dB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                             |
|   |          |                                                               |                                                                                         |                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                             |
|   | 1142.20  | 2.70                                                          | 24.17                                                                                   | 37.90                                                                                                                             | 42.25                                                                                                                                                                                                                                                                                                                                                                                                       | 31.22                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 74.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | -42.78                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | peak                                                                                                                                                        |
|   | 1692.23  | 3.48                                                          | 26.78                                                                                   | 36.42                                                                                                                             | 40.18                                                                                                                                                                                                                                                                                                                                                                                                       | 34.02                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 74.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | -39.98                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | peak                                                                                                                                                        |
|   | 4291.98  | 6.57                                                          | 33.60                                                                                   | 34.54                                                                                                                             | 37.36                                                                                                                                                                                                                                                                                                                                                                                                       | 42.99                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 74.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | -31.01                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | peak                                                                                                                                                        |
| q | 8814.96  | 9.97                                                          | 36.70                                                                                   | 35.60                                                                                                                             | 38.97                                                                                                                                                                                                                                                                                                                                                                                                       | 50.04                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 68.20                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | -18.16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | peak                                                                                                                                                        |
| Ī | 10640.00 | 11.01                                                         | 37.60                                                                                   | 35.85                                                                                                                             | 37.68                                                                                                                                                                                                                                                                                                                                                                                                       | 50.44                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 74.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | -23.56                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | peak                                                                                                                                                        |
|   |          |                                                               |                                                                                         |                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | •                                                                                                                                                           |
|   | ľ        | MHz<br>1142.20<br>1692.23<br>4291.98<br>q 8814.96<br>10640.00 | Freq Loss  MHz dB  1142.20 2.70 1692.23 3.48 4291.98 6.57 q 8814.96 9.97 10640.00 11.01 | Freq Loss Factor  MHz dB dB/m  1142.20 2.70 24.17 1692.23 3.48 26.78 4291.98 6.57 33.60 q 8814.96 9.97 36.70 10640.00 11.01 37.60 | Freq         Loss Factor         Factor           MHz         dB         dB/m         dB           1142.20         2.70         24.17         37.90           1692.23         3.48         26.78         36.42           4291.98         6.57         33.60         34.54           q         8814.96         9.97         36.70         35.60           10640.00         11.01         37.60         35.85 | Freq Loss Factor Factor Level           MHz         dB         dB/m         dB         dBuV           1142.20         2.70         24.17         37.90         42.25           1692.23         3.48         26.78         36.42         40.18           4291.98         6.57         33.60         34.54         37.36           9 8814.96         9.97         36.70         35.60         38.97           10640.00         11.01         37.60         35.85         37.68 | Freq Loss Factor Factor Level Level           MHz         dB         dB/m         dB         dBuV         dBuV/m           1142.20         2.70         24.17         37.90         42.25         31.22           1692.23         3.48         26.78         36.42         40.18         34.02           4291.98         6.57         33.60         34.54         37.36         42.99           q         8814.96         9.97         36.70         35.60         38.97         50.04           10640.00         11.01         37.60         35.85         37.68         50.44 | Freq Loss Factor Factor Level Level Line           MHz         dB dB/m         Level Level Line           MHz         dB dB/m         dB dBuV dBuV/m         dBuV/m           1142.20         2.70         24.17         37.90         42.25         31.22         74.00           1692.23         3.48         26.78         36.42         40.18         34.02         74.00           4291.98         6.57         33.60         34.54         37.36         42.99         74.00           q         8814.96         9.97         36.70         35.60         38.97         50.04         68.20           10640.00         11.01         37.60         35.85         37.68         50.44         74.00 | 1142.20 2.70 24.17 37.90 42.25 31.22 74.00 -42.78<br>1692.23 3.48 26.78 36.42 40.18 34.02 74.00 -39.98<br>4291.98 6.57 33.60 34.54 37.36 42.99 74.00 -31.01 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 58 of 574

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5270 TX RSE

Note : 5G WIFI 11AX40

|     |          | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|-----|----------|-------|--------|--------|-------|--------|--------|--------|--------|
|     | Freq     | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|     |          |       |        |        |       |        |        |        |        |
|     | MHz      | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|     |          |       |        |        |       |        |        |        |        |
| 1   | 1185.94  | 2.78  | 24.34  | 37.76  | 41.23 | 30.59  | 74.00  | -43.41 | peak   |
| 2   | 1667.95  | 3.45  | 26.74  | 36.47  | 40.89 | 34.61  | 74.00  | -39.39 | peak   |
| 3   | 4206.01  | 6.49  | 33.42  | 34.48  | 38.12 | 43.55  | 74.00  | -30.45 | peak   |
| 4   | 8764.15  | 9.92  | 36.70  | 35.63  | 39.07 | 50.06  | 68.20  | -18.14 | peak   |
| 5 q | 10540.00 | 10.94 | 37.54  | 35.81  | 37.45 | 50.12  | 68.20  | -18.08 | peak   |
| 6   | 15810.00 | 13.93 | 41.32  | 37.58  | 35.66 | 53.33  | 74.00  | -20.67 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 59 of 574

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5270 TX RSE Note : 5G WIFI 11AX40

|   |            | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |   |
|---|------------|-------|--------|--------|-------|--------|--------|--------|--------|---|
|   | Freq       | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |   |
|   |            |       |        |        |       |        |        |        |        | _ |
|   | MHz        | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |   |
|   |            |       |        |        |       |        |        |        |        |   |
| 1 | 1227.79    | 2.85  | 24.46  | 37.63  | 41.23 | 30.91  | 74.00  | -43.09 | peak   |   |
| 2 | 1687.35    | 3.47  | 26.77  | 36.43  | 39.95 | 33.76  | 74.00  | -40.24 | peak   |   |
| 3 | 4329.35    | 6.61  | 33.60  | 34.56  | 38.20 | 43.85  | 74.00  | -30.15 | peak   |   |
| 4 | 8738.85    | 9.90  | 36.70  | 35.65  | 39.14 | 50.09  | 68.20  | -18.11 | peak   |   |
| 5 | q 10540.00 | 10.94 | 37.54  | 35.81  | 37.66 | 50.33  | 68.20  | -17.87 | peak   |   |
| 6 | 15810.00   | 13.93 | 41.32  | 37.58  | 35.19 | 52.86  | 74.00  | -21.14 | neak   |   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 60 of 574

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Note

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5310 TX RSE

: 5G WIFI 11AX40

|     |          | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|-----|----------|-------|--------|--------|-------|--------|--------|--------|--------|
|     | Freq     | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|     |          |       |        |        |       |        |        |        |        |
|     | MHz      | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|     |          |       |        |        |       |        |        |        |        |
| 1   | 1213.68  | 2.82  | 24.43  | 37.67  | 41.20 | 30.78  | 74.00  | -43.22 | peak   |
| 2   | 1644.02  | 3.42  | 26.68  | 36.53  | 40.06 | 33.63  | 68.20  | -34.57 | peak   |
| 3   | 4341.89  | 6.62  | 33.60  | 34.57  | 38.28 | 43.93  | 74.00  | -30.07 | peak   |
| 4 q | 8789.52  | 9.95  | 36.70  | 35.62  | 39.78 | 50.81  | 68.20  | -17.39 | peak   |
| 5   | 10620.00 | 11.00 | 37.60  | 35.85  | 38.98 | 51.73  | 74.00  | -22.27 | peak   |
| 6   | 15930.00 | 14.08 | 41.53  | 37.62  | 35.43 | 53.42  | 74.00  | -20.58 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 61 of 574

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5310 TX RSE Note : 5G WIFI 11AX40

|           | ****                                                        | TIMMTO                                                                                |                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |         |
|-----------|-------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|           | Cable                                                       | Ant                                                                                   | Preamp                                                                                                                          | Read                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Limit                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 0ver                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |         |
| Freq      | Loss                                                        | Factor                                                                                | Factor                                                                                                                          | Level                                                                                                                                                                                                                                                                                                                                                                                     | Level                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Line                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Limit                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Remark  |
|           |                                                             |                                                                                       |                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |         |
| MHz       | dB                                                          | dB/m                                                                                  | dB                                                                                                                              | dBuV                                                                                                                                                                                                                                                                                                                                                                                      | dBuV/m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | dBuV/m                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | dB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |         |
|           |                                                             |                                                                                       |                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |         |
| 1227.79   | 2.85                                                        | 24.46                                                                                 | 37.63                                                                                                                           | 41.23                                                                                                                                                                                                                                                                                                                                                                                     | 30.91                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 74.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | -43.09                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | peak    |
| 1682.48   | 3.47                                                        | 26.77                                                                                 | 36.44                                                                                                                           | 40.48                                                                                                                                                                                                                                                                                                                                                                                     | 34.28                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 74.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | -39.72                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | peak    |
| 4267.24   | 6.55                                                        | 33.60                                                                                 | 34.52                                                                                                                           | 38.64                                                                                                                                                                                                                                                                                                                                                                                     | 44.27                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 74.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | -29.73                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | peak    |
| q 8789.52 | 9.95                                                        | 36.70                                                                                 | 35.62                                                                                                                           | 39.77                                                                                                                                                                                                                                                                                                                                                                                     | 50.80                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 68.20                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | -17.40                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | peak    |
| 10620.00  | 11.00                                                       | 37.60                                                                                 | 35.85                                                                                                                           | 38.55                                                                                                                                                                                                                                                                                                                                                                                     | 51.30                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 74.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | -22.70                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | peak    |
| 15930.00  | 14.08                                                       | 41.53                                                                                 | 37.62                                                                                                                           | 35.42                                                                                                                                                                                                                                                                                                                                                                                     | 53.41                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 74.00                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | -20.59                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | peak    |
|           | MHz<br>1227.79<br>1682.48<br>4267.24<br>8789.52<br>10620.00 | Freq Loss  MHz dB  1227.79 2.85 1682.48 3.47 4267.24 6.55 8789.52 9.95 10620.00 11.00 | Freq Loss Factor  MHz dB dB/m  1227.79 2.85 24.46 1682.48 3.47 26.77 4267.24 6.55 33.60 8789.52 9.95 36.70 10620.00 11.00 37.60 | Freq         Loss Factor Factor           MHz         dB         dB/m         dB           1227.79         2.85         24.46         37.63           1682.48         3.47         26.77         36.44           4267.24         6.55         33.60         34.52           8789.52         9.95         36.70         35.62           10620.00         11.00         37.60         35.85 | Freq         Loss Factor Factor         Level           MHz         dB         dB/m         dB         dBuV           1227.79         2.85         24.46         37.63         41.23           1682.48         3.47         26.77         36.44         40.48           4267.24         6.55         33.60         34.52         38.64           8789.52         9.95         36.70         35.62         39.77           10620.00         11.00         37.60         35.85         38.55 | Freq Loss Factor Factor Level Level           MHz         dB         dB/m         dB         dBuV         dBuV/m           1227.79         2.85         24.46         37.63         41.23         30.91           1682.48         3.47         26.77         36.44         40.48         34.28           4267.24         6.55         33.60         34.52         38.64         44.27           8789.52         9.95         36.70         35.62         39.77         50.80           10620.00         11.00         37.60         35.85         38.55         51.30 | Freq Loss Factor Factor Level Level Line           MHz         dB         dB/m         dB dBuV dBuV/m         dBuV/m           1227.79         2.85         24.46         37.63         41.23         30.91         74.00           1682.48         3.47         26.77         36.44         40.48         34.28         74.00           4267.24         6.55         33.60         34.52         38.64         44.27         74.00           8789.52         9.95         36.70         35.62         39.77         50.80         68.20           10620.00         11.00         37.60         35.85         38.55         51.30         74.00 | 1227.79 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com Member of the SGS Group (SGS SA)




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 62 of 574

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:middle



Site : chamber

Note

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5290 TX RSE

: 5G WIFI 11AX80

|   | Freq       |       |       | Preamp<br>Factor |       |        |        |        | Remark |
|---|------------|-------|-------|------------------|-------|--------|--------|--------|--------|
|   | MHz        | dB    | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1 | 1129.07    | 2.68  | 24.12 | 37.94            | 41.92 | 30.78  | 74.00  | -43.22 | peak   |
| 2 | 1682.48    | 3.47  | 26.77 | 36.44            | 40.13 | 33.93  | 74.00  | -40.07 | peak   |
| 3 | 4145.66    | 6.43  | 33.09 | 34.43            | 38.48 | 43.57  | 74.00  | -30.43 | peak   |
| 4 | 8613.47    | 9.79  | 36.60 | 35.72            | 39.62 | 50.29  | 68.20  | -17.91 | peak   |
| 5 | q 10580.00 | 10.97 | 37.58 | 35.83            | 37.69 | 50.41  | 68.20  | -17.79 | peak   |
| 6 | 15870.00   | 14.01 | 41.44 | 37.60            | 35.07 | 52.92  | 74.00  | -21.08 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 63 of 574

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5290 TX RSE Note : 5G WIFI 11AX80

Cable Ant Preamp Read Limit 0ver

|     | Freq     | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|-----|----------|-------|--------|--------|-------|--------|--------|--------|--------|
|     | MHz      | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1   | 1300.86  | 2.96  | 24.70  | 37.41  | 40.59 | 30.84  | 74.00  | -43.16 | peak   |
| 2   | 1692.23  | 3.48  | 26.78  | 36.42  | 39.88 | 33.72  | 74.00  | -40.28 | peak   |
| 3   | 4456.32  | 6.73  | 33.50  | 34.64  | 38.01 | 43.60  | 68.20  | -24.60 | peak   |
| 4   | 8789.52  | 9.95  | 36.70  | 35.62  | 39.72 | 50.75  | 68.20  | -17.45 | peak   |
| 5 q | 10580.00 | 10.97 | 37.58  | 35.83  | 38.48 | 51.20  | 68.20  | -17.00 | peak   |
| 6   | 15870.00 | 14.01 | 41.44  | 37.60  | 35.15 | 53.00  | 74.00  | -21.00 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 64 of 574

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:160MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5250 TX RSE

Note

: 5G WIFI 11AX160

|   |            | Cable | Ant    | Preamp | Kead  |        | Limit  | Over   |        |
|---|------------|-------|--------|--------|-------|--------|--------|--------|--------|
|   | Freq       | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|   | MHz        | ——dB  | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | ——dB   |        |
|   |            |       |        |        |       |        |        |        |        |
| 1 | 1249.27    | 2.88  | 24.50  | 37.56  | 40.82 | 30.64  | 68.20  | -37.56 | peak   |
| 2 | 1687.35    | 3.47  | 26.77  | 36.43  | 40.55 | 34.36  | 74.00  | -39.64 | peak   |
| 3 | 4379.70    | 6.66  | 33.54  | 34.59  | 37.52 | 43.13  | 74.00  | -30.87 | peak   |
| 4 | 8789.52    | 9.95  | 36.70  | 35.62  | 38.96 | 49.99  | 68.20  | -18.21 | peak   |
| 5 | q 10500.00 | 10.91 | 37.50  | 35.80  | 37.71 | 50.32  | 68.20  | -17.88 | peak   |
| 6 | 15750.00   | 13.86 | 41.20  | 37.55  | 35.19 | 52.70  | 74.00  | -21.30 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com Member of the SGS Group (SGS SA)




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 65 of 574

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:160MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5250 TX RSE

Note : 5G WIFI 11AX160

|   | Freq       |       |       | Preamp<br>Factor |       |        |        |        | Remark |
|---|------------|-------|-------|------------------|-------|--------|--------|--------|--------|
|   | MHz        | dB    | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1 | 1224.25    | 2.84  | 24.45 | 37.64            | 41.63 | 31.28  | 74.00  | -42.72 | peak   |
| 2 | 1648.78    | 3.43  | 26.70 | 36.52            | 40.13 | 33.74  | 68.20  | -34.46 | peak   |
| 3 | 4367.06    | 6.65  | 33.57 | 34.59            | 38.74 | 44.37  | 74.00  | -29.63 | peak   |
| 4 | 8764.15    | 9.92  | 36.70 | 35.63            | 39.53 | 50.52  | 68.20  | -17.68 | peak   |
| 5 | q 10500.00 | 10.91 | 37.50 | 35.80            | 38.74 | 51.35  | 68.20  | -16.85 | peak   |
| 6 | 15750.00   | 13.86 | 41.20 | 37.55            | 35.31 | 52.82  | 74.00  | -21.18 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com Member of the SGS Group (SGS SA)




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 66 of 574

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5500 TX RSE

Note : 5G WIFI 11AX20

|   |            | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|---|------------|-------|--------|--------|-------|--------|--------|--------|--------|
|   | Freq       | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|   |            |       |        |        |       |        |        |        |        |
|   | MHz        | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |            |       |        |        |       |        |        |        |        |
| 1 | 1231.35    | 2.85  | 24.46  | 37.62  | 41.96 | 31.65  | 74.00  | -42.35 | peak   |
| 2 | 1574.27    | 3.34  | 26.19  | 36.69  | 40.99 | 33.83  | 74.00  | -40.17 | peak   |
| 3 | 4405.09    | 6.68  | 33.50  | 34.61  | 38.40 | 43.97  | 68.20  | -24.23 | peak   |
| 4 | 8013.02    | 9.23  | 36.20  | 36.08  | 40.22 | 49.57  | 68.20  | -18.63 | peak   |
| 5 | 11000.00   | 11.26 | 37.70  | 36.00  | 39.33 | 52.29  | 74.00  | -21.71 | peak   |
| 6 | q 16500.00 | 14.16 | 42.40  | 37.56  | 34.03 | 53.03  | 68.20  | -15.17 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

67 of 574 Page:

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

8789.52

11000.00

6 q 16500.00

9.95

11.26

37.70 36.00

14.16 42.40 37.56

Condition: 3m VERTICAL

: 01787AT/01788AT

: 5500 TX RSE Mode : 5G WIFI 11AX20 Note

> Cable Ant Preamp Read Limit 0ver Loss Factor Factor Limit Remark Freq Level Level Line dBuV dBuV/m dBuV/m MHz dB dB/m 2.79 24.37 37.74 41.64 31.06 74.00 -42.94 peak 1192.81 1653.55 3.43 26.71 36.51 40.27 33.90 68.20 -34.30 peak 33.60 34.54 37.89 43.52 74.00 -30.48 peak 4291.98 6.57

> > 38.20



1

2 3

4

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

36.70 35.62 39.99 51.02 68.20 -17.18 peak

51.16

34.22 53.22 68.20 -14.98 peak

74.00 -22.84 peak




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 68 of 574

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Note

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5580 TX RSE

: 5G WIFI 11AX20

|   |   | Freq     |       |       | Preamp<br>Factor |       |        |        |        | Remark |
|---|---|----------|-------|-------|------------------|-------|--------|--------|--------|--------|
|   |   | MHz      | dB    | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1 |   | 1158.83  | 2.73  | 24.24 | 37.84            | 41.59 | 30.72  | 74.00  | -43.28 | peak   |
| 2 |   | 1601.80  | 3.37  | 26.51 | 36.63            | 40.08 | 33.33  | 74.00  | -40.67 | peak   |
| 3 |   | 4495.13  | 6.77  | 33.50 | 34.67            | 37.65 | 43.25  | 68.20  | -24.95 | peak   |
| 4 |   | 8764.15  | 9.92  | 36.70 | 35.63            | 39.26 | 50.25  | 68.20  | -17.95 | peak   |
| 5 |   | 11160.00 | 11.36 | 37.80 | 36.10            | 37.78 | 50.84  | 74.00  | -23.16 | peak   |
| 6 | q | 16740.00 | 14.16 | 42.80 | 37.52            | 33.86 | 53.30  | 68.20  | -14.90 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com Member of the SGS Group (SGS SA)




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 69 of 574

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5580 TX RSE

Note : 5G WIFI 11AX20

|   |            | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|---|------------|-------|--------|--------|-------|--------|--------|--------|--------|
|   | Freq       | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|   |            |       |        |        |       |        |        |        |        |
|   | MHz        | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |            |       |        |        |       |        |        |        |        |
| 1 | 1224.25    | 2.84  | 24.45  | 37.64  | 41.82 | 31.47  | 74.00  | -42.53 | peak   |
| 2 | 1682.48    | 3.47  | 26.77  | 36.44  | 40.69 | 34.49  | 74.00  | -39.51 | peak   |
| 3 | 4341.89    | 6.62  | 33.60  | 34.57  | 38.85 | 44.50  | 74.00  | -29.50 | peak   |
| 4 | 8082.80    | 9.30  | 36.27  | 36.04  | 40.87 | 50.40  | 74.00  | -23.60 | peak   |
| 5 | 11160.00   | 11.36 | 37.80  | 36.10  | 37.74 | 50.80  | 74.00  | -23.20 | peak   |
| 6 | q 16740.00 | 14.16 | 42.80  | 37.52  | 33.52 | 52.96  | 68.20  | -15.24 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 70 of 574

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Note

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5700 TX RSE

: 5G WIFI 11AX20

|   |            | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |   |
|---|------------|-------|--------|--------|-------|--------|--------|--------|--------|---|
|   | Fre        | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |   |
|   |            |       |        |        |       |        |        |        |        | _ |
|   | MH:        | z dB  | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |   |
|   |            |       |        |        |       |        |        |        |        |   |
| 1 | 1152.1     | 2.72  | 24.21  | 37.87  | 41.82 | 30.88  | 74.00  | -43.12 | peak   |   |
| 2 | 1697.1     | 3.49  | 26.79  | 36.41  | 40.39 | 34.26  | 74.00  | -39.74 | peak   |   |
| 3 | 4443.45    | 6.72  | 33.50  | 34.64  | 37.58 | 43.16  | 68.20  | -25.04 | peak   |   |
| 4 | 8738.8     | 9.90  | 36.70  | 35.65  | 39.23 | 50.18  | 68.20  | -18.02 | peak   |   |
| 5 | 11400.00   | 11.52 | 37.90  | 36.24  | 39.57 | 52.75  | 74.00  | -21.25 | peak   |   |
| 6 | a 17100.00 | 14.17 | 43.10  | 37.47  | 33.55 | 53.35  | 68.20  | -14.85 | peak   |   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 71 of 574

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5700 TX RSE

Note : 5G WIFI 11AX20

|   |          | ****  | TTIOLEO |        |       |        |        |        |        |
|---|----------|-------|---------|--------|-------|--------|--------|--------|--------|
|   |          | Cable | Ant     | Preamp | Read  |        | Limit  | 0ver   |        |
|   | Freq     | Loss  | Factor  | Factor | Level | Level  | Line   | Limit  | Remark |
|   |          |       |         |        |       |        |        |        |        |
|   | MHz      | dB    | dB/m    | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |          |       |         |        |       |        |        |        |        |
| 1 | 1234.91  | 2.86  | 24.47   | 37.61  | 40.97 | 30.69  | 74.00  | -43.31 | peak   |
| 2 | 1687.35  | 3.47  | 26.77   | 36.43  | 39.82 | 33.63  | 74.00  | -40.37 | peak   |
| 3 | 4279.59  | 6.56  | 33.60   | 34.53  | 38.11 | 43.74  | 74.00  | -30.26 | peak   |
| 4 | 8764.15  | 9.92  | 36.70   | 35.63  | 39.31 | 50.30  | 68.20  | -17.90 | peak   |
| 5 | 11400.00 | 11.52 | 37.90   | 36.24  | 39.44 | 52.62  | 74.00  | -21.38 | peak   |
|   | 17100.00 |       |         |        |       |        |        |        |        |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 72 of 574

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5510 TX RSE

Note : 5G WIFI 11AX40

|     |          | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|-----|----------|-------|--------|--------|-------|--------|--------|--------|--------|
|     | Freq     | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|     |          |       |        |        |       |        |        |        |        |
|     | MHz      | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|     |          |       |        |        |       |        |        |        |        |
| 1   | 1300.86  | 2.96  | 24.70  | 37.41  | 40.55 | 30.80  | 74.00  | -43.20 | peak   |
| 2   | 1511.83  | 3.26  | 25.52  | 36.84  | 41.57 | 33.51  | 74.00  | -40.49 | peak   |
| 3   | 4495.13  | 6.77  | 33.50  | 34.67  | 38.36 | 43.96  | 68.20  | -24.24 | peak   |
| 4   | 8688.48  | 9.86  | 36.68  | 35.68  | 39.31 | 50.17  | 68.20  | -18.03 | peak   |
| 5   | 11020.00 | 11.27 | 37.72  | 36.01  | 38.74 | 51.72  | 74.00  | -22.28 | peak   |
| 6 ( | 16530.00 | 14.16 | 42.43  | 37.56  | 33.68 | 52.71  | 68.20  | -15.49 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com Member of the SGS Group (SGS SA)




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 73 of 574

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5510 TX RSE

Note : 5G WIFI 11AX40

| ••• |            | ***   | 11/01/0 |        |       |        |        |        |        |
|-----|------------|-------|---------|--------|-------|--------|--------|--------|--------|
|     |            | Cable | Ant     | Preamp | Read  |        | Limit  | 0ver   |        |
|     | Freq       | Loss  | Factor  | Factor | Level | Level  | Line   | Limit  | Remark |
|     |            |       |         |        |       |        |        |        |        |
|     | MHz        | dB    | dB/m    | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|     |            |       |         |        |       |        |        |        |        |
| 1   | 1245.66    | 2.87  | 24.49   | 37.57  | 40.54 | 30.33  | 68.20  | -37.87 | peak   |
| 2   | 1692.23    | 3.48  | 26.78   | 36.42  | 39.58 | 33.42  | 74.00  | -40.58 | peak   |
| 3   | 4291.98    | 6.57  | 33.60   | 34.54  | 37.97 | 43.60  | 74.00  | -30.40 | peak   |
| 4   | 8891.73    | 10.04 | 36.70   | 35.56  | 39.91 | 51.09  | 68.20  | -17.11 | peak   |
| 5   |            |       |         |        |       |        |        |        | -      |
| 6   | q 16530.00 | 14.16 | 42.43   | 37.56  | 34.01 | 53.04  | 68.20  | -15.16 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 74 of 574

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Note

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5670 TX RSE

: 5G WIFI 11AX40

|   | Freq       |       |       | Preamp<br>Factor |       |        |        |        | Remark |
|---|------------|-------|-------|------------------|-------|--------|--------|--------|--------|
|   | MHz        | dB    | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1 | 1300.86    | 2.96  | 24.70 | 37.41            | 41.71 | 31.96  | 74.00  | -42.04 | peak   |
| 2 | 1658.34    | 3.44  | 26.72 | 36.50            | 39.88 | 33.54  | 68.20  | -34.66 | peak   |
| 3 | 4482.15    | 6.75  | 33.50 | 34.66            | 37.78 | 43.37  | 68.20  | -24.83 | peak   |
| 4 | 8688.48    | 9.86  | 36.68 | 35.68            | 41.42 | 52.28  | 68.20  | -15.92 | peak   |
| 5 | 11340.00   | 11.48 | 37.84 | 36.20            | 38.65 | 51.77  | 74.00  | -22.23 | peak   |
| 6 | q 17010.00 | 14.16 | 42.92 | 37.48            | 33.67 | 53.27  | 68.20  | -14.93 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 75 of 574

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5670 TX RSE Note : 5G WIFI 11AX40

|   |   | Freq     |       |       | Preamp<br>Factor |       |        |        |        | Remark |
|---|---|----------|-------|-------|------------------|-------|--------|--------|--------|--------|
|   | - | MHz      | dB    | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1 |   | 1220.71  | 2.83  | 24.44 | 37.65            | 41.47 | 31.09  | 74.00  | -42.91 | peak   |
| 2 |   | 1672.78  | 3.46  | 26.75 | 36.46            | 39.70 | 33.45  | 74.00  | -40.55 | peak   |
| 3 |   | 4230.40  | 6.51  | 33.52 | 34.49            | 38.11 | 43.65  | 74.00  | -30.35 | peak   |
| 4 |   | 8789.52  | 9.95  | 36.70 | 35.62            | 39.42 | 50.45  | 68.20  | -17.75 | peak   |
| 5 |   | 11340.00 | 11.48 | 37.84 | 36.20            | 38.42 | 51.54  | 74.00  | -22.46 | peak   |
| 6 | q | 17010.00 | 14.16 | 42.92 | 37.48            | 33.55 | 53.15  | 68.20  | -15.05 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 76 of 574

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5530 TX RSE

Note : 5G WIFI 11AX80

|   |            | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|---|------------|-------|--------|--------|-------|--------|--------|--------|--------|
|   | Freq       | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|   |            |       |        |        |       |        |        |        |        |
|   | MHz        | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |            |       |        |        |       |        |        |        |        |
| 1 | 1122.56    | 2.67  | 24.09  | 37.96  | 41.62 | 30.42  | 74.00  | -43.58 | peak   |
| 2 | 1620.43    | 3.39  | 26.58  | 36.58  | 40.87 | 34.26  | 74.00  | -39.74 | peak   |
| 3 | 4495.13    | 6.77  | 33.50  | 34.67  | 37.67 | 43.27  | 68.20  | -24.93 | peak   |
| 4 | 8663.40    | 9.84  | 36.63  | 35.69  | 39.91 | 50.69  | 68.20  | -17.51 | peak   |
| 5 | 11060.00   | 11.30 | 37.76  | 36.04  | 39.99 | 53.01  | 74.00  | -20.99 | peak   |
| 6 | q 16590.00 | 14.16 | 42.49  | 37.55  | 33.54 | 52.64  | 68.20  | -15.56 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 77 of 574

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5530 TX RSE

Note : 5G WIFI 11AX80

|   |            | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|---|------------|-------|--------|--------|-------|--------|--------|--------|--------|
|   | Freq       | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|   |            |       |        |        |       |        |        |        |        |
|   | MHz        | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |            |       |        |        |       |        |        |        |        |
| 1 | 1142.20    | 2.70  | 24.17  | 37.90  | 42.04 | 31.01  | 74.00  | -42.99 | peak   |
| 2 | 1667.95    | 3.45  | 26.74  | 36.47  | 40.20 | 33.92  | 74.00  | -40.08 | peak   |
| 3 | 4341.89    | 6.62  | 33.60  | 34.57  | 38.06 | 43.71  | 74.00  | -30.29 | peak   |
| 4 | 8613.47    | 9.79  | 36.60  | 35.72  | 39.64 | 50.31  | 68.20  | -17.89 | peak   |
| 5 | 11060.00   | 11.30 | 37.76  | 36.04  | 39.29 | 52.31  | 74.00  | -21.69 | peak   |
| 6 | q 16590.00 | 14.16 | 42.49  | 37.55  | 33.42 | 52.52  | 68.20  | -15.68 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com Member of the SGS Group (SGS SA)




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 78 of 574

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:High



Site : chamber

Note

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5610 TX RSE

: 5G WIFI 11AX80

|   |            | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|---|------------|-------|--------|--------|-------|--------|--------|--------|--------|
|   | Freq       | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|   |            |       |        |        |       |        |        |        |        |
|   | MHz        | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |            |       |        |        |       |        |        |        |        |
| 1 | 1293.36    | 2.95  | 24.67  | 37.43  | 41.21 | 31.40  | 68.20  | -36.80 | peak   |
| 2 | 1702.04    | 3.49  | 26.80  | 36.40  | 39.72 | 33.61  | 74.00  | -40.39 | peak   |
| 3 | 4291.98    | 6.57  | 33.60  | 34.54  | 38.43 | 44.06  | 74.00  | -29.94 | peak   |
| 4 | 8638.40    | 9.81  | 36.60  | 35.71  | 39.75 | 50.45  | 68.20  | -17.75 | peak   |
| 5 | 11220.00   | 11.40 | 37.80  | 36.13  | 38.67 | 51.74  | 74.00  | -22.26 | peak   |
| 6 | q 16830.00 | 14.16 | 42.77  | 37.51  | 33.16 | 52.58  | 68.20  | -15.62 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 79 of 574

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5610 TX RSE

Note : 5G WIFI 11AX80

|   |            | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|---|------------|-------|--------|--------|-------|--------|--------|--------|--------|
|   | Freq       | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|   |            |       |        |        |       |        |        |        |        |
|   | MHz        | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |            |       |        |        |       |        |        |        |        |
| 1 | 1135.62    | 2.69  | 24.14  | 37.92  | 42.17 | 31.08  | 74.00  | -42.92 | peak   |
| 2 | 1687.35    | 3.47  | 26.77  | 36.43  | 40.47 | 34.28  | 74.00  | -39.72 | peak   |
| 3 | 4417.84    | 6.69  | 33.50  | 34.62  | 38.10 | 43.67  | 68.20  | -24.53 | peak   |
| 4 | 8588.61    | 9.77  | 36.58  | 35.73  | 39.79 | 50.41  | 68.20  | -17.79 | peak   |
| 5 | 11220.00   | 11.40 | 37.80  | 36.13  | 38.63 | 51.70  | 74.00  | -22.30 | peak   |
| 6 | q 16830.00 | 14.16 | 42.77  | 37.51  | 34.12 | 53.54  | 68.20  | -14.66 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 80 of 574

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:160MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5570 TX RSE

Note : 5G WIFI 11AX160

|   |     | Freq     |       |       | Preamp<br>Factor |       |        |        |        | Remark |
|---|-----|----------|-------|-------|------------------|-------|--------|--------|--------|--------|
|   | _   | MHz      | dB    | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1 |     | 1252.89  | 2.89  | 24.51 | 37.55            | 41.18 | 31.03  | 68.20  | -37.17 | peak   |
| 2 |     | 1583.39  | 3.35  | 26.30 | 36.67            | 40.66 | 33.64  | 74.00  | -40.36 | peak   |
| 3 |     | 4443.45  | 6.72  | 33.50 | 34.64            | 37.71 | 43.29  | 68.20  | -24.91 | peak   |
| 4 |     | 8713.63  | 9.88  | 36.70 | 35.66            | 39.50 | 50.42  | 68.20  | -17.78 | peak   |
| 5 |     | 11140.00 | 11.35 | 37.80 | 36.08            | 38.83 | 51.90  | 74.00  | -22.10 | peak   |
| 6 | q : | 16710.00 | 14.16 | 42.80 | 37.53            | 34.07 | 53.50  | 68.20  | -14.70 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com Member of the SGS Group (SGS SA)




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 81 of 574

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:160MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5570 TX RSE

Note : 5G WIFI 11AX160

|   |            | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|---|------------|-------|--------|--------|-------|--------|--------|--------|--------|
|   | Freq       | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|   |            |       |        |        |       |        |        |        |        |
|   | MHz        | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |            |       |        |        |       |        |        |        |        |
| 1 | 1242.07    | 2.87  | 24.48  | 37.58  | 41.11 | 30.88  | 68.20  | -37.32 | peak   |
| 2 | 1606.44    | 3.38  | 26.53  | 36.62  | 40.42 | 33.71  | 74.00  | -40.29 | peak   |
| 3 | 4316.86    | 6.60  | 33.60  | 34.55  | 39.49 | 45.14  | 74.00  | -28.86 | peak   |
| 4 | 8588.61    | 9.77  | 36.58  | 35.73  | 39.61 | 50.23  | 68.20  | -17.97 | peak   |
| 5 |            |       |        |        |       |        |        |        | •      |
| 6 | q 16710.00 |       |        |        |       |        |        |        | •      |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

82 of 574 Page:

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Note

1

2 3

4

Condition: 3m HORIZONTAL : 01787AT/01788AT : 5745 TX RSE Mode

: 5G WIFI 11AX20

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Limit Remark Freq Level Level Line dBuV dBuV/m dBuV/m MHz dB dB/m dB 1300.86 2.96 40.44 30.69 74.00 -43.31 peak 24.70 37.41 1583.39 3.35 26.30 36.67 41.50 34.48 74.00 -39.52 peak 34.50 37.74 43.34 74.00 -30.66 peak 4242.64 6.53 33.57 8059.48 9.28 36.22 36.05 40.43 49.88 74.00 -24.12 peak 11.58 37.99 36.29 39.28 52.56 74.00 -21.44 peak 11490.00 33.63 53.69 68.20 -14.51 peak 6 q 17235.00 14.18 43.34 37.46



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 83 of 574

Test Mode: 05; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5745 TX RSE Note : 5G WIFI 11AX20

|   |            | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|---|------------|-------|--------|--------|-------|--------|--------|--------|--------|
|   | Freq       | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|   |            |       |        |        |       |        |        |        |        |
|   | MHz        | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |            |       |        |        |       |        |        |        |        |
| 1 | 1245.66    | 2.87  | 24.49  | 37.57  | 41.22 | 31.01  | 68.20  | -37.19 | peak   |
| 2 | 1648.78    | 3.43  | 26.70  | 36.52  | 39.92 | 33.53  | 68.20  | -34.67 | peak   |
| 3 | 4495.13    | 6.77  | 33.50  | 34.67  | 37.79 | 43.39  | 68.20  | -24.81 | peak   |
| 4 | 8688.48    | 9.86  | 36.68  | 35.68  | 39.04 | 49.90  | 68.20  | -18.30 | peak   |
| 5 | 11490.00   | 11.58 | 37.99  | 36.29  | 39.28 | 52.56  | 74.00  | -21.44 | peak   |
| 6 | q 17235.00 | 14.18 | 43.34  | 37.46  | 33.42 | 53.48  | 68.20  | -14.72 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 84 of 574

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5785 TX RSE Note : 5G WIFI 11AX20

| ••• |            | ****  | 11/0/20 |        |       |        |        |        |        |
|-----|------------|-------|---------|--------|-------|--------|--------|--------|--------|
|     |            | Cable | Ant     | Preamp | Read  |        | Limit  | 0ver   |        |
|     | Freq       | Loss  | Factor  | Factor | Level | Level  | Line   | Limit  | Remark |
|     |            |       |         |        |       |        |        |        |        |
|     | MHz        | dB    | dB/m    | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|     |            |       |         |        |       |        |        |        |        |
| 1   | 1256.51    | 2.89  | 24.53   | 37.54  | 41.63 | 31.51  | 68.20  | -36.69 | peak   |
| 2   | 1663.14    | 3.45  | 26.73   | 36.48  | 40.34 | 34.04  | 74.00  | -39.96 | peak   |
| 3   | 4430.63    | 6.71  | 33.50   | 34.63  | 37.96 | 43.54  | 68.20  | -24.66 | peak   |
| 4   | 8789.52    | 9.95  | 36.70   | 35.62  | 39.62 | 50.65  | 68.20  | -17.55 | peak   |
| 5   | 11570.00   | 11.63 | 38.00   | 36.34  | 38.72 | 52.01  | 74.00  | -21.99 | peak   |
| 6   | q 17355.00 | 14.19 | 43.46   | 37.45  | 33.41 | 53.61  | 68.20  | -14.59 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com Member of the SGS Group (SGS SA)




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 85 of 574

Test Mode: 05; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5785 TX RSE

Note : 5G WIFI 11AX20

|   |            | ****  | 11/0/20 |        |       |        |        |        |        |
|---|------------|-------|---------|--------|-------|--------|--------|--------|--------|
|   |            | Cable | Ant     | Preamp | Read  |        | Limit  | 0ver   |        |
|   | Freq       | Loss  | Factor  | Factor | Level | Level  | Line   | Limit  | Remark |
|   |            |       |         |        |       |        |        |        |        |
|   | MHz        | dB    | dB/m    | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |            |       |         |        |       |        |        |        |        |
| 1 | 1138.90    | 2.70  | 24.16   | 37.91  | 42.47 | 31.42  | 74.00  | -42.58 | peak   |
| 2 | 1667.95    | 3.45  | 26.74   | 36.47  | 40.62 | 34.34  | 74.00  | -39.66 | peak   |
| 3 | 4157.66    | 6.44  | 33.15   | 34.44  | 38.31 | 43.46  | 74.00  | -30.54 | peak   |
| 4 | 8713.63    | 9.88  | 36.70   | 35.66  | 39.41 | 50.33  | 68.20  | -17.87 | peak   |
| 5 | 11570.00   | 11.63 | 38.00   | 36.34  | 38.73 | 52.02  | 74.00  | -21.98 | peak   |
| 6 | q 17355.00 |       |         |        |       |        |        |        | •      |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 86 of 574

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Note

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5825 TX RSE

: 5G WIFI 11AX20

|   | Freq       |       |       | Preamp<br>Factor |       |        |        |        | Remark |
|---|------------|-------|-------|------------------|-------|--------|--------|--------|--------|
|   | MHz        | dB    | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1 | 1245.66    | 2.87  | 24.49 | 37.57            | 41.69 | 31.48  | 68.20  | -36.72 | peak   |
| 2 | 1648.78    | 3.43  | 26.70 | 36.52            | 40.05 | 33.66  | 68.20  | -34.54 | peak   |
| 3 | 4354.45    | 6.63  | 33.59 | 34.58            | 38.62 | 44.26  | 74.00  | -29.74 | peak   |
| 4 | 8563.82    | 9.75  | 36.53 | 35.75            | 39.80 | 50.33  | 68.20  | -17.87 | peak   |
| 5 | 11650.00   | 11.68 | 38.00 | 36.38            | 38.30 | 51.60  | 74.00  | -22.40 | peak   |
| 6 | q 17475.00 | 14.20 | 43.58 | 37.44            | 32.48 | 52.82  | 68.20  | -15.38 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

87 of 574 Page:

Test Mode: 05; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

14.20 43.58

: 5825 TX RSE Mode : 5G WIFI 11AX20 Note

> Cable Ant Preamp Read Limit 0ver Loss Factor Factor Limit Remark Freq Level Level Line dBuV dBuV/m dBuV/m MHz dB dB/m dB 1300.86 2.96 24.70 40.80 31.05 74.00 -42.95 peak 37.41 1672.78 3.46 26.75 36.46 40.14 33.89 74.00 -40.11 peak 39.19 44.84 74.00 -29.16 peak 4341.89 6.62 33.60 34.57 8713.63 9.88 36.70 35.66 39.11 50.03 68.20 -18.17 peak 36.38 38.70 52.00 74.00 -22.00 peak 11650.00 11.68 38.00



6 q 17475.00

1

2 3

4

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

37.44 32.86 53.20 68.20 -15.00 peak

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

88 of 574 Page:

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Note

1

2 3

4

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5755 TX RSE

: 5G WIFI 11AX40

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Limit Remark Freq Level Level Line dBuV dBuV/m dBuV/m MHz dB dB/m 1158.83 24.24 37.84 41.78 30.91 74.00 -43.09 peak 2.73 1587.98 3.35 26.36 36.66 40.17 33.22 74.00 -40.78 peak 74.00 -30.37 peak 3823.37 6.05 32.75 34.51 39.34 43.63 8613.47 9.79 36.60 35.72 39.45 50.12 68.20 -18.08 peak 11.59 36.30 39.13 52.42 74.00 -21.58 peak 11510.00 38.00 14.18 43.37 37.46 33.62 53.71 68.20 -14.49 peak 6 q 17265.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 89 of 574

Test Mode: 05; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5755 TX RSE

Note : 5G WIFI 11AX40

|     |          | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|-----|----------|-------|--------|--------|-------|--------|--------|--------|--------|
|     | Freq     | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|     |          |       |        |        |       |        |        |        |        |
|     | MHz      | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|     |          |       |        |        |       |        |        |        |        |
| 1   | 1245.66  | 2.87  | 24.49  | 37.57  | 41.62 | 31.41  | 68.20  | -36.79 | peak   |
| 2   | 1672.78  | 3.46  | 26.75  | 36.46  | 40.14 | 33.89  | 74.00  | -40.11 | peak   |
| 3   | 4304.40  | 6.59  | 33.60  | 34.54  | 37.87 | 43.52  | 74.00  | -30.48 | peak   |
| 4   | 8738.85  | 9.90  | 36.70  | 35.65  | 38.59 | 49.54  | 68.20  | -18.66 | peak   |
| 5   | 11510.00 | 11.59 | 38.00  | 36.30  | 38.99 | 52.28  | 74.00  | -21.72 | peak   |
| 6 0 | 17265.00 | 14.18 | 43.37  | 37.46  | 33.25 | 53.34  | 68.20  | -14.86 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com Member of the SGS Group (SGS SA)




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 90 of 574

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5795 TX RSE

Note : 5G WIFI 11AX40

|   |            | ****  | 11/00/0 |        |       |        |        |        |        |
|---|------------|-------|---------|--------|-------|--------|--------|--------|--------|
|   |            | Cable | Ant     | Preamp | Read  |        | Limit  | 0ver   |        |
|   | Freq       | Loss  | Factor  | Factor | Level | Level  | Line   | Limit  | Remark |
|   |            |       |         |        |       |        |        |        |        |
|   | MHz        | dB    | dB/m    | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |            |       |         |        |       |        |        |        |        |
| 1 | 1132.34    | 2.69  | 24.13   | 37.93  | 42.01 | 30.90  | 74.00  | -43.10 | peak   |
| 2 | 1682.48    | 3.47  | 26.77   | 36.44  | 39.60 | 33.40  | 74.00  | -40.60 | peak   |
| 3 | 4157.66    | 6.44  | 33.15   | 34.44  | 38.10 | 43.25  | 74.00  | -30.75 | peak   |
| 4 | 8613.47    | 9.79  | 36.60   | 35.72  | 39.42 | 50.09  | 68.20  | -18.11 | peak   |
| 5 | 11590.00   | 11.64 | 38.00   | 36.35  | 38.28 | 51.57  | 74.00  | -22.43 | peak   |
| 6 | q 17385.00 | 14.20 | 43.49   | 37.44  | 32.95 | 53.20  | 68.20  | -15.00 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 91 of 574

Test Mode: 05; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5795 TX RSE Note : 5G WIFI 11AX40

|     |          | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|-----|----------|-------|--------|--------|-------|--------|--------|--------|--------|
|     | Freq     | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|     |          |       |        |        |       |        |        |        |        |
|     | MHz      | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|     |          |       |        |        |       |        |        |        |        |
| 1   | 1224.25  | 2.84  | 24.45  | 37.64  | 41.23 | 30.88  | 74.00  | -43.12 | peak   |
| 2   | 1663.14  | 3.45  | 26.73  | 36.48  | 39.90 | 33.60  | 74.00  | -40.40 | peak   |
| 3   | 4157.66  | 6.44  | 33.15  | 34.44  | 38.85 | 44.00  | 74.00  | -30.00 | peak   |
| 4   | 8638.40  | 9.81  | 36.60  | 35.71  | 39.70 | 50.40  | 68.20  | -17.80 | peak   |
| 5   | 11590.00 | 11.64 | 38.00  | 36.35  | 38.90 | 52.19  | 74.00  | -21.81 | peak   |
| 6 q | 17385.00 | 14.20 | 43.49  | 37.44  | 32.87 | 53.12  | 68.20  | -15.08 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com Member of the SGS Group (SGS SA)




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 92 of 574

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:middle



Site : chamber

Note

Condition: 3m HORIZONTAL : 01787AT/01788AT Mode : 5775 TX RSE

: 5G WIFI 11AX80

|   | Freq       |       |       | Preamp<br>Factor |       |        |        |        | Remark |
|---|------------|-------|-------|------------------|-------|--------|--------|--------|--------|
|   | MHz        | dB    | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1 | 1293.36    | 2.95  | 24.67 | 37.43            | 40.37 | 30.56  | 68.20  | -37.64 | peak   |
| 2 | 1687.35    | 3.47  | 26.77 | 36.43            | 39.70 | 33.51  | 74.00  | -40.49 | peak   |
| 3 | 4443.45    | 6.72  | 33.50 | 34.64            | 38.30 | 43.88  | 68.20  | -24.32 | peak   |
| 4 | 8343.92    | 9.55  | 36.40 | 35.88            | 40.01 | 50.08  | 74.00  | -23.92 | peak   |
| 5 | 11550.00   | 11.61 | 38.00 | 36.33            | 38.91 | 52.19  | 74.00  | -21.81 | peak   |
| 6 | q 17325.00 | 14.19 | 43.43 | 37.45            | 33.17 | 53.34  | 68.20  | -14.86 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 93 of 574

Test Mode: 05; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

: 01787AT/01788AT

Mode : 5775 TX RSE Note : 5G WIFI 11AX80

|   | Freq       |       |       | Preamp<br>Factor |       |        |        |        | Remark |
|---|------------|-------|-------|------------------|-------|--------|--------|--------|--------|
|   | MHz        | dB    | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1 | 1249.27    | 2.88  | 24.50 | 37.56            | 41.86 | 31.68  | 68.20  | -36.52 | peak   |
| 2 | 1653.55    | 3.43  | 26.71 | 36.51            | 40.02 | 33.65  | 68.20  | -34.55 | peak   |
| 3 | 4291.98    | 6.57  | 33.60 | 34.54            | 37.78 | 43.41  | 74.00  | -30.59 | peak   |
| 4 | 8764.15    | 9.92  | 36.70 | 35.63            | 39.60 | 50.59  | 68.20  | -17.61 | peak   |
| 5 | 11550.00   | 11.61 | 38.00 | 36.33            | 38.27 | 51.55  | 74.00  | -22.45 | peak   |
| 6 | q 17325.00 | 14.19 | 43.43 | 37.45            | 33.11 | 53.28  | 68.20  | -14.92 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 94 of 574

### 7.11 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)

Test Method: KDB 789033 D02 II G

#### Limit:

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) |
|----------------|----------------------------------|------------------------------|
| 0.009-0.490    | 2400/F(kHz)                      | 300                          |
| 0.490-1.705    | 24000/F(kHz)                     | 30                           |
| 1.705-30.0     | 30                               | 30                           |
| 30-88          | 100                              | 3                            |
| 88-216         | 150                              | 3                            |
| 216-960        | 200                              | 3                            |
| Above 960      | 500                              | 3                            |

- \*(1) For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (2) For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (3) For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (4) For transmitters operating in the 5.725-5.85 GHz band:
- (i) All emissions shall be limited to a level of −27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

### 7.11.1 E.U.T. Operation

Operating Environment:

Temperature: 22.3 °C Humidity: 60.5 % RH Atmospheric Pressure: 1000 mbar

### 7.11.2 Test Mode Description

| Pre-scan /<br>Final test | Mode<br>Code | Description                                                               |
|--------------------------|--------------|---------------------------------------------------------------------------|
| Final test               | 02           | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/0 Aug01,2022


Report No.: SZCR230600178703


Page: 95 of 574

|            |    | modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report.                                                                             |
|------------|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Final test | 03 | TX mode (U-NII-2A) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.     |
| Final test | 04 | TX mode (U-NII-2C) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report. |
| Final test | 05 | TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.      |

### 7.11.3 Test Setup Diagram

检验检测专用章





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@egs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 96 of 574

#### 7.11.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.

### Remark:

- 1)Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2 For devices with multiple operating modes, measurements on the middle channel is used to determine the worst-case mode(s). Only the worst case mode with the widest bandwidth which can be covered the same channel (center frequency) on modes with narrower bandwidth that have the same or lower output power for each modulation family (e.g., OFDM and direct sequence spread spectrum) is recorded in the test report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilient's instructions, if any. The Company's sole responsibility is to its Cilient and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ags.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 97 of 574

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5180 Band edge

: 5G WIFI 11AX20

|     | Freq    |      |       |       |        | Level  |        |        | Remark |
|-----|---------|------|-------|-------|--------|--------|--------|--------|--------|
| _   | MHz     | dB   | dB/m  | dB    | dBuV   | dBuV/m | dBuV/m | dB     |        |
| 1   | 5130.99 | 7.34 | 34.04 | 34.99 | 56.16  | 62.55  | 74.00  | -11.45 | peak   |
| 2   | 5149.98 | 7.36 | 34.00 | 34.99 | 54.80  | 61.17  | 74.00  | -12.83 | peak   |
| 3 q | 5180.00 | 7.39 | 34.00 | 34.99 | 102.63 | 109.03 | 68.20  | 40.83  | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 98 of 574

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5180 Band edge

: 5G WIFI 11AX20

|   | Freq    |      |       | Preamp<br>Factor |       |        |        |       | Remark  |   |
|---|---------|------|-------|------------------|-------|--------|--------|-------|---------|---|
| _ | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB    |         | - |
|   | 5106.34 |      |       |                  |       |        |        |       | _       |   |
| 2 | 5149.98 | 7.36 | 34.00 | 34.99            | 42.60 | 48.97  | 54.00  | -5.03 | Average |   |
| 3 | 5180.00 | 7.39 | 34.00 | 34.99            | 90.98 | 97.38  |        |       | Average |   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 99 of 574

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL : 01787AT Job No

Mode : 5180 Band edge

: 5G WIFI 11AX20

|     | Freq    |      |       |       |        |        | Limit<br>Line |        | Remark |
|-----|---------|------|-------|-------|--------|--------|---------------|--------|--------|
| _   | MHz     | dB   | dB/m  | dB    | dBuV   | dBuV/m | dBuV/m        | dB     |        |
| 1   | 5126.41 | 7.34 | 34.05 | 34.99 | 61.45  | 67.85  | 74.00         | -6.15  | Peak   |
| 2   | 5149.98 | 7.36 | 34.00 | 34.99 | 55.94  | 62.31  | 74.00         | -11.69 | Peak   |
| 3 q | 5180.00 | 7.39 | 34.00 | 34.99 | 115.07 | 121.47 | 68.20         | 53.27  | Peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 100 of 574

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

: 01787AT Job No

Mode : 5180 Band edge

: 5G WIFI 11AX20

|     | Freq    |      |       |       |        | Level  |        |       | Remark  |
|-----|---------|------|-------|-------|--------|--------|--------|-------|---------|
| -   | MHz     | dB   | dB/m  | dB    | dBuV   | dBuV/m | dBuV/m | dB    |         |
| 1   | 5149.06 | 7.36 | 34.00 | 34.99 | 44.11  | 50.48  | 54.00  | -3.52 | Average |
| 2 q | 5149.98 | 7.36 | 34.00 | 34.99 | 44.47  | 50.84  | 54.00  | -3.16 | Average |
| 3   | 5180.00 | 7.39 | 34.00 | 34.99 | 103.19 | 109.59 |        |       | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 101 of 574

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5240 Band edge

· 5G WTFT 11ΔX20

|     | . 50    | ****  | TIANZO |        |        |        |        |        |        |   |
|-----|---------|-------|--------|--------|--------|--------|--------|--------|--------|---|
|     |         | Cable | Ant    | Preamp | Read   |        | Limit  | 0ver   |        |   |
|     | Freq    | Loss  | Factor | Factor | Level  | Level  | Line   | Limit  | Remark |   |
|     | MHz     | dB    | dB/m   | dB     | dBuV   | dBuV/m | dBuV/m | dB     |        | _ |
| 1 q | 5240.00 | 7.45  | 34.00  | 35.00  | 102.07 | 108.52 | 68.20  | 40.32  | peak   |   |
| 2   | 5350.02 | 7.56  | 34.30  | 35.00  | 54.14  | 61.00  | 74.00  | -13.00 | peak   |   |
|     | 535/ 05 |       |        |        |        |        |        |        | •      |   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 102 of 574

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5240 Band edge

: 5G WIFI 11AX20

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |       |         |   |
|-----|---------|------|-------|------------------|-------|--------|--------|-------|---------|---|
| _   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB    |         | - |
| 1   | 5240.00 | 7.45 | 34.00 | 35.00            | 90.52 | 96.97  |        |       | Average |   |
| 2   | 5350.02 | 7.56 | 34.30 | 35.00            | 42.55 | 49.41  | 54.00  | -4.59 | Average |   |
| 3 a | 5350.79 | 7.56 | 34.30 | 35.00            | 42.80 | 49.66  | 54.00  | -4.34 | Average |   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 103 of 574

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

: 01787AT Job No

Mode : 5240 Band edge

: 5G WIFI 11AX20

|     | Freq    |      |       |       | Read<br>Level |        |        |        | Remark |
|-----|---------|------|-------|-------|---------------|--------|--------|--------|--------|
| _   | MHz     | dB   | dB/m  | dB    | dBuV          | dBuV/m | dBuV/m | dB     |        |
| 1 q | 5240.00 | 7.45 | 34.00 | 35.00 | 114.78        | 121.23 | 68.20  | 53.03  | Peak   |
| 2   | 5350.02 | 7.56 | 34.30 | 35.00 | 54.18         | 61.04  | 74.00  | -12.96 | Peak   |
| 3   | 5358.72 | 7.57 | 34.34 | 35.00 | 55.36         | 62.27  | 74.00  | -11.73 | Peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 104 of 574

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 01787AT

: 5240 Band edge Mode

· 5G WIFT 110X20

|   |         | MILIT | IIAAZU |        |        |        |        |       |         |   |
|---|---------|-------|--------|--------|--------|--------|--------|-------|---------|---|
|   |         | Cable | Ant    | Preamp | Read   |        | Limit  | 0ver  |         |   |
|   | Freq    | Loss  | Factor | Factor | Level  | Level  | Line   | Limit | Remark  |   |
|   |         |       |        |        |        |        |        |       |         |   |
|   | MHz     | dB    | dB/m   | dB     | dBuV   | dBuV/m | dBuV/m | dB    |         | _ |
|   |         |       |        |        |        |        |        |       |         |   |
|   | 5240.00 | 7.45  | 34.00  | 35.00  | 102.92 | 109.37 |        |       | Average |   |
| 2 | 5350.02 | 7.56  | 34.30  | 35.00  | 42.95  | 49.81  | 54.00  | -4.19 | Average |   |
|   | 5356 88 |       |        |        |        |        |        |       | _       |   |



1 2

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 105 of 574

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5190 Band edge

· 5G WTFT 11ΔX40

|     | . 50    | MATI T | IIAA  |        |       |        |        |        |        |   |
|-----|---------|--------|-------|--------|-------|--------|--------|--------|--------|---|
|     |         | Cable  | Ant   | Preamp | Read  |        | Limit  | 0ver   |        |   |
|     | Freq    |        |       | Factor |       |        |        |        | Remark |   |
|     | MHz     | dB     | dB/m  | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        | - |
| 1   | 5144.43 | 7.36   | 34.01 | 34.99  | 55.92 | 62.30  | 74.00  | -11.70 | peak   |   |
| 2   | 5149.98 | 7.36   | 34.00 | 34.99  | 54.90 | 61.27  | 74.00  | -12.73 | peak   |   |
| 3 0 | 5190 00 |        |       |        |       |        |        |        | •      |   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 106 of 574

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5190 Band edge

: 5G WIFI 11AX40

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |       | Remark  |   |
|-----|---------|------|-------|------------------|-------|--------|--------|-------|---------|---|
| -   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB    |         | _ |
| 1 q | 5106.88 | 7.32 | 34.09 | 34.99            | 42.78 | 49.20  | 54.00  | -4.80 | Average |   |
| 2   | 5149.98 | 7.36 | 34.00 | 34.99            | 42.48 | 48.85  | 54.00  | -5.15 | Average |   |
| 3   | 5190.00 | 7.40 | 34.00 | 34.99            | 86.10 | 92.51  |        |       | Average |   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 107 of 574

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

: 01787AT Job No

Mode : 5190 Band edge

: 5G WIFI 11AX40

|     | Freq    |      |       |       |        | Level  |        |        | Remark |
|-----|---------|------|-------|-------|--------|--------|--------|--------|--------|
| _   | MHz     | dB   | dB/m  | dB    | dBuV   | dBuV/m | dBuV/m | dB     |        |
| 1   | 5149.46 | 7.36 | 34.00 | 34.99 | 57.07  | 63.44  | 74.00  | -10.56 | Peak   |
| 2   | 5149.98 | 7.36 | 34.00 | 34.99 | 55.80  | 62.17  | 74.00  | -11.83 | Peak   |
| 3 q | 5190.00 | 7.40 | 34.00 | 34.99 | 110.40 | 116.81 | 68.20  | 48.61  | Peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 108 of 574

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

: 01787AT Job No

Mode : 5190 Band edge

: 5G WIFI 11AX40

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |       | Remark  |
|-----|---------|------|-------|------------------|-------|--------|--------|-------|---------|
| _   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB    |         |
| 1 q | 5149.46 | 7.36 | 34.00 | 34.99            | 44.49 | 50.86  | 54.00  | -3.14 | Average |
| 2   | 5149.98 | 7.36 | 34.00 | 34.99            | 44.18 | 50.55  | 54.00  | -3.45 | Average |
| 3   | 5190.00 | 7.40 | 34.00 | 34.99            | 98.93 | 105.34 |        |       | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 109 of 574

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5230 Band edge

· 5G WTFT 11ΔX40

|     | . 50    | AATI T | TIANTO |        |       |        |        |        |        |
|-----|---------|--------|--------|--------|-------|--------|--------|--------|--------|
|     |         | Cable  | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|     | Freq    | Loss   | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
| _   |         |        |        |        |       |        |        |        |        |
|     | MHz     | dB     | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|     |         |        |        |        |       |        |        |        |        |
| 1 q | 5230.00 | 7.44   | 34.00  | 34.99  | 98.36 | 104.81 | 68.20  | 36.61  | peak   |
| 2   | 5350.02 | 7.56   | 34.30  | 35.00  | 54.22 | 61.08  | 74.00  | -12.92 | peak   |
| 3   | 5356 92 | 7 57   | 3/1 33 | 35 00  | 55 1/ | 62 04  | 7/ 00  | _11 96 | neak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com Member of the SGS Group (SGS SA)




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 110 of 574

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5230 Band edge

: 5G WIFI 11AX40

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |       | Remark  |
|-----|---------|------|-------|------------------|-------|--------|--------|-------|---------|
| -   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB    |         |
| 1   | 5230.00 | 7.44 | 34.00 | 34.99            | 86.21 | 92.66  |        |       | Average |
| 2   | 5350.02 | 7.56 | 34.30 | 35.00            | 42.47 | 49.33  | 54.00  | -4.67 | Average |
| 3 q | 5359.68 | 7.57 | 34.34 | 35.00            | 42.60 | 49.51  | 54.00  | -4.49 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 111 of 574

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

: 01787AT Job No

Mode : 5230 Band edge

: 5G WIFI 11AX40

|     | Freq    |      | Ant<br>Factor |       |        |        |        |        | Remark |
|-----|---------|------|---------------|-------|--------|--------|--------|--------|--------|
| _   | MHz     | dB   | dB/m          | dB    | dBuV   | dBuV/m | dBuV/m | dB     |        |
| 1 q | 5230.00 | 7.44 | 34.00         | 34.99 | 111.64 | 118.09 | 68.20  | 49.89  | Peak   |
| 2   | 5350.02 | 7.56 | 34.30         | 35.00 | 54.71  | 61.57  | 74.00  | -12.43 | Peak   |
| 3   | 5353.83 | 7.57 | 34.32         | 35.00 | 55.24  | 62.13  | 74.00  | -11.87 | Peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 112 of 574

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL : 01787AT Job No

Mode : 5230 Band edge

: 5G WIFI 11AX40

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |       |         |   |
|-----|---------|------|-------|------------------|-------|--------|--------|-------|---------|---|
| _   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB    |         | - |
| 1   | 5230.00 | 7.44 | 34.00 | 34.99            | 99.59 | 106.04 |        |       | Average |   |
| 2   | 5350.02 | 7.56 | 34.30 | 35.00            | 42.75 | 49.61  | 54.00  | -4.39 | Average |   |
| 3 q | 5357.56 | 7.57 | 34.33 | 35.00            | 42.97 | 49.87  | 54.00  | -4.13 | Average |   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 113 of 574

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5210 Band edge

: 5G WIFI 11AX80

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |        | Remark |
|-----|---------|------|-------|------------------|-------|--------|--------|--------|--------|
| _   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1   | 5107.36 | 7.32 | 34.09 | 34.99            | 55.24 | 61.66  | 74.00  | -12.34 | peak   |
| 2 q | 5210.00 | 7.42 | 34.00 | 34.99            | 90.64 | 97.07  | 68.20  | 28.87  | peak   |
| 3   | 5354.67 | 7.57 | 34.32 | 35.00            | 54.64 | 61.53  | 74.00  | -12.47 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 114 of 574

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 01787AT

5358.40

Mode : 5210 Band edge

: 5G WIFI 11AX80

7.57

34.33

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Limit Remark Freq Line dBuV dBuV/m dBuV/m MHz dB dB/m 54.00 -4.84 Average 5102.54 7.32 34.09 42.74 49.16 34.99 5210.00 7.42 34.00 34.99 78.44 84.87 ----- Average

35.00 42.82 49.72



1

2

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

54.00 -4.28 Average




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 115 of 574

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL : 01787AT Job No

Mode : 5210 Band edge

: 5G WIFI 11AX80

|     | Freq    |      | Ant<br>Factor |       |        |        |        |        | Remark |
|-----|---------|------|---------------|-------|--------|--------|--------|--------|--------|
| -   | MHz     | dB   | dB/m          | dB    | dBuV   | dBuV/m | dBuV/m | dB     |        |
| 1   | 5149.95 | 7.36 | 34.00         | 34.99 | 56.63  | 63.00  | 74.00  | -11.00 | Peak   |
| 2 q | 5210.00 | 7.42 | 34.00         | 34.99 | 102.06 | 108.49 | 68.20  | 40.29  | Peak   |
| 3   | 5354.94 | 7.57 | 34.32         | 35.00 | 55.14  | 62.03  | 74.00  | -11.97 | Peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 116 of 574

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL : 01787AT Job No

Mode : 5210 Band edge

: 5G WIFI 11AX80

|   | Freq               |    |      | Preamp<br>Factor |      |        |        |    | Remark |
|---|--------------------|----|------|------------------|------|--------|--------|----|--------|
| - | MHz                | dB | dB/m | dB               | dBuV | dBuV/m | dBuV/m | dB |        |
| _ | 5149.69            |    |      |                  |      |        |        |    | _      |
|   | 5210.00<br>5356.54 |    |      |                  |      |        |        |    | _      |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 117 of 574

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5260 Band edge

· 5G WTFT 11ΔX20

|   |         | ****  | TIANZU |        |       |        |        |        |        |
|---|---------|-------|--------|--------|-------|--------|--------|--------|--------|
|   |         | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver   |        |
|   | Freq    | Loss  | Factor | Factor | Level | Level  | Line   | Limit  | Remark |
|   |         |       |        |        |       |        |        |        |        |
|   | MHz     | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|   |         |       |        |        |       |        |        |        |        |
|   | 5137.11 | 7.35  | 34.03  | 34.99  | 55.21 | 61.60  | 74.00  | -12.40 | peak   |
| 2 | 5149.98 |       |        |        |       |        |        |        | •      |
|   | 5260 00 |       |        |        |       |        |        |        | •      |



1 2

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 118 of 574

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 01787AT

Mode : 5260 Band edge

: 5G WIFI 11AX20

|   | Freq    |      |       | Preamp<br>Factor |       |        |        |       | Remark  |   |
|---|---------|------|-------|------------------|-------|--------|--------|-------|---------|---|
| _ | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB    |         | _ |
| q | 5110.09 | 7.32 | 34.08 | 34.99            | 42.83 | 49.24  | 54.00  | -4.76 | Average |   |
| 2 | 5149.98 | 7.36 | 34.00 | 34.99            | 42.35 | 48.72  | 54.00  | -5.28 | Average |   |
| 3 | 5260.00 | 7.47 | 34.04 | 35.00            | 91.05 | 97.56  |        |       | Average |   |



1 2

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sg.s.com
| No.Worksph, M.M. Midde Sectom, Secretae Reinburg / Inst. Mortsph, M.M. Midde Sectom, Sectom Reinburg / Inst. Mortsph, M.M. Midde Reinburg / Inst. Mortsp




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 119 of 574

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

: 01787AT Job No

Mode : 5260 Band edge

· 5G WTFT 11ΔX20

|   |         | ****  | TIME   |        |        |        |        |        |        |
|---|---------|-------|--------|--------|--------|--------|--------|--------|--------|
|   |         | Cable | Ant    | Preamp | Read   |        | Limit  | 0ver   |        |
|   | Freq    | Loss  | Factor | Factor | Level  | Level  | Line   | Limit  | Remark |
| _ |         |       |        |        |        |        |        |        |        |
|   | MHz     | dB    | dB/m   | dB     | dBuV   | dBuV/m | dBuV/m | dB     |        |
|   |         |       |        |        |        |        |        |        |        |
|   | 5100.00 | 7.31  | 34.10  | 34.99  | 55.36  | 61.78  | 74.00  | -12.22 | Peak   |
| 2 | 5149.98 | 7.36  | 34.00  | 34.99  | 54.33  | 60.70  | 74.00  | -13.30 | Peak   |
|   | 5260 00 | 7 /17 | 3/ 0/  | 35 00  | 113 86 | 120 37 | 68 20  | 52 17  | Dook   |



1 2

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 120 of 574

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 01787AT

Mode : 5260 Band edge

: 5G WIFI 11AX20

|   | Freq    |      |       |       |        | Level  |        |       | Remark  |   |
|---|---------|------|-------|-------|--------|--------|--------|-------|---------|---|
| - | MHz     | dB   | dB/m  | dB    | dBuV   | dBuV/m | dBuV/m | dB    |         | - |
|   | 5102.48 |      |       |       |        |        |        |       | _       |   |
| 2 | 5149.98 | 7.36 | 34.00 | 34.99 | 42.79  | 49.16  | 54.00  | -4.84 | Average |   |
| 3 | 5260.00 | 7.47 | 34.04 | 35.00 | 102.56 | 109.07 |        |       | Average |   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sg.s.com
| No.Worksph, M.M. Midde Sectom, Secretae Reinburg / Inst. Mortsph, M.M. Midde Sectom, Sectom Reinburg / Inst. Mortsph, M.M. Midde Reinburg / Inst. Mortsp




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 121 of 574

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5320 Band edge

: 5G WIFI 11AX20

|     |         | ****  | TITOTEO |        |        |        |        |       |        |
|-----|---------|-------|---------|--------|--------|--------|--------|-------|--------|
|     |         | Cable | Ant     | Preamp | Read   |        | Limit  | 0ver  |        |
|     | Freq    | Loss  | Factor  | Factor | Level  | Level  | Line   | Limit | Remark |
|     |         |       |         |        |        |        |        |       |        |
| _   | MHz     | dB    | dB/m    | dB     | dBuV   | dBuV/m | dBuV/m | dB    |        |
|     |         |       |         |        |        |        | •      |       |        |
| 1 q | 5320.00 | 7.53  | 34.24   | 35.00  | 101.92 | 108.69 | 68.20  | 40.49 | peak   |
| _   | 5350.02 |       |         |        |        |        |        |       | •      |
|     | 5375.13 |       |         |        |        |        |        |       | •      |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 122 of 574

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5320 Band edge

: 5G WIFI 11AX20

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |       | Remark  |   |
|-----|---------|------|-------|------------------|-------|--------|--------|-------|---------|---|
| _   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB    |         | _ |
| 1   | 5320.00 | 7.53 | 34.24 | 35.00            | 90.55 | 97.32  |        |       | Average |   |
| 2   | 5350.02 | 7.56 | 34.30 | 35.00            | 42.55 | 49.41  | 54.00  | -4.59 | Average |   |
| 3 a | 5393.24 | 7.60 | 34.47 | 35.00            | 42.71 | 49.78  | 54.00  | -4.22 | Average |   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 123 of 574

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 01787AT

: 5320 Band edge Mode

· 5G WTET 11ΔX20

| . 50    | MILT  | TIANZU |        |        |        |        |        |        |
|---------|-------|--------|--------|--------|--------|--------|--------|--------|
|         | Cable | Ant    | Preamp | Read   |        | Limit  | 0ver   |        |
| Freq    | Loss  | Factor | Factor | Level  | Level  | Line   | Limit  | Remark |
|         |       |        |        |        |        |        |        |        |
| MHz     | dB    | dB/m   | dB     | dBuV   | dBuV/m | dBuV/m | dB     |        |
|         |       |        |        |        |        |        |        |        |
| 5320.00 | 7.53  | 34.24  | 35.00  | 114.45 | 121.22 | 68.20  | 53.02  | Peak   |
| 5350.02 | 7.56  | 34.30  | 35.00  | 55.98  | 62.84  | 74.00  | -11.16 | Peak   |
| 5379.25 | 7.59  | 34.42  | 35.00  | 56.17  | 63.18  | 74.00  | -10.82 | Peak   |



1 q 2

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 124 of 574

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

: 01787AT Job No

Mode : 5320 Band edge

: 5G WIFI 11AX20

|     | Freq    |      |       |       |        | Level  |        |       | Remark  |
|-----|---------|------|-------|-------|--------|--------|--------|-------|---------|
| -   | MHz     | dB   | dB/m  | dB    | dBuV   | dBuV/m | dBuV/m | dB    |         |
| 1   | 5320.00 | 7.53 | 34.24 | 35.00 | 102.51 | 109.28 |        |       | Average |
| 2 q | 5350.02 | 7.56 | 34.30 | 35.00 | 44.13  | 50.99  | 54.00  | -3.01 | Average |
| 3   | 5350.77 | 7.56 | 34.30 | 35.00 | 44.06  | 50.92  | 54.00  | -3.08 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 125 of 574

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5270 Band edge

: 5G WIFI 11AX40

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |        | Remark |
|-----|---------|------|-------|------------------|-------|--------|--------|--------|--------|
| _   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1   | 5109.62 | 7.32 | 34.08 | 34.99            | 56.25 | 62.66  | 74.00  | -11.34 | peak   |
| 2   | 5149.98 | 7.36 | 34.00 | 34.99            | 53.97 | 60.34  | 74.00  | -13.66 | peak   |
| 3 q | 5270.00 | 7.48 | 34.08 | 35.00            | 98.29 | 104.85 | 68.20  | 36.65  | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 126 of 574

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5270 Band edge

· 5G WTFT 11ΔX40

|   | Freq               |              |                | Preamp<br>Factor |                |                |                |                | Remark  |    |
|---|--------------------|--------------|----------------|------------------|----------------|----------------|----------------|----------------|---------|----|
| _ | MHz                | dB           | dB/m           | dB               | dBuV           | dBuV/m         | dBuV/m         | dB             |         |    |
| 2 | 5103.14<br>5149.98 | 7.36         | 34.00          | 34.99            | 42.22          | 48.59          | 54.00          | -5.41          | Average |    |
| 2 | 5103.14            | 7.32<br>7.36 | 34.09<br>34.00 | 34.99<br>34.99   | 42.65<br>42.22 | 49.07<br>48.59 | 54.00<br>54.00 | -4.93<br>-5.41 | Averag  | ge |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 127 of 574

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 01787AT

Mode : 5270 Band edge

· 5G WTET 11ΔΧ//0

|     |         | Cable |       |       |        | Level  |        |       | Remark |  |
|-----|---------|-------|-------|-------|--------|--------|--------|-------|--------|--|
| _   | MHz     | dB    | dB/m  | ——dB  | dBuV   | dBuV/m | dBuV/m | ——dB  |        |  |
| 1   |         |       |       |       |        |        |        |       |        |  |
| 2   | 5149.98 |       |       |       |        |        |        |       |        |  |
| 3 a | 5270.00 | 7.48  | 34.08 | 35.00 | 111.25 | 117.81 | 68.20  | 49 61 | Peak   |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 128 of 574

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Job No

Condition: 3m VERTICAL

Mode : 5270 Band edge

: 01787AT

: 5G WIFI 11AX40

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |       | Remark  |  |
|-----|---------|------|-------|------------------|-------|--------|--------|-------|---------|--|
| _   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB    |         |  |
| 1 q | 5102.35 | 7.32 | 34.10 | 34.99            | 43.11 | 49.54  | 54.00  | -4.46 | Average |  |
| 2   | 5149.98 | 7.36 | 34.00 | 34.99            | 42.52 | 48.89  | 54.00  | -5.11 | Average |  |
| 3   | 5270.00 | 7.48 | 34.08 | 35.00            | 99.01 | 105.57 |        |       | Average |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 129 of 574

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5310 Band edge

: 5G WIFI 11AX40

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |        | Remark |
|-----|---------|------|-------|------------------|-------|--------|--------|--------|--------|
| _   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1 q | 5310.00 | 7.52 | 34.22 | 35.00            | 97.39 | 104.13 | 68.20  | 35.93  | peak   |
| 2   | 5350.02 | 7.56 | 34.30 | 35.00            | 55.17 | 62.03  | 74.00  | -11.97 | peak   |
| 3   | 5390.66 | 7.60 | 34.46 | 35.00            | 55.73 | 62.79  | 74.00  | -11.21 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 130 of 574

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 01787AT

5393.81

Mode : 5310 Band edge

: 5G WIFI 11AX40

7.61

34.48

Cable Ant Preamp Read Limit 0ver Line Loss Factor Factor Limit Remark Freq Level Level dBuV dBuV/m dBuV/m MHz dB dB/m dB 7.52 34.22 35.00 86.64 93.38 ----- Average 5310.00 5350.02 7.56 34.30 35.00 42.52 49.38 54.00 -4.62 Average

35.00 42.65 49.74 54.00



1

2

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

-4.26 Average




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 131 of 574

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL : 01787AT Job No

Mode : 5310 Band edge

: 5G WIFI 11AX40

|   | Freq    |      |       |       |       |        | Limit<br>Line |       | Remark |
|---|---------|------|-------|-------|-------|--------|---------------|-------|--------|
| _ | MHz     | dB   | dB/m  | dB    | dBuV  | dBuV/m | dBuV/m        | dB    |        |
| q | 5310.00 |      |       |       |       |        |               |       |        |
|   | 5350.02 | 7.56 | 34.30 | 35.00 | 57.61 | 64.47  | 74.00         | -9.53 | Peak   |
| } | 5350.59 | 7.56 | 34.30 | 35.00 | 58.86 | 65.72  | 74.00         | -8.28 | Peak   |



1 2

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 132 of 574

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 01787AT

: 5310 Band edge Mode

· 5G WIFT 110X40

|     | . 50    | MILI  | TIANGO |        |       |        |        |       |        |
|-----|---------|-------|--------|--------|-------|--------|--------|-------|--------|
|     |         | Cable | Ant    | Preamp | Read  |        | Limit  | 0ver  |        |
|     | Freq    | Loss  | Factor | Factor | Level | Level  | Line   | Limit | Remark |
| _   |         |       |        |        |       |        |        |       |        |
|     | MHz     | dB    | dB/m   | dB     | dBuV  | dBuV/m | dBuV/m | dB    |        |
|     |         |       |        |        |       |        |        |       |        |
| 1   | 5310.70 | 7.52  | 34.22  | 35.00  | 95.62 | 102.36 |        |       | Peak   |
| 2 q | 5350.00 | 7.56  | 34.30  | 35.00  | 44.14 | 51.00  | 54.00  | -3.00 | Peak   |
| 3   | 5350.23 | 7.56  | 34.30  | 35.00  | 44.13 | 50.99  | 54.00  | -3.01 | Peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 133 of 574

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5290 Band edge

· 5G WIFT 110X80

|     |         | Cable |       | Preamp<br>Factor |       |        |        |        | Remark |
|-----|---------|-------|-------|------------------|-------|--------|--------|--------|--------|
| _   | MHz     | dB    | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1   | 5114.60 | 7.33  | 34.07 | 34.99            | 54.87 | 61.28  | 74.00  | -12.72 | peak   |
| 2 q | 5290.00 | 7.50  | 34.16 | 35.00            | 89.13 | 95.79  | 68.20  | 27.59  | peak   |
| 3   | 5356 04 | 7 57  | 34 32 | 35 00            | 54 35 | 61 24  | 74 00  | -12 76 | neak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 134 of 574

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5290 Band edge

: 5G WIFI 11AX80

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |       | Remark  |   |
|-----|---------|------|-------|------------------|-------|--------|--------|-------|---------|---|
| -   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB    |         | - |
| 1   | 5100.58 | 7.31 | 34.10 | 34.99            | 42.22 | 48.64  | 54.00  | -5.36 | Average |   |
| 2   | 5290.00 | 7.50 | 34.16 | 35.00            | 77.18 | 83.84  |        |       | Average |   |
| 3 q | 5354.51 | 7.57 | 34.32 | 35.00            | 42.17 | 49.06  | 54.00  | -4.94 | Average |   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 135 of 574

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL : 01787AT Job No

Mode : 5290 Band edge

· 5G WTFT 11ΔX80

|     |         | ****  | TIANOU  |        |        |        |        |        |        |
|-----|---------|-------|---------|--------|--------|--------|--------|--------|--------|
|     |         | Cable | Ant     | Preamp | Read   |        | Limit  | 0ver   |        |
|     | Freq    | Loss  | Factor  | Factor | Level  | Level  | Line   | Limit  | Remark |
| _   |         |       |         |        |        |        |        |        |        |
|     | MHz     | dB    | dB/m    | dB     | dBuV   | dBuV/m | dBuV/m | dB     |        |
|     |         |       |         |        |        |        |        |        |        |
| 1   | 5109.92 | 7.32  | 34.08   | 34.99  | 55.34  | 61.75  | 74.00  | -12.25 | Peak   |
| 2 q | 5290.00 | 7.50  | 34.16   | 35.00  | 101.29 | 107.95 | 68.20  | 39.75  | Peak   |
| 2   | 5350 51 | 7 56  | 3/1 3/0 | 35 00  | 56 40  | 63 26  | 7/ 00  | _10 7/ | Dook   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 136 of 574

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

: 01787AT Job No

Mode : 5290 Band edge

: 5G WIFI 11AX80

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |       | Remark  |   |
|-----|---------|------|-------|------------------|-------|--------|--------|-------|---------|---|
| _   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB    |         | - |
| 1   | 5102.62 | 7.32 | 34.09 | 34.99            | 42.33 | 48.75  | 54.00  | -5.25 | Average |   |
| 2   | 5290.00 | 7.50 | 34.16 | 35.00            | 89.12 | 95.78  |        |       | Average |   |
| 3 a | 5350.23 | 7.56 | 34.30 | 35.00            | 43.56 | 50.42  | 54.00  | -3.58 | Average |   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 137 of 574

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:160MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5250 Band edge

: 5G WIFI 11AX160

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |        |      |
|-----|---------|------|-------|------------------|-------|--------|--------|--------|------|
| _   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB     |      |
| 1   | 5106.42 | 7.32 | 34.09 | 34.99            | 55.03 | 61.45  | 74.00  | -12.55 | peak |
| 2 q | 5250.00 | 7.46 | 34.00 | 35.00            | 86.36 | 92.82  | 68.20  | 24.62  | peak |
| 3   | 5365.85 | 7.58 | 34.36 | 35.00            | 55.38 | 62.32  | 74.00  | -11.68 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 138 of 574

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:160MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5250 Band edge

: 5G WIFI 11AX160

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |       | Remark  |   |
|-----|---------|------|-------|------------------|-------|--------|--------|-------|---------|---|
| _   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB    |         | _ |
| 1   | 5102.62 | 7.32 | 34.09 | 34.99            | 42.63 | 49.05  | 54.00  | -4.95 | Average |   |
| 2   | 5250.00 | 7.46 | 34.00 | 35.00            | 74.59 | 81.05  |        |       | Average |   |
| 3 a | 5399.69 | 7.61 | 34.50 | 35.01            | 42.66 | 49.76  | 54.00  | -4.24 | Average |   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/0 Aug01,2022


Report No.: SZCR230600178703

Page: 139 of 574

74.00 -10.45 Peak

Member of the SGS Group (SGS SA)

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:160MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

Job No : 01787AT

5366.77

Mode : 5250 Band edge : 5G WIFI 11AX160

7.58

34.37

35.00

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Limit Remark Freq Level Level Line dBuV dBuV/m dBuV/m MHz dB dB/m dB 5148.92 7.36 34.00 74.00 -10.43 Peak 34.99 57.20 63.57 5250.00 7.46 34.00 35.00 98.12 104.58 68.20 36.38 Peak

56.60

63.55



1

2 q

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 140 of 574

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:160MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

: 01787AT Job No

Mode : 5250 Band edge

: 5G WIFI 11AX160

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |       |         |
|-----|---------|------|-------|------------------|-------|--------|--------|-------|---------|
| _   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB    |         |
| 1   | 5145.09 | 7.36 | 34.01 | 34.99            | 44.08 | 50.46  | 54.00  | -3.54 | Average |
| 2   | 5250.00 | 7.46 | 34.00 | 35.00            | 86.51 | 92.97  |        |       | Average |
| 3 q | 5364.01 | 7.58 | 34.36 | 35.00            | 44.02 | 50.96  | 54.00  | -3.04 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 141 of 574

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5500 Band edge

: 5G WIFI 11AX20

|   |         | ****  | TIMEO  |        |        |        |        |        |        |
|---|---------|-------|--------|--------|--------|--------|--------|--------|--------|
|   |         | Cable | Ant    | Preamp | Read   |        | Limit  | 0ver   |        |
|   | Freq    | Loss  | Factor | Factor | Level  | Level  | Line   | Limit  | Remark |
|   |         |       |        |        |        |        |        |        |        |
|   | MHz     | dB    | dB/m   | dB     | dBuV   | dBuV/m | dBuV/m | dB     |        |
|   |         |       |        |        |        |        |        |        |        |
|   | 5417.71 | 7.63  | 34.54  | 35.01  | 55.62  | 62.78  | 74.00  | -11.22 | peak   |
| 2 | 5464.71 | 7.67  | 34.60  | 35.01  | 55.29  | 62.55  | 68.20  | -5.65  | peak   |
| q | 5500.00 | 7.71  | 34.60  | 35.01  | 101.69 | 108.99 | 68.20  | 40.79  | peak   |



1 2

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 142 of 574

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5500 Band edge

: 5G WIFI 11AX20

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |    |         |   |
|-----|---------|------|-------|------------------|-------|--------|--------|----|---------|---|
| -   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB |         | - |
| 1 q | 5458.47 |      |       |                  |       |        |        |    | _       |   |
| 2   | 5500.00 | 7.71 | 34.60 | 35.01            | 90.72 | 98.02  |        |    | Average |   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 143 of 574

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 01787AT

5500.00

Mode : 5500 Band edge

: 5G WIFI 11AX20

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Limit Remark Level Level Line dBuV dBuV/m dBuV/m MHz dB dB/m 63.63 74.00 -10.37 Peak 5446.61 7.66 34.59 35.01 56.39 -3.62 peak 5468.32 7.68 34.60 35.01 57.31 64.58 68.20

7.71 34.60 35.01 114.00 121.30 68.20



1

2

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 144 of 574

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

: 01787AT Job No

5500.00

Mode : 5500 Band edge

: 5G WIFI 11AX20

| Freq    |      |       | Preamp<br>Factor |       |        |        |       | Remark  |
|---------|------|-------|------------------|-------|--------|--------|-------|---------|
| MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB    |         |
| 5459.55 | 7.67 | 34.60 | 35.01            | 43.50 | 50.76  | 54.00  | -3.24 | Average |

7.71 34.60 35.01 102.16 109.46 ----- Average



1 q

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区III-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 145 of 574

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5700 Band edge

: 5G WIFI 11AX20

|     | Freq    |      |       |       |        |        | Limit<br>Line |       | Remark |
|-----|---------|------|-------|-------|--------|--------|---------------|-------|--------|
| -   | MHz     | dB   | dB/m  | dB    | dBuV   | dBuV/m | dBuV/m        | dB    |        |
| 1 q | 5700.00 | 7.89 | 34.50 | 35.02 | 100.84 | 108.21 | 68.20         | 40.01 | peak   |
| 2   | 5725.00 | 7.92 | 34.50 | 35.02 | 55.25  | 62.65  | 68.20         | -5.55 | peak   |
| 3   | 5763.38 | 7.95 | 34.53 | 35.03 | 55.71  | 63.16  | 68.20         | -5.04 | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 146 of 574

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL : 01787AT Job No

Mode : 5700 Band edge

: 5G WIFI 11AX20

|     | Freq    |      |       |       |        |        | Limit<br>Line |       | Remark |
|-----|---------|------|-------|-------|--------|--------|---------------|-------|--------|
| -   | MHz     | dB   | dB/m  | dB    | dBuV   | dBuV/m | dBuV/m        | dB    |        |
| 1 q | 5700.00 | 7.89 | 34.50 | 35.02 | 111.21 | 118.58 | 68.20         | 50.38 | Peak   |
| 2   | 5725.00 | 7.92 | 34.50 | 35.02 | 57.21  | 64.61  | 68.20         | -3.59 | Peak   |
| 3   | 5725.68 | 7.92 | 34.50 | 35.02 | 57.37  | 64.77  | 68.20         | -3.43 | Peak   |
| 4   | 5757.95 | 7.95 | 34.52 | 35.03 | 56.88  | 64.32  | 68.20         | -3.88 | Peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 147 of 574

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5510 Band edge

: 5G WIFI 11AX40

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |        | Remark |
|-----|---------|------|-------|------------------|-------|--------|--------|--------|--------|
| _   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1   | 5412.87 | 7.62 | 34.53 | 35.01            | 55.37 | 62.51  | 74.00  | -11.49 | peak   |
| 2   | 5468.43 | 7.68 | 34.60 | 35.01            | 55.43 | 62.70  | 68.20  | -5.50  | peak   |
| 3 q | 5510.00 | 7.72 | 34.60 | 35.01            | 98.58 | 105.89 | 68.20  | 37.69  | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 148 of 574

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5510 Band edge

: 5G WIFI 11AX40

|     | Freq               |    |      | Preamp<br>Factor |      |        |        |    |   |
|-----|--------------------|----|------|------------------|------|--------|--------|----|---|
| -   | MHz                | dB | dB/m | dB               | dBuV | dBuV/m | dBuV/m | dB |   |
| 1 q | 5452.78<br>5510.00 |    |      |                  |      |        |        |    | _ |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 149 of 574

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

: 01787AT Job No

: 5510 Band edge Mode

· 5G WTET 11ΔΧ//

|   |         | MILIT | TIANHU |        |        |        |        |        |        |
|---|---------|-------|--------|--------|--------|--------|--------|--------|--------|
|   |         | Cable | Ant    | Preamp | Read   |        | Limit  | 0ver   |        |
|   | Freq    | Loss  | Factor | Factor | Level  | Level  | Line   | Limit  | Remark |
|   |         |       |        |        |        |        |        |        |        |
|   | MHz     | dB    | dB/m   | dB     | dBuV   | dBuV/m | dBuV/m | dB     |        |
|   |         |       |        |        |        |        |        |        |        |
|   | 5458.92 | 7.67  | 34.60  | 35.01  | 56.39  | 63.65  | 74.00  | -10.35 | Peak   |
| 2 | 5468.71 | 7.68  | 34.60  | 35.01  | 57.86  | 65.13  | 68.20  | -3.07  | peak   |
|   | 5510 00 | 7 72  | 34 60  | 35 01  | 109 32 | 116 63 | 68 20  | 48 43  | Peak   |



1 2

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 150 of 574

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 01787AT

Mode : 5510 Band edge

: 5G WIFI 11AX40

|   |         | Cable |      | Preamp<br>Factor |      |        |        |      | Remark |   |
|---|---------|-------|------|------------------|------|--------|--------|------|--------|---|
| - | MHz     | dB    | dB/m | ——dB             | dBuV | dBuV/m | dBuV/m | ——dB |        | _ |
|   | 5459.62 |       |      |                  |      |        |        |      | _      |   |
|   | 5510.00 |       |      |                  |      |        |        |      | _      |   |



1 2

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sg.s.com
| No.Worksph, M.M. Midde Sectom, Secretae Reinburg / Inst. Morshph, M.M. Midde Sectom, Sectom Reinburg / Inst. Morshph, M.M. Midde Reinburg / Inst. Morshph, M.M. Midde Reinburg / Inst. Morshph, M.M. Midde Reinburg




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 151 of 574

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5670 Band edge

: 5G WIFI 11AX40

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |       |      |
|-----|---------|------|-------|------------------|-------|--------|--------|-------|------|
| _   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB    |      |
| 1 q | 5670.00 | 7.87 | 34.50 | 35.02            | 99.06 | 106.41 | 68.20  | 38.21 | peak |
| 2   | 5725.00 | 7.92 | 34.50 | 35.02            | 54.59 | 61.99  | 68.20  | -6.21 | peak |
| 3   | 5757.37 | 7.94 | 34.51 | 35.03            | 56.72 | 64.14  | 68.20  | -4.06 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 152 of 574

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

5741.72

Condition: 3m VERTICAL Job No : 01787AT

Mode : 5670 Band edge

: 5G WIFI 11AX40

7.93

34.50

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Line Limit Remark Level Level dBuV dBuV/m dBuV/m MHz dB dB/m 5670.00 34.50 35.02 108.61 115.96 68.20 47.76 Peak 7.87 5725.00 7.92 34.50 35.02 56.40 63.80 68.20 -4.40 Peak

35.03 57.13



2

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

64.53

68.20

-3.67 Peak




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 153 of 574

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5530 Band edge

: 5G WIFI 11AX80

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |        | Remark |
|-----|---------|------|-------|------------------|-------|--------|--------|--------|--------|
| _   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1   | 5448.72 | 7.66 | 34.60 | 35.01            | 55.29 | 62.54  | 74.00  | -11.46 | peak   |
| 2   | 5468.49 | 7.68 | 34.60 | 35.01            | 55.74 | 63.01  | 68.20  | -5.19  | peak   |
| 3 q | 5530.00 | 7.73 | 34.60 | 35.01            | 88.89 | 96.21  | 68.20  | 28.01  | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 154 of 574

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5530 Band edge

: 5G WIFI 11AX80

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |       | Remark  |   |
|-----|---------|------|-------|------------------|-------|--------|--------|-------|---------|---|
| -   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB    |         | - |
| 1 q | 5453.85 | 7.66 | 34.60 | 35.01            | 42.25 | 49.50  | 54.00  | -4.50 | Average |   |
| 2   | 5530.00 | 7.73 | 34.60 | 35.01            | 77.26 | 84.58  |        |       | Average |   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 155 of 574

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 01787AT

Mode : 5530 Band edge

: 5G WIFI 11AX80

|     | Freq    |      |       |       |        |        | Limit<br>Line |        | Remark |
|-----|---------|------|-------|-------|--------|--------|---------------|--------|--------|
|     | MHz     | dB   | dB/m  | dB    | dBuV   | dBuV/m | dBuV/m        | dB     |        |
| 1   | 5459.75 | 7.67 | 34.60 | 35.01 | 56.02  | 63.28  | 74.00         | -10.72 | Peak   |
| 2   | 5470.03 | 7.68 | 34.60 | 35.01 | 57.46  | 64.73  | 68.20         | -3.47  | peak   |
| 3 q | 5530.00 | 7.73 | 34.60 | 35.01 | 102.35 | 109.67 | 68.20         | 41.47  | Peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 156 of 574

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 01787AT

Mode : 5530 Band edge : 5G WIFI 11AX80

Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Line Limit Remark

dBuV dBuV/m dBuV/m MHz dB dB/m

5453.59 7.66 34.60 35.01 43.71 50.96 54.00 -3.04 Average 5530.00 7.73 34.60 35.01 88.81 96.13 ----- Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 157 of 574

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5610 Band edge

: 5G WIFI 11AX80

|   | Freq               |    |      |    |      |        | Limit<br>Line |    | Remark |
|---|--------------------|----|------|----|------|--------|---------------|----|--------|
| - | MHz                | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m        | dB |        |
|   | 5610.00<br>5757.76 |    |      |    |      |        |               |    | •      |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 158 of 574

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 01787AT

5751.86

Mode : 5610 Band edge

· 5G WIFT 110X80

|   |         | Cable |       |       |        |        | Limit<br>Line |       | Remark |
|---|---------|-------|-------|-------|--------|--------|---------------|-------|--------|
| _ | MHz     | dB    | dB/m  | dB    | dBuV   | dBuV/m | dBuV/m        | dB    |        |
| q | 5610.00 | 7.81  | 34.50 | 35.02 | 101.69 | 108.98 | 68.20         | 40.78 | Peak   |

7.94 34.50 35.03 55.97 63.38 68.20 -4.82 Peak



1 2

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 159 of 574

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:160MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5570 Band edge

: 5G WIFI 11AX160

|   | Freq               |    |      |    |      |        | Limit<br>Line |    |   |
|---|--------------------|----|------|----|------|--------|---------------|----|---|
| - | MHz                | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m        | dB |   |
|   | 5570.00<br>5753.68 |    |      |    |      |        |               |    | • |



1 2

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 160 of 574

Test Mode: 04; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:160MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

: 01787AT Job No

Mode : 5570 Band edge

: 5G WIFI 11AX160

|   | Freq               |    |      | Preamp<br>Factor |      |        |        |    |  |
|---|--------------------|----|------|------------------|------|--------|--------|----|--|
| _ | MHz                | dB | dB/m | dB               | dBuV | dBuV/m | dBuV/m | dB |  |
| 1 | 5570.00<br>5754.06 |    |      |                  |      |        |        |    |  |



1 q

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 161 of 574

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 01787AT

Mode : 5745 Band edge

: 5G WIFI 11AX20

|   | Freq    |      |       |       | Read<br>Level |        |        |        | Remark |
|---|---------|------|-------|-------|---------------|--------|--------|--------|--------|
| - | MHz     | dB   | dB/m  | ——dB  | dBuV          | dBuV/m | dBuV/m | ——dB   |        |
|   | 5648.30 |      |       |       |               |        |        |        |        |
| 2 | 5715.00 | 7.91 | 34.50 | 35.02 | 55.70         | 63.09  | 109.40 | -46.31 | peak   |
| 3 | 5725.00 | 7.92 | 34.50 | 35.02 | 56.98         | 64.38  | 122.20 | -57.82 | peak   |
| 4 | 5745.00 | 7.93 | 34.50 | 35.03 | 101.25        | 108.65 |        |        | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sg.s.com
| No.Worksph, M.M. Midde Sectom, Secretae Reinburg / Inst. Morshph, M.M. Midde Sectom, Sectom Reinburg / Inst. Morshph, M.M. Midde Reinburg / Inst. Morshph, M.M. Midde Reinburg / Inst. Morshph, M.M. Midde Reinburg




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 162 of 574

Test Mode: 05; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Job No

Condition: 3m VERTICAL

: 01787AT Mode : 5745 Band edge

: 5G WIFI 11AX20

|     | Freq    |      | Ant<br>Factor |       |        |        |        |        | Remark |
|-----|---------|------|---------------|-------|--------|--------|--------|--------|--------|
| _   | MHz     | dB   | dB/m          | dB    | dBuV   | dBuV/m | dBuV/m | dB     |        |
| 1 q | 5640.00 | 7.84 | 34.50         | 35.02 | 55.84  | 63.16  | 68.20  | -5.04  | peak   |
| 2   | 5715.00 | 7.91 | 34.50         | 35.02 | 59.07  | 66.46  | 109.40 | -42.94 | peak   |
| 3   | 5725.00 | 7.92 | 34.50         | 35.02 | 67.05  | 74.45  | 122.20 | -47.75 | peak   |
| 4   | 5745.00 | 7.93 | 34.50         | 35.03 | 114.81 | 122.21 |        |        | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 163 of 574

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5825 Band edge

: 5G WIFI 11AX20

|     | Freq    |      |       |       | Read<br>Level |        |        |        | Remark |  |
|-----|---------|------|-------|-------|---------------|--------|--------|--------|--------|--|
| -   | MHz     | dB   | dB/m  | dB    | dBuV          | dBuV/m | dBuV/m | dB     |        |  |
| 1   | 5825.00 | 8.01 | 34.65 | 35.03 | 101.98        | 109.61 |        |        | peak   |  |
| 2   | 5850.00 | 8.03 | 34.70 | 35.03 | 56.30         | 64.00  | 122.20 | -58.20 | peak   |  |
| 3   | 5860.00 | 8.04 | 34.72 | 35.03 | 55.51         | 63.24  | 109.40 | -46.16 | peak   |  |
| 4 q | 5939.66 | 8.11 | 34.88 | 35.04 | 56.61         | 64.56  | 68.20  | -3.64  | Peak   |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 164 of 574

Test Mode: 05; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 01787AT

Mode : 5825 Band edge

: 5G WIFI 11AX20

|     | Freq    |      |       |       |        |        | Limit<br>Line |        | Remark |
|-----|---------|------|-------|-------|--------|--------|---------------|--------|--------|
| -   | MHz     | dB   | dB/m  | dB    | dBuV   | dBuV/m | dBuV/m        | dB     |        |
| 1   | 5825.00 | 8.01 | 34.65 | 35.03 | 112.74 | 120.37 |               |        | peak   |
| 2   | 5850.00 | 8.03 | 34.70 | 35.03 | 61.32  | 69.02  | 122.20        | -53.18 | peak   |
| 3   | 5860.00 | 8.04 | 34.72 | 35.03 | 58.64  | 66.37  | 109.40        | -43.03 | peak   |
| 4 a | 5941.39 | 8.11 | 34.88 | 35.04 | 56.93  | 64.88  | 68.20         | -3.32  | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com

Not. Workshop, M-10, Midde Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, Chine 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 165 of 574

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5755 Band edge

: 5G WIFI 11AX40

|     |         | ****  | 11/01/0 |        |       |        |        |        |        |
|-----|---------|-------|---------|--------|-------|--------|--------|--------|--------|
|     |         | Cable | Ant     | Preamp | Read  |        | Limit  | 0ver   |        |
|     | Freq    | Loss  | Factor  | Factor | Level | Level  | Line   | Limit  | Remark |
| _   |         |       |         |        |       |        |        |        |        |
|     | MHz     | dB    | dB/m    | dB     | dBuV  | dBuV/m | dBuV/m | dB     |        |
|     |         |       |         |        |       |        |        |        |        |
| 1 q | 5642.60 | 7.84  | 34.50   | 35.02  | 56.17 | 63.49  | 68.20  | -4.71  | peak   |
| 2   | 5715.00 | 7.91  | 34.50   | 35.02  | 55.17 | 62.56  | 109.40 | -46.84 | peak   |
| 3   | 5725.00 | 7.92  | 34.50   | 35.02  | 57.01 | 64.41  | 122.20 | -57.79 | peak   |
| 4   | 5755.00 | 7.94  | 34.51   | 35.03  | 97.09 | 104.51 |        |        | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 166 of 574

Test Mode: 05; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 01787AT

Mode : 5755 Band edge

: 5G WIFI 11AX40

|   | Freq    |      |       |       | Read<br>Level |        |        |        | Remark |
|---|---------|------|-------|-------|---------------|--------|--------|--------|--------|
| - | MHz     | dB   | dB/m  | dB    | dBuV          | dBuV/m | dBuV/m | dB     |        |
| _ | 5641.84 |      |       |       |               |        |        |        | •      |
| 2 | 5715.00 | 7.91 | 34.50 | 35.02 | 59.60         | 66.99  | 109.40 | -42.41 | peak   |
| 3 | 5725.00 | 7.92 | 34.50 | 35.02 | 64.13         | 71.53  | 122.20 | -50.67 | peak   |
| 4 | 5755.00 | 7.94 | 34.51 | 35.03 | 108.75        | 116.17 |        |        | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com

Not. Workshop, M-10, Midde Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, Chine 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 167 of 574

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

: 01787AT Job No

Mode : 5795 Band edge

: 5G WIFI 11AX40

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |        | Remark |
|-----|---------|------|-------|------------------|-------|--------|--------|--------|--------|
| _   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1   | 5795.00 | 7.98 | 34.59 | 35.03            | 98.83 | 106.37 |        |        | peak   |
| 2   | 5850.00 | 8.03 | 34.70 | 35.03            | 55.55 | 63.25  | 122.20 | -58.95 | peak   |
| 3   | 5860.00 | 8.04 | 34.72 | 35.03            | 55.67 | 63.40  | 109.40 | -46.00 | peak   |
| 4 q | 5937.88 | 8.11 | 34.88 | 35.04            | 56.83 | 64.78  | 68.20  | -3.42  | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 168 of 574

Test Mode: 05; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

: 01787AT Job No

Mode : 5795 Band edge

: 5G WIFI 11AX40

|     | Freq    |      | Ant<br>Factor |       |        |        |        |        | Remark |
|-----|---------|------|---------------|-------|--------|--------|--------|--------|--------|
| -   | MHz     | dB   | dB/m          | dB    | dBuV   | dBuV/m | dBuV/m | dB     |        |
| 1   | 5795.00 | 7.98 | 34.59         | 35.03 | 108.15 | 115.69 |        |        | peak   |
| 2   | 5850.00 | 8.03 | 34.70         | 35.03 | 56.65  | 64.35  | 122.20 | -57.85 | peak   |
| 3   | 5860.00 | 8.04 | 34.72         | 35.03 | 56.29  | 64.02  | 109.40 | -45.38 | peak   |
| 4 q | 5939.31 | 8.11 | 34.88         | 35.04 | 57.18  | 65.13  | 68.20  | -3.07  | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 169 of 574

Test Mode: 05; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 01787AT

Mode : 5775 Band edge

: 5G WIFI 11AX80

|     | Freq    |      |       | Preamp<br>Factor |       |        |        |        | Remark |
|-----|---------|------|-------|------------------|-------|--------|--------|--------|--------|
| -   | MHz     | dB   | dB/m  | dB               | dBuV  | dBuV/m | dBuV/m | dB     |        |
| 1   | 5723.18 | 7.91 | 34.50 | 35.02            | 55.22 | 62.61  | 118.06 | -55.45 | peak   |
| 2   | 5775.00 | 7.96 | 34.55 | 35.03            | 88.73 | 96.21  |        |        | peak   |
| 3   | 5852.42 | 8.03 | 34.70 | 35.03            | 55.89 | 63.59  | 116.67 | -53.08 | peak   |
| 4 q | 5934.99 | 8.10 | 34.87 | 35.04            | 56.18 | 64.11  | 68.20  | -4.09  | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com

Not. Workshop, M-10, Midde Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, Chine 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 170 of 574

Test Mode: 05; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:80MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

Job No : 01787AT

Mode : 5775 Band edge

: 5G WIFI 11AX80

|     | Freq    |      |       |       |        |        | Limit<br>Line |        | Remark |
|-----|---------|------|-------|-------|--------|--------|---------------|--------|--------|
| -   | MHz     | dB   | dB/m  | dB    | dBuV   | dBuV/m | dBuV/m        | dB     |        |
| 1   | 5723.49 | 7.91 | 34.50 | 35.02 | 59.10  | 66.49  | 118.75        | -52.26 | peak   |
| 2   | 5775.00 | 7.96 | 34.55 | 35.03 | 100.64 | 108.12 |               |        | peak   |
| 3   | 5851.50 | 8.03 | 34.70 | 35.03 | 57.10  | 64.80  | 118.78        | -53.98 | peak   |
| 4 q | 5931.55 | 8.10 | 34.86 | 35.04 | 56.76  | 64.68  | 68.20         | -3.52  | peak   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com Member of the SGS Group (SGS SA)



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 171 of 574

#### 7.12 Frequency Stability

Test Requirement 47 CFR Part 15, Subpart E 15.407 (g) Test Method: ANSI C63.10 (2013) Section 6.8

#### 7.12.1 E.U.T. Operation

Operating Environment:

Temperature: 27.2 °C Humidity: 49.4 % RH Atmospheric Pressure: 1005 mbar

#### 7.12.2 Test Mode Description

| The foot made been paid. |              |                                                                                                                                                                                                                                                                                                                                                         |  |  |  |  |  |
|--------------------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|
| Pre-scan /<br>Final test | Mode<br>Code | Description                                                                                                                                                                                                                                                                                                                                             |  |  |  |  |  |
| Final test               | 02           | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report.   |  |  |  |  |  |
| Final test               | 03           | TX mode (U-NII-2A) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.     |  |  |  |  |  |
| Final test               | 04           | TX mode (U-NII-2C) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80/160, Only the data of worst case is recorded in the report. |  |  |  |  |  |
| Final test               | 05           | TX mode (U-NII-3) _Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n/ac/ax 20/40/80, Only the data of worst case is recorded in the report.      |  |  |  |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 172 of 574

#### 7.12.3 Test Setup Diagram



Ground Reference Plane

#### 7.12.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@egs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 173 of 574

#### **Test Setup Photo** 8

Refer to Appendix - Test Setup Photo for SZCR2306001787AT

#### **EUT Constructional Details (EUT Photos)** 9

Refer to External and Internal Photos for SZCR2306001787AT



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 174 of 574

# 10 Appendix

1. Duty Cycle

1.1 Ant1

#### 1.1.1 Test Result

| Ant1              |            |                    |    |           |              |                |                   |                                      |                          |
|-------------------|------------|--------------------|----|-----------|--------------|----------------|-------------------|--------------------------------------|--------------------------|
| Mode              | TX<br>Type | Frequency<br>(MHz) | RU | RU<br>Pos | T_on<br>(ms) | Period<br>(ms) | Duty Cycle<br>(%) | Duty Cycle<br>Correction Factor (dB) | Max. DC<br>Variation (%) |
| 200 44-           |            | 5180               | /  | /         | 1.396        | 1.452          | 96.14             | 0.17                                 | 0.00                     |
|                   | MIMO       | 5200               | /  | /         | 1.397        | 1.452          | 96.21             | 0.17                                 | 0.03                     |
|                   |            | 5240               | /  | /         | 1.395        | 1.452          | 96.07             | 0.17                                 | 0.04                     |
|                   |            | 5260               | /  | /         | 1.397        | 1.453          | 96.15             | 0.17                                 | 0.03                     |
|                   |            | 5300               | /  | /         | 1.396        | 1.452          | 96.14             | 0.17                                 | 0.03                     |
|                   |            | 5320               | /  | /         | 1.397        | 1.453          | 96.15             | 0.17                                 | 0.03                     |
| 802.11a           |            | 5500               | /  | /         | 1.397        | 1.453          | 96.15             | 0.17                                 | 0.07                     |
|                   |            | 5580               | /  | /         | 1.396        | 1.453          | 96.08             | 0.17                                 | 0.03                     |
|                   |            | 5700               | /  | /         | 1.397        | 1.453          | 96.15             | 0.17                                 | 0.00                     |
|                   |            | 5745               | /  | /         | 1.397        | 1.453          | 96.15             | 0.17                                 | 0.00                     |
|                   |            | 5785               | /  | /         | 1.396        | 1.453          | 96.08             | 0.17                                 | 0.03                     |
|                   |            | 5825               | /  | /         | 1.398        | 1.453          | 96.21             | 0.17                                 | 0.03                     |
|                   | MIMO       | 5180               | /  | /         | 1.309        | 1.365          | 95.90             | 0.18                                 | 0.03                     |
|                   |            | 5200               | /  | /         | 1.308        | 1.365          | 95.82             | 0.19                                 | 0.03                     |
|                   |            | 5240               | /  | /         | 1.308        | 1.365          | 95.82             | 0.19                                 | 0.03                     |
|                   |            | 5260               | /  | /         | 1.309        | 1.365          | 95.90             | 0.18                                 | 0.00                     |
|                   |            | 5300               | /  | /         | 1.308        | 1.364          | 95.89             | 0.18                                 | 0.00                     |
| 802.11n<br>(HT20) |            | 5320               | /  | /         | 1.309        | 1.365          | 95.90             | 0.18                                 | 0.03                     |
|                   |            | 5500               | /  | /         | 1.309        | 1.365          | 95.90             | 0.18                                 | 0.04                     |
|                   |            | 5580               | /  | /         | 1.309        | 1.364          | 95.97             | 0.18                                 | 0.00                     |
|                   |            | 5700               | /  | /         | 1.309        | 1.365          | 95.90             | 0.18                                 | 0.03                     |
|                   |            | 5745               | /  | /         | 1.311        | 1.365          | 96.04             | 0.18                                 | 0.07                     |
|                   |            | 5785               | /  | /         | 1.309        | 1.365          | 95.90             | 0.18                                 | 0.03                     |
|                   |            | 5825               | /  | /         | 1.309        | 1.365          | 95.90             | 0.18                                 | 0.03                     |
| 802.11n<br>(HT40) | МІМО       | 5190               | /  | /         | 0.638        | 0.693          | 92.06             | 0.36                                 | 0.06                     |
|                   |            | 5230               | /  | /         | 0.637        | 0.693          | 91.92             | 0.37                                 | 0.03                     |
|                   |            | 5270               | /  | /         | 0.637        | 0.693          | 91.92             | 0.37                                 | 0.06                     |
|                   |            | 5310               | /  | /         | 0.638        | 0.693          | 92.06             | 0.36                                 | 0.06                     |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 175 of 574

| S550                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 0.00<br>0.03<br>0.06<br>0.06<br>0.03<br>0.03<br>0.06<br>0.06<br>0.06<br>0.03<br>0.03<br>0.03<br>0.03 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| 802.11ac (VHT20)    MIMO   MIM | 0.03<br>0.06<br>0.06<br>0.03<br>0.03<br>0.06<br>0.06<br>0.03<br>0.03<br>0.03                         |
| 802.11ac (VHT20)    Solution                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 0.06<br>0.06<br>0.03<br>0.03<br>0.06<br>0.06<br>0.03<br>0.03<br>0.03                                 |
| 802.11ac (VHT20)  MIMO    5795                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 0.06<br>0.03<br>0.03<br>0.06<br>0.06<br>0.03<br>0.03<br>0.03                                         |
| 802.11ac (VHT20)  MIMO    5180                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 0.03<br>0.06<br>0.06<br>0.03<br>0.03<br>0.03<br>0.03                                                 |
| 802.11ac (VHT20)  MIMO    5200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 0.03<br>0.06<br>0.06<br>0.03<br>0.03<br>0.03                                                         |
| 802.11ac (VHT20) MIMO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 0.06<br>0.06<br>0.03<br>0.03<br>0.03<br>0.03                                                         |
| 802.11ac (VHT20) MIMO    5260                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 0.06<br>0.03<br>0.03<br>0.03<br>0.03                                                                 |
| 802.11ac (VHT20) MIMO  5300                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 0.03<br>0.03<br>0.03<br>0.03                                                                         |
| 802.11ac (VHT20) MIMO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 0.03<br>0.03<br>0.03                                                                                 |
| (VHT20)     MIMO       5500     /     1.325     1.381     95.94     0.18       5580     /     1.325     1.381     95.94     0.18       5700     /     1.325     1.382     95.88     0.18       5745     /     1.316     1.373     95.85     0.18       5785     /     1.316     1.372     95.92     0.18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 0.03                                                                                                 |
| (VH120)     5500     /     /     1.325     1.381     95.94     0.18       5580     /     /     1.325     1.381     95.94     0.18       5700     /     /     1.325     1.382     95.88     0.18       5745     /     /     1.316     1.373     95.85     0.18       5785     /     /     1.316     1.372     95.92     0.18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 0.03                                                                                                 |
| 5700     /     1.325     1.382     95.88     0.18       5745     /     1.316     1.373     95.85     0.18       5785     /     1.316     1.372     95.92     0.18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                      |
| 5745     /     1.316     1.373     95.85     0.18       5785     /     1.316     1.372     95.92     0.18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                      |
| 5785 / / 1.316 1.372 95.92 0.18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.03                                                                                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.07                                                                                                 |
| 5825 / / 1.317 1.373   95.92   0.18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 0.04                                                                                                 |
| , , , , , , , , , , , , , , , , , , , ,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 0.00                                                                                                 |
| 5190 / / 0.657 0.712 92.28 0.35                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.03                                                                                                 |
| 5230 / / 0.657 0.713 92.15 0.36                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.06                                                                                                 |
| 5270 / / 0.658 0.713 92.29 0.35                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.00                                                                                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.07                                                                                                 |
| 802.11ac (VHT40) MIMO 5510 / / 0.657 0.713 92.15 0.36                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 0.03                                                                                                 |
| 5550 / 0.656 0.713 92.01 0.36                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 0.03                                                                                                 |
| 5670 / / 0.656 0.713 92.01 0.36                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.07                                                                                                 |
| 5755 / / 0.657 0.713 92.15 0.36                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.03                                                                                                 |
| 5795 / / 0.657 0.713 92.15 0.36                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.07                                                                                                 |
| 5210 / / 0.325 0.634 51.26 2.90                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 2.28                                                                                                 |
| 5290 / / 0.325 0.616 52.76 2.78                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 0.78                                                                                                 |
| 802.11ac (VHT80) MIMO 5530 / / 0.325 0.616 52.76 2.78                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 0.82                                                                                                 |
| 5610 / 0.325 0.616 52.76 2.78                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 0.78                                                                                                 |
| 5775 / 0.325 0.634 51.26 2.90                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 2.28                                                                                                 |
| 802.11ac MIMO 5570 / / 0.187 0.240 77.92 1.08                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 0.13                                                                                                 |
| (VHT160)   VIIIVO   5250                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 0.10                                                                                                 |
| 5180 RU242 Left 1.028 1.084 94.83 0.23                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 0.03                                                                                                 |
| 5200 RU242 Left 1.029 1.084 94.93 0.23                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 0.03                                                                                                 |
| 5240 RU242 Left 1.029 1.085 94.84 0.23                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 0.07                                                                                                 |
| 802.11ax (HEW20) MIMO 5260 RU242 Left 1.028 1.084 94.83 0.23                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 0.10                                                                                                 |
| 5300 RU242 Left 1.028 1.084 94.83 0.23                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 0.07                                                                                                 |
| 5320 RU242 Left 1.028 1.084 94.83 0.23                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 0.04                                                                                                 |
| 5500 RU242 Left 1.028 1.084 94.83 0.23                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                      |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@ags.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 176 of 574

|                     |      | 5580 | RU242   | Left | 1.027 | 1.084 | 94.74 | 0.23 | 0.03 |
|---------------------|------|------|---------|------|-------|-------|-------|------|------|
|                     |      | 5700 | RU242   | Left | 1.028 | 1.084 | 94.83 | 0.23 | 0.06 |
|                     |      | 5745 | RU242   | Left | 1.028 | 1.084 | 94.83 | 0.23 | 0.03 |
|                     |      | 5785 | RU242   | Left | 1.029 | 1.085 | 94.84 | 0.23 | 0.07 |
|                     |      | 5825 | RU242   | Left | 1.028 | 1.327 | 77.47 | 1.11 | 1.08 |
|                     | мімо | 5190 | RU484   | Left | 0.549 | 0.858 | 63.99 | 1.94 | 2.09 |
|                     |      | 5230 | RU484   | Left | 0.548 | 0.858 | 63.87 | 1.95 | 2.10 |
|                     |      | 5270 | RU484   | Left | 0.548 | 0.840 | 65.24 | 1.85 | 0.72 |
| 000.44              |      | 5310 | RU484   | Left | 0.549 | 0.840 | 65.36 | 1.85 | 0.71 |
| (HEW40)             |      | 5510 | RU484   | Left | 0.548 | 0.840 | 65.24 | 1.85 | 0.74 |
| (FIEW40)            |      | 5550 | RU484   | Left | 0.549 | 0.840 | 65.36 | 1.85 | 0.72 |
|                     |      | 5670 | RU484   | Left | 0.549 | 0.858 | 63.99 | 1.94 | 2.11 |
|                     |      | 5755 | RU484   | Left | 0.549 | 0.840 | 65.36 | 1.85 | 0.71 |
|                     |      | 5795 | RU484   | Left | 0.549 | 0.840 | 65.36 | 1.85 | 0.74 |
| 802.11ax<br>(HEW80) | MIMO | 5210 | RU996   | Left | 0.299 | 0.354 | 84.46 | 0.73 | 0.07 |
|                     |      | 5290 | RU996   | Left | 0.298 | 0.354 | 84.18 | 0.75 | 0.03 |
|                     |      | 5530 | RU996   | Left | 0.298 | 0.354 | 84.18 | 0.75 | 0.04 |
|                     |      | 5610 | RU996   | Left | 0.297 | 0.353 | 84.14 | 0.75 | 0.08 |
|                     |      | 5775 | RU996   | Left | 0.299 | 0.354 | 84.46 | 0.73 | 0.04 |
| 802.11ax            | MIMO | 5570 | 2xRU996 | Left | 0.181 | 0.237 | 76.37 | 1.17 | 0.03 |
| (HEW160)            |      | 5250 | 2xRU996 | Left | 0.183 | 0.237 | 77.22 | 1.12 | 0.09 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@ags.com




SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 177 of 574

#### 1.1.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 178 of 574





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 179 of 574





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 180 of 574





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn


中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 181 of 574





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 182 of 574





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn


中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 183 of 574





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn


中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 184 of 574





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"


No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 185 of 574





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 186 of 574





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn


中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 187 of 574





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn


中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 188 of 574





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn


中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 189 of 574





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn


中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057



SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230600178703

Page: 190 of 574





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com"

No.1 Workshop, Mr-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057