



TEKTELIC COMMUNICATIONS INC.

Document type: **Product Family Description**

Document number: **T0006377_Family_Certification_Information**

Document version: **1.0**

Document Status: **Approved**

Product name: **MEETING ROOM DISPLAY TABLET**

Product codes: **T0006086, T0006093**

PROPRIETARY:

The information contained in this document is the property of Tektelic Communications Inc. Except as specifically authorized in writing by Tektelic, the holder of this document shall keep all information contained herein confidential, and shall protect the same in whole or in part from disclosure to all third parties.

Revision History

Version	Date	Comments
1.0	March 03, 2020	Initial Release

Contents

1 Family Certification Information 4

2 References 7

1 Family Certification Information

The T0006377 Meeting Room Display Tablet family consist of two variants: Battery powered and externally powered. The individual LoRa transceivers in each variant are all electrically identical. There is no post factory module configuration allowed.

Table 1-1 presents the Tablet variants which are being certified.

Table 1-1 Meeting Room Display Tablet Variants

Product Code	Description	PCBA	RF Region	Tx Band (MHz)	Rx Band (MHz)
T0006086	MODULE, DIGITAL SIGNAGE, BATTERY POWERED	T0006521	US915	923-928	902-915
T0006093	MODULE, DIGITAL SIGNAGE, EXTERNALLY POWERED	T0006522	US915	923-928	902-915

The differences in features supported by the two variants are listed Table 1-2.

Table 1-2: Features supported by Tablet models

Features supported	Tablet Model	
	T0006086	T0006093
6" EPD screen with Touch	X	X
Front light for the screen		X
RGB LED Room status indicators		X
Accelerometer	X	X
PoE		X
5V 2mm Barrel connector		X
Battery Contacts	X	
Battery Gauge	X	
LoRa Radio	X	X

An illustration of Meeting room display tablet variants can be seen in Figure 1-1, Figure 1-2 and Figure 1-3



Figure 1-1: Meeting Room Display Tablet




Figure 1-2: Meeting Room Display Tablet (Externally powered)





Figure 1-3: Meeting Room Display Tablet (Battery powered)

2 References

There are no sources in the current document.