









Mode	25																																																																																																
	Band Edge																																																																																																
	2400-2483.5_802.11n HT20_CH01_2412MHz& Part 27Q Band42																																																																																																
ANT	8																																																																																																
Pol.	Vertical					Fundamental																																																																																											
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.17</td><td>60.61</td><td>74.00</td><td>-13.39</td><td>48.33</td><td>31.97</td><td>7.16</td><td>32.85</td><td>6.00</td><td>155</td><td>302 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2389.17	60.61	74.00	-13.39	48.33	31.97	7.16	32.85	6.00	155	302 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>111.36</td><td>74.00</td><td>37.36</td><td>98.33</td><td>32.30</td><td>7.51</td><td>32.78</td><td>6.00</td><td>155</td><td>302 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2412.00	111.36	74.00	37.36	98.33	32.30	7.51	32.78	6.00	155
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 2389.17	60.61	74.00	-13.39	48.33	31.97	7.16	32.85	6.00	155	302 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 2412.00	111.36	74.00	37.36	98.33	32.30	7.51	32.78	6.00	155	302 PEAK																																																																																							
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.95</td><td>50.95</td><td>54.00</td><td>-3.05</td><td>38.67</td><td>31.97</td><td>7.16</td><td>32.85</td><td>6.00</td><td>155</td><td>302 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2389.95	50.95	54.00	-3.05	38.67	31.97	7.16	32.85	6.00	155	302 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>103.34</td><td>54.00</td><td>49.34</td><td>90.97</td><td>32.01</td><td>7.20</td><td>32.84</td><td>6.00</td><td>155</td><td>302 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2412.00	103.34	54.00	49.34	90.97	32.01	7.20	32.84	6.00	155
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 2389.95	50.95	54.00	-3.05	38.67	31.97	7.16	32.85	6.00	155	302 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 2412.00	103.34	54.00	49.34	90.97	32.01	7.20	32.84	6.00	155	302 Average																																																																																							



Mode	25																																																																																																	
	Harmonic																																																																																																	
	2400-2483.5_802.11n HT20_CH01_2412MHz& Part 27Q Band42																																																																																																	
ANT	8																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>39.98</td><td>74.00</td><td>-34.02</td><td>60.86</td><td>34.09</td><td>10.29</td><td>65.26</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4824.00	39.98	74.00	-34.02	60.86	34.09	10.29	65.26	0.00	100	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>40.41</td><td>74.00</td><td>-33.59</td><td>61.29</td><td>34.09</td><td>10.29</td><td>65.26</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4824.00	40.41	74.00	-33.59	61.29	34.09	10.29	65.26	0.00	300	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	4824.00	39.98	74.00	-34.02	60.86	34.09	10.29	65.26	0.00	100	360	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	4824.00	40.41	74.00	-33.59	61.29	34.09	10.29	65.26	0.00	300	360	PEAK																																																																																						
Peak Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>48.80</td><td>74.00</td><td>-25.20</td><td>65.80</td><td>34.09</td><td>10.29</td><td>65.26</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	2412.00	48.80	74.00	-25.20	65.80	34.09	10.29	65.26	0.00	100	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>48.80</td><td>74.00</td><td>-25.20</td><td>65.80</td><td>34.09</td><td>10.29</td><td>65.26</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	2412.00	48.80	74.00	-25.20	65.80	34.09	10.29	65.26	0.00	300	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	2412.00	48.80	74.00	-25.20	65.80	34.09	10.29	65.26	0.00	100	360	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	2412.00	48.80	74.00	-25.20	65.80	34.09	10.29	65.26	0.00	300	360	PEAK																																																																																						



Mode	25																																																																																																							
	Emission below 1GHz																																																																																																							
	2400-2483.5_802.11n HT20_CH01_2412MHz& Part 27Q Band42																																																																																																							
ANT	8																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak QP																																																																																																								
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>24.07</td><td>40.00</td><td>-15.93</td><td>30.62</td><td>25.09</td><td>0.76</td><td>32.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>67.83</td><td>18.87</td><td>40.00</td><td>-21.13</td><td>35.21</td><td>14.90</td><td>1.16</td><td>32.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>176.47</td><td>23.73</td><td>43.50</td><td>-19.77</td><td>38.83</td><td>15.36</td><td>1.94</td><td>32.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>189.08</td><td>24.89</td><td>43.50</td><td>-18.61</td><td>40.22</td><td>15.05</td><td>2.02</td><td>32.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>255.04</td><td>24.10</td><td>46.00</td><td>-21.90</td><td>35.25</td><td>19.11</td><td>2.14</td><td>32.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>350.10</td><td>23.57</td><td>46.00</td><td>-22.43</td><td>32.60</td><td>20.61</td><td>2.76</td><td>32.40</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.97	24.07	40.00	-15.93	30.62	25.09	0.76	32.40	---	---	Peak	2	67.83	18.87	40.00	-21.13	35.21	14.90	1.16	32.40	---	---	Peak	3	176.47	23.73	43.50	-19.77	38.83	15.36	1.94	32.40	---	---	Peak	4	189.08	24.89	43.50	-18.61	40.22	15.05	2.02	32.40	---	---	Peak	5	255.04	24.10	46.00	-21.90	35.25	19.11	2.14	32.40	---	---	Peak	6	350.10	23.57	46.00	-22.43	32.60	20.61	2.76	32.40	---	---
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	30.97	24.07	40.00	-15.93	30.62	25.09	0.76	32.40	---	---	Peak																																																																																													
2	67.83	18.87	40.00	-21.13	35.21	14.90	1.16	32.40	---	---	Peak																																																																																													
3	176.47	23.73	43.50	-19.77	38.83	15.36	1.94	32.40	---	---	Peak																																																																																													
4	189.08	24.89	43.50	-18.61	40.22	15.05	2.02	32.40	---	---	Peak																																																																																													
5	255.04	24.10	46.00	-21.90	35.25	19.11	2.14	32.40	---	---	Peak																																																																																													
6	350.10	23.57	46.00	-22.43	32.60	20.61	2.76	32.40	---	---	Peak																																																																																													
Peak QP																																																																																																								
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>25.44</td><td>40.00</td><td>-14.56</td><td>31.34</td><td>25.74</td><td>0.76</td><td>32.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>98.87</td><td>23.73</td><td>43.50</td><td>-19.77</td><td>38.76</td><td>15.92</td><td>1.45</td><td>32.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>171.62</td><td>24.19</td><td>43.50</td><td>-19.31</td><td>38.98</td><td>15.70</td><td>1.91</td><td>32.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>250.19</td><td>24.01</td><td>46.00</td><td>-21.99</td><td>35.75</td><td>18.56</td><td>2.10</td><td>32.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>348.16</td><td>25.29</td><td>46.00</td><td>-20.71</td><td>34.38</td><td>20.56</td><td>2.75</td><td>32.40</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>765.26</td><td>30.39</td><td>46.00</td><td>-15.61</td><td>30.83</td><td>27.68</td><td>4.12</td><td>32.24</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	25.44	40.00	-14.56	31.34	25.74	0.76	32.40	---	---	Peak	2	98.87	23.73	43.50	-19.77	38.76	15.92	1.45	32.40	---	---	Peak	3	171.62	24.19	43.50	-19.31	38.98	15.70	1.91	32.40	---	---	Peak	4	250.19	24.01	46.00	-21.99	35.75	18.56	2.10	32.40	---	---	Peak	5	348.16	25.29	46.00	-20.71	34.38	20.56	2.75	32.40	---	---	Peak	6	765.26	30.39	46.00	-15.61	30.83	27.68	4.12	32.24	---	---
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	30.00	25.44	40.00	-14.56	31.34	25.74	0.76	32.40	---	---	Peak																																																																																													
2	98.87	23.73	43.50	-19.77	38.76	15.92	1.45	32.40	---	---	Peak																																																																																													
3	171.62	24.19	43.50	-19.31	38.98	15.70	1.91	32.40	---	---	Peak																																																																																													
4	250.19	24.01	46.00	-21.99	35.75	18.56	2.10	32.40	---	---	Peak																																																																																													
5	348.16	25.29	46.00	-20.71	34.38	20.56	2.75	32.40	---	---	Peak																																																																																													
6	765.26	30.39	46.00	-15.61	30.83	27.68	4.12	32.24	---	---	Peak																																																																																													


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10Hz
802.11g	98.28	2.065	0.484	10Hz
802.11n HT20	98.16	1.928	0.519	10Hz
802.11n HT40	94.93	0.949	1.053	1.1KHz


802.11b



802.11g



802.11n HT20



802.11n HT40

