



**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -67.83      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.62      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 1000            | -61.22      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2501            | -47.72      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2610.575        | 22.13       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2999.075        | -46.67      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11979           | -47.96      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25502           | -38.15      | -25         | Pass    | 14502       |




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -68.16      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -68.87      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 869.113         | -61.2       | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2558            | -40.02      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2570.85         | 22.57       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 3000            | -46.64      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11983           | -47.96      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25507           | -38.09      | -25         | Pass    | 14502       |




**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -68.58      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.7       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 997.799         | -61.01      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2557            | -38.94      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2570.85         | 21.74       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 3000            | -46.65      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11977           | -47.95      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25497           | -38.16      | -25         | Pass    | 14502       |




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -68.53      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -67.68      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 937.959         | -60.99      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2527            | -47.26      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2588.35         | 22.59       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2649.425        | -46.4       | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11977           | -47.92      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25504           | -38.06      | -25         | Pass    | 14502       |




**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -67.45      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.27            | -68.69      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 848             | -61.25      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2527            | -47.22      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2588.175        | 21.72       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2649.425        | -46.46      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11981           | -47.88      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25502           | -38.15      | -25         | Pass    | 14502       |




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -69.22      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -68.51      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 972.882         | -61.15      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2545            | -47.63      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2605.675        | 21.94       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2631.85         | -35.69      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11978           | -47.81      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25506           | -38.08      | -25         | Pass    | 14502       |




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -68.59      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -68.15      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 924.85          | -61.22      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2545            | -47.64      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2605.85         | 20.91       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2631.85         | -34.14      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11973           | -47.94      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25502           | -38.08      | -25         | Pass    | 14502       |



**16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -68.36      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.1       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 973.683         | -61.22      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2554            | -40.41      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2571.2          | 22.15       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2636.475        | -42.89      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11979           | -47.94      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25502           | -38.12      | -25         | Pass    | 14502       |






**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -68.47      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -68.93      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 934.256         | -61.11      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2554            | -40.45      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2571.025        | 21.8        | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2636.475        | -42.64      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11982           | -47.97      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25500           | -38.09      | -25         | Pass    | 14502       |




**16.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -68.21      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.61      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 999.199         | -61.18      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2525            | -45.21      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2586.075        | 22.28       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2646.65         | -42.34      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11973           | -47.97      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25501           | -38.16      | -25         | Pass    | 14502       |




**16.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -68.6       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -67.19      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 971.381         | -61.23      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2550            | -45.36      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2586.075        | 21.35       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2647.575        | -41.92      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11978           | -47.93      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25495           | -38.14      | -25         | Pass    | 14502       |




**16.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -68.23      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -67.3       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 884.523         | -61.23      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2540            | -45.29      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2600.95         | 21.77       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2636.475        | -37.65      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11979           | -47.94      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25500           | -38.03      | -25         | Pass    | 14502       |



**16.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.015           | -68.3       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -68.31      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 942.062         | -61.13      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2540            | -45.96      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2601.125        | 21.99       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2636.475        | -35.74      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11976           | -47.91      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25507           | -38.14      | -25         | Pass    | 14502       |



## 17. LTE\_Band41 120M


17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,  
Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -68.8       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.66      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 933.256         | -61.11      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2481            | -47.78      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2535.22         | 20.84       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 3000            | -46.6       | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11978           | -47.93      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25510           | -38.15      | -25         | Pass    | 14502       |




**17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:40065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -68.91      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -67.94      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 995.397         | -61.21      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2484            | -47.86      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2535.22         | 21.48       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2997.75         | -46.62      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11978           | -47.88      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25514           | -38.13      | -25         | Pass    | 14502       |



**17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -68.81      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.64      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 916.244         | -61.19      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -47.78      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2593            | 20.69       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2997.75         | -46.55      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11977           | -47.96      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25499           | -38.17      | -25         | Pass    | 14502       |






**17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:40640, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -68.05      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.64      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 932.856         | -61.14      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -47.84      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2593            | 19.95       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2999.25         | -46.57      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11983           | -47.87      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25503           | -38.04      | -25         | Pass    | 14502       |




**17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -67.74      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -68.47      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 991.394         | -61.15      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2482            | -47.74      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2650.245        | 21.86       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 3000            | -46.6       | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11980           | -47.85      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25494           | -38.07      | -25         | Pass    | 14502       |




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:41215, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -68.74      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -67.3       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 939.56          | -61.23      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2484            | -47.84      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2650.245        | 21.64       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2994.75         | -46.63      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11977           | -47.89      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25504           | -38.07      | -25         | Pass    | 14502       |




**17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -68.4       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.65      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 853.603         | -61.15      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2485            | -47.83      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2535.22         | 20.74       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2999.25         | -46.59      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11980           | -47.86      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25497           | -38.08      | -25         | Pass    | 14502       |




**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:40090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -67.97      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -68.06      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 978.386         | -61.12      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2484            | -47.81      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2535.22         | 20.44       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 3000            | -46.61      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11974           | -47.92      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25507           | -38.17      | -25         | Pass    | 14502       |




**17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -67.96      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -68.03      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 984.39          | -61.18      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2485            | -47.82      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2590.325        | 22.29       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2999.25         | -46.62      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11977           | -47.95      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25509           | -38.14      | -25         | Pass    | 14502       |




**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:40640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -68.01      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -67.73      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 938.059         | -61.07      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2481            | -47.8       | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2590.325        | 21.71       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 3000            | -46.6       | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11976           | -47.89      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25498           | -38.1       | -25         | Pass    | 14502       |



**17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -67.52      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -68.85      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 973.182         | -61.09      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2483            | -47.84      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2645.43         | 22.39       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 3000            | -46.63      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11982           | -47.91      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25498           | -38.11      | -25         | Pass    | 14502       |






**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:41190, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -66.96      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -68.88      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 931.355         | -61.05      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -47.79      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2645.43         | 21.84       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2997            | -46.63      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11978           | -47.9       | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25499           | -38.11      | -25         | Pass    | 14502       |




**17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -68.85      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -68.68      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 974.383         | -61.2       | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2482            | -47.81      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2535.755        | 21.14       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2997.75         | -46.58      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11975           | -47.96      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25500           | -38.12      | -25         | Pass    | 14502       |




**17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:40115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -67.39      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -68.58      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 967.579         | -61.16      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2483            | -47.82      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2535.755        | 19.74       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2999.25         | -46.57      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11981           | -47.94      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25499           | -38.12      | -25         | Pass    | 14502       |




**17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -67.9       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -68.48      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 946.765         | -61.12      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2480            | -47.83      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2588.185        | 21.63       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 3000            | -46.59      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11983           | -47.83      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25488           | -38.06      | -25         | Pass    | 14502       |




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:40640, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -68.42      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -67.35      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 998.999         | -61.1       | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2423            | -46.67      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2588.185        | 20.45       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2999.25         | -46.57      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11983           | -47.9       | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25498           | -37.99      | -25         | Pass    | 14502       |




**17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -67.86      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -68.54      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 870.414         | -60.99      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2485            | -47.77      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2640.615        | 21.58       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 3000            | -46.6       | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11974           | -47.91      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25500           | -38.14      | -25         | Pass    | 14502       |




**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -68.48      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -68.62      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 970.18          | -61.1       | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2485            | -47.74      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2640.615        | 22.04       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2998.5          | -46.61      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11979           | -47.9       | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25501           | -38.13      | -25         | Pass    | 14502       |



**17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -68.58      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -68.69      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 869.614         | -61.13      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2479            | -47.81      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2535.755        | 21.32       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2997.75         | -46.56      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11985           | -47.88      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25505           | -38.05      | -25         | Pass    | 14502       |






**17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -68.92      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.93      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 854.904         | -61.16      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2476            | -47.78      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2535.755        | 21.15       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 3000            | -46.53      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11975           | -47.86      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25518           | -38.1       | -25         | Pass    | 14502       |




**17.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -68.17      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -68.24      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 937.659         | -61.15      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2483            | -47.8       | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2586.045        | 21.59       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2999.25         | -46.58      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11976           | -47.88      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25501           | -38.06      | -25         | Pass    | 14502       |




**17.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -68.64      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.26            | -68.38      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 837.3           | -61.05      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -47.79      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2586.045        | 20.15       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2998.5          | -46.61      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11974           | -47.89      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25498           | -38.03      | -25         | Pass    | 14502       |




**17.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -66.79      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -65.84      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 981.388         | -59.87      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2482            | -46.81      | -25         | Pass    | 1477        |
| 2486                  | 2700                 | 1         | RMS      | 2635.8          | 24.13       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 3000            | -44.86      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 3204            | -54.35      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25500           | -46.75      | -25         | Pass    | 14502       |



**17.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -66.79      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -65.84      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 975.584         | -59.87      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2484            | -46.81      | -25         | Pass    | 1477        |
| 2486                  | 2700                 | 1         | RMS      | 2635.8          | 24.13       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2999.25         | -44.86      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 3029            | -54.35      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25497           | -46.75      | -25         | Pass    | 14502       |



## 18. LTE\_Band66


**18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,  
Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -71.58      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.76      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 982.388         | -65.13      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.24      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.125        | 22.49       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2999            | -50.53      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11975           | -41.88      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19318           | -35.12      | -13         | Pass    | 8001        |




**18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -72.27      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.43      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 960.274         | -65.09      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -52.1       | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.125        | 22.82       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 3000            | -50.57      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11982           | -41.92      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19450           | -35.15      | -13         | Pass    | 8001        |



**18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.89      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.9       | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 875.518         | -65.14      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1684            | -53.53      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1744.55         | 22.69       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2999            | -50.55      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11985           | -41.83      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19293           | -35.12      | -13         | Pass    | 8001        |






**18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -72.65      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -71.93      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 844.1           | -65.06      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1677            | -53.53      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1744.55         | 22.7        | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 3000            | -50.51      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11989           | -41.86      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19368           | -35.14      | -13         | Pass    | 8001        |




**18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -73.24      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.36      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 868.613         | -65.05      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1680            | -53.52      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1778.75         | 22.85       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2971            | -50.54      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11983           | -41.84      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19371           | -35.13      | -13         | Pass    | 8001        |




**18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72         | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.13      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 966.178         | -65.12      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1678            | -53.52      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1778.75         | 22.25       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2953            | -50.55      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11981           | -41.89      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19346           | -35.18      | -13         | Pass    | 8001        |




**18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.19      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.48      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 994.797         | -65.01      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -50.5       | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.125        | 22.44       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2999            | -50.55      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11979           | -41.92      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19420           | -35.17      | -13         | Pass    | 8001        |




**18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -72.59      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.65      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 816.5           | -65.03      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -50.81      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.125        | 22          | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2981            | -50.58      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11974           | -41.87      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19401           | -35.12      | -13         | Pass    | 8001        |




**18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -72.53      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.31      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 953.969         | -65.11      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1698            | -53.46      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1743.65         | 22.7        | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2997            | -50.51      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11986           | -41.79      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19274           | -35.1       | -13         | Pass    | 8001        |




**18.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -72.37      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -70.96      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 978.386         | -65.12      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1696            | -53.5       | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1743.65         | 22.4        | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2973            | -50.53      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11977           | -41.83      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19336           | -35.13      | -13         | Pass    | 8001        |



**18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -71.88      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.12      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 966.978         | -64.98      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1682            | -53.56      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1777.175        | 22.77       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2998            | -50.44      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11983           | -41.84      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19340           | -35.09      | -13         | Pass    | 8001        |






**18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -72.34      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.4       | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 926.952         | -65.12      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1680            | -53.55      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1777.175        | 21.78       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2970            | -50.52      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11984           | -41.78      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19420           | -35.15      | -13         | Pass    | 8001        |




**18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -71.48      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.31      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 954.37          | -65.03      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -50.71      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.35         | 22.32       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2963            | -50.51      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11974           | -41.87      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19441           | -35.09      | -13         | Pass    | 8001        |




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -72.11      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.25      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 949.967         | -65.15      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -50.82      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.35         | 21.96       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2999            | -50.49      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11978           | -41.81      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19412           | -35.08      | -13         | Pass    | 8001        |




**18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -72.91      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.36      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 979.987         | -64.96      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1697            | -53.46      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1742.75         | 22.77       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2982            | -50.52      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11988           | -41.84      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19302           | -35.11      | -13         | Pass    | 8001        |




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -73.41      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.29      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 969.48          | -65.06      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -53.48      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1742.75         | 21.63       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 3000            | -50.52      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11980           | -41.79      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19331           | -35.06      | -13         | Pass    | 8001        |




**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.014           | -72.5       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.46      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 998.599         | -65.01      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1695            | -53.55      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1775.375        | 22.6        | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2996            | -50.52      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11972           | -41.82      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19322           | -35.11      | -13         | Pass    | 8001        |




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -71.05      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.82      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 847.3           | -64.99      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1680            | -53.54      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1775.375        | 22.27       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2943            | -50.51      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11982           | -41.87      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19369           | -35.1       | -13         | Pass    | 8001        |



**18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -72.3       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.21      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 931.054         | -65.06      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1693            | -41.86      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.575        | 22.57       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2974            | -50.55      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11978           | -41.88      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19396           | -35.14      | -13         | Pass    | 8001        |






**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -72.14      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.42      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 859.607         | -65.1       | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1693            | -42.61      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1710.575        | 22.16       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2997            | -50.47      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11979           | -41.79      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19301           | -35.11      | -13         | Pass    | 8001        |




**18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -72.51      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.94      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 974.583         | -65.12      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -53.42      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1740.5          | 22.79       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2957            | -50.5       | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11976           | -41.84      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19376           | -35.14      | -13         | Pass    | 8001        |




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -73         | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.37      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 995.497         | -65.11      | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1700            | -53.47      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1740.5          | 22.66       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2997            | -50.51      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11984           | -41.89      | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19372           | -35.12      | -13         | Pass    | 8001        |



**18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.015           | -72.57      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.41      | -13         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 987.992         | -65         | -13         | Pass    | 9701        |
| 1000                  | 1700                 | 1         | RMS      | 1697            | -53.53      | -13         | Pass    | 701         |
| 1700                  | 1790                 | 1         | RMS      | 1770.65         | 22.64       | 60          | Pass    | 401         |
| 1790                  | 3000                 | 1         | RMS      | 2999            | -50.58      | -13         | Pass    | 1211        |
| 3000                  | 12000                | 1         | RMS      | 11980           | -41.9       | -13         | Pass    | 9002        |
| 12000                 | 20000                | 1         | RMS      | 19304           | -35.11      | -13         | Pass    | 8001        |



**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -72.44      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.71      | -13         | Pass    | 2986        |