


Agilent



Freq/Channel

Center Freq
 419.590000 MHz

Start Freq
 414.590000 MHz

Stop Freq
 424.590000 MHz


CF Step
 1.00000000 MHz
 Auto Man

Freq Offset
 0.00000000 Hz

Signal Track
 On Off

Scale Type
 Log Lin

Agilent



Freq/Channel

Center Freq
 419.590000 MHz

Start Freq
 414.590000 MHz

Stop Freq
 424.590000 MHz


CF Step
 1.00000000 MHz
 Auto Man

Freq Offset
 0.00000000 Hz

Signal Track
 On Off

Scale Type
 Log Lin

Agilent



Freq/Channel

Center Freq
419.600000 MHz

Start Freq
419.600000 MHz

Stop Freq
419.600000 MHz


CF Step
100.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Scale Type
Log Lin

Agilent



Freq/Channel

Center Freq
419.600000 MHz

Start Freq
419.600000 MHz

Stop Freq
419.600000 MHz

CF Step
100.000000 kHz
Auto Man

Freq Offset
0.00000000 Hz

Signal Track
On Off

Scale Type
Log Lin

Agilent

OH SUNG Model: MX-700UHF RF Remote

Ref -50 dBm

Atten 5 dB


Peak

Log

5

dB/

V1 S2
S3 FC
AA



Center 419.6 MHz

Res BW 100 kHz

#VBW 300 kHz

Sweep 100 ms (401 pts)

Span 0 Hz

Freq/Channel

Center Freq

419.600000 MHz

Start Freq

419.600000 MHz

Stop Freq

419.600000 MHz

CF Step

100.000000 kHz

Auto

Man

Freq Offset

0.00000000 Hz

Signal Track

On

Off

Scale Type

Log

Lin

Agilent

OH SUNG Model: MX-700UHF RF Remote

Ref -50 dBm

Atten 5 dB


Peak

Log

5

dB/

V1 S2
S3 FC
AA



Center 419.6 MHz

Res BW 100 kHz

#VBW 300 kHz

Sweep 100 ms (401 pts)

Span 0 Hz

Freq/Channel

Center Freq

419.600000 MHz

Start Freq

419.600000 MHz

Stop Freq

419.600000 MHz

CF Step

100.000000 kHz

Auto

Man

Freq Offset

0.00000000 Hz

Signal Track

On

Off


Scale Type

Log

Lin

OH SUNG Elect. Model: MX-700UHF
Infrared Remote Control LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-AV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	28.757	32.85	-	-	32.85	48.00	-15.15
2	28.705	32.87	-	-	32.87	48.00	-15.13
3	28.526	32.61	-	-	32.61	48.00	-15.39
4	29.121	32.28	-	-	32.28	48.00	-15.72
5	28.010	31.19	-	-	31.19	48.00	-16.81
6	28.152	32.03	-	-	32.03	48.00	-15.97
7	27.873	30.92	-	-	30.92	48.00	-17.08
8	28.207	31.83	-	-	31.83	48.00	-16.17
9	.450	26.81	-	-	26.81	48.00	-21.19
10	27.709	30.31	-	-	30.31	48.00	-17.69

OH SUNG Elect. Model: MX-700UHF
Infrared Remote Control LINE B

PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Average [dBuV]	QP-AV [dB]	Emission [dBuV]	Limit [dBuV]	Margin [dB]
1	28.621	32.47	-	-	32.47	48.00	-15.53
2	28.854	32.22	-	-	32.22	48.00	-15.78
3	28.238	31.73	-	-	31.73	48.00	-16.27
4	29.006	32.16	-	-	32.16	48.00	-15.84
5	27.550	29.74	-	-	29.74	48.00	-18.26
6	27.966	31.05	-	-	31.05	48.00	-16.95
7	29.234	31.72	-	-	31.72	48.00	-16.28
8	28.083	31.33	-	-	31.33	48.00	-16.67
9	.450	27.19	-	-	27.19	48.00	-20.81
10	29.547	29.98	-	-	29.98	48.00	-18.02