

Page: 1 of 30

FCC CERTIFICATION REPORT

Test Report No. : MW/2019/B0002

Applicant : Compal Electronics, Inc

Address : No.581 & 581-1, Ruiguang Rd., Neihu District, Taipei, (114)

Taiwan

Manufacturer : Compal Electronics, Inc

Address : No.581 & 581-1, Ruiguang Rd., Neihu District, Taipei, (114)

Taiwan

Equipment Under Test (EUT):

Product Name : 5G M.2 Module

Brand Name : Compal Model No. : RXM-G1 Added Model(s) : N/A

Standards : FCC Part 15, Subpart B, Class B

Date of Sample Receipt : Nov. 04, 2019
Date of Test : Dec. 25, 2019
Date of Issue : Jan. 07, 2020

Test Result : PASS

In the configuration tested, the EUT complied with the standards specified above.

Remarks:

SGS

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS Taiwan Electronics & Communication Laboratory or testing done by SGS Taiwan Electronics & Communication Laboratory in connection with distribution or use of the product described in this report must be approved by SGS Taiwan Electronics & Communication Laboratory in writing.

Tested By:

Track Chen

Date

Jan. 07, 2020

Approved By

Frank Chen (Engineer)

Nisely Huang

Date

Jan. 07, 2020

Wisely Huang (Asst. Supervisor)





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Report No.: MW/2019/B0002

Page: 2 of 30

Revision History			
Revision	Description	Issue Date	Remark
00	Original.	Jan. 07, 2020	MW/2019/B0002



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 3 of 30

Contents

1	. GENERAL INFORMATION	4
	1.1 APPLICANT & MANUFACTURER INFORMATION	4
	1.2 GENERAL DESCRIPTION OF EUT	2
	1.3 DETAILS OF EUT	5
	1.4 OPERATION PROCEDURE	6
	1.5 DESCRIPTION OF SUPPORT UNITS	8
	1.6 MODIFICATION LIST	
	1.7 Accessories Cable List	8
	1.8 Test Set-Up Configuration	
	1.9 MEASUREMENT PROCEDURE	ç
	1.10 Standards Applicable for Testing	ç
	1.11 DECISION RULES OF RESULTS	10
	1.12 SUMMARY OF RESULTS	10
	1.13 REPORTING STATEMENTS OF CONFORMITY	
2	2. EMISSION	11
	2.1 Test Results	
	2.1 TEST RESULTS	
	2.3 LIMITS OF CONDUCTED AND RADIATED EMISSION	
	2.3.1 LIMITS OF CONDUCTED AND RADIATED EMISSION	
	2.3.2 LIMITS OF RADIATED EMISSIONS	
	2.4.Test of Conducted Emission	
	2.4.1 TEST OF CONDUCTED EMISSION	
	2.4.2 OPERATING ENVIRONMENT	
	2.4.3 MEASUREMENT LEVEL CALCULATION	
	2.4.4 MEASUREMENT DATA:	
	2.5 TEST OF RADIATED EMISSION	
	2.5.1 TEST EQUIPMENTS	
	2.5.2 OPERATING ENVIRONMENT	
	2.5.3 MEASUREMENT LEVEL CALCULATION	
	2.5.4 MEASUREMENT DATA	
_		
3	B. PHOTOGRAPHS OF TEST	27
1	PHOTOGRAPHS OF PRODUCT	20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



FCC ID: GKRRXMG1

Report No.: MW/2019/B0002

Page: 4 of 30

1. General Information

1.1 Applicant & Manufacturer Information

Applicant : Compal Electronics, Inc

Address of Applicant : No.581 & 581-1, Ruiguang Rd., Neihu District, Taipei,

(114) Taiwan

Manufacturer : Compal Electronics, Inc

Address of Manufacturer: No.581 & 581-1, Ruiguang Rd., Neihu District, Taipei,

(114) Taiwan

1.2 General Description of EUT

Product Name : 5G M.2 Module

Brand Name : Compal

Model No. : RXM-G1

Added Model(s) : N/A Model Difference : N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Report No.: MW/2019/B0002 Page: 5 of 30



1.3 Details of EUT

Power Supply Modes/Function : DC 3.3V (From DC Power Supply.)

: Mode 1. WCDMA Band5 + GPS

Mode 2. LTE Band12 + GPS

Mode 3, 5GNR Band71 + GPS

Mode 4. WCDMA Band5 + GPS + RX Receive

Mode 5, LTE Band12 + GPS + RX Receive

Mode 6. 5GNR Band71 + GPS + RX Receive

Note: The EUT WCDMA, LTE, 5GNR band list as below and according to technical judgement, above band and mode was selected to perform test.

WCDMA: Band 2 / Band 4 / Band 5

LTE: FDD Band 2 / FDD Band 4 / FDD Band 5 / FDD Band 7 / FDD Band 12 / FDD Band 13 / FDD Band 14 / FDD Band 25 / FDD Band 26 / FDD Band 29 / FDD Band 30/ FDD Band 41 / FDD Band 46 / FDD Band

48/ FDD Band 66 / FDD Band 71

5GNR: FDD n Band 2 / FDD n Band 5 / FDD n Band 41 /

FDD n Band 66 / FDD n Band 71

CE Worst case Worst case

N/A (The EUT power from DC battery not apply for conducted emission

test.)

Below_RE_Worst _case Mode 3 5GNR Band71 + GPS

Mode 4 WCDMA Band5 + GPS + RX

Receive

Mode 5 LTE Band12 + GPS + RX

Receive

Mode 6 5GNR Band71 + GPS + RX

Receive"

Above RE Worst case Mode 3 5GNR Band71 + GPS

Highest internal frequency

: 2.6 GHz

Adapter

: N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Report No.: MW/2019/B0002

Page: 6 of 30

1.4 Operation Procedure

Mode 1

- 1. The sample install the SIM card and place it on the test table, and connect the DC power supply.
- 2. Set up a 3G base station.
- Confirm that the sample is connected to the 3G base station.
- 4. Set up a GPS simulator.
- 5. Make sure the sample is connected to the GPS simulator.
- 6. Test.

Mode 2

- 1. The sample install the SIM card and place it on the test table, and connect the DC power supply.
- 2. Set up a 4G base station.
- 3. Confirm that the sample is connected to the 4G base station.
- 4. Set up a GPS simulator.
- 5. Make sure the sample is connected to the GPS simulator.
- 6. Test.

Mode 3

- 1. The sample install the SIM card and place it on the test table, and connect the DC power supply.
- 2. Set up a 5G base station.
- 3. Confirm that the sample is connected to the 5G base station.
- 4. Set up a GPS simulator.
- 5. Make sure the sample is connected to the GPS simulator.
- 6. Test.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Report No.: MW/2019/B0002

Page: 7 of 30

Mode 4

- 1. The sample install the SIM card and place it on the test table, and connect the DC power supply.
- 2. Set up a 3G base station.
- 3. Confirm that the sample is connected to the 3G base station.
- 4. Set up a GPS simulator.
- 5. Make sure the sample is connected to the GPS simulator.
- 6. Test.

Mode 5

- 1. The sample install the SIM card and place it on the test table, and connect the DC power supply.
- 2. Set up a 4G base station.
- 3. Confirm that the sample is connected to the 4G base station.
- 4. Set up a GPS simulator.
- 5. Make sure the sample is connected to the GPS simulator.
- 6. Test.

Mode 6

- 1. The sample install the SIM card and place it on the test table, and connect the DC power supply.
- 2. Set up a 5G base station.
- 3. Confirm that the sample is connected to the 5G base station.
- 4. Set up a GPS simulator.
- 5. Make sure the sample is connected to the GPS simulator.
- 6. Test.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Report No.: MW/2019/B0002 Page: 8 of 30



1.5 Description of Support Units

PRODUCT	MANUFACTURER	MODEL NO.	SERIAL NO.
GPS Signal Generator	ADIVIC	PAR38	MP9100090021
5G KEYSIGHT	KEYSIGHT	UXM5G Base	E7515E
Communication Tester	Anritsu	MT8820C	620146315
DC Power Supply	Chroma	41901	7771888
SIM Card	Anritsu/Keysight	N/A	N/A
Fixture board (by customer)	N/A	N/A	N/A

Support Equipment Used in Tested Cable

Cable Type	Core	Length	Shielding/Non-shielding
DC Power Cable	N/A	1.0 M	Non-shielding


1.6 Modification List

No modification was made by SGS Taiwan Electronics & Communication Laboratory.

1.7 Accessories Cable List

Cable Type	Core	Length	Shielding/Non-shielding
N/A	N/A	N/A	Non-shielding

1.8 Test Set-Up Configuration



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Report No.: MW/2019/B0002

Page: 9 of 30

1.9 Measurement Procedure

Conducted Emission Testing was performed according to ANSI C63.4:2014 in a shielded room with peripherals placed on a table, 0.8m high over a metal floor. It was located more than required distance away from the shielded room wall.

Radiated Emission Testing was performed according to ANSI C63.4:2014 at the 3/10m semi-anechoic chamber. The EUT was placed on a 0.8m high table along with the peripherals. The turn table was placed 10m distance from the antenna. Cables were placed in a position to produce maximum emissions as determined by experimentation, and operation mode was selected for production of maximum emission.

The frequencies and amplitudes of maximum emission were measured at varying azimuths, antenna heights and antenna polarities. Maximum emission levels are then reported.

1.10 Standards Applicable for Testing

Tests to be carried out under FCC Part 15. Subpart B/CISPR 22

	- ,
Test Standards	Status
FCC Part 15, Subpart B/ CISPR 22	Applicable
Deviation from Standard	No deviation

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Report No.: MW/2019/B0002

Page: 10 of 30

1.11 Decision Rules of Results

Reported measurement data comply with ANSI C63.4:2014

Determining compliance shall be based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.

1.12 Summary of Results

Highest Emission					
Standard	Test Type	Result	Phase/Pol.	Frequency(MHz)	Margin(dB)
FCC Part 15 Subpart B	Conducted Emission	N/A	Line	N/A	N/A
			Neutral	N/A	N/A
Class B	Radiated Emission	PASS	Hor.	17405.3400	-3.99 (AVG)

1.13 Reporting Statements of Conformity

The conformity statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

prosecuted to the fullest extent of the law.



FCC ID: GKRRXMG1 Report No.: MW/2019/B0002

Page: 11 of 30

2. EMISSION

2.1 Test Results

	Results
Conducted Emission	N/A
Radiated Emission	Pass

2.2 Frequency Range

FCC Part 15, Subpart B:

Conducted Emission : 150 kHz - 30 MHz Radiated Emission : See below table

Highest frequency generated or Upper frequency of measurement used in the device or on which the range (MHz)

device operates or tunes (MHz)

Below 1.705 30 1.705 - 1081000 108 - 500 2000 500 - 1000 5000

5th harmonic of the highest frequency or Above 1000

40 GHz, whichever is lower

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 12 of 30



2.3 Limits of Conducted and Radiated Emission

2.3.1 Limits of Conducted Emission

FCC Part 15. Subpart B/CISPR 22:

FREQUENCY	Class A (dBuV)		Class B (dBuV)	
(MHz)	Quasi - peak	Average	Quasi - peak	Average
0.15 - 0.5	79	66	66 - 56	56 - 46
0.50 - 5.0	73	60	56	46
5.0 - 30.0	73	60	60	50

Note: (1) The lower limit shall apply at the transition frequencies.

- (2) The limit decreases linearly with the logarithm of the frequency in the range 0.15 to 0.50 MHz.
- (3) All emanation from a class A/B digital device or system, including any network of conductors and apparatus connected there to, shall not exceed the level of field strengths specified above.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Report No.: MW/2019/B0002

Page: 13 of 30

2.3.2 Limits of Radiated Emissions

FCC Part 15, Subpart B Limit:

Detector Function : Quasi – Peak

Bottotto Fariotici Cador Foak				
FREQUENCY Class A (at 10m		Class B (at 3m)		
(MHz)	dBuV/m	dBuV/m		
30~88	39	40		
88~216	43.5	43.5		
216~960	46.44	46		
Above 960	49.54	54		

Detector Function: Peak, Average

		•		
FREQUENCY	Class A (dBuV/m) (at 3m)		Class B (dBuV/m) (at 3m)	
(MHz)	Peak	Average	Peak	Average
Above 1000-18000	79.3	59.3	73.9	53.9

CISPR 22 Limit:

Detector Function: Quasi - Peak

FREQUENCY	Class A (at 10m)	Class B (at 10m)
(MHz) dBuV/m		dBuV/m
30-230	40	30
230-1000	47	37

NOTE 1 The lower limit shall apply at the transition frequency.

NOTE 2 Additional provisions may be required for cases where interference occurs.

FREQUENCY	Class A (dB	suV/m) (at 3m)	Class B (dB	uV/m) (at 3m)
(GHz)	Average	Peak	Average	Peak
1~3	56	76	50	70
3~6	60	80	54	74

NOTE The lower limit applies at the transition frequency.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: MW/2019/B0002

Page: 14 of 30

2.4.Test of Conducted Emission

2.4.1 Test Equipments

SGS Conducted_Emission WuKu Conducted Room_EMC										
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due					
EMI Test Receiver	R&S	ESCI 3	100335	2019/2/12	2020/2/11					
Coaxial Cables	N/A	WK CE Cable	N/A	2019/11/26	2020/11/25					
LISN	SCHWARZBECK	NSLK 8127	8127-649	2019/6/3	2020/6/2					
LISN	Rolf-Heine	NNB-2/16Z	99013	2019/12/26	2020/12/25					
Test Software	Farad	EZ-EMC	Ver. SGS-03A2-3	N.C.R.	N.C.R.					
		•	000.0							

SGS Taiwan LTD. Electronics & Communication Laboratory

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan

Measurement Uncertainty of Conducted Emission

Expanded uncertainty (Ulab K=2) of conducted emission is 2.32 dB.

Theory values uncertainty Ucispr 16-4-2 :2011+A1_2014 (K=2) of AC mains conducted Emission is 3.44dB

2.4.2 Operating Environment

Temperature : N/A degree C Humidity : N/A %RH

Atmospheric Pressure: N/A mBar

2.4.3 Measurement Level Calculation

Factor = LISN insertion loss + Cable loss

Measurement Level = Reading Level + Factor

Over (Margin) = Measurement Level - Limit

2.4.4 Measurement Data:

N/A, the EUT power from DC Power Supply, not apply for conducted emission test.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Report No.: MW/2019/B0002

Page: 15 of 30

2.5 Test of Radiated Emission

2.5.1 Test Equipments

Below 1GHz

	CIOW I OI IZ				
	SGS	Radiated_Below_10	GHz WuKu 966-2_E	MC	
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
EMI Test Receiver	R&S	ESCI 7	100760	2019/6/21	2020/6/20
Broadband Antenna	SCHWAZBECK	VULB9168	VULB9168-298	2019/12/12	2020/12/11
Pre Amplifier	HP	8447D	1937A02748	2019/10/1	2020/9/30
Coaxial Cable	Huber+Suhner	SUCCOFLEX 104- 02	966 II	2019/11/26	2020/11/25
Notch Filter (900)	MICRO-TRONICS	BRM50706	006	2019/11/26	2020/11/25
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.
Controller	MF	MF7802	N/A	N.C.R.	N.C.R.
Site NSA	Chamost	966II Chamber	N/A	2019/12/21	2020/12/20
Test Software	Farad	EZ-EMC	Ver. SGS-03A2-3	N.C.R.	N.C.R.

SGS Taiwan LTD. Electronics & Communication Laboratory

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan Measurement Uncertainty of Radiated Emission

Expanded uncertainty Ulab (k=2) of radiated emission measurement is 4.69 dB. (30-1000MHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of radiated emission is 5.26 dB. (30MHz ~ 1000MHz)


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

極等力有就男,此報告結果運到測試之極如具具,同時此極如僅体留別人。本報告未經本公司音曲計可,不可能切換製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format

This occurrient is sissued by the Company Subject to its General Conditions for Service printed overlear, available or request or accessine at http://www.sgs.com.wv/emrs-and-Conditions. Attention of liebility, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 16 of 30



Above 1GHz

	SGS F	Radiated_Above_10	GHz WuKu 966-2_EM	С	
EQUIPMENT TYPE	Manufacturer	Model Number	Serial Number	Calibration Date	Calibration Due
EMI Test Receiver	R&S	ESCI 7	100760	2019/6/21	2020/6/20
Spectrum Analyzer	R&S	FSV 40	101385	2019/11/12	2020/11/11
Horn Antenna	SCHWARZBECK	BBHA9120D	BBHA9120D309	2019/1/16	2020/1/15
Pre Amplifier	EMC Instruments Corp.	EMC012645B	980226	2019/10/30	2020/10/29
Pre Amplifier	EM Electronics Corp.	EM26400	971576	2019/10/2	2020/10/1
Coaxial Cable	Huber+Suhner	SUCCOFLEX 104PEA	966 II	2019/11/26	2020/11/25
Notch Filter (900)	MICRO-TRONICS	BRM50706	006	2019/11/26	2020/11/25
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.
Controller	MF	MF7802	N/A	N.C.R.	N.C.R.
Site NSA	Chamost	966II Chamber	N/A	2019/12/21	2020/12/20
Test Software	Farad	EZ-EMC	Ver. SGS-03A2-3	N.C.R.	N.C.R.

SGS Taiwan LTD. Electronics & Communication Laboratory

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan

Measurement Uncertainty of Radiated Emission

Expanded uncertainty Ulab (k=2) of radiated emission measurement is 5.04 dB. (1-6GHz)

Expanded uncertainty Ulab (k=2) of radiated emission measurement is 5.20 dB. (6-18GHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of radiated emission measurement is 5.18 dB.(1-6GHz)

Theory values uncertainty Ucispr 16-4-2:2011+A1:2014 (K=2) of radiated emission measurement is 5.48 dB.(6-18GHz)

2.5.2 Operating Environment

Temperature: 23 degree C Humidity: 57 %RH

Atmospheric Pressure: 996 mBar

2.5.3 Measurement Level Calculation

Correction Factor = Antenna Factor + Cable loss- Amplifier Gain+ Notch Filter Measurement Level = Reading Level + Correction Factor Over (Margin) = Measurement Level – Limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

脉形力角就势,此報告端未進到測試之脉面具具,问时此脉面里床留兜人。本報告未經本公司音曲計可,不可能切核聚。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format

occuments, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Report No.: MW/2019/B0002

Page: 17 of 30

2.5.4 Measurement Data

Below 1GHz

Model No.:RXM-G1 Mode_3_H

Site: 966-2 Chamber Date: 2019-12-25 Time: 15:16:29 FCC Class B 3M Radiation Polarization: Horizontal Temperature: 23 ℃ I imit Mode: Mode 3 Power: DC 3.3V Humidity: 57 %RH Report: MW-2019-B0002 Distance: 3 m Air Pressure: 1015 hpa Tester: Frank Chen Note: N56-DV-08 SGS Taiwan Ltd.-Electronics & Communication Laboratory, Address, No.134, Wu Kung Rd., New Taipel Ind. Park, Wuku Dist., New Taipel City, dBuV/m FCC Class B 3M Radiation 30.000 127.00 224 00 321 00 418 00 515 00 612 00 709.00 806 00 1000.00 MHz

NI-	lo. IMk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Comment
INO.	IVIK	(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	Detector	Comment
1		36.6900	23.10	-7.70	15.40	40.00	-24.60	QP	
2		138.7600	24.50	-6.99	17.51	43.50	-25.99	QP	
3	*	917.4500	23.50	5.77	29.27	46.00	-16.73	QP	
4		949.4400	22.90	6.08	28.98	46.00	-17.02	QP	
5		982.3700	22.30	6.63	28.93	54.00	-25.07	QP	
6		987.3100	23.20	6.59	29.79	54.00	-24.21	QP	

*:Maximum data x:Over limit !:over margin

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有论明,但想象结果都是为什么可能的。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 18 of 30



Mode_3_V



NI-	lo. Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detection	0-11-11
NO.	IVIK	(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	Detector	Comment
1		50.5500	21.80	-6.45	15.35	40.00	-24.65	QP	
2		144.5800	21.50	-6.51	14.99	43.50	-28.51	QP	
3		896.1700	24.40	5.16	29.56	46.00	-16.44	QP	
4	*	926.2400	24.60	5.80	30.40	46.00	-15.60	QP	
5		950.8100	23.90	6.08	29.98	46.00	-16.02	QP	
6		964.3100	24.10	6.37	30.47	54.00	-23.53	QP	

515.00

612.00

709.00

806.00

1000.00 MHz

418.00

*: Maximum data x:Over limit !:over margin

127.00

224.00

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



FCC ID: GKRRXMG1

Report No.: MW/2019/B0002

Page: 19 of 30



966-2 Chamber Date: 2019-12-25 Time: 13:42:22 Site: Limit: FCC Class B 3M Radiation Polarization: Horizontal Temperature: 23 ℃ Power: DC 3.3V Mode: Mode_4 Humidity: 57 %RH Report: MW-2019-B0002 Distance: 3 m Air Pressure: 1015 hpa Tester: Frank Chen

N56-DV-08

SGS Taiwan Ltd.-Electronics & Communication Laboratory, Address, No.134, Wu Kung Rd., New Taipei Ind. Park, Wuku Dist., New Taipei City,



ir.	 o. IMk —— 	Freq.	Reading	Factor	Measurement	Limit	Over	Detection	Comment
No.	IVIK	(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	Detector	
1		52.5100	21.20	-6.60	14.60	40.00	-25.40	QP	
2		150.4800	21.50	-6.40	15.10	43.50	-28.40	QP	
3		887.3400	22.60	5.05	27.65	46.00	-18.35	QP	
4	*	910.8800	23.50	5.39	28.89	46.00	-17.11	QP	
5		961.3600	22.90	6.27	29.17	54.00	-24.83	QP	
6		990.6500	23.30	6.57	29.87	54.00	-24.13	QP	

*: Maximum data x:Over limit !:over margin

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 20 of 30



Mode 4 V



NI-	NAI-	Freq.	Reading	Factor	Measurement	Limit	Over	Name	Comment
No.	Mk -	(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	Detector	Comment
1		36.6900	22.30	-7.70	14.60	40.00	-25.40	QP	
2		164.9900	21.60	-6.15	15.45	43.50	-28.05	QP	
3		886.6900	23.30	5.03	28.33	46.00	-17.67	QP	
4		912.5800	22.50	5.50	28.00	46.00	-18.00	QP	
5	*	955.5400	22.90	6.07	28.97	46.00	-17.03	QP	
6		978.7400	23.10	6.67	29.77	54.00	-24.23	QP	

515.00

612.00

709.00

806.00

1000.00 MHz

*: Maximum data x:Over limit !:over margin

127.00

224.00

321.00

418.00

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.



Page: 21 of 30



Mode_5_H



NIa	NAL	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Comment
No.	Mk -	(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	Detector	Conment
1		50.5300	21.60	-6.45	15.15	40.00	-24.85	QP	
2		166.9300	20.60	-6.22	14.38	43.50	-29.12	QP	
3		890.5300	23.30	5.12	28.42	46.00	-17.58	QP	
4		923.5900	22.50	5.82	28.32	46.00	-17.68	QP	
5	*	950.6700	23.10	6.09	29.19	46.00	-16.81	QP	
6		977.7900	23.60	6.68	30.28	54.00	-23.72	QP	

515.00

612.00

709.00

806.00

1000.00 MHz

*: Maximum data x:Over limit !:over margin

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

30.000

127.00

224.00


321.00

418.00



Page: 22 of 30

Mode_5_V



NIa	NAL	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Commont
No.	Mk -	(MHz)	dz) (dBuV) (dE	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	Detector	Comment
1		36.6600	24.90	-7.70	17.20	40.00	-22.80	QP	
2		169.5000	21.50	-6.25	15.25	43.50	-28.25	QP	
3		861.5100	23.40	4.27	27.67	46.00	-18.33	QP	
4		901.1200	23.60	5.18	28.78	46.00	-17.22	QP	
5	*	925.4300	23.30	5.80	29.10	46.00	-16.90	QP	
6		973.8100	24.10	6.66	30.76	54.00	-23.24	QP	

515.00

612.00

709.00

806.00

1000.00 MHz

*: Maximum data x:Over limit !:over margin

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

0.0

127.00

224.00

321.00

418.00




Page: 23 of 30



Mode_6_H

966-2 Chamber Date: 2019-12-25 Time: 15:04:52 Site: Limit: FCC Class B 3M Radiation Polarization: Horizontal Temperature: 23 ℃ Power: DC 3.3V Mode: Mode_6 Humidity: 57 %RH Report: MW-2019-B0002 Distance: 3 m Air Pressure: 1015 hpa Tester: Frank Chen N56-DV-08 SGS Taiwan Ltd.-Electronics & Communication Laboratory, Address, No.134, Wu Kung Rd., New Taipei Ind. Park, Wuku Dist., New Taipei City, dBuV/m FCC Class B 3M Radiation



No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Datasta	Comment
NO.	IVIK	(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	Detector	Comment
1		48.6100	21.80	-6.53	15.27	40.00	-24.73	QP	
2		162.2000	21.40	-6.26	15.14	43.50	-28.36	QP	
3		856.3600	22.40	4.41	26.81	46.00	-19.19	QP	
4		891.4600	22.60	5.14	27.74	46.00	-18.26	QP	
5	*	928.2400	22.70	5.81	28.51	46.00	-17.49	QP	
6		992.3800	23.10	6.55	29.65	54.00	-24.35	QP	

*: Maximum data x:Over limit !:over margin

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



FCC ID: GKRRXMG1

Report No.: MW/2019/B0002

Page: 24 of 30



966-2 Chamber Date: 2019-12-25 Time: 14:59:41 Site: Limit: FCC Class B 3M Radiation Polarization: Vertical Temperature: 23 ℃ Power: DC 3.3V Mode: Mode_6 Humidity: 57 %RH Report: MW-2019-B0002 Distance: 3 m Air Pressure: 1015 hpa Tester: Frank Chen

N56-DV-08

SGS Taiwan Ltd.-Electronics & Communication Laboratory, Address, No.134, Wu Kung Rd., New Taipei Ind. Park, Wuku Dist., New Taipei City,



NT-	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Comment
No.	IVIK	(MHz)	(dBuV)	(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	Detector	Comment
1		52.0900	21.60	-6.60	15.00	40.00	-25.00	QP	
2		163.7400	21.50	-6.16	15.34	43.50	-28.16	QP	
3		884.4500	23.30	4.98	28.28	46.00	-17.72	QP	
4		909.9300	23.40	5.34	28.74	46.00	-17.26	QP	
5	*	952.5700	23.80	6.09	29.89	46.00	-16.11	QP	
6		971.7900	23.10	6.60	29.70	54.00	-24.30	QP	

*: Maximum data x:Over limit !:over margin

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 25 of 30

Above 1GHz

Model No.:RXM-G1 Mode 3 H

Site: 966-2 Chamber Date: 2019-12-25 Time: 15:55:17 FCC Class B 3M Radiation(1G-40G)(Pea Limit: Polarization: Horizontal Temperature: 23 ℃ Mode_3 Power: DC 3.3V Mode: Humidity: 57 %RH Report: MW-2019-B0002 Distance: 3 m Air Pressure: 1015 hpa Tester: Frank Chen Note: N56-DV-08 SGS Taiwan Ltd -Electronics & Communication Laboratory Address. No.134, Wu Kung Rd., New Taipei Ind. Park, Wuku Dist., New Taipei City, dBuV/m FCC Class B 3M Radiation(1G-40G)[Pea 1000.000 2700.00 4400.00 6100.00 7800.00 9500.00 11200.00 12900.00 14600.00 18000.00 MHz

No.	Mk	Freq. (MHz)	Reading (dBuV)	Factor (dB/m)	Measurement (dBuV/m)	Limit (dBuV/m)	Over (dB)	8.000	Comment
								Detector	
1		13626.280	39.15	7.20	46.35	54.00	-7.65	AVG	
2		13631.000	51.08	7.21	58.29	74.00	-15:71	peak	
3		14124.000	49.31	8.52	57.83	74.00	-16.17	peak	
4		14128.230	38.78	8.54	47.32	54.00	-6.68	AVG	
5		14556.010	38.16	8.83	46.99	54.00	-7.01	AVG	
6		14566.000	50.14	8.85	58.99	74.00	-15.01	peak	
7		16249.000	49.75	7.09	56.84	74.00	-17.16	peak	
8		16249.260	38.58	7.09	45.67	54.00	-8.33	AVG	
9	-	17405.000	47.19	11.00	58.19	74.00	-15.81	peak	
10	*	17405.340	39.01	11.00	50.01	54.00	-3.99	AVG	
11		17592.000	48.28	12.70	60.98	74.00	-13.02	peak	
12		17596.190	37.26	12.74	50.00	54.00	-4.00	AVG	

^{*:}Maximum data x:Over limit !:over margin

Page: 1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format

documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 26 of 30

Mode 3 V

966-2 Chamber Date: 2019-12-25 Time: 15:43:08 Site: Limit: FCC Class B 3M Radiation(1G-40G)(Pea Polarization: Vertical Temperature: 23 ℃ Power: DC 3.3V Mode: Mode_3 Humidity: 57 %RH Report: MW-2019-B0002 Distance: 3 m Air Pressure: 1015 hpa Tester: Frank Chen N56-DV-08



No.	Mk	Freq. (MHz)	Reading (dBuV)	Factor (dB/m)	Measurement (dBuV/m)	Limit (dBuV/m)	Over (dB)	Detector	Comment
2		11965.000	54.87	6.03	60.90	74.00	-13:10	peak	
3		13842.010	38.11	7.98	46.09	54.00	-7.91	AVG	
4		13852.000	53.24	8.01	61.25	74.00	-12.75	peak	
5		14617.000	50.44	8.97	59.41	74.00	-14.59	peak	
6		14626.610	38.47	8.98	47.45	54.00	-6.55	AVG	
7		15790.000	49.05	6.22	55.27	74.00	-18.73	peak	
8		15790.790	38.93	6.22	45.15	54.00	-8.85	AVG	
9		16317,000	49.33	7.39	56.72	74.00	-17.28	peak	
10		16322.190	38.59	7.40	45.99	54.00	-8.01	AVG	
11		17609.000	45.51	12.84	58.35	74.00	-15.65	peak	
12	*	17618.490	37.06	12.89	49.95	54.00	-4.05	AVG	

*:Maximum data x:Over limit !:over margin

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 27 of 30




3. Photographs of Test

RE Testing Set-up
Below 1GHz

Model No.:RXM-G1





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 28 of 30




Above 1GHz

Model No.:RXM-G1

Mode 3 +





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.




Page: 29 of 30




4. Photographs of Product

Exterior

Model No.:RXM-G1 **O01**








Offices otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 30 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 30 of 30







** End of Report **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. prosecuted to the fullest extent of the law.