

EUT Appearance Report No.: R2211A1050

## **EUT Appearance**

| EUT Accessory          |  |                   |          |
|------------------------|--|-------------------|----------|
| Accessory              | Model Name                                   | <b>Brand Name</b> | Factory  |
| Adapter 1              | MDY-09-EQ                                    | MI                | Chenyang |
| Adapter 2              | MDY-09-EQ                                    | MI                | Aohai    |
| Battery 1              | BN56   | MI                | SUNWODA  |
| Battery 2              | BN56   | MI                | GUANYU   |
| Battery 3              | BN5F   | MI                | SUNWODA  |
| Battery 4              | BN5F   | MI                | GUANYU   |
| Earphone               | EM023  | MI                | Tiinlab  |
| USB Cable 1            | H52210                                       | MI                | DEHONG   |
| USB Cable 2            | B52210                                       | MI                | FUHONG   |
| EUT Description        |  |                   |          |
| Power Supply           | Battery / AC adapter                         |                   |          |
| Power Rating           | DC 3.85V from battery or DC 5V from Adapter. |                   |          |
| Connecting I/O Port(s) | Please refer to the User's Manual.           |                   |          |

<sup>1.</sup> There is more than one USB cable/Battery/Adapter/Memory, each one should be applied throughout the compliance test respectively, and however, only the worst case (USB cable 1/ Adapter 4/Battery 3/ 2G+32G) will be recorded in this report.



Report No.: R2211A1050






















a: EUT



Report No.: R2211A1050





b: Adapter







c:Earphone



d: USB Cable

Picture 1: Constituents of EUT