

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	PK	10.63732G	58.91	74.00	-15.09	3	Vertical	3	1.66	-
5320MHz	Pass	PK	15.96996G	59.03	74.00	-14.97	3	Vertical	233	1.50	-
5320MHz	Pass	PK	21.2755G	54.62	74.00	-19.38	3	Vertical	6	1.50	-
5320MHz	Pass	AV	10.63724G	45.72	54.00	-8.28	3	Horizontal	311	1.77	-
5320MHz	Pass	AV	15.9636G	45.31	54.00	-8.69	3	Horizontal	126	1.64	-
5320MHz	Pass	AV	21.28324G	36.79	54.00	-17.21	3	Horizontal	19	1.85	-
5320MHz	Pass	PK	10.637G	59.92	74.00	-14.08	3	Horizontal	311	1.77	-
5320MHz	Pass	PK	15.96104G	59.19	74.00	-14.81	3	Horizontal	126	1.64	-
5320MHz	Pass	PK	21.2815G	52.74	74.00	-21.26	3	Horizontal	19	1.85	-
5500MHz	Pass	AV	5.457G	44.86	54.00	-9.14	3	Vertical	77	2.07	-
5500MHz	Pass	AV	5.5032G	98.17	Inf	-Inf	3	Vertical	77	2.07	-
5500MHz	Pass	PK	5.47G	58.44	68.20	-9.76	3	Vertical	77	2.07	-
5500MHz	Pass	PK	5.5026G	111.69	Inf	-Inf	3	Vertical	77	2.07	-
5500MHz	Pass	AV	5.4598G	45.97	54.00	-8.03	3	Horizontal	307	1.90	-
5500MHz	Pass	AV	5.507G	107.90	Inf	-Inf	3	Horizontal	307	1.90	-
5500MHz	Pass	PK	5.4682G	66.91	68.20	-1.29	3	Horizontal	307	1.90	-
5500MHz	Pass	PK	5.5054G	120.64	Inf	-Inf	3	Horizontal	307	1.90	-
5500MHz	Pass	AV	10.99788G	44.65	54.00	-9.35	3	Vertical	9	1.62	-
5500MHz	Pass	PK	10.99732G	58.84	74.00	-15.16	3	Vertical	9	1.62	-
5500MHz	Pass	PK	16.50524G	62.80	68.20	-5.40	3	Vertical	290	2.63	-
5500MHz	Pass	PK	21.99472G	44.82	68.20	-23.38	3	Vertical	8	1.19	-
5500MHz	Pass	AV	10.99768G	45.40	54.00	-8.60	3	Horizontal	304	1.69	-
5500MHz	Pass	PK	10.99792G	59.24	74.00	-14.76	3	Horizontal	304	1.69	-
5500MHz	Pass	PK	16.50212G	62.15	68.20	-6.05	3	Horizontal	360	1.66	-
5500MHz	Pass	PK	21.99226G	44.13	68.20	-24.07	3	Horizontal	7	1.84	-
5580MHz	Pass	AV	5.4528G	45.47	54.00	-8.53	3	Vertical	337	2.60	-
5580MHz	Pass	AV	5.5782G	103.54	Inf	-Inf	3	Vertical	337	2.60	-
5580MHz	Pass	PK	5.4654G	58.29	68.20	-9.91	3	Vertical	337	2.60	-
5580MHz	Pass	PK	5.5782G	114.07	Inf	-Inf	3	Vertical	337	2.60	-
5580MHz	Pass	PK	5.7288G	58.07	68.20	-10.13	3	Vertical	337	2.60	-
5580MHz	Pass	AV	5.4558G	46.53	54.00	-7.47	3	Horizontal	306	1.93	-
5580MHz	Pass	AV	5.5728G	109.83	Inf	-Inf	3	Horizontal	306	1.93	-
5580MHz	Pass	PK	5.4636G	58.58	68.20	-9.62	3	Horizontal	306	1.93	-
5580MHz	Pass	PK	5.5728G	119.94	Inf	-Inf	3	Horizontal	306	1.93	-
5580MHz	Pass	PK	5.7252G	58.28	68.20	-9.92	3	Horizontal	306	1.93	-
5580MHz	Pass	AV	11.162G	49.64	54.00	-4.36	3	Vertical	4	2.40	-
5580MHz	Pass	AV	22.32102G	42.83	54.00	-11.17	3	Vertical	15	1.38	-
5580MHz	Pass	PK	11.16292G	62.74	74.00	-11.26	3	Vertical	4	2.40	-
5580MHz	Pass	PK	16.73912G	65.10	68.20	-3.10	3	Vertical	40	3.00	-
5580MHz	Pass	PK	22.32138G	56.60	74.00	-17.40	3	Vertical	15	1.38	-
5580MHz	Pass	AV	11.15996G	49.86	54.00	-4.14	3	Horizontal	319	2.57	-
5580MHz	Pass	AV	22.32132G	37.56	54.00	-16.44	3	Horizontal	2	1.50	-
5580MHz	Pass	PK	11.16044G	63.19	74.00	-10.81	3	Horizontal	319	2.57	-
5580MHz	Pass	PK	16.73704G	67.31	68.20	-0.89	3	Horizontal	358	2.89	-
5580MHz	Pass	PK	22.32138G	52.89	74.00	-21.11	3	Horizontal	2	1.50	-
5700MHz	Pass	AV	5.6992G	98.94	Inf	-Inf	3	Vertical	-0	1.00	-
5700MHz	Pass	PK	5.7008G	111.95	Inf	-Inf	3	Vertical	-0	1.00	-
5700MHz	Pass	PK	5.7308G	60.08	68.20	-8.12	3	Vertical	-0	1.00	-
5700MHz	Pass	AV	5.6924G	106.12	Inf	-Inf	3	Horizontal	317	2.72	-
5700MHz	Pass	PK	5.692G	118.43	Inf	-Inf	3	Horizontal	317	2.72	-
5700MHz	Pass	PK	5.73G	67.69	68.20	-0.51	3	Horizontal	317	2.72	-
5700MHz	Pass	AV	11.40004G	44.26	54.00	-9.74	3	Vertical	26	1.46	-
5700MHz	Pass	AV	22.79988G	30.84	54.00	-23.16	3	Vertical	360	1.32	-
5700MHz	Pass	PK	11.40588G	56.17	74.00	-17.83	3	Vertical	26	1.46	-
5700MHz	Pass	PK	17.10968G	64.20	68.20	-4.00	3	Vertical	270	1.80	-
5700MHz	Pass	PK	22.8G	43.33	74.00	-30.67	3	Vertical	360	1.32	-
5700MHz	Pass	AV	11.39124G	44.17	54.00	-9.83	3	Horizontal	309	1.65	-
5700MHz	Pass	AV	22.79994G	30.13	54.00	-23.87	3	Horizontal	349	1.70	-
5700MHz	Pass	PK	11.39208G	59.19	74.00	-14.81	3	Horizontal	309	1.65	-
5700MHz	Pass	PK	17.09424G	64.55	68.20	-3.65	3	Horizontal	202	1.66	-
5700MHz	Pass	PK	22.79214G	42.24	74.00	-31.76	3	Horizontal	349	1.70	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4416G	45.16	54.00	-8.84	3	Vertical	353	2.84	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	107.10	Inf	-Inf	3	Vertical	353	2.84	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	56.38	68.20	-11.82	3	Vertical	353	2.84	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.72G	119.17	Inf	-Inf	3	Vertical	353	2.84	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9048G	58.23	68.20	-9.97	3	Vertical	353	2.84	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	45.65	54.00	-8.35	3	Horizontal	319	1.70	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	112.37	Inf	-Inf	3	Horizontal	319	1.70	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	57.47	68.20	-10.73	3	Horizontal	319	1.70	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	124.49	Inf	-Inf	3	Horizontal	319	1.70	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.864G	59.28	68.20	-8.92	3	Horizontal	319	1.70	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44104G	49.32	54.00	-4.68	3	Vertical	1	1.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	22.8863G	37.69	54.00	-16.31	3	Vertical	360	1.67	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43988G	62.26	74.00	-11.74	3	Vertical	1	1.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16228G	66.65	68.20	-1.55	3	Vertical	21	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	22.88822G	51.52	74.00	-22.48	3	Vertical	360	1.67	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44296G	50.07	54.00	-3.93	3	Horizontal	10	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	22.88906G	40.38	54.00	-13.62	3	Horizontal	12	1.70	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4424G	64.54	74.00	-9.46	3	Horizontal	10	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1568G	66.81	68.20	-1.39	3	Horizontal	320	2.69	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	22.86896G	55.16	74.00	-18.84	3	Horizontal	12	1.70	-
802.11ax HEW40_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2716G	102.46	Inf	-Inf	3	Vertical	355	2.99	-
5270MHz	Pass	AV	5.3516G	47.19	54.00	-6.81	3	Vertical	355	2.99	-
5270MHz	Pass	PK	5.272G	114.66	Inf	-Inf	3	Vertical	355	2.99	-
5270MHz	Pass	PK	5.35G	60.27	74.00	-13.73	3	Vertical	355	2.99	-
5270MHz	Pass	AV	5.2672G	105.51	Inf	-Inf	3	Horizontal	312	3.00	-
5270MHz	Pass	AV	5.35G	53.80	54.00	-0.20	3	Horizontal	312	3.00	-
5270MHz	Pass	PK	5.2676G	118.80	Inf	-Inf	3	Horizontal	312	3.00	-
5270MHz	Pass	PK	5.35G	67.98	74.00	-6.02	3	Horizontal	312	3.00	-
5270MHz	Pass	AV	15.81744G	44.65	54.00	-9.35	3	Vertical	120	1.50	-
5270MHz	Pass	AV	21.08228G	41.16	54.00	-12.84	3	Vertical	1	1.78	-
5270MHz	Pass	PK	10.55616G	56.96	68.20	-11.24	3	Vertical	4	1.89	-
5270MHz	Pass	PK	15.80064G	58.43	74.00	-15.57	3	Vertical	120	1.50	-
5270MHz	Pass	PK	21.0827G	57.30	74.00	-16.70	3	Vertical	1	1.78	-
5270MHz	Pass	AV	15.81848G	44.66	54.00	-9.34	3	Horizontal	229	1.50	-
5270MHz	Pass	AV	21.07634G	41.14	54.00	-12.86	3	Horizontal	1	1.68	-
5270MHz	Pass	PK	10.53888G	59.22	68.20	-8.98	3	Horizontal	307	1.78	-
5270MHz	Pass	PK	15.80336G	58.77	74.00	-15.23	3	Horizontal	229	1.50	-
5270MHz	Pass	PK	21.0743G	55.96	74.00	-18.04	3	Horizontal	1	1.68	-
5310MHz	Pass	AV	5.312G	98.18	Inf	-Inf	3	Vertical	357	2.96	-
5310MHz	Pass	AV	5.3512G	47.72	54.00	-6.28	3	Vertical	357	2.96	-
5310MHz	Pass	PK	5.3108G	110.66	Inf	-Inf	3	Vertical	357	2.96	-
5310MHz	Pass	PK	5.3516G	64.85	74.00	-9.15	3	Vertical	357	2.96	-
5310MHz	Pass	AV	5.314G	104.26	Inf	-Inf	3	Horizontal	298	2.14	-
5310MHz	Pass	AV	5.3544G	52.60	54.00	-1.40	3	Horizontal	298	2.14	-
5310MHz	Pass	PK	5.3148G	116.41	Inf	-Inf	3	Horizontal	298	2.14	-
5310MHz	Pass	PK	5.3536G	70.08	74.00	-3.92	3	Horizontal	298	2.14	-
5310MHz	Pass	AV	10.63496G	42.14	54.00	-11.86	3	Vertical	360	2.98	-
5310MHz	Pass	AV	15.94648G	45.44	54.00	-8.56	3	Vertical	63	1.50	-
5310MHz	Pass	AV	21.22854G	30.93	54.00	-23.07	3	Vertical	283	2.19	-
5310MHz	Pass	PK	10.63912G	55.66	74.00	-18.34	3	Vertical	360	2.98	-
5310MHz	Pass	PK	15.93376G	59.71	74.00	-14.29	3	Vertical	63	1.50	-
5310MHz	Pass	PK	21.24336G	44.33	74.00	-29.67	3	Vertical	283	2.19	-
5310MHz	Pass	AV	10.62656G	42.25	54.00	-11.75	3	Horizontal	320	1.50	-
5310MHz	Pass	AV	15.94624G	45.38	54.00	-8.62	3	Horizontal	9	1.50	-
5310MHz	Pass	AV	21.24594G	31.02	54.00	-22.98	3	Horizontal	311	1.47	-
5310MHz	Pass	PK	10.60568G	56.48	74.00	-17.52	3	Horizontal	320	1.50	-
5310MHz	Pass	PK	15.9228G	58.97	74.00	-15.03	3	Horizontal	9	1.50	-
5310MHz	Pass	PK	21.23148G	44.08	74.00	-29.92	3	Horizontal	311	1.47	-
5510MHz	Pass	AV	5.4484G	45.28	54.00	-8.72	3	Vertical	16	2.92	-
5510MHz	Pass	AV	5.5088G	96.42	Inf	-Inf	3	Vertical	16	2.92	-
5510MHz	Pass	PK	5.4696G	59.68	68.20	-8.52	3	Vertical	16	2.92	-
5510MHz	Pass	PK	5.5092G	109.06	Inf	-Inf	3	Vertical	16	2.92	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5510MHz	Pass	AV	5.448G	48.01	54.00	-5.99	3	Horizontal	305	1.90	-
5510MHz	Pass	AV	5.5076G	104.09	Inf	-Inf	3	Horizontal	305	1.90	-
5510MHz	Pass	PK	5.4672G	66.74	68.20	-1.46	3	Horizontal	305	1.90	-
5510MHz	Pass	PK	5.5068G	117.19	Inf	-Inf	3	Horizontal	305	1.90	-
5510MHz	Pass	AV	11.02G	43.88	54.00	-10.12	3	Vertical	355	1.46	-
5510MHz	Pass	AV	22.02734G	29.36	54.00	-24.64	3	Vertical	80	2.00	-
5510MHz	Pass	PK	11.00368G	56.08	74.00	-17.92	3	Vertical	355	1.46	-
5510MHz	Pass	PK	16.52896G	60.92	68.20	-7.28	3	Vertical	2	1.52	-
5510MHz	Pass	PK	22.04288G	42.48	74.00	-31.52	3	Vertical	80	2.00	-
5510MHz	Pass	AV	11.02G	44.10	54.00	-9.90	3	Horizontal	310	3.00	-
5510MHz	Pass	AV	22.0274G	29.36	54.00	-24.64	3	Horizontal	196	1.19	-
5510MHz	Pass	PK	11.01976G	56.74	74.00	-17.26	3	Horizontal	310	3.00	-
5510MHz	Pass	PK	16.51128G	61.01	68.20	-7.19	3	Horizontal	194	1.17	-
5510MHz	Pass	PK	22.05278G	42.66	74.00	-31.34	3	Horizontal	196	1.19	-
5550MHz	Pass	AV	5.46G	46.46	54.00	-7.54	3	Vertical	17	3.00	-
5550MHz	Pass	AV	5.5488G	103.24	Inf	-Inf	3	Vertical	17	3.00	-
5550MHz	Pass	PK	5.468G	61.73	68.20	-6.47	3	Vertical	17	3.00	-
5550MHz	Pass	PK	5.5488G	115.14	Inf	-Inf	3	Vertical	17	3.00	-
5550MHz	Pass	AV	5.4584G	53.18	54.00	-0.82	3	Horizontal	318	1.21	-
5550MHz	Pass	AV	5.5584G	108.03	Inf	-Inf	3	Horizontal	318	1.21	-
5550MHz	Pass	PK	5.4604G	65.88	68.20	-2.32	3	Horizontal	318	1.21	-
5550MHz	Pass	PK	5.538G	119.84	Inf	-Inf	3	Horizontal	318	1.21	-
5550MHz	Pass	AV	11.10008G	44.87	54.00	-9.13	3	Vertical	5	2.65	-
5550MHz	Pass	AV	22.19112G	34.40	54.00	-19.60	3	Vertical	6	1.54	-
5550MHz	Pass	PK	11.10064G	57.99	74.00	-16.01	3	Vertical	5	2.65	-
5550MHz	Pass	PK	16.66336G	62.98	68.20	-5.22	3	Vertical	331	1.00	-
5550MHz	Pass	PK	22.19262G	49.27	74.00	-24.73	3	Vertical	6	1.54	-
5550MHz	Pass	AV	11.11056G	46.62	54.00	-7.38	3	Horizontal	308	1.73	-
5550MHz	Pass	AV	22.19376G	35.48	54.00	-18.52	3	Horizontal	15	1.68	-
5550MHz	Pass	PK	11.08976G	61.75	74.00	-12.25	3	Horizontal	308	1.73	-
5550MHz	Pass	PK	16.662G	61.62	68.20	-6.58	3	Horizontal	0	2.77	-
5550MHz	Pass	PK	22.19262G	50.73	74.00	-23.27	3	Horizontal	15	1.68	-
5670MHz	Pass	AV	5.6706G	99.80	Inf	-Inf	3	Vertical	342	3.00	-
5670MHz	Pass	PK	5.6712G	111.72	Inf	-Inf	3	Vertical	342	3.00	-
5670MHz	Pass	PK	5.73G	64.99	68.20	-3.21	3	Vertical	342	3.00	-
5670MHz	Pass	AV	5.6712G	103.71	Inf	-Inf	3	Horizontal	319	2.00	-
5670MHz	Pass	PK	5.6724G	115.20	Inf	-Inf	3	Horizontal	319	2.00	-
5670MHz	Pass	PK	5.73G	67.74	68.20	-0.46	3	Horizontal	319	2.00	-
5670MHz	Pass	AV	11.34G	46.19	54.00	-7.81	3	Vertical	352	1.00	-
5670MHz	Pass	AV	22.67976G	28.42	54.00	-25.58	3	Vertical	13	1.62	-
5670MHz	Pass	PK	11.33976G	56.81	74.00	-17.19	3	Vertical	352	1.00	-
5670MHz	Pass	PK	17.02736G	64.23	68.20	-3.97	3	Vertical	0	1.50	-
5670MHz	Pass	PK	22.67796G	41.79	74.00	-32.21	3	Vertical	13	1.62	-
5670MHz	Pass	AV	11.33992G	44.11	54.00	-9.89	3	Horizontal	27	1.50	-
5670MHz	Pass	AV	22.66662G	28.49	54.00	-25.51	3	Horizontal	289	2.09	-
5670MHz	Pass	PK	11.33592G	56.08	74.00	-17.92	3	Horizontal	27	1.50	-
5670MHz	Pass	PK	17.01984G	64.28	68.20	-3.92	3	Horizontal	166	1.77	-
5670MHz	Pass	PK	22.6668G	41.95	74.00	-32.05	3	Horizontal	289	2.09	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4376G	45.27	54.00	-8.73	3	Vertical	10	1.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7028G	102.48	Inf	-Inf	3	Vertical	10	1.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	57.12	68.20	-11.08	3	Vertical	10	1.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7016G	113.70	Inf	-Inf	3	Vertical	10	1.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.86G	61.23	68.20	-6.97	3	Vertical	10	1.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4352G	45.88	54.00	-8.12	3	Horizontal	323	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.698G	108.73	Inf	-Inf	3	Horizontal	323	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	57.37	68.20	-10.83	3	Horizontal	323	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7196G	121.00	Inf	-Inf	3	Horizontal	323	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.86G	65.22	68.20	-2.98	3	Horizontal	323	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41208G	47.22	54.00	-6.78	3	Vertical	11	2.38	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	22.82974G	35.68	54.00	-18.32	3	Vertical	41	1.13	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41264G	60.39	74.00	-13.61	3	Vertical	11	2.38	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12688G	65.16	68.20	-3.04	3	Vertical	354	2.52	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	PK	22.83052G	49.50	74.00	-24.50	3	Vertical	41	1.13	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41336G	49.08	54.00	-4.92	3	Horizontal	73	2.54	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	22.8478G	34.36	54.00	-19.64	3	Horizontal	100	1.21	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41416G	61.93	74.00	-12.07	3	Horizontal	73	2.54	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13288G	64.12	68.20	-4.08	3	Horizontal	324	1.05	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	22.8271G	48.35	74.00	-25.65	3	Horizontal	100	1.21	-
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.145G	45.28	54.00	-8.72	3	Vertical	8	3.00	-
5290MHz	Pass	AV	5.284G	96.13	Inf	-Inf	3	Vertical	8	3.00	-
5290MHz	Pass	AV	5.384G	48.17	54.00	-5.83	3	Vertical	8	3.00	-
5290MHz	Pass	PK	5.12G	58.41	74.00	-15.59	3	Vertical	8	3.00	-
5290MHz	Pass	PK	5.286G	107.61	Inf	-Inf	3	Vertical	8	3.00	-
5290MHz	Pass	PK	5.526G	58.64	68.20	-9.56	3	Vertical	8	3.00	-
5290MHz	Pass	AV	5.148G	45.85	54.00	-8.15	3	Horizontal	312	2.30	-
5290MHz	Pass	AV	5.287G	101.30	Inf	-Inf	3	Horizontal	312	2.30	-
5290MHz	Pass	AV	5.366G	53.43	54.00	-0.57	3	Horizontal	312	2.30	-
5290MHz	Pass	PK	5.044G	58.03	74.00	-15.97	3	Horizontal	312	2.30	-
5290MHz	Pass	PK	5.287G	113.87	Inf	-Inf	3	Horizontal	312	2.30	-
5290MHz	Pass	PK	5.367G	69.12	74.00	-4.88	3	Horizontal	312	2.30	-
5290MHz	Pass	AV	15.9044G	45.09	54.00	-8.91	3	Vertical	292	1.50	-
5290MHz	Pass	AV	21.14512G	30.83	54.00	-23.17	3	Vertical	286	1.99	-
5290MHz	Pass	PK	10.5472G	55.34	68.20	-12.86	3	Vertical	170	2.73	-
5290MHz	Pass	PK	15.89912G	58.39	74.00	-15.61	3	Vertical	292	1.50	-
5290MHz	Pass	PK	21.16174G	44.09	74.00	-29.91	3	Vertical	286	1.99	-
5290MHz	Pass	AV	15.90712G	45.19	54.00	-8.81	3	Horizontal	221	3.00	-
5290MHz	Pass	AV	21.14524G	30.73	54.00	-23.27	3	Horizontal	342	1.37	-
5290MHz	Pass	PK	10.61552G	55.22	74.00	-18.78	3	Horizontal	266	1.67	-
5290MHz	Pass	PK	15.90936G	59.07	74.00	-14.93	3	Horizontal	221	3.00	-
5290MHz	Pass	PK	21.1504G	44.23	74.00	-29.77	3	Horizontal	342	1.37	-
5530MHz	Pass	AV	5.448G	48.75	54.00	-5.25	3	Vertical	333	3.00	-
5530MHz	Pass	AV	5.528G	96.40	Inf	-Inf	3	Vertical	333	3.00	-
5530MHz	Pass	PK	5.469G	62.29	68.20	-5.91	3	Vertical	333	3.00	-
5530MHz	Pass	PK	5.528G	109.27	Inf	-Inf	3	Vertical	333	3.00	-
5530MHz	Pass	PK	5.742G	57.97	68.20	-10.23	3	Vertical	333	3.00	-
5530MHz	Pass	AV	5.458G	52.73	54.00	-1.27	3	Horizontal	318	1.24	-
5530MHz	Pass	AV	5.538G	100.49	Inf	-Inf	3	Horizontal	318	1.24	-
5530MHz	Pass	PK	5.461G	65.93	68.20	-2.27	3	Horizontal	318	1.24	-
5530MHz	Pass	PK	5.539G	113.94	Inf	-Inf	3	Horizontal	318	1.24	-
5530MHz	Pass	PK	5.758G	58.72	68.20	-9.48	3	Horizontal	318	1.24	-
5530MHz	Pass	AV	11.06G	43.96	54.00	-10.04	3	Vertical	354	1.50	-
5530MHz	Pass	AV	22.10632G	29.35	54.00	-24.65	3	Vertical	152	1.05	-
5530MHz	Pass	PK	11.06032G	55.90	74.00	-18.10	3	Vertical	354	1.50	-
5530MHz	Pass	PK	16.62456G	61.11	68.20	-7.09	3	Vertical	22	1.20	-
5530MHz	Pass	PK	22.10638G	42.14	74.00	-31.86	3	Vertical	152	1.05	-
5530MHz	Pass	AV	11.06G	43.73	54.00	-10.27	3	Horizontal	309	3.00	-
5530MHz	Pass	AV	22.10896G	29.15	54.00	-24.85	3	Horizontal	150	1.42	-
5530MHz	Pass	PK	11.0248G	56.40	74.00	-17.60	3	Horizontal	309	3.00	-
5530MHz	Pass	PK	16.56472G	61.44	68.20	-6.76	3	Horizontal	108	1.60	-
5530MHz	Pass	PK	22.13458G	42.46	74.00	-31.54	3	Horizontal	150	1.42	-
5610MHz	Pass	AV	5.454G	45.23	54.00	-8.77	3	Vertical	5	2.95	-
5610MHz	Pass	AV	5.608G	95.71	Inf	-Inf	3	Vertical	5	2.95	-
5610MHz	Pass	PK	5.466G	58.60	68.20	-9.60	3	Vertical	5	2.95	-
5610MHz	Pass	PK	5.587G	108.78	Inf	-Inf	3	Vertical	5	2.95	-
5610MHz	Pass	PK	5.727G	60.15	68.20	-8.05	3	Vertical	5	2.95	-
5610MHz	Pass	AV	5.459G	46.73	54.00	-7.27	3	Horizontal	302	2.53	-
5610MHz	Pass	AV	5.599G	101.31	Inf	-Inf	3	Horizontal	302	2.53	-
5610MHz	Pass	PK	5.47G	58.56	68.20	-9.64	3	Horizontal	302	2.53	-
5610MHz	Pass	PK	5.579G	114.29	Inf	-Inf	3	Horizontal	302	2.53	-
5610MHz	Pass	PK	5.738G	65.63	68.20	-2.57	3	Horizontal	302	2.53	-
5610MHz	Pass	AV	11.22G	44.91	54.00	-9.09	3	Vertical	7	2.78	-
5610MHz	Pass	AV	22.43274G	30.02	54.00	-23.98	3	Vertical	337	2.28	-
5610MHz	Pass	PK	11.22032G	56.33	74.00	-17.67	3	Vertical	7	2.78	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	PK	16.79016G	63.39	68.20	-4.81	3	Vertical	350	1.06	-
5610MHz	Pass	PK	22.44414G	43.15	74.00	-30.85	3	Vertical	337	2.28	-
5610MHz	Pass	AV	11.22G	44.12	54.00	-9.88	3	Horizontal	312	2.68	-
5610MHz	Pass	AV	22.44546G	29.84	54.00	-24.16	3	Horizontal	213	1.40	-
5610MHz	Pass	PK	11.21312G	56.44	74.00	-17.56	3	Horizontal	312	2.68	-
5610MHz	Pass	PK	16.86856G	62.95	68.20	-5.25	3	Horizontal	116	1.50	-
5610MHz	Pass	PK	22.43364G	43.55	74.00	-30.45	3	Horizontal	213	1.40	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4452G	45.21	54.00	-8.79	3	Vertical	14	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6852G	97.61	Inf	-Inf	3	Vertical	14	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	57.96	68.20	-10.24	3	Vertical	14	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7056G	110.35	Inf	-Inf	3	Vertical	14	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8592G	60.76	68.20	-7.44	3	Vertical	14	1.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	47.46	54.00	-6.54	3	Horizontal	310	1.06	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6756G	105.52	Inf	-Inf	3	Horizontal	310	1.06	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	59.07	68.20	-9.13	3	Horizontal	310	1.06	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6756G	117.71	Inf	-Inf	3	Horizontal	310	1.06	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	67.87	68.20	-0.33	3	Horizontal	310	1.06	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38G	44.60	54.00	-9.40	3	Vertical	6	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	22.74518G	29.45	54.00	-24.55	3	Vertical	130	1.20	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39104G	56.49	74.00	-17.51	3	Vertical	6	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.04568G	63.79	68.20	-4.41	3	Vertical	171	2.92	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	22.76498G	42.28	74.00	-31.72	3	Vertical	130	1.20	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38G	44.43	54.00	-9.57	3	Horizontal	360	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	22.745G	29.42	54.00	-24.58	3	Horizontal	148	1.40	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37984G	56.72	74.00	-17.28	3	Horizontal	360	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06616G	63.71	68.20	-4.49	3	Horizontal	158	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	22.75826G	42.46	74.00	-31.54	3	Horizontal	148	1.40	-
802.11ax HEW80+80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
#5210MHz.#5290MHz	Pass	AV	5.1456G	46.86	54.00	-7.14	3	Vertical	31	1.04	-
#5210MHz.#5290MHz	Pass	AV	5.2932G	91.31	Inf	-Inf	3	Vertical	31	1.04	-
#5210MHz.#5290MHz	Pass	AV	5.3532G	47.16	54.00	-6.84	3	Vertical	31	1.04	-
#5210MHz.#5290MHz	Pass	PK	5.1492G	58.88	74.00	-15.12	3	Vertical	31	1.04	-
#5210MHz.#5290MHz	Pass	PK	5.274G	103.71	Inf	-Inf	3	Vertical	31	1.04	-
#5210MHz.#5290MHz	Pass	PK	5.4876G	58.15	68.20	-10.05	3	Vertical	31	1.04	-
#5210MHz.#5290MHz	Pass	AV	5.148G	52.03	54.00	-1.97	3	Horizontal	300	2.14	-
#5210MHz.#5290MHz	Pass	AV	5.2872G	97.31	Inf	-Inf	3	Horizontal	300	2.14	-
#5210MHz.#5290MHz	Pass	AV	5.35G	51.55	54.00	-2.45	3	Horizontal	300	2.14	-
#5210MHz.#5290MHz	Pass	PK	5.1468G	66.93	74.00	-7.07	3	Horizontal	300	2.14	-
#5210MHz.#5290MHz	Pass	PK	5.3064G	110.08	Inf	-Inf	3	Horizontal	300	2.14	-
#5210MHz.#5290MHz	Pass	PK	5.3652G	67.40	74.00	-6.60	3	Horizontal	300	2.14	-
#5210MHz.#5290MHz	Pass	AV	15.7108G	45.15	54.00	-8.85	3	Vertical	46	1.95	-
#5210MHz.#5290MHz	Pass	AV	20.975G	28.19	54.00	-25.81	3	Vertical	269	1.50	-
#5210MHz.#5290MHz	Pass	PK	10.51872G	55.31	68.20	-12.89	3	Vertical	278	1.11	-
#5210MHz.#5290MHz	Pass	PK	15.71432G	58.59	74.00	-15.41	3	Vertical	46	1.95	-
#5210MHz.#5290MHz	Pass	PK	21.0223G	41.56	74.00	-32.44	3	Vertical	269	1.50	-
#5210MHz.#5290MHz	Pass	AV	15.71384G	45.13	54.00	-8.87	3	Horizontal	311	2.37	-
#5210MHz.#5290MHz	Pass	AV	20.975G	28.42	54.00	-25.58	3	Horizontal	155	1.50	-
#5210MHz.#5290MHz	Pass	PK	10.50032G	55.52	68.20	-12.68	3	Horizontal	170	1.27	-
#5210MHz.#5290MHz	Pass	PK	15.71768G	59.14	74.00	-14.86	3	Horizontal	311	2.37	-
#5210MHz.#5290MHz	Pass	PK	21.0078G	40.95	74.00	-33.05	3	Horizontal	155	1.50	-
#5290MHz.#5530MHz	Pass	AV	5.15G	45.23	54.00	-8.77	3	Vertical	31	1.00	-
#5290MHz.#5530MHz	Pass	AV	5.264G	85.21	Inf	-Inf	3	Vertical	31	1.00	-
#5290MHz.#5530MHz	Pass	AV	5.452G	47.66	54.00	-6.34	3	Vertical	31	1.00	-
#5290MHz.#5530MHz	Pass	AV	5.532G	91.38	Inf	-Inf	3	Vertical	31	1.00	-
#5290MHz.#5530MHz	Pass	PK	5.142G	58.30	74.00	-15.70	3	Vertical	31	1.00	-
#5290MHz.#5530MHz	Pass	PK	5.286G	96.93	Inf	-Inf	3	Vertical	31	1.00	-
#5290MHz.#5530MHz	Pass	PK	5.47G	62.06	68.20	-6.14	3	Vertical	31	1.00	-
#5290MHz.#5530MHz	Pass	PK	5.514G	103.35	Inf	-Inf	3	Vertical	31	1.00	-
#5290MHz.#5530MHz	Pass	PK	5.832G	59.27	68.20	-8.93	3	Vertical	31	1.00	-
#5290MHz.#5530MHz	Pass	AV	5.062G	46.44	54.00	-7.56	3	Horizontal	308	1.00	-
#5290MHz.#5530MHz	Pass	AV	5.276G	94.38	Inf	-Inf	3	Horizontal	308	1.00	-
#5290MHz.#5530MHz	Pass	AV	5.46G	53.02	54.00	-0.98	3	Horizontal	308	1.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
#5290MHz,#5530MHz	Pass	AV	5.538G	98.76	Inf	-Inf	3	Horizontal	308	1.00	-
#5290MHz,#5530MHz	Pass	PK	5.076G	58.40	74.00	-15.60	3	Horizontal	308	1.00	-
#5290MHz,#5530MHz	Pass	PK	5.296G	106.48	Inf	-Inf	3	Horizontal	308	1.00	-
#5290MHz,#5530MHz	Pass	PK	5.462G	67.84	68.20	-0.36	3	Horizontal	308	1.00	-
#5290MHz,#5530MHz	Pass	PK	5.54G	110.88	Inf	-Inf	3	Horizontal	308	1.00	-
#5290MHz,#5530MHz	Pass	PK	5.806G	61.66	68.20	-6.54	3	Horizontal	308	1.00	-
#5290MHz,#5530MHz	Pass	AV	10.78208G	42.76	54.00	-11.24	3	Vertical	54	2.05	-
#5290MHz,#5530MHz	Pass	PK	10.84624G	56.24	74.00	-17.76	3	Vertical	54	2.05	-
#5290MHz,#5530MHz	Pass	PK	16.26072G	59.69	68.20	-8.51	3	Vertical	128	1.04	-
#5290MHz,#5530MHz	Pass	PK	21.6391G	41.36	68.20	-26.84	3	Vertical	285	1.72	-
#5290MHz,#5530MHz	Pass	AV	10.78864G	42.81	54.00	-11.19	3	Horizontal	39	1.73	-
#5290MHz,#5530MHz	Pass	PK	10.81312G	56.20	74.00	-17.80	3	Horizontal	39	1.73	-
#5290MHz,#5530MHz	Pass	PK	16.25224G	59.43	68.20	-8.77	3	Horizontal	188	1.84	-
#5290MHz,#5530MHz	Pass	PK	21.6451G	41.21	68.20	-26.99	3	Horizontal	9	2.05	-
#5530MHz,#5610MHz	Pass	AV	5.4488G	46.01	54.00	-7.99	3	Vertical	30	1.01	-
#5530MHz,#5610MHz	Pass	AV	5.618G	90.39	Inf	-Inf	3	Vertical	30	1.01	-
#5530MHz,#5610MHz	Pass	PK	5.468G	60.95	68.20	-7.25	3	Vertical	30	1.01	-
#5530MHz,#5610MHz	Pass	PK	5.6204G	103.34	Inf	-Inf	3	Vertical	30	1.01	-
#5530MHz,#5610MHz	Pass	PK	5.7344G	59.15	68.20	-9.05	3	Vertical	30	1.01	-
#5530MHz,#5610MHz	Pass	AV	5.4512G	51.68	54.00	-2.32	3	Horizontal	303	2.17	-
#5530MHz,#5610MHz	Pass	AV	5.612G	98.16	Inf	-Inf	3	Horizontal	303	2.17	-
#5530MHz,#5610MHz	Pass	PK	5.4692G	67.91	68.20	-0.29	3	Horizontal	303	2.17	-
#5530MHz,#5610MHz	Pass	PK	5.5952G	110.01	Inf	-Inf	3	Horizontal	303	2.17	-
#5530MHz,#5610MHz	Pass	PK	5.7284G	62.87	68.20	-5.33	3	Horizontal	303	2.17	-
#5530MHz,#5610MHz	Pass	AV	11.1768G	42.23	54.00	-11.77	3	Vertical	333	1.45	-
#5530MHz,#5610MHz	Pass	AV	22.2758G	28.84	54.00	-25.16	3	Vertical	143	2.16	-
#5530MHz,#5610MHz	Pass	PK	11.13856G	55.61	74.00	-18.39	3	Vertical	333	1.45	-
#5530MHz,#5610MHz	Pass	PK	16.73864G	62.13	68.20	-6.07	3	Vertical	123	1.60	-
#5530MHz,#5610MHz	Pass	PK	22.2582G	41.72	74.00	-32.28	3	Vertical	143	2.16	-
#5530MHz,#5610MHz	Pass	AV	11.17984G	42.21	54.00	-11.79	3	Horizontal	303	1.93	-
#5530MHz,#5610MHz	Pass	AV	22.2576G	29.07	54.00	-24.93	3	Horizontal	94	1.35	-
#5530MHz,#5610MHz	Pass	PK	11.11152G	55.54	74.00	-18.46	3	Horizontal	303	1.93	-
#5530MHz,#5610MHz	Pass	PK	16.7356G	62.61	68.20	-5.59	3	Horizontal	341	1.49	-
#5530MHz,#5610MHz	Pass	PK	22.2731G	41.91	74.00	-32.09	3	Horizontal	94	1.35	-
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	49.57	54.00	-4.43	3	Vertical	15	2.96	-
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6008G	94.04	Inf	-Inf	3	Vertical	15	2.96	-
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	62.98	68.20	-5.22	3	Vertical	15	2.96	-
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6032G	106.73	Inf	-Inf	3	Vertical	15	2.96	-
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8648G	59.14	68.20	-9.06	3	Vertical	15	2.96	-
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	52.65	54.00	-1.35	3	Horizontal	304	1.00	-
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6836G	100.75	Inf	-Inf	3	Horizontal	304	1.00	-
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	65.47	68.20	-2.73	3	Horizontal	304	1.00	-
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6848G	112.93	Inf	-Inf	3	Horizontal	304	1.00	-
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.854G	63.14	68.20	-5.06	3	Horizontal	304	1.00	-
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.26656G	42.44	54.00	-11.56	3	Vertical	21	1.17	-
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	AV	22.58G	31.13	54.00	-22.87	3	Vertical	140	1.50	-
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.30112G	55.96	74.00	-18.04	3	Vertical	21	1.17	-
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.00814G	63.71	68.20	-4.49	3	Vertical	270	1.83	-
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	PK	22.5805G	44.02	74.00	-29.98	3	Vertical	140	1.50	-
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.30848G	42.36	54.00	-11.64	3	Horizontal	225	2.29	-
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	AV	22.5803G	30.92	54.00	-23.08	3	Horizontal	342	1.46	-
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.30912G	56.29	74.00	-17.71	3	Horizontal	225	2.29	-
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	PK	16.98232G	63.76	68.20	-4.44	3	Horizontal	184	1.39	-
#5610MHz,#5690MHz Straddle 5.47-5.725GHz	Pass	PK	22.578G	43.99	74.00	-30.01	3	Horizontal	342	1.46	-
#5690MHz,#5775MHz Straddle 5.47-5.725GHz	Pass	AV	5.4457G	44.90	54.00	-9.10	3	Vertical	89	1.50	-
#5690MHz,#5775MHz Straddle 5.47-5.725GHz	Pass	AV	5.6701G	87.35	Inf	-Inf	3	Vertical	89	1.50	-
#5690MHz,#5775MHz Straddle 5.47-5.725GHz	Pass	PK	5.4649G	57.43	68.20	-10.77	3	Vertical	89	1.50	-
#5690MHz,#5775MHz Straddle 5.47-5.725GHz	Pass	PK	5.6701G	100.33	Inf	-Inf	3	Vertical	89	1.50	-
#5690MHz,#5775MHz Straddle 5.47-5.725GHz	Pass	PK	5.8849G	59.16	68.20	-9.04	3	Vertical	89	1.50	-
#5690MHz,#5775MHz Straddle 5.47-5.725GHz	Pass	AV	5.4361G	45.33	54.00	-8.67	3	Horizontal	320	1.93	-
#5690MHz,#5775MHz Straddle 5.47-5.725GHz	Pass	AV	5.6941G	96.78	Inf	-Inf	3	Horizontal	320	1.93	-
#5690MHz,#5775MHz Straddle 5.47-5.725GHz	Pass	PK	5.4685G	57.63	68.20	-10.57	3	Horizontal	320	1.93	-




RSE TX above 1GHz_Non-Beamforming_Radio2

Appendix D.1

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
#5690MHz,#5775MHz Straddle 5.47-5.725GHz	Pass	PK	5.6929G	109.61	Inf	-Inf	3	Horizontal	320	1.93	-
#5690MHz,#5775MHz Straddle 5.47-5.725GHz	Pass	PK	5.8573G	65.63	68.20	-2.57	3	Horizontal	320	1.93	-
#5690MHz,#5775MHz Straddle 5.47-5.725GHz	Pass	AV	11.52144G	42.59	54.00	-11.41	3	Vertical	97	1.30	-
#5690MHz,#5775MHz Straddle 5.47-5.725GHz	Pass	AV	22.9065G	28.10	54.00	-25.90	3	Vertical	44	2.99	-
#5690MHz,#5775MHz Straddle 5.47-5.725GHz	Pass	PK	11.40312G	56.16	74.00	-17.84	3	Vertical	97	1.30	-
#5690MHz,#5775MHz Straddle 5.47-5.725GHz	Pass	PK	17.14378G	63.27	68.20	-4.93	3	Vertical	135	1.21	-
#5690MHz,#5775MHz Straddle 5.47-5.725GHz	Pass	PK	22.9341G	41.29	74.00	-32.71	3	Vertical	44	2.99	-
#5690MHz,#5775MHz Straddle 5.47-5.725GHz	Pass	AV	11.49492G	42.65	54.00	-11.35	3	Horizontal	136	1.85	-
#5690MHz,#5775MHz Straddle 5.47-5.725GHz	Pass	AV	22.9065G	27.90	54.00	-26.10	3	Horizontal	307	1.50	-
#5690MHz,#5775MHz Straddle 5.47-5.725GHz	Pass	PK	11.47996G	56.08	74.00	-17.92	3	Horizontal	136	1.85	-
#5690MHz,#5775MHz Straddle 5.47-5.725GHz	Pass	PK	17.15194G	63.69	68.20	-4.51	3	Horizontal	325	2.11	-
#5690MHz,#5775MHz Straddle 5.47-5.725GHz	Pass	PK	22.9114G	40.56	74.00	-33.44	3	Horizontal	307	1.50	-

802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.149G	45.47	54.00	-8.53	6.84	3	Vertical	337	3.00	-	38.63	31.90	9.07	34.13
AV	5.2552G	106.59	Inf	-Inf	6.38	3	Vertical	337	3.00	-	100.21	31.39	9.14	34.15
AV	5.3548G	45.71	54.00	-8.29	6.43	3	Vertical	337	3.00	-	39.28	31.34	9.25	34.16
PK	5.1424G	57.38	74.00	-16.62	6.84	3	Vertical	337	3.00	-	50.54	31.90	9.07	34.13
PK	5.257G	116.78	Inf	-Inf	6.38	3	Vertical	337	3.00	-	110.40	31.39	9.14	34.15
PK	5.3782G	58.17	74.00	-15.83	6.64	3	Vertical	337	3.00	-	51.53	31.53	9.28	34.17

802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	45.76	54.00	-8.24	6.84	3	Horizontal	293	1.92	-	38.92	31.90	9.07	34.13
AV	5.2636G	110.91	Inf	-Inf	6.37	3	Horizontal	293	1.92	-	104.54	31.37	9.15	34.15
AV	5.3632G	46.90	54.00	-7.10	6.50	3	Horizontal	293	1.92	-	40.40	31.41	9.26	34.17
PK	5.1136G	57.58	74.00	-16.42	6.85	3	Horizontal	293	1.92	-	50.73	31.90	9.07	34.12
PK	5.263G	120.54	Inf	-Inf	6.37	3	Horizontal	293	1.92	-	114.17	31.37	9.15	34.15
PK	5.3926G	58.80	74.00	-15.20	6.76	3	Horizontal	293	1.92	-	52.04	31.64	9.29	34.17

802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7809G	46.51	54.00	-7.49	17.61	3	Vertical	349	2.54	-	28.90	37.30	14.88	34.57
AV	21.04528G	53.17	54.00	-0.83	-8.28	3	Vertical	7	1.62	-	61.45	38.60	17.06	54.40
PK	10.5164G	59.82	68.20	-8.38	17.65	3	Vertical	4	1.67	-	42.17	39.70	12.43	34.48
PK	15.7685G	59.22	74.00	-14.78	17.68	3	Vertical	349	2.54	-	41.54	37.36	14.88	34.56
PK	21.04768G	65.66	74.00	-8.34	-8.28	3	Vertical	7	1.62	-	73.94	38.60	17.06	54.40

802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7786G	45.35	54.00	-8.65	17.62	3	Horizontal	340	2.97	-	27.73	37.31	14.88	34.57
AV	21.04064G	50.22	54.00	-3.78	-8.28	3	Horizontal	20	1.76	-	58.50	38.60	17.06	54.40
PK	10.5177G	62.35	68.20	-5.85	17.66	3	Horizontal	307	1.77	-	44.69	39.70	12.43	34.47
PK	15.7641G	58.28	74.00	-15.72	17.70	3	Horizontal	340	2.97	-	40.58	37.38	14.88	34.56
PK	21.04176G	62.25	74.00	-11.75	-8.28	3	Horizontal	20	1.76	-	70.53	38.60	17.06	54.40

802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3032G	108.13	Inf	-Inf	6.34	3	Vertical	2	2.69	-	101.79	31.30	9.19	34.15
AV	5.35G	47.45	54.00	-6.55	6.39	3	Vertical	2	2.69	-	41.06	31.30	9.25	34.16
PK	5.304G	117.60	Inf	-Inf	6.34	3	Vertical	2	2.69	-	111.26	31.30	9.19	34.15
PK	5.3628G	60.04	74.00	-13.96	6.49	3	Vertical	2	2.69	-	53.55	31.40	9.26	34.17

802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	113.33	Inf	-Inf	6.34	3	Horizontal	319	2.75	-	106.99	31.30	9.19	34.15
AV	5.3532G	52.54	54.00	-1.46	6.42	3	Horizontal	319	2.75	-	46.12	31.33	9.25	34.16
PK	5.3016G	122.54	Inf	-Inf	6.34	3	Horizontal	319	2.75	-	116.20	31.30	9.19	34.15
PK	5.3524G	67.48	74.00	-6.52	6.41	3	Horizontal	319	2.75	-	61.07	31.32	9.25	34.16

802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.8962G	48.30	54.00	-5.70	17.20	3	Vertical	349	2.98	-	31.10	36.91	14.92	34.63
AV	21.19408G	47.49	54.00	-6.51	-8.20	3	Vertical	0	1.92	-	55.69	38.60	17.14	54.40
PK	10.5982G	58.64	68.20	-9.56	17.76	3	Vertical	3	1.70	-	40.88	39.70	12.46	34.40
PK	15.89484G	61.40	74.00	-12.60	17.21	3	Vertical	349	2.98	-	44.19	36.92	14.92	34.63
PK	21.19536G	60.51	74.00	-13.49	-8.20	3	Vertical	0	1.92	-	68.71	38.60	17.14	54.40

802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.89732G	46.60	54.00	-7.40	17.20	3	Horizontal	303	2.14	-	29.40	36.91	14.92	34.63
AV	21.20176G	48.52	54.00	-5.48	-8.20	3	Horizontal	2	1.71	-	56.72	38.60	17.14	54.40
PK	10.59712G	63.10	68.20	-5.10	17.76	3	Horizontal	312	1.82	-	45.34	39.70	12.46	34.40
PK	15.89104G	59.75	74.00	-14.25	17.22	3	Horizontal	303	2.14	-	42.53	36.93	14.92	34.63
PK	21.20272G	61.80	74.00	-12.20	-8.19	3	Horizontal	2	1.71	-	69.99	38.60	17.15	54.40

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3264G	104.55	Inf	-Inf	6.36	3	Vertical	341	2.94	-	98.19	31.30	9.22	34.16
AV	5.35G	50.93	54.00	-3.07	6.39	3	Vertical	341	2.94	-	44.54	31.30	9.25	34.16
PK	5.3258G	113.92	Inf	-Inf	6.36	3	Vertical	341	2.94	-	107.56	31.30	9.22	34.16
PK	5.3502G	65.66	74.00	-8.34	6.39	3	Vertical	341	2.94	-	59.27	31.30	9.25	34.16

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3212G	109.46	Inf	-Inf	6.35	3	Horizontal	308	2.36	-	103.11	31.30	9.21	34.16
AV	5.35G	53.38	54.00	-0.62	6.39	3	Horizontal	308	2.36	-	46.99	31.30	9.25	34.16
PK	5.3214G	118.97	Inf	-Inf	6.35	3	Horizontal	308	2.36	-	112.62	31.30	9.21	34.16
PK	5.35G	68.26	74.00	-5.74	6.39	3	Horizontal	308	2.36	-	61.87	31.30	9.25	34.16

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.636G	43.24	54.00	-10.76	17.81	3	Vertical	14	1.50	-	25.43	39.70	12.48	34.37
AV	15.95148G	46.27	54.00	-7.73	17.27	3	Vertical	7	1.50	-	29.00	37.00	14.93	34.66
AV	21.27536G	36.68	54.00	-17.32	-8.12	3	Vertical	9	1.81	-	44.80	38.64	17.18	54.40
PK	10.64764G	56.62	74.00	-17.38	17.82	3	Vertical	14	1.50	-	38.80	39.70	12.48	34.36
PK	15.95616G	59.13	74.00	-14.87	17.28	3	Vertical	7	1.50	-	41.85	37.01	14.94	34.67
PK	21.27552G	48.97	74.00	-25.03	-8.12	3	Vertical	9	1.81	-	57.09	38.64	17.18	54.40

802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63652G	45.51	54.00	-8.49	17.81	3	Horizontal	315	1.83	-	27.70	39.70	12.48	34.37
AV	15.95928G	45.92	54.00	-8.08	17.29	3	Horizontal	198	1.50	-	28.63	37.02	14.94	34.67
AV	21.28096G	35.64	54.00	-18.36	-8.10	3	Horizontal	15	1.71	-	43.74	38.65	17.19	54.40
PK	10.63752G	58.33	74.00	-15.67	17.81	3	Horizontal	315	1.83	-	40.52	39.70	12.48	34.37
PK	15.958G	59.53	74.00	-14.47	17.29	3	Horizontal	198	1.50	-	42.24	37.02	14.94	34.67
PK	21.29072G	48.61	74.00	-25.39	-8.08	3	Horizontal	15	1.71	-	56.69	38.67	17.19	54.40

802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	47.17	54.00	-6.83	6.89	3	Vertical	337	2.67	-	40.28	31.72	9.35	34.18
AV	5.4974G	104.61	Inf	-Inf	6.98	3	Vertical	337	2.67	-	97.63	31.79	9.38	34.19
PK	5.4696G	66.74	68.20	-1.46	6.92	3	Vertical	337	2.67	-	59.82	31.74	9.36	34.18
PK	5.4972G	114.72	Inf	-Inf	6.98	3	Vertical	337	2.67	-	107.74	31.79	9.38	34.19

802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	49.25	54.00	-4.75	6.87	3	Horizontal	309	1.00	-	42.38	31.71	9.34	34.18
AV	5.495G	110.27	Inf	-Inf	6.98	3	Horizontal	309	1.00	-	103.29	31.79	9.38	34.19
PK	5.4676G	65.36	68.20	-2.84	6.91	3	Horizontal	309	1.00	-	58.45	31.74	9.35	34.18
PK	5.4942G	119.49	Inf	-Inf	6.98	3	Horizontal	309	1.00	-	112.51	31.79	9.38	34.19

802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.00664G	46.12	54.00	-7.88	18.86	3	Vertical	6	2.23	-	27.26	40.27	12.63	34.04
PK	11.00608G	59.47	74.00	-14.53	18.87	3	Vertical	6	2.23	-	40.60	40.28	12.63	34.04
PK	16.50956G	62.65	68.20	-5.55	19.47	3	Vertical	235	3.00	-	43.18	38.56	15.25	34.34
PK	21.98976G	44.26	68.20	-23.94	-8.96	3	Vertical	7	1.33	-	53.22	38.90	17.55	55.87

802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99984G	49.13	54.00	-4.87	18.89	3	Horizontal	295	1.83	-	30.24	40.30	12.63	34.04
PK	10.9976G	61.47	74.00	-12.53	18.89	3	Horizontal	295	1.83	-	42.58	40.30	12.63	34.04
PK	16.496G	61.96	68.20	-6.24	19.46	3	Horizontal	236	1.50	-	42.50	38.58	15.24	34.36
PK	22.00016G	41.56	68.20	-26.64	-8.98	3	Horizontal	330	1.36	-	50.54	38.90	17.56	55.90

802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	46.07	54.00	-7.93	6.89	3	Vertical	341	2.71	-	39.18	31.72	9.35	34.18
AV	5.5746G	106.26	Inf	-Inf	7.00	3	Vertical	341	2.71	-	99.26	31.75	9.44	34.19
PK	5.4672G	58.41	68.20	-9.79	6.90	3	Vertical	341	2.71	-	51.51	31.73	9.35	34.18
PK	5.5746G	116.38	Inf	-Inf	7.00	3	Vertical	341	2.71	-	109.38	31.75	9.44	34.19
PK	5.7264G	57.64	68.20	-10.56	7.25	3	Vertical	341	2.71	-	50.39	31.95	9.50	34.20

802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4576G	46.85	54.00	-7.15	6.89	3	Horizontal	313	1.01	-	39.96	31.72	9.35	34.18
AV	5.5788G	113.17	Inf	-Inf	6.99	3	Horizontal	313	1.01	-	106.18	31.74	9.44	34.19
PK	5.463G	61.32	68.20	-6.88	6.90	3	Horizontal	313	1.01	-	54.42	31.73	9.35	34.18
PK	5.5782G	123.56	Inf	-Inf	6.99	3	Horizontal	313	1.01	-	116.57	31.74	9.44	34.19
PK	5.73G	58.46	68.20	-9.74	7.26	3	Horizontal	313	1.01	-	51.20	31.96	9.50	34.20

802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15824G	49.02	54.00	-4.98	18.32	3	Vertical	7	1.75	-	30.70	39.67	12.70	34.05
AV	22.32368G	46.35	54.00	-7.65	-8.66	3	Vertical	14	1.20	-	55.01	38.93	17.66	55.71
PK	11.15816G	62.24	74.00	-11.76	18.32	3	Vertical	7	1.75	-	43.92	39.67	12.70	34.05
PK	16.73488G	67.62	68.20	-0.58	20.84	3	Vertical	339	1.00	-	46.78	39.34	15.38	33.88
PK	22.32272G	58.38	74.00	-15.62	-8.66	3	Vertical	14	1.20	-	67.04	38.93	17.66	55.71

802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16016G	53.40	54.00	-0.60	18.31	3	Horizontal	297	1.76	-	35.09	39.66	12.70	34.05
AV	22.32368G	41.86	54.00	-12.14	-8.66	3	Horizontal	17	1.26	-	50.52	38.93	17.66	55.71
PK	11.16048G	65.99	74.00	-8.01	18.31	3	Horizontal	297	1.76	-	47.68	39.66	12.70	34.05
PK	16.74816G	67.64	68.20	-0.56	20.93	3	Horizontal	334	1.01	-	46.71	39.39	15.39	33.85
PK	22.324G	54.31	74.00	-19.69	-8.66	3	Horizontal	17	1.26	-	62.97	38.93	17.66	55.71

802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6952G	102.57	Inf	-Inf	7.16	3	Vertical	340	2.97	-	95.41	31.87	9.49	34.20
PK	5.6968G	112.09	Inf	-Inf	7.17	3	Vertical	340	2.97	-	104.92	31.88	9.49	34.20
PK	5.7268G	59.85	68.20	-8.35	7.25	3	Vertical	340	2.97	-	52.60	31.95	9.50	34.20

802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6976G	107.93	Inf	-Inf	7.18	3	Horizontal	310	1.01	-	100.75	31.89	9.49	34.20
PK	5.698G	117.53	Inf	-Inf	7.18	3	Horizontal	310	1.01	-	110.35	31.89	9.49	34.20
PK	5.7264G	66.43	68.20	-1.77	7.25	3	Horizontal	310	1.01	-	59.18	31.95	9.50	34.20

802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4002G	43.25	54.00	-10.75	18.64	3	Vertical	151	2.21	-	24.61	39.90	12.80	34.06
AV	22.8G	29.98	54.00	-24.02	-8.40	3	Vertical	18	1.35	-	38.38	39.36	17.80	56.02
PK	11.40308G	56.43	74.00	-17.57	18.65	3	Vertical	151	2.21	-	37.78	39.91	12.80	34.06
PK	17.095G	64.64	68.20	-3.56	21.98	3	Vertical	17	2.27	-	42.66	39.70	15.59	33.31
PK	22.7967G	42.21	74.00	-31.79	-8.40	3	Vertical	18	1.35	-	50.61	39.36	17.80	56.02

802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.40012G	44.38	54.00	-9.62	18.64	3	Horizontal	360	1.38	-	25.74	39.90	12.80	34.06
AV	22.79952G	28.22	54.00	-25.78	-8.40	3	Horizontal	197	1.67	-	36.62	39.36	17.80	56.02
PK	11.40172G	56.57	74.00	-17.43	18.64	3	Horizontal	360	1.38	-	37.93	39.90	12.80	34.06
PK	17.09748G	64.26	68.20	-3.94	21.99	3	Horizontal	337	1.40	-	42.27	39.70	15.59	33.30
PK	22.79778G	41.41	74.00	-32.59	-8.40	3	Horizontal	197	1.67	-	49.81	39.36	17.80	56.02

802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4356G	45.71	54.00	-8.29	6.85	3	Vertical	347	2.97	-	38.86	31.70	9.33	34.18
AV	5.7272G	106.89	Inf	-Inf	7.25	3	Vertical	347	2.97	-	99.64	31.95	9.50	34.20
PK	5.4644G	56.47	68.20	-11.73	6.90	3	Vertical	347	2.97	-	49.57	31.73	9.35	34.18
PK	5.7272G	117.23	Inf	-Inf	7.25	3	Vertical	347	2.97	-	109.98	31.95	9.50	34.20
PK	5.9192G	57.86	68.20	-10.34	7.90	3	Vertical	347	2.97	-	49.96	32.50	9.62	34.22

802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.432G	46.09	54.00	-7.91	6.85	3	Horizontal	322	2.68	-	39.24	31.70	9.33	34.18
AV	5.7212G	111.71	Inf	-Inf	7.24	3	Horizontal	322	2.68	-	104.47	31.94	9.50	34.20
PK	5.4668G	58.29	68.20	-9.91	6.90	3	Horizontal	322	2.68	-	51.39	31.73	9.35	34.18
PK	5.7212G	121.50	Inf	-Inf	7.24	3	Horizontal	322	2.68	-	114.26	31.94	9.50	34.20
PK	5.8892G	58.62	68.20	-9.58	7.84	3	Horizontal	322	2.68	-	50.78	32.46	9.59	34.21

802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43996G	49.52	54.00	-4.48	18.73	3	Vertical	0	1.88	-	30.79	39.98	12.81	34.06
AV	22.87346G	36.52	54.00	-17.48	-8.38	3	Vertical	360	1.66	-	44.90	39.45	17.83	56.12
PK	11.44056G	62.09	74.00	-11.91	18.74	3	Vertical	0	1.88	-	43.35	39.98	12.82	34.06
PK	17.16024G	68.00	68.20	-0.20	21.92	3	Vertical	360	2.71	-	46.08	39.58	15.63	33.29
PK	22.87226G	50.21	74.00	-23.79	-8.38	3	Vertical	360	1.66	-	58.59	39.45	17.83	56.12

802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.43836G	52.66	54.00	-1.34	18.73	3	Horizontal	309	2.18	-	33.93	39.98	12.81	34.06
AV	22.87574G	40.99	54.00	-13.01	-8.39	3	Horizontal	12	1.70	-	49.38	39.45	17.83	56.13
PK	11.43924G	65.21	74.00	-8.79	18.73	3	Horizontal	309	2.18	-	46.48	39.98	12.81	34.06
PK	17.16068G	67.72	68.20	-0.48	21.92	3	Horizontal	330	2.76	-	45.80	39.58	15.63	33.29
PK	22.87622G	53.96	74.00	-20.04	-8.39	3	Horizontal	12	1.70	-	62.35	39.45	17.83	56.13

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1454G	45.67	54.00	-8.33	6.84	3	Vertical	4	3.00	-	38.83	31.90	9.07	34.13
AV	5.2642G	108.58	Inf	-Inf	6.37	3	Vertical	4	3.00	-	102.21	31.37	9.15	34.15
AV	5.35G	46.73	54.00	-7.27	6.39	3	Vertical	4	3.00	-	40.34	31.30	9.25	34.16
PK	5.1436G	57.88	74.00	-16.12	6.84	3	Vertical	4	3.00	-	51.04	31.90	9.07	34.13
PK	5.2654G	120.57	Inf	-Inf	6.37	3	Vertical	4	3.00	-	114.20	31.37	9.15	34.15
PK	5.3602G	61.43	74.00	-12.57	6.48	3	Vertical	4	3.00	-	54.95	31.38	9.26	34.16

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	48.20	54.00	-5.80	6.84	3	Horizontal	305	2.18	-	41.36	31.90	9.07	34.13
AV	5.2666G	112.60	Inf	-Inf	6.37	3	Horizontal	305	2.18	-	106.23	31.37	9.15	34.15
AV	5.353G	50.66	54.00	-3.34	6.41	3	Horizontal	305	2.18	-	44.25	31.32	9.25	34.16
PK	5.1466G	63.91	74.00	-10.09	6.84	3	Horizontal	305	2.18	-	57.07	31.90	9.07	34.13
PK	5.266G	124.79	Inf	-Inf	6.37	3	Horizontal	305	2.18	-	118.42	31.37	9.15	34.15
PK	5.3542G	67.15	74.00	-6.85	6.42	3	Horizontal	305	2.18	-	60.73	31.33	9.25	34.16

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.77868G	48.22	54.00	-5.78	17.62	3	Vertical	348	2.34	-	30.60	37.31	14.88	34.57
AV	21.04294G	53.60	54.00	-0.40	-8.28	3	Vertical	0	1.79	-	61.88	38.60	17.06	54.40
PK	10.51764G	61.62	68.20	-6.58	17.66	3	Vertical	4	1.64	-	43.96	39.70	12.43	34.47
PK	15.77872G	61.67	74.00	-12.33	17.62	3	Vertical	348	2.34	-	44.05	37.31	14.88	34.57
PK	21.04282G	66.81	74.00	-7.19	-8.28	3	Vertical	0	1.79	-	75.09	38.60	17.06	54.40

802.11ax HEW20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.78452G	45.26	54.00	-8.74	17.59	3	Horizontal	315	2.76	-	27.67	37.28	14.88	34.57
AV	21.04312G	51.88	54.00	-2.12	-8.28	3	Horizontal	22	1.69	-	60.16	38.60	17.06	54.40
PK	10.51812G	66.52	68.20	-1.68	17.66	3	Horizontal	308	1.80	-	48.86	39.70	12.43	34.47
PK	15.78536G	59.11	74.00	-14.89	17.58	3	Horizontal	315	2.76	-	41.53	37.27	14.88	34.57
PK	21.04294G	64.49	74.00	-9.51	-8.28	3	Horizontal	22	1.69	-	72.77	38.60	17.06	54.40

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.294G	106.28	Inf	-Inf	6.34	3	Vertical	333	2.60	-	99.94	31.31	9.18	34.15
AV	5.352G	49.78	54.00	-4.22	6.41	3	Vertical	333	2.60	-	43.37	31.32	9.25	34.16
PK	5.2948G	119.92	Inf	-Inf	6.34	3	Vertical	333	2.60	-	113.58	31.31	9.18	34.15
PK	5.3524G	65.82	74.00	-8.18	6.41	3	Vertical	333	2.60	-	59.41	31.32	9.25	34.16

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2932G	110.60	Inf	-Inf	6.34	3	Horizontal	300	1.21	-	104.26	31.31	9.18	34.15
AV	5.3512G	53.90	54.00	-0.10	6.40	3	Horizontal	300	1.21	-	47.50	31.31	9.25	34.16
PK	5.2924G	123.45	Inf	-Inf	6.35	3	Horizontal	300	1.21	-	117.10	31.32	9.18	34.15
PK	5.352G	70.50	74.00	-3.50	6.41	3	Horizontal	300	1.21	-	64.09	31.32	9.25	34.16

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.89628G	46.18	54.00	-7.82	17.20	3	Vertical	349	2.59	-	28.98	36.91	14.92	34.63
AV	21.1958G	45.58	54.00	-8.42	-8.20	3	Vertical	30	1.50	-	53.78	38.60	17.14	54.40
PK	10.5968G	58.65	68.20	-9.55	17.76	3	Vertical	4	1.67	-	40.89	39.70	12.46	34.40
PK	15.8944G	59.27	74.00	-14.73	17.21	3	Vertical	349	2.59	-	42.06	36.92	14.92	34.63
PK	21.19568G	61.15	74.00	-12.85	-8.20	3	Vertical	30	1.50	-	69.35	38.60	17.14	54.40

802.11ax HEW20_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.90956G	44.90	54.00	-9.10	17.20	3	Horizontal	145	1.50	-	27.70	36.92	14.92	34.64
AV	21.19616G	46.99	54.00	-7.01	-8.20	3	Horizontal	-0	1.70	-	55.19	38.60	17.14	54.40
PK	10.59864G	61.25	68.20	-6.95	17.76	3	Horizontal	310	1.83	-	43.49	39.70	12.46	34.40
PK	15.90768G	58.16	74.00	-15.84	17.20	3	Horizontal	145	1.50	-	40.96	36.92	14.92	34.64
PK	21.1961G	62.98	74.00	-11.02	-8.20	3	Horizontal	-0	1.70	-	71.18	38.60	17.14	54.40

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3276G	103.16	Inf	-Inf	6.36	3	Vertical	3	2.54	-	96.80	31.30	9.22	34.16
AV	5.35G	53.22	54.00	-0.78	6.39	3	Vertical	3	2.54	-	46.83	31.30	9.25	34.16
PK	5.3276G	116.43	Inf	-Inf	6.36	3	Vertical	3	2.54	-	110.07	31.30	9.22	34.16
PK	5.35G	67.43	74.00	-6.57	6.39	3	Vertical	3	2.54	-	61.04	31.30	9.25	34.16

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.324G	108.29	Inf	-Inf	6.36	3	Horizontal	317	2.63	-	101.93	31.30	9.22	34.16
AV	5.3508G	49.38	54.00	-4.62	6.40	3	Horizontal	317	2.63	-	42.98	31.31	9.25	34.16
PK	5.3252G	121.21	Inf	-Inf	6.36	3	Horizontal	317	2.63	-	114.85	31.30	9.22	34.16
PK	5.3646G	63.59	74.00	-10.41	6.51	3	Horizontal	317	2.63	-	57.08	31.42	9.26	34.17

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63676G	43.86	54.00	-10.14	17.81	3	Vertical	3	1.66	-	26.05	39.70	12.48	34.37
AV	15.9664G	45.50	54.00	-8.50	17.30	3	Vertical	233	1.50	-	28.20	37.03	14.94	34.67
AV	21.27568G	37.04	54.00	-16.96	-8.12	3	Vertical	6	1.50	-	45.16	38.64	17.18	54.40
PK	10.63732G	58.91	74.00	-15.09	17.81	3	Vertical	3	1.66	-	41.10	39.70	12.48	34.37
PK	15.96996G	59.03	74.00	-14.97	17.31	3	Vertical	233	1.50	-	41.72	37.04	14.94	34.67
PK	21.2755G	54.62	74.00	-19.38	-8.12	3	Vertical	6	1.50	-	62.74	38.64	17.18	54.40

802.11ax HEW20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63724G	45.72	54.00	-8.28	17.81	3	Horizontal	311	1.77	-	27.91	39.70	12.48	34.37
AV	15.9636G	45.31	54.00	-8.69	17.30	3	Horizontal	126	1.64	-	28.01	37.03	14.94	34.67
AV	21.28324G	36.79	54.00	-17.21	-8.10	3	Horizontal	19	1.85	-	44.89	38.65	17.19	54.40
PK	10.637G	59.92	74.00	-14.08	17.81	3	Horizontal	311	1.77	-	42.11	39.70	12.48	34.37
PK	15.96104G	59.19	74.00	-14.81	17.29	3	Horizontal	126	1.64	-	41.90	37.02	14.94	34.67
PK	21.2815G	52.74	74.00	-21.26	-8.10	3	Horizontal	19	1.85	-	60.84	38.65	17.19	54.40

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.457G	44.86	54.00	-9.14	6.88	3	Vertical	77	2.07	-	37.98	31.71	9.35	34.18
AV	5.5032G	98.17	Inf	-Inf	6.99	3	Vertical	77	2.07	-	91.18	31.80	9.38	34.19
PK	5.47G	58.44	68.20	-9.76	6.92	3	Vertical	77	2.07	-	51.52	31.74	9.36	34.18
PK	5.5026G	111.69	Inf	-Inf	6.99	3	Vertical	77	2.07	-	104.70	31.80	9.38	34.19

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4598G	45.97	54.00	-8.03	6.89	3	Horizontal	307	1.90	-	39.08	31.72	9.35	34.18
AV	5.507G	107.90	Inf	-Inf	7.00	3	Horizontal	307	1.90	-	100.90	31.80	9.39	34.19
PK	5.4682G	66.91	68.20	-1.29	6.91	3	Horizontal	307	1.90	-	60.00	31.74	9.35	34.18
PK	5.5054G	120.64	Inf	-Inf	6.99	3	Horizontal	307	1.90	-	113.65	31.80	9.38	34.19

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99788G	44.65	54.00	-9.35	18.89	3	Vertical	9	1.62	-	25.76	40.30	12.63	34.04
PK	10.99732G	58.84	74.00	-15.16	18.88	3	Vertical	9	1.62	-	39.96	40.29	12.63	34.04
PK	16.50524G	62.80	68.20	-5.40	19.48	3	Vertical	290	2.63	-	43.32	38.58	15.25	34.35
PK	21.99472G	44.82	68.20	-23.38	-8.96	3	Vertical	8	1.19	-	53.78	38.90	17.56	55.88

802.11ax HEW20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99768G	45.40	54.00	-8.60	18.89	3	Horizontal	304	1.69	-	26.51	40.30	12.63	34.04
PK	10.99792G	59.24	74.00	-14.76	18.89	3	Horizontal	304	1.69	-	40.35	40.30	12.63	34.04
PK	16.50212G	62.15	68.20	-6.05	19.47	3	Horizontal	360	1.66	-	42.68	38.59	15.24	34.36
PK	21.99226G	44.13	68.20	-24.07	-8.96	3	Horizontal	7	1.84	-	53.09	38.90	17.56	55.88

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4528G	45.47	54.00	-8.53	6.87	3	Vertical	337	2.60	-	38.60	31.71	9.34	34.18
AV	5.5782G	103.54	Inf	-Inf	6.99	3	Vertical	337	2.60	-	96.55	31.74	9.44	34.19
PK	5.4654G	58.29	68.20	-9.91	6.90	3	Vertical	337	2.60	-	51.39	31.73	9.35	34.18
PK	5.5782G	114.07	Inf	-Inf	6.99	3	Vertical	337	2.60	-	107.08	31.74	9.44	34.19
PK	5.7288G	58.07	68.20	-10.13	7.26	3	Vertical	337	2.60	-	50.81	31.96	9.50	34.20

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	46.53	54.00	-7.47	6.87	3	Horizontal	306	1.93	-	39.66	31.71	9.34	34.18
AV	5.5728G	109.83	Inf	-Inf	7.00	3	Horizontal	306	1.93	-	102.83	31.75	9.44	34.19
PK	5.4636G	58.58	68.20	-9.62	6.90	3	Horizontal	306	1.93	-	51.68	31.73	9.35	34.18
PK	5.5728G	119.94	Inf	-Inf	7.00	3	Horizontal	306	1.93	-	112.94	31.75	9.44	34.19
PK	5.7252G	58.28	68.20	-9.92	7.25	3	Horizontal	306	1.93	-	51.03	31.95	9.50	34.20

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.162G	49.64	54.00	-4.36	18.30	3	Vertical	4	2.40	-	31.34	39.65	12.70	34.05
AV	22.32102G	42.83	54.00	-11.17	-8.66	3	Vertical	15	1.38	-	51.49	38.93	17.66	55.71
PK	11.16292G	62.74	74.00	-11.26	18.30	3	Vertical	4	2.40	-	44.44	39.65	12.70	34.05
PK	16.73912G	65.10	68.20	-3.10	20.87	3	Vertical	40	3.00	-	44.23	39.36	15.38	33.87
PK	22.32138G	56.60	74.00	-17.40	-8.66	3	Vertical	15	1.38	-	65.26	38.93	17.66	55.71

802.11ax HEW20_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15996G	49.86	54.00	-4.14	18.31	3	Horizontal	319	2.57	-	31.55	39.66	12.70	34.05
AV	22.32132G	37.56	54.00	-16.44	-8.66	3	Horizontal	2	1.50	-	46.22	38.93	17.66	55.71
PK	11.16044G	63.19	74.00	-10.81	18.31	3	Horizontal	319	2.57	-	44.88	39.66	12.70	34.05
PK	16.73704G	67.31	68.20	-0.89	20.86	3	Horizontal	358	2.89	-	46.45	39.35	15.38	33.87
PK	22.32138G	52.89	74.00	-21.11	-8.66	3	Horizontal	2	1.50	-	61.55	38.93	17.66	55.71

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6992G	98.94	Inf	-Inf	7.19	3	Vertical	-0	1.00	-	91.75	31.90	9.49	34.20
PK	5.7008G	111.95	Inf	-Inf	7.19	3	Vertical	-0	1.00	-	104.76	31.90	9.49	34.20
PK	5.7308G	60.08	68.20	-8.12	7.26	3	Vertical	-0	1.00	-	52.82	31.96	9.50	34.20

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6924G	106.12	Inf	-Inf	7.14	3	Horizontal	317	2.72	-	98.98	31.85	9.49	34.20
PK	5.692G	118.43	Inf	-Inf	7.14	3	Horizontal	317	2.72	-	111.29	31.85	9.49	34.20
PK	5.73G	67.69	68.20	-0.51	7.26	3	Horizontal	317	2.72	-	60.43	31.96	9.50	34.20

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40004G	44.26	54.00	-9.74	18.64	3	Vertical	26	1.46	-	25.62	39.90	12.80	34.06
AV	22.79988G	30.84	54.00	-23.16	-8.40	3	Vertical	360	1.32	-	39.24	39.36	17.80	56.02
PK	11.40588G	56.17	74.00	-17.83	18.65	3	Vertical	26	1.46	-	37.52	39.91	12.80	34.06
PK	17.10968G	64.20	68.20	-4.00	21.98	3	Vertical	270	1.80	-	42.22	39.68	15.60	33.30
PK	22.8G	43.33	74.00	-30.67	-8.40	3	Vertical	360	1.32	-	51.73	39.36	17.80	56.02

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39124G	44.17	54.00	-9.83	18.60	3	Horizontal	309	1.65	-	25.57	39.87	12.79	34.06
AV	22.79994G	30.13	54.00	-23.87	-8.40	3	Horizontal	349	1.70	-	38.53	39.36	17.80	56.02
PK	11.39208G	59.19	74.00	-14.81	18.61	3	Horizontal	309	1.65	-	40.58	39.88	12.79	34.06
PK	17.09424G	64.55	68.20	-3.65	21.97	3	Horizontal	202	1.66	-	42.58	39.69	15.59	33.31
PK	22.79214G	42.24	74.00	-31.76	-8.40	3	Horizontal	349	1.70	-	50.64	39.35	17.80	56.01

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4416G	45.16	54.00	-8.84	6.85	3	Vertical	353	2.84	-	38.31	31.70	9.33	34.18
AV	5.7188G	107.10	Inf	-Inf	7.24	3	Vertical	353	2.84	-	99.86	31.94	9.50	34.20
PK	5.468G	56.38	68.20	-11.82	6.91	3	Vertical	353	2.84	-	49.47	31.74	9.35	34.18
PK	5.72G	119.17	Inf	-Inf	7.24	3	Vertical	353	2.84	-	111.93	31.94	9.50	34.20
PK	5.9048G	58.23	68.20	-9.97	7.89	3	Vertical	353	2.84	-	50.34	32.50	9.60	34.21

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4512G	45.65	54.00	-8.35	6.86	3	Horizontal	319	1.70	-	38.79	31.70	9.34	34.18
AV	5.7128G	112.37	Inf	-Inf	7.22	3	Horizontal	319	1.70	-	105.15	31.93	9.49	34.20
PK	5.4632G	57.47	68.20	-10.73	6.90	3	Horizontal	319	1.70	-	50.57	31.73	9.35	34.18
PK	5.714G	124.49	Inf	-Inf	7.22	3	Horizontal	319	1.70	-	117.27	31.93	9.49	34.20
PK	5.864G	59.28	68.20	-8.92	7.72	3	Horizontal	319	1.70	-	51.56	32.36	9.57	34.21

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44104G	49.32	54.00	-4.68	18.74	3	Vertical	1	1.82	-	30.58	39.98	12.82	34.06
AV	22.8863G	37.69	54.00	-16.31	-8.39	3	Vertical	360	1.67	-	46.08	39.46	17.83	56.14
PK	11.43988G	62.26	74.00	-11.74	18.73	3	Vertical	1	1.82	-	43.53	39.98	12.81	34.06
PK	17.16228G	66.65	68.20	-1.55	21.92	3	Vertical	21	1.00	-	44.73	39.58	15.63	33.29
PK	22.88822G	51.52	74.00	-22.48	-8.38	3	Vertical	360	1.67	-	59.90	39.47	17.83	56.14

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.44296G	50.07	54.00	-3.93	18.75	3	Horizontal	10	1.50	-	31.32	39.99	12.82	34.06
AV	22.88906G	40.38	54.00	-13.62	-8.38	3	Horizontal	12	1.70	-	48.76	39.47	17.83	56.14
PK	11.4424G	64.54	74.00	-9.46	18.74	3	Horizontal	10	1.50	-	45.80	39.98	12.82	34.06
PK	17.1568G	66.81	68.20	-1.39	21.93	3	Horizontal	320	2.69	-	44.88	39.59	15.63	33.29
PK	22.86896G	55.16	74.00	-18.84	-8.39	3	Horizontal	12	1.70	-	63.55	39.44	17.83	56.12

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2716G	102.46	Inf	-Inf	6.37	3	Vertical	355	2.99	-	96.09	31.36	9.16	34.15
AV	5.3516G	47.19	54.00	-6.81	6.40	3	Vertical	355	2.99	-	40.79	31.31	9.25	34.16
PK	5.272G	114.66	Inf	-Inf	6.37	3	Vertical	355	2.99	-	108.29	31.36	9.16	34.15
PK	5.35G	60.27	74.00	-13.73	6.39	3	Vertical	355	2.99	-	53.88	31.30	9.25	34.16

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2672G	105.51	Inf	-Inf	6.37	3	Horizontal	312	3.00	-	99.14	31.37	9.15	34.15
AV	5.35G	53.80	54.00	-0.20	6.39	3	Horizontal	312	3.00	-	47.41	31.30	9.25	34.16
PK	5.2676G	118.80	Inf	-Inf	6.36	3	Horizontal	312	3.00	-	112.44	31.36	9.15	34.15
PK	5.35G	67.98	74.00	-6.02	6.39	3	Horizontal	312	3.00	-	61.59	31.30	9.25	34.16

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.81744G	44.65	54.00	-9.35	17.45	3	Vertical	120	1.50	-	27.20	37.15	14.89	34.59
AV	21.08228G	41.16	54.00	-12.84	-8.26	3	Vertical	1	1.78	-	49.42	38.60	17.08	54.40
PK	10.55616G	56.96	68.20	-11.24	17.70	3	Vertical	4	1.89	-	39.26	39.70	12.44	34.44
PK	15.80064G	58.43	74.00	-15.57	17.51	3	Vertical	120	1.50	-	40.92	37.20	14.89	34.58
PK	21.0827G	57.30	74.00	-16.70	-8.26	3	Vertical	1	1.78	-	65.56	38.60	17.08	54.40

802.11ax HEW40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81848G	44.66	54.00	-9.34	17.44	3	Horizontal	229	1.50	-	27.22	37.14	14.89	34.59
AV	21.07634G	41.14	54.00	-12.86	-8.26	3	Horizontal	1	1.68	-	49.40	38.60	17.08	54.40
PK	10.53888G	59.22	68.20	-8.98	17.68	3	Horizontal	307	1.78	-	41.54	39.70	12.44	34.46
PK	15.80336G	58.77	74.00	-15.23	17.50	3	Horizontal	229	1.50	-	41.27	37.19	14.89	34.58
PK	21.0743G	55.96	74.00	-18.04	-8.26	3	Horizontal	1	1.68	-	64.22	38.60	17.08	54.40

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.312G	98.18	Inf	-Inf	6.34	3	Vertical	357	2.96	-	91.84	31.30	9.20	34.16
AV	5.3512G	47.72	54.00	-6.28	6.40	3	Vertical	357	2.96	-	41.32	31.31	9.25	34.16
PK	5.3108G	110.66	Inf	-Inf	6.34	3	Vertical	357	2.96	-	104.32	31.30	9.20	34.16
PK	5.3516G	64.85	74.00	-9.15	6.40	3	Vertical	357	2.96	-	58.45	31.31	9.25	34.16

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.314G	104.26	Inf	-Inf	6.35	3	Horizontal	298	2.14	-	97.91	31.30	9.21	34.16
AV	5.3544G	52.60	54.00	-1.40	6.43	3	Horizontal	298	2.14	-	46.17	31.34	9.25	34.16
PK	5.3148G	116.41	Inf	-Inf	6.35	3	Horizontal	298	2.14	-	110.06	31.30	9.21	34.16
PK	5.3536G	70.08	74.00	-3.92	6.42	3	Horizontal	298	2.14	-	63.66	31.33	9.25	34.16

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63496G	42.14	54.00	-11.86	17.81	3	Vertical	360	2.98	-	24.33	39.70	12.48	34.37
AV	15.94648G	45.44	54.00	-8.56	17.26	3	Vertical	63	1.50	-	28.18	36.99	14.93	34.66
AV	21.22854G	30.93	54.00	-23.07	-8.18	3	Vertical	283	2.19	-	39.11	38.60	17.16	54.40
PK	10.63912G	55.66	74.00	-18.34	17.82	3	Vertical	360	2.98	-	37.84	39.70	12.48	34.36
PK	15.93376G	59.71	74.00	-14.29	17.25	3	Vertical	63	1.50	-	42.46	36.97	14.93	34.65
PK	21.24336G	44.33	74.00	-29.67	-8.17	3	Vertical	283	2.19	-	52.50	38.60	17.17	54.40

802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62656G	42.25	54.00	-11.75	17.79	3	Horizontal	320	1.50	-	24.46	39.70	12.47	34.38
AV	15.94624G	45.38	54.00	-8.62	17.26	3	Horizontal	9	1.50	-	28.12	36.99	14.93	34.66
AV	21.24594G	31.02	54.00	-22.98	-8.17	3	Horizontal	311	1.47	-	39.19	38.60	17.17	54.40
PK	10.60568G	56.48	74.00	-17.52	17.77	3	Horizontal	320	1.50	-	38.71	39.70	12.46	34.39
PK	15.9228G	58.97	74.00	-15.03	17.23	3	Horizontal	9	1.50	-	41.74	36.95	14.93	34.65
PK	21.23148G	44.08	74.00	-29.92	-8.18	3	Horizontal	311	1.47	-	52.26	38.60	17.16	54.40

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4484G	45.28	54.00	-8.72	6.86	3	Vertical	16	2.92	-	38.42	31.70	9.34	34.18
AV	5.5088G	96.42	Inf	-Inf	7.00	3	Vertical	16	2.92	-	89.42	31.80	9.39	34.19
PK	5.4696G	59.68	68.20	-8.52	6.92	3	Vertical	16	2.92	-	52.76	31.74	9.36	34.18
PK	5.5092G	109.06	Inf	-Inf	7.00	3	Vertical	16	2.92	-	102.06	31.80	9.39	34.19

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.448G	48.01	54.00	-5.99	6.86	3	Horizontal	305	1.90	-	41.15	31.70	9.34	34.18
AV	5.5076G	104.09	Inf	-Inf	7.00	3	Horizontal	305	1.90	-	97.09	31.80	9.39	34.19
PK	5.4672G	66.74	68.20	-1.46	6.90	3	Horizontal	305	1.90	-	59.84	31.73	9.35	34.18
PK	5.5068G	117.19	Inf	-Inf	7.00	3	Horizontal	305	1.90	-	110.19	31.80	9.39	34.19

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02G	43.88	54.00	-10.12	18.82	3	Vertical	355	1.46	-	25.06	40.22	12.64	34.04
AV	22.02734G	29.36	54.00	-24.64	-8.95	3	Vertical	80	2.00	-	38.31	38.90	17.57	55.88
PK	11.00368G	56.08	74.00	-17.92	18.88	3	Vertical	355	1.46	-	37.20	40.29	12.63	34.04
PK	16.52896G	60.92	68.20	-7.28	19.44	3	Vertical	2	1.52	-	41.48	38.48	15.26	34.30
PK	22.04288G	42.48	74.00	-31.52	-8.94	3	Vertical	80	2.00	-	51.42	38.90	17.57	55.87

802.11ax HEW40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02G	44.10	54.00	-9.90	18.82	3	Horizontal	310	3.00	-	25.28	40.22	12.64	34.04
AV	22.0274G	29.36	54.00	-24.64	-8.95	3	Horizontal	196	1.19	-	38.31	38.90	17.57	55.88
PK	11.01976G	56.74	74.00	-17.26	18.82	3	Horizontal	310	3.00	-	37.92	40.22	12.64	34.04
PK	16.51128G	61.01	68.20	-7.19	19.46	3	Horizontal	194	1.17	-	41.55	38.55	15.25	34.34
PK	22.05278G	42.66	74.00	-31.34	-8.93	3	Horizontal	196	1.19	-	51.59	38.90	17.58	55.87

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	46.46	54.00	-7.54	6.89	3	Vertical	17	3.00	-	39.57	31.72	9.35	34.18
AV	5.5488G	103.24	Inf	-Inf	7.03	3	Vertical	17	3.00	-	96.21	31.80	9.42	34.19
PK	5.468G	61.73	68.20	-6.47	6.91	3	Vertical	17	3.00	-	54.82	31.74	9.35	34.18
PK	5.5488G	115.14	Inf	-Inf	7.03	3	Vertical	17	3.00	-	108.11	31.80	9.42	34.19

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	53.18	54.00	-0.82	6.89	3	Horizontal	318	1.21	-	46.29	31.72	9.35	34.18
AV	5.5584G	108.03	Inf	-Inf	7.02	3	Horizontal	318	1.21	-	101.01	31.78	9.43	34.19
PK	5.4604G	65.88	68.20	-2.32	6.89	3	Horizontal	318	1.21	-	58.99	31.72	9.35	34.18
PK	5.538G	119.84	Inf	-Inf	7.02	3	Horizontal	318	1.21	-	112.82	31.80	9.41	34.19

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10008G	44.87	54.00	-9.13	18.53	3	Vertical	5	2.65	-	26.34	39.90	12.67	34.04
AV	22.19112G	34.40	54.00	-19.60	-8.81	3	Vertical	6	1.54	-	43.21	38.90	17.62	55.79
PK	11.10064G	57.99	74.00	-16.01	18.53	3	Vertical	5	2.65	-	39.46	39.90	12.67	34.04
PK	16.66336G	62.98	68.20	-5.22	20.15	3	Vertical	331	1.00	-	42.83	38.83	15.34	34.02
PK	22.19262G	49.27	74.00	-24.73	-8.80	3	Vertical	6	1.54	-	58.07	38.90	17.62	55.78

802.11ax HEW40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.11056G	46.62	54.00	-7.38	18.50	3	Horizontal	308	1.73	-	28.12	39.86	12.68	34.04
AV	22.19376G	35.48	54.00	-18.52	-8.80	3	Horizontal	15	1.68	-	44.28	38.90	17.62	55.78
PK	11.08976G	61.75	74.00	-12.25	18.57	3	Horizontal	308	1.73	-	43.18	39.94	12.67	34.04
PK	16.662G	61.62	68.20	-6.58	20.13	3	Horizontal	0	2.77	-	41.49	38.82	15.34	34.03
PK	22.19262G	50.73	74.00	-23.27	-8.80	3	Horizontal	15	1.68	-	59.53	38.90	17.62	55.78

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6706G	99.80	Inf	-Inf	7.00	3	Vertical	342	3.00	-	92.80	31.72	9.48	34.20
PK	5.6712G	111.72	Inf	-Inf	7.01	3	Vertical	342	3.00	-	104.71	31.73	9.48	34.20
PK	5.73G	64.99	68.20	-3.21	7.26	3	Vertical	342	3.00	-	57.73	31.96	9.50	34.20

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6712G	103.71	Inf	-Inf	7.01	3	Horizontal	319	2.00	-	96.70	31.73	9.48	34.20
PK	5.6724G	115.20	Inf	-Inf	7.01	3	Horizontal	319	2.00	-	108.19	31.73	9.48	34.20
PK	5.73G	67.74	68.20	-0.46	7.26	3	Horizontal	319	2.00	-	60.48	31.96	9.50	34.20

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34G	46.19	54.00	-7.81	18.44	3	Vertical	352	1.00	-	27.75	39.72	12.77	34.05
AV	22.67976G	28.42	54.00	-25.58	-8.40	3	Vertical	13	1.62	-	36.82	39.22	17.77	55.85
PK	11.33976G	56.81	74.00	-17.19	18.44	3	Vertical	352	1.00	-	38.37	39.72	12.77	34.05
PK	17.02736G	64.23	68.20	-3.97	21.86	3	Vertical	0	1.50	-	42.37	39.63	15.55	33.32
PK	22.67796G	41.79	74.00	-32.21	-8.41	3	Vertical	13	1.62	-	50.20	39.21	17.77	55.85

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.33992G	44.11	54.00	-9.89	18.44	3	Horizontal	27	1.50	-	25.67	39.72	12.77	34.05
AV	22.66662G	28.49	54.00	-25.51	-8.41	3	Horizontal	289	2.09	-	36.90	39.20	17.76	55.83
PK	11.33592G	56.08	74.00	-17.92	18.43	3	Horizontal	27	1.50	-	37.65	39.71	12.77	34.05
PK	17.01984G	64.28	68.20	-3.92	21.85	3	Horizontal	166	1.77	-	42.43	39.62	15.55	33.32
PK	22.6668G	41.95	74.00	-32.05	-8.41	3	Horizontal	289	2.09	-	50.36	39.20	17.76	55.83

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4376G	45.27	54.00	-8.73	6.85	3	Vertical	10	1.00	-	38.42	31.70	9.33	34.18
AV	5.7028G	102.48	Inf	-Inf	7.20	3	Vertical	10	1.00	-	95.28	31.91	9.49	34.20
PK	5.4628G	57.12	68.20	-11.08	6.90	3	Vertical	10	1.00	-	50.22	31.73	9.35	34.18
PK	5.7016G	113.70	Inf	-Inf	7.19	3	Vertical	10	1.00	-	106.51	31.90	9.49	34.20
PK	5.86G	61.23	68.20	-6.97	7.70	3	Vertical	10	1.00	-	53.53	32.34	9.57	34.21

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4352G	45.88	54.00	-8.12	6.85	3	Horizontal	323	1.50	-	39.03	31.70	9.33	34.18
AV	5.698G	108.73	Inf	-Inf	7.18	3	Horizontal	323	1.50	-	101.55	31.89	9.49	34.20
PK	5.4688G	57.37	68.20	-10.83	6.92	3	Horizontal	323	1.50	-	50.45	31.74	9.36	34.18
PK	5.7196G	121.00	Inf	-Inf	7.24	3	Horizontal	323	1.50	-	113.76	31.94	9.50	34.20
PK	5.86G	65.22	68.20	-2.98	7.70	3	Horizontal	323	1.50	-	57.52	32.34	9.57	34.21

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.41208G	47.22	54.00	-6.78	18.66	3	Vertical	11	2.38	-	28.56	39.92	12.80	34.06
AV	22.82974G	35.68	54.00	-18.32	-8.39	3	Vertical	41	1.13	-	44.07	39.40	17.81	56.06
PK	11.41264G	60.39	74.00	-13.61	18.67	3	Vertical	11	2.38	-	41.72	39.93	12.80	34.06
PK	17.12688G	65.16	68.20	-3.04	21.96	3	Vertical	354	2.52	-	43.20	39.65	15.61	33.30
PK	22.83052G	49.50	74.00	-24.50	-8.39	3	Vertical	41	1.13	-	57.89	39.40	17.81	56.06

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.41336G	49.08	54.00	-4.92	18.67	3	Horizontal	73	2.54	-	30.41	39.93	12.80	34.06
AV	22.8478G	34.36	54.00	-19.64	-8.39	3	Horizontal	100	1.21	-	42.75	39.42	17.82	56.09
PK	11.41416G	61.93	74.00	-12.07	18.67	3	Horizontal	73	2.54	-	43.26	39.93	12.80	34.06
PK	17.13288G	64.12	68.20	-4.08	21.94	3	Horizontal	324	1.05	-	42.18	39.63	15.61	33.30
PK	22.8271G	48.35	74.00	-25.65	-8.40	3	Horizontal	100	1.21	-	56.75	39.39	17.81	56.06

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	45.28	54.00	-8.72	6.84	3	Vertical	8	3.00	-	38.44	31.90	9.07	34.13
AV	5.284G	96.13	Inf	-Inf	6.35	3	Vertical	8	3.00	-	89.78	31.33	9.17	34.15
AV	5.384G	48.17	54.00	-5.83	6.68	3	Vertical	8	3.00	-	41.49	31.57	9.28	34.17
PK	5.12G	58.41	74.00	-15.59	6.85	3	Vertical	8	3.00	-	51.56	31.90	9.07	34.12
PK	5.286G	107.61	Inf	-Inf	6.35	3	Vertical	8	3.00	-	101.26	31.33	9.17	34.15
PK	5.526G	58.64	68.20	-9.56	7.01	3	Vertical	8	3.00	-	51.63	31.80	9.40	34.19

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	45.85	54.00	-8.15	6.84	3	Horizontal	312	2.30	-	39.01	31.90	9.07	34.13
AV	5.287G	101.30	Inf	-Inf	6.36	3	Horizontal	312	2.30	-	94.94	31.33	9.18	34.15
AV	5.366G	53.43	54.00	-0.57	6.52	3	Horizontal	312	2.30	-	46.91	31.43	9.26	34.17
PK	5.044G	58.03	74.00	-15.97	6.71	3	Horizontal	312	2.30	-	51.32	31.76	9.06	34.11
PK	5.287G	113.87	Inf	-Inf	6.36	3	Horizontal	312	2.30	-	107.51	31.33	9.18	34.15
PK	5.367G	69.12	74.00	-4.88	6.53	3	Horizontal	312	2.30	-	62.59	31.44	9.26	34.17

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.9044G	45.09	54.00	-8.91	17.19	3	Vertical	292	1.50	-	27.90	36.91	14.92	34.64
AV	21.14512G	30.83	54.00	-23.17	-8.22	3	Vertical	286	1.99	-	39.05	38.60	17.12	54.40
PK	10.5472G	55.34	68.20	-12.86	17.69	3	Vertical	170	2.73	-	37.65	39.70	12.44	34.45
PK	15.89912G	58.39	74.00	-15.61	17.19	3	Vertical	292	1.50	-	41.20	36.90	14.92	34.63
PK	21.16174G	44.09	74.00	-29.91	-8.22	3	Vertical	286	1.99	-	52.31	38.60	17.12	54.40

802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.90712G	45.19	54.00	-8.81	17.19	3	Horizontal	221	3.00	-	28.00	36.91	14.92	34.64
AV	21.14524G	30.73	54.00	-23.27	-8.22	3	Horizontal	342	1.37	-	38.95	38.60	17.12	54.40
PK	10.61552G	55.22	74.00	-18.78	17.78	3	Horizontal	266	1.67	-	37.44	39.70	12.47	34.39
PK	15.90936G	59.07	74.00	-14.93	17.20	3	Horizontal	221	3.00	-	41.87	36.92	14.92	34.64
PK	21.1504G	44.23	74.00	-29.77	-8.22	3	Horizontal	342	1.37	-	52.45	38.60	17.12	54.40

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.448G	48.75	54.00	-5.25	6.86	3	Vertical	333	3.00	-	41.89	31.70	9.34	34.18
AV	5.528G	96.40	Inf	-Inf	7.01	3	Vertical	333	3.00	-	89.39	31.80	9.40	34.19
PK	5.469G	62.29	68.20	-5.91	6.92	3	Vertical	333	3.00	-	55.37	31.74	9.36	34.18
PK	5.528G	109.27	Inf	-Inf	7.01	3	Vertical	333	3.00	-	102.26	31.80	9.40	34.19
PK	5.742G	57.97	68.20	-10.23	7.28	3	Vertical	333	3.00	-	50.69	31.98	9.50	34.20

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.458G	52.73	54.00	-1.27	6.89	3	Horizontal	318	1.24	-	45.84	31.72	9.35	34.18
AV	5.538G	100.49	Inf	-Inf	7.02	3	Horizontal	318	1.24	-	93.47	31.80	9.41	34.19
PK	5.461G	65.93	68.20	-2.27	6.89	3	Horizontal	318	1.24	-	59.04	31.72	9.35	34.18
PK	5.539G	113.94	Inf	-Inf	7.02	3	Horizontal	318	1.24	-	106.92	31.80	9.41	34.19
PK	5.758G	58.72	68.20	-9.48	7.32	3	Horizontal	318	1.24	-	51.40	32.02	9.51	34.21

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06G	43.96	54.00	-10.04	18.68	3	Vertical	354	1.50	-	25.28	40.06	12.66	34.04
AV	22.10632G	29.35	54.00	-24.65	-8.89	3	Vertical	152	1.05	-	38.24	38.90	17.59	55.84
PK	11.06032G	55.90	74.00	-18.10	18.68	3	Vertical	354	1.50	-	37.22	40.06	12.66	34.04
PK	16.62456G	61.11	68.20	-7.09	19.67	3	Vertical	22	1.20	-	41.44	38.45	15.32	34.10
PK	22.10638G	42.14	74.00	-31.86	-8.89	3	Vertical	152	1.05	-	51.03	38.90	17.59	55.84

802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06G	43.73	54.00	-10.27	18.68	3	Horizontal	309	3.00	-	25.05	40.06	12.66	34.04
AV	22.10896G	29.15	54.00	-24.85	-8.88	3	Horizontal	150	1.42	-	38.03	38.90	17.59	55.83
PK	11.0248G	56.40	74.00	-17.60	18.80	3	Horizontal	309	3.00	-	37.60	40.20	12.64	34.04
PK	16.56472G	61.44	68.20	-6.76	19.39	3	Horizontal	108	1.60	-	42.05	38.34	15.28	34.23
PK	22.13458G	42.46	74.00	-31.54	-8.86	3	Horizontal	150	1.42	-	51.32	38.90	17.60	55.82

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	45.23	54.00	-8.77	6.87	3	Vertical	5	2.95	-	38.36	31.71	9.34	34.18
AV	5.608G	95.71	Inf	-Inf	6.94	3	Vertical	5	2.95	-	88.77	31.68	9.46	34.20
PK	5.466G	58.60	68.20	-9.60	6.90	3	Vertical	5	2.95	-	51.70	31.73	9.35	34.18
PK	5.587G	108.78	Inf	-Inf	6.98	3	Vertical	5	2.95	-	101.80	31.73	9.45	34.20
PK	5.727G	60.15	68.20	-8.05	7.25	3	Vertical	5	2.95	-	52.90	31.95	9.50	34.20

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.459G	46.73	54.00	-7.27	6.89	3	Horizontal	302	2.53	-	39.84	31.72	9.35	34.18
AV	5.599G	101.31	Inf	-Inf	6.96	3	Horizontal	302	2.53	-	94.35	31.70	9.46	34.20
PK	5.47G	58.56	68.20	-9.64	6.92	3	Horizontal	302	2.53	-	51.64	31.74	9.36	34.18
PK	5.579G	114.29	Inf	-Inf	6.99	3	Horizontal	302	2.53	-	107.30	31.74	9.44	34.19
PK	5.738G	65.63	68.20	-2.57	7.28	3	Horizontal	302	2.53	-	58.35	31.98	9.50	34.20

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22G	44.91	54.00	-9.09	18.19	3	Vertical	7	2.78	-	26.72	39.52	12.72	34.05
AV	22.43274G	30.02	54.00	-23.98	-8.52	3	Vertical	337	2.28	-	38.54	38.97	17.69	55.64
PK	11.22032G	56.33	74.00	-17.67	18.19	3	Vertical	7	2.78	-	38.14	39.52	12.72	34.05
PK	16.79016G	63.39	68.20	-4.81	21.21	3	Vertical	350	1.06	-	42.18	39.56	15.41	33.76
PK	22.44414G	43.15	74.00	-30.85	-8.49	3	Vertical	337	2.28	-	51.64	38.98	17.70	55.63

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22G	44.12	54.00	-9.88	18.19	3	Horizontal	312	2.68	-	25.93	39.52	12.72	34.05
AV	22.44546G	29.84	54.00	-24.16	-8.49	3	Horizontal	213	1.40	-	38.33	38.98	17.70	55.63
PK	11.21312G	56.44	74.00	-17.56	18.18	3	Horizontal	312	2.68	-	38.26	39.51	12.72	34.05
PK	16.86856G	62.95	68.20	-5.25	21.25	3	Horizontal	116	1.50	-	41.70	39.39	15.46	33.60
PK	22.43364G	43.55	74.00	-30.45	-8.52	3	Horizontal	213	1.40	-	52.07	38.97	17.69	55.64

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4452G	45.21	54.00	-8.79	6.86	3	Vertical	14	1.00	-	38.35	31.70	9.34	34.18
AV	5.6852G	97.61	Inf	-Inf	7.10	3	Vertical	14	1.00	-	90.51	31.81	9.49	34.20
PK	5.4656G	57.96	68.20	-10.24	6.90	3	Vertical	14	1.00	-	51.06	31.73	9.35	34.18
PK	5.7056G	110.35	Inf	-Inf	7.20	3	Vertical	14	1.00	-	103.15	31.91	9.49	34.20
PK	5.8592G	60.76	68.20	-7.44	7.70	3	Vertical	14	1.00	-	53.06	32.34	9.57	34.21

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	47.46	54.00	-6.54	6.87	3	Horizontal	310	1.06	-	40.59	31.71	9.34	34.18
AV	5.6756G	105.52	Inf	-Inf	7.03	3	Horizontal	310	1.06	-	98.49	31.75	9.48	34.20
PK	5.4656G	59.07	68.20	-9.13	6.90	3	Horizontal	310	1.06	-	52.17	31.73	9.35	34.18
PK	5.6756G	117.71	Inf	-Inf	7.03	3	Horizontal	310	1.06	-	110.68	31.75	9.48	34.20
PK	5.8544G	67.87	68.20	-0.33	7.67	3	Horizontal	310	1.06	-	60.20	32.32	9.56	34.21

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38G	44.60	54.00	-9.40	18.57	3	Vertical	6	1.50	-	26.03	39.84	12.79	34.06
AV	22.74518G	29.45	54.00	-24.55	-8.40	3	Vertical	130	1.20	-	37.85	39.29	17.79	55.94
PK	11.39104G	56.49	74.00	-17.51	18.60	3	Vertical	6	1.50	-	37.89	39.87	12.79	34.06
PK	17.04568G	63.79	68.20	-4.41	21.89	3	Vertical	171	2.92	-	41.90	39.65	15.56	33.32
PK	22.76498G	42.28	74.00	-31.72	-8.40	3	Vertical	130	1.20	-	50.68	39.32	17.79	55.97

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.38G	44.43	54.00	-9.57	18.57	3	Horizontal	360	1.50	-	25.86	39.84	12.79	34.06
AV	22.745G	29.42	54.00	-24.58	-8.40	3	Horizontal	148	1.40	-	37.82	39.29	17.79	55.94
PK	11.37984G	56.72	74.00	-17.28	18.57	3	Horizontal	360	1.50	-	38.15	39.84	12.79	34.06
PK	17.06616G	63.71	68.20	-4.49	21.93	3	Horizontal	158	1.50	-	41.78	39.67	15.57	33.31
PK	22.75826G	42.46	74.00	-31.54	-8.40	3	Horizontal	148	1.40	-	50.86	39.31	17.79	55.96

802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5210MHz,#5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1456G	46.86	54.00	-7.14	6.84	3	Vertical	31	1.04	-	40.02	31.90	9.07	34.13
AV	5.2932G	91.31	Inf	-Inf	6.34	3	Vertical	31	1.04	-	84.97	31.31	9.18	34.15
AV	5.3532G	47.16	54.00	-6.84	6.42	3	Vertical	31	1.04	-	40.74	31.33	9.25	34.16
PK	5.1492G	58.88	74.00	-15.12	6.84	3	Vertical	31	1.04	-	52.04	31.90	9.07	34.13
PK	5.274G	103.71	Inf	-Inf	6.36	3	Vertical	31	1.04	-	97.35	31.35	9.16	34.15
PK	5.4876G	58.15	68.20	-10.05	6.96	3	Vertical	31	1.04	-	51.19	31.78	9.37	34.19

802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5210MHz,#5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	52.03	54.00	-1.97	6.84	3	Horizontal	300	2.14	-	45.19	31.90	9.07	34.13
AV	5.2872G	97.31	Inf	-Inf	6.36	3	Horizontal	300	2.14	-	90.95	31.33	9.18	34.15
AV	5.35G	51.55	54.00	-2.45	6.39	3	Horizontal	300	2.14	-	45.16	31.30	9.25	34.16
PK	5.1468G	66.93	74.00	-7.07	6.84	3	Horizontal	300	2.14	-	60.09	31.90	9.07	34.13
PK	5.3064G	110.08	Inf	-Inf	6.34	3	Horizontal	300	2.14	-	103.74	31.30	9.20	34.16
PK	5.3652G	67.40	74.00	-6.60	6.51	3	Horizontal	300	2.14	-	60.89	31.42	9.26	34.17

802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5210MHz,#5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7108G	45.15	54.00	-8.85	17.98	3	Vertical	46	1.95	-	27.17	37.65	14.86	34.53
AV	20.975G	28.19	54.00	-25.81	-8.33	3	Vertical	269	1.50	-	36.52	38.55	17.03	54.37
PK	10.51872G	55.31	68.20	-12.89	17.66	3	Vertical	278	1.11	-	37.65	39.70	12.43	34.47
PK	15.71432G	58.59	74.00	-15.41	17.96	3	Vertical	46	1.95	-	40.63	37.63	14.86	34.53
PK	21.0223G	41.56	74.00	-32.44	-8.29	3	Vertical	269	1.50	-	49.85	38.60	17.05	54.40

802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5210MHz,#5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71384G	45.13	54.00	-8.87	17.96	3	Horizontal	311	2.37	-	27.17	37.63	14.86	34.53
AV	20.975G	28.42	54.00	-25.58	-8.33	3	Horizontal	155	1.50	-	36.75	38.55	17.03	54.37
PK	10.50032G	55.52	68.20	-12.68	17.63	3	Horizontal	170	1.27	-	37.89	39.70	12.42	34.49
PK	15.71768G	59.14	74.00	-14.86	17.94	3	Horizontal	311	2.37	-	41.20	37.61	14.86	34.53
PK	21.0078G	40.95	74.00	-33.05	-8.30	3	Horizontal	155	1.50	-	49.25	38.60	17.04	54.40

802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5290MHz,#5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	45.23	54.00	-8.77	6.84	3	Vertical	31	1.00	-	38.39	31.90	9.07	34.13
AV	5.264G	85.21	Inf	-Inf	6.37	3	Vertical	31	1.00	-	78.84	31.37	9.15	34.15
AV	5.452G	47.66	54.00	-6.34	6.86	3	Vertical	31	1.00	-	40.80	31.70	9.34	34.18
AV	5.532G	91.38	Inf	-Inf	7.02	3	Vertical	31	1.00	-	84.36	31.80	9.41	34.19
PK	5.142G	58.30	74.00	-15.70	6.84	3	Vertical	31	1.00	-	51.46	31.90	9.07	34.13
PK	5.286G	96.93	Inf	-Inf	6.35	3	Vertical	31	1.00	-	90.58	31.33	9.17	34.15
PK	5.47G	62.06	68.20	-6.14	6.92	3	Vertical	31	1.00	-	55.14	31.74	9.36	34.18
PK	5.514G	103.35	Inf	-Inf	7.00	3	Vertical	31	1.00	-	96.35	31.80	9.39	34.19
PK	5.832G	59.27	68.20	-8.93	7.57	3	Vertical	31	1.00	-	51.70	32.23	9.55	34.21

802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5290MHz,#5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.062G	46.44	54.00	-7.56	6.77	3	Horizontal	308	1.00	-	39.67	31.82	9.06	34.11
AV	5.276G	94.38	Inf	-Inf	6.36	3	Horizontal	308	1.00	-	88.02	31.35	9.16	34.15
AV	5.46G	53.02	54.00	-0.98	6.89	3	Horizontal	308	1.00	-	46.13	31.72	9.35	34.18
AV	5.538G	98.76	Inf	-Inf	7.02	3	Horizontal	308	1.00	-	91.74	31.80	9.41	34.19
PK	5.076G	58.40	74.00	-15.60	6.80	3	Horizontal	308	1.00	-	51.60	31.85	9.06	34.11
PK	5.296G	106.48	Inf	-Inf	6.35	3	Horizontal	308	1.00	-	100.13	31.31	9.19	34.15
PK	5.462G	67.84	68.20	-0.36	6.89	3	Horizontal	308	1.00	-	60.95	31.72	9.35	34.18
PK	5.54G	110.88	Inf	-Inf	7.02	3	Horizontal	308	1.00	-	103.86	31.80	9.41	34.19
PK	5.806G	61.66	68.20	-6.54	7.43	3	Horizontal	308	1.00	-	54.23	32.12	9.52	34.21

802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5290MHz,#5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.78208G	42.76	54.00	-11.24	18.25	3	Vertical	54	2.05	-	24.51	39.95	12.54	34.24
PK	10.84624G	56.24	74.00	-17.76	18.44	3	Vertical	54	2.05	-	37.80	40.05	12.57	34.18
PK	16.26072G	59.69	68.20	-8.51	18.11	3	Vertical	128	1.04	-	41.58	37.53	15.10	34.52
PK	21.6391G	41.36	68.20	-26.84	-8.05	3	Vertical	285	1.72	-	49.41	38.94	17.37	54.82

802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5290MHz,#5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.78864G	42.81	54.00	-11.19	18.28	3	Horizontal	39	1.73	-	24.53	39.97	12.54	34.23
PK	10.81312G	56.20	74.00	-17.80	18.35	3	Horizontal	39	1.73	-	37.85	40.01	12.55	34.21
PK	16.25224G	59.43	68.20	-8.77	18.05	3	Horizontal	188	1.84	-	41.38	37.47	15.10	34.52
PK	21.6451G	41.21	68.20	-26.99	-8.06	3	Horizontal	9	2.05	-	49.27	38.94	17.38	54.84

802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5530MHz,#5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4488G	46.01	54.00	-7.99	6.86	3	Vertical	30	1.01	-	39.15	31.70	9.34	34.18
AV	5.618G	90.39	Inf	-Inf	6.93	3	Vertical	30	1.01	-	83.46	31.66	9.47	34.20
PK	5.468G	60.95	68.20	-7.25	6.91	3	Vertical	30	1.01	-	54.04	31.74	9.35	34.18
PK	5.6204G	103.34	Inf	-Inf	6.93	3	Vertical	30	1.01	-	96.41	31.66	9.47	34.20
PK	5.7344G	59.15	68.20	-9.05	7.27	3	Vertical	30	1.01	-	51.88	31.97	9.50	34.20

802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5530MHz,#5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4512G	51.68	54.00	-2.32	6.86	3	Horizontal	303	2.17	-	44.82	31.70	9.34	34.18
AV	5.612G	98.16	Inf	-Inf	6.94	3	Horizontal	303	2.17	-	91.22	31.68	9.46	34.20
PK	5.4692G	67.91	68.20	-0.29	6.92	3	Horizontal	303	2.17	-	60.99	31.74	9.36	34.18
PK	5.5952G	110.01	Inf	-Inf	6.97	3	Horizontal	303	2.17	-	103.04	31.71	9.46	34.20
PK	5.7284G	62.87	68.20	-5.33	7.26	3	Horizontal	303	2.17	-	55.61	31.96	9.50	34.20

802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5530MHz,#5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1768G	42.23	54.00	-11.77	18.24	3	Vertical	333	1.45	-	23.99	39.59	12.70	34.05
AV	22.2758G	28.84	54.00	-25.16	-8.72	3	Vertical	143	2.16	-	37.56	38.91	17.64	55.73
PK	11.13856G	55.61	74.00	-18.39	18.39	3	Vertical	333	1.45	-	37.22	39.75	12.69	34.05
PK	16.73864G	62.13	68.20	-6.07	20.86	3	Vertical	123	1.60	-	41.27	39.35	15.38	33.87
PK	22.2582G	41.72	74.00	-32.28	-8.75	3	Vertical	143	2.16	-	50.47	38.90	17.64	55.75

802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5530MHz,#5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.17984G	42.21	54.00	-11.79	18.24	3	Horizontal	303	1.93	-	23.97	39.58	12.71	34.05
AV	22.2576G	29.07	54.00	-24.93	-8.75	3	Horizontal	94	1.35	-	37.82	38.90	17.64	55.75
PK	11.11152G	55.54	74.00	-18.46	18.49	3	Horizontal	303	1.93	-	37.05	39.85	12.68	34.04
PK	16.7356G	62.61	68.20	-5.59	20.85	3	Horizontal	341	1.49	-	41.76	39.34	15.38	33.87
PK	22.2731G	41.91	74.00	-32.09	-8.73	3	Horizontal	94	1.35	-	50.64	38.91	17.64	55.74

802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5610MHz,#5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	49.57	54.00	-4.43	6.89	3	Vertical	15	2.96	-	42.68	31.72	9.35	34.18
AV	5.6008G	94.04	Inf	-Inf	6.96	3	Vertical	15	2.96	-	87.08	31.70	9.46	34.20
PK	5.4652G	62.98	68.20	-5.22	6.90	3	Vertical	15	2.96	-	56.08	31.73	9.35	34.18
PK	5.6032G	106.73	Inf	-Inf	6.95	3	Vertical	15	2.96	-	99.78	31.69	9.46	34.20
PK	5.8648G	59.14	68.20	-9.06	7.72	3	Vertical	15	2.96	-	51.42	32.36	9.57	34.21

802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5610MHz,#5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	52.65	54.00	-1.35	6.89	3	Horizontal	304	1.00	-	45.76	31.72	9.35	34.18
AV	5.6836G	100.75	Inf	-Inf	7.09	3	Horizontal	304	1.00	-	93.66	31.80	9.49	34.20
PK	5.4604G	65.47	68.20	-2.73	6.89	3	Horizontal	304	1.00	-	58.58	31.72	9.35	34.18
PK	5.6848G	112.93	Inf	-Inf	7.10	3	Horizontal	304	1.00	-	105.83	31.81	9.49	34.20
PK	5.854G	63.14	68.20	-5.06	7.67	3	Horizontal	304	1.00	-	55.47	32.32	9.56	34.21

802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5610MHz,#5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.26656G	42.44	54.00	-11.56	18.26	3	Vertical	21	1.17	-	24.18	39.57	12.74	34.05
AV	22.58G	31.13	54.00	-22.87	-8.41	3	Vertical	140	1.50	-	39.54	39.10	17.74	55.71
PK	11.30112G	55.96	74.00	-18.04	18.31	3	Vertical	21	1.17	-	37.65	39.60	12.76	34.05
PK	17.00814G	63.71	68.20	-4.49	21.82	3	Vertical	270	1.83	-	41.89	39.61	15.54	33.33
PK	22.5805G	44.02	74.00	-29.98	-8.41	3	Vertical	140	1.50	-	52.43	39.10	17.74	55.71

802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5610MHz,#5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.30848G	42.36	54.00	-11.64	18.34	3	Horizontal	225	2.29	-	24.02	39.63	12.76	34.05
AV	22.5803G	30.92	54.00	-23.08	-8.41	3	Horizontal	342	1.46	-	39.33	39.10	17.74	55.71
PK	11.30912G	56.29	74.00	-17.71	18.34	3	Horizontal	225	2.29	-	37.95	39.63	12.76	34.05
PK	16.98232G	63.76	68.20	-4.44	21.70	3	Horizontal	184	1.39	-	42.06	39.55	15.52	33.37
PK	22.578G	43.99	74.00	-30.01	-8.42	3	Horizontal	342	1.46	-	52.41	39.09	17.74	55.71

802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5690MHz,#5775MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4457G	44.90	54.00	-9.10	6.86	3	Vertical	89	1.50	-	38.04	31.70	9.34	34.18
AV	5.6701G	87.35	Inf	-Inf	7.00	3	Vertical	89	1.50	-	80.35	31.72	9.48	34.20
PK	5.649G	57.43	68.20	-10.77	6.90	3	Vertical	89	1.50	-	50.53	31.73	9.35	34.18
PK	5.6701G	100.33	Inf	-Inf	7.00	3	Vertical	89	1.50	-	93.33	31.72	9.48	34.20
PK	5.8849G	59.16	68.20	-9.04	7.82	3	Vertical	89	1.50	-	51.34	32.44	9.59	34.21

802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5690MHz,#5775MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4361G	45.33	54.00	-8.67	6.85	3	Horizontal	320	1.93	-	38.48	31.70	9.33	34.18
AV	5.6941G	96.78	Inf	-Inf	7.15	3	Horizontal	320	1.93	-	89.63	31.86	9.49	34.20
PK	5.4685G	57.63	68.20	-10.57	6.91	3	Horizontal	320	1.93	-	50.72	31.74	9.35	34.18
PK	5.6929G	109.61	Inf	-Inf	7.15	3	Horizontal	320	1.93	-	102.46	31.86	9.49	34.20
PK	5.8573G	65.63	68.20	-2.57	7.69	3	Horizontal	320	1.93	-	57.94	32.33	9.57	34.21

802.11ax HEW80+80_Nss1,(MCS0)_4TX


#5690MHz,#5775MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52144G	42.59	54.00	-11.41	18.82	3	Vertical	97	1.30	-	23.77	40.04	12.85	34.07
AV	22.9065G	28.10	54.00	-25.90	-8.38	3	Vertical	44	2.99	-	36.48	39.49	17.84	56.17
PK	11.40312G	56.16	74.00	-17.84	18.65	3	Vertical	97	1.30	-	37.51	39.91	12.80	34.06
PK	17.14378G	63.27	68.20	-4.93	21.94	3	Vertical	135	1.21	-	41.33	39.61	15.62	33.29
PK	22.9341G	41.29	74.00	-32.71	-8.39	3	Vertical	44	2.99	-	49.68	39.52	17.84	56.21

802.11ax HEW80+80_Nss1,(MCS0)_4TX

#5690MHz,#5775MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49492G	42.65	54.00	-11.35	18.87	3	Horizontal	136	1.85	-	23.78	40.09	12.84	34.06
AV	22.9065G	27.90	54.00	-26.10	-8.38	3	Horizontal	307	1.50	-	36.28	39.49	17.84	56.17
PK	11.47996G	56.08	74.00	-17.92	18.83	3	Horizontal	136	1.85	-	37.25	40.06	12.83	34.06
PK	17.15194G	63.69	68.20	-4.51	21.93	3	Horizontal	325	2.11	-	41.76	39.60	15.62	33.29
PK	22.9114G	40.56	74.00	-33.44	-8.39	3	Horizontal	307	1.50	-	48.95	39.49	17.84	56.18

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.47G	67.63	68.20	-0.57	3	Horizontal	50	2.56	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.4678G	67.52	68.20	-0.68	3	Horizontal	51	2.66	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.7258G	67.93	68.20	-0.27	3	Horizontal	48	2.68	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.457G	53.66	54.00	-0.34	3	Horizontal	51	2.66	-
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	AV	5.456G	53.41	54.00	-0.59	3	Horizontal	48	2.62	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	AV	5.46G	45.42	54.00	-8.58	3	Vertical	302	1.49	-
5500MHz	Pass	AV	5.501G	98.01	Inf	-Inf	3	Vertical	302	1.49	-
5500MHz	Pass	PK	5.461G	57.73	68.20	-10.47	3	Vertical	302	1.49	-
5500MHz	Pass	PK	5.5008G	107.26	Inf	-Inf	3	Vertical	302	1.49	-
5500MHz	Pass	AV	5.4542G	47.02	54.00	-6.98	3	Horizontal	50	2.56	-
5500MHz	Pass	AV	5.4926G	110.44	Inf	-Inf	3	Horizontal	50	2.56	-
5500MHz	Pass	PK	5.47G	67.63	68.20	-0.57	3	Horizontal	50	2.56	-
5500MHz	Pass	PK	5.4932G	120.00	Inf	-Inf	3	Horizontal	50	2.56	-
5500MHz	Pass	AV	11.00007G	43.69	54.00	-10.31	3	Vertical	21	1.50	-
5500MHz	Pass	PK	11.0012G	56.69	74.00	-17.31	3	Vertical	21	1.50	-
5500MHz	Pass	AV	11.00002G	43.76	54.00	-10.24	3	Horizontal	327	1.60	-
5500MHz	Pass	PK	10.99907G	57.08	74.00	-16.92	3	Horizontal	327	1.60	-
5580MHz	Pass	AV	5.457G	48.13	54.00	-5.87	3	Vertical	13	2.91	-
5580MHz	Pass	AV	5.577G	110.55	Inf	-Inf	3	Vertical	13	2.91	-
5580MHz	Pass	PK	5.469G	63.11	68.20	-5.09	3	Vertical	13	2.91	-
5580MHz	Pass	PK	5.577G	120.69	Inf	-Inf	3	Vertical	13	2.91	-
5580MHz	Pass	PK	5.7282G	57.46	68.20	-10.74	3	Vertical	13	2.91	-
5580MHz	Pass	AV	5.454G	50.31	54.00	-3.69	3	Horizontal	48	2.72	-
5580MHz	Pass	AV	5.5728G	115.31	Inf	-Inf	3	Horizontal	48	2.72	-
5580MHz	Pass	PK	5.4696G	64.15	68.20	-4.05	3	Horizontal	48	2.72	-
5580MHz	Pass	PK	5.574G	125.63	Inf	-Inf	3	Horizontal	48	2.72	-
5580MHz	Pass	PK	5.7264G	61.31	68.20	-6.89	3	Horizontal	48	2.72	-
5580MHz	Pass	AV	11.16002G	43.59	54.00	-10.41	3	Vertical	3	1.38	-
5580MHz	Pass	PK	11.16G	56.86	74.00	-17.14	3	Vertical	3	1.38	-
5580MHz	Pass	AV	11.16G	45.83	54.00	-8.17	3	Horizontal	307	2.10	-
5580MHz	Pass	PK	11.16058G	58.37	74.00	-15.63	3	Horizontal	307	2.10	-
5700MHz	Pass	AV	5.6968G	103.49	Inf	-Inf	3	Vertical	10	2.94	-
5700MHz	Pass	PK	5.6968G	113.59	Inf	-Inf	3	Vertical	10	2.94	-
5700MHz	Pass	PK	5.7384G	59.15	68.20	-9.05	3	Vertical	10	2.94	-
5700MHz	Pass	AV	5.6934G	108.15	Inf	-Inf	3	Horizontal	49	2.64	-
5700MHz	Pass	PK	5.6938G	117.89	Inf	-Inf	3	Horizontal	49	2.64	-
5700MHz	Pass	PK	5.7262G	65.91	68.20	-2.29	3	Horizontal	49	2.64	-
5700MHz	Pass	AV	11.40001G	43.81	54.00	-10.19	3	Vertical	17	1.53	-
5700MHz	Pass	PK	11.40023G	56.94	74.00	-17.06	3	Vertical	17	1.53	-
5700MHz	Pass	AV	11.39997G	45.28	54.00	-8.72	3	Horizontal	354	1.66	-
5700MHz	Pass	PK	11.40032G	56.37	74.00	-17.63	3	Horizontal	354	1.66	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4368G	44.80	54.00	-9.20	3	Vertical	297	1.60	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	103.86	Inf	-Inf	3	Vertical	297	1.60	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.02	68.20	-12.18	3	Vertical	297	1.60	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	113.78	Inf	-Inf	3	Vertical	297	1.60	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.942G	57.68	68.20	-10.52	3	Vertical	297	1.60	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	44.81	54.00	-9.19	3	Horizontal	293	1.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7272G	113.28	Inf	-Inf	3	Horizontal	293	1.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	55.94	68.20	-12.26	3	Horizontal	293	1.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7272G	124.48	Inf	-Inf	3	Horizontal	293	1.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	60.29	68.20	-7.91	3	Horizontal	293	1.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44024G	45.23	54.00	-8.77	3	Vertical	16	1.34	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43998G	58.51	74.00	-15.49	3	Vertical	16	1.34	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4402G	47.41	54.00	-6.59	3	Horizontal	301	1.03	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4404G	60.34	74.00	-13.66	3	Horizontal	301	1.03	-
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	AV	5.4514G	44.73	54.00	-9.27	3	Vertical	37	2.98	-
5500MHz	Pass	AV	5.4928G	101.84	Inf	-Inf	3	Vertical	37	2.98	-
5500MHz	Pass	PK	5.47G	59.28	68.20	-8.92	3	Vertical	37	2.98	-
5500MHz	Pass	PK	5.4928G	114.30	Inf	-Inf	3	Vertical	37	2.98	-
5500MHz	Pass	AV	5.46G	44.90	54.00	-9.10	3	Horizontal	51	2.66	-
5500MHz	Pass	AV	5.507G	107.49	Inf	-Inf	3	Horizontal	51	2.66	-
5500MHz	Pass	PK	5.4678G	67.52	68.20	-0.68	3	Horizontal	51	2.66	-
5500MHz	Pass	PK	5.5064G	119.63	Inf	-Inf	3	Horizontal	51	2.66	-
5500MHz	Pass	AV	10.99998G	43.29	54.00	-10.71	3	Vertical	21	1.50	-