


## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUT\_V\_1TX  
Setting 22  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 18.55264G | 47.52    | 83.54    | -36.02 | 44.87  | 1    | Vertical  | 76      | 1.56   | -       | 37.78 | 14.92 | 50.05 |
| AV   | 18.55296G | 33.56    | 63.54    | -29.98 | 30.91  | 1    | Vertical  | 76      | 1.56   | -       | 37.78 | 14.92 | 50.05 |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUT\_V\_1TX  
Setting 22  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.55828G    | 47.79             | 83.54             | -35.75         | 45.13         | 1           | Horizontal | 8              | 1.57          | -       | 37.78      | 14.92      | 50.04      |
| AV   | 18.55006G    | 33.47             | 63.54             | -30.07         | 30.82         | 1           | Horizontal | 8              | 1.57          | -       | 37.78      | 14.92      | 50.05      |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6345MHz\_TnomVnom




EUT V\_1TX  
Setting 23  
01-A-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.913G       | 62.91             | 88.20             | -25.29         | 54.30         | 3           | Vertical  | 56             | 1.76          | -       | 34.95      | 6.60       | 32.94      |
| RMS  | 5.923G       | 52.26             | 68.20             | -15.94         | 43.61         | 3           | Vertical  | 56             | 1.76          | -       | 34.99      | 6.60       | 32.94      |
| PK   | 6.387G       | 110.68            | Inf               | -Inf           | 101.12        | 3           | Vertical  | 56             | 1.76          | -       | 35.52      | 6.99       | 32.95      |
| RMS  | 6.371G       | 100.35            | Inf               | -Inf           | 90.88         | 3           | Vertical  | 56             | 1.76          | -       | 35.43      | 6.99       | 32.95      |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6345MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-A-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.915G       | 61.20             | 88.20             | -27.00         | 52.58         | 3           | Horizontal | 10             | 2.84          | -       | 34.96      | 6.60       | 32.94      |  |
| RMS  | 5.925G       | 50.83             | 68.20             | -17.37         | 42.17         | 3           | Horizontal | 10             | 2.84          | -       | 35.00      | 6.60       | 32.94      |  |
| PK   | 6.327G       | 105.26            | Inf               | -Inf           | 95.95         | 3           | Horizontal | 10             | 2.84          | -       | 35.30      | 6.96       | 32.95      |  |
| RMS  | 6.339G       | 95.13             | Inf               | -Inf           | 85.81         | 3           | Horizontal | 10             | 2.84          | -       | 35.30      | 6.97       | 32.95      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT V\_1TX  
Setting 23  
01-A-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.6858G     | 56.72             | 74.00             | -17.28         | 40.47         | 3           | Vertical  | 43             | 1.57          | -       | 38.96      | 9.31       | 32.02      |
| AV   | 12.68654G    | 43.07             | 54.00             | -10.93         | 26.82         | 3           | Vertical  | 43             | 1.57          | -       | 38.96      | 9.31       | 32.02      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT V\_1TX  
Setting 23  
01-A-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.69042G    | 56.91             | 74.00             | -17.09         | 40.65         | 3           | Horizontal | 254            | 1.53          | -       | 38.97      | 9.31       | 32.02      |
| AV   | 12.69188G    | 43.02             | 54.00             | -10.98         | 26.74         | 3           | Horizontal | 254            | 1.53          | -       | 38.98      | 9.31       | 32.01      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.03226G | 48.75    | 83.54    | -34.79 | 45.29  | 1    | Vertical  | 3       | 1.53   | -       | 37.96 | 15.11 | 49.61 |  |
| AV   | 19.03998G | 34.34    | 63.54    | -29.20 | 30.88  | 1    | Vertical  | 3       | 1.53   | -       | 37.95 | 15.12 | 49.61 |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.03134G | 47.88    | 83.54    | -35.66 | 44.42  | 1    | Horizontal | 114     | 1.51   | -       | 37.96 | 15.11 | 49.61 |
| AV   | 19.03082G | 34.44    | 63.54    | -29.10 | 30.98  | 1    | Horizontal | 114     | 1.51   | -       | 37.96 | 15.11 | 49.61 |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
Setting 24  
01-A-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9198G      | 61.35             | 88.20             | -26.85         | 52.71         | 3           | Vertical  | 54             | 1.80          | -       | 34.98      | 6.60       | 32.94      |
| RMS  | 5.925G       | 51.01             | 68.20             | -17.19         | 42.35         | 3           | Vertical  | 54             | 1.80          | -       | 35.00      | 6.60       | 32.94      |
| PK   | 6.5078G      | 110.25            | Inf               | -Inf           | 100.57        | 3           | Vertical  | 54             | 1.80          | -       | 35.63      | 7.00       | 32.95      |
| RMS  | 6.4826G      | 99.67             | Inf               | -Inf           | 90.09         | 3           | Vertical  | 54             | 1.80          | -       | 35.53      | 7.00       | 32.95      |
| PK   | 7.1658G      | 63.73             | 88.20             | -24.47         | 52.68         | 3           | Vertical  | 54             | 1.80          | -       | 36.96      | 7.22       | 33.13      |
| RMS  | 7.1266G      | 52.91             | 68.20             | -15.29         | 42.10         | 3           | Vertical  | 54             | 1.80          | -       | 36.71      | 7.24       | 33.14      |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
Setting 24  
01-A-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8974G      | 60.47             | 88.20             | -27.73         | 51.92         | 3           | Horizontal | 27             | 2.78          | -       | 34.89      | 6.60       | 32.94      |
| RMS  | 5.9058G      | 50.35             | 68.20             | -17.85         | 41.77         | 3           | Horizontal | 27             | 2.78          | -       | 34.92      | 6.60       | 32.94      |
| PK   | 6.5554G      | 103.94            | Inf               | -Inf           | 94.11         | 3           | Horizontal | 27             | 2.78          | -       | 35.81      | 7.00       | 32.98      |
| RMS  | 6.5358G      | 94.24             | Inf               | -Inf           | 84.47         | 3           | Horizontal | 27             | 2.78          | -       | 35.74      | 7.00       | 32.97      |
| PK   | 7.1882G      | 63.53             | 88.20             | -24.67         | 52.39         | 3           | Horizontal | 27             | 2.78          | -       | 37.05      | 7.21       | 33.12      |
| RMS  | 7.1742G      | 52.76             | 68.20             | -15.44         | 41.68         | 3           | Horizontal | 27             | 2.78          | -       | 37.00      | 7.21       | 33.13      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
Setting 24  
01-A-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.0092G     | 58.61             | 88.20             | -29.59         | 41.16         | 3           | Vertical  | 48             | 1.19          | -       | 39.61      | 9.45       | 31.61      |  |
| RMS  | 13.00694G    | 44.28             | 68.20             | -23.92         | 26.83         | 3           | Vertical  | 48             | 1.19          | -       | 39.61      | 9.45       | 31.61      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
Setting 24  
01-A-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.00602G    | 58.34             | 88.20             | -29.86         | 40.89         | 3           | Horizontal | 55             | 2.10          | -       | 39.61      | 9.45       | 31.61      |  |
| RMS  | 13.00694G    | 44.18             | 68.20             | -24.02         | 26.73         | 3           | Horizontal | 55             | 2.10          | -       | 39.61      | 9.45       | 31.61      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
Setting 24  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.5183G     | 48.42             | 83.54             | -35.12         | 44.92         | 1           | Vertical  | 233            | 1.57          | -       | 37.89      | 15.31      | 49.70      |
| AV   | 19.51632G    | 34.82             | 63.54             | -28.72         | 31.32         | 1           | Vertical  | 233            | 1.57          | -       | 37.89      | 15.31      | 49.70      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_1TX  
Setting 24  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.51674G    | 48.62             | 83.54             | -34.92         | 45.12         | 1           | Horizontal | 49             | 1.53          | -       | 37.89      | 15.31      | 49.70      |
| AV   | 19.51404G    | 34.84             | 63.54             | -28.70         | 31.34         | 1           | Horizontal | 49             | 1.53          | -       | 37.89      | 15.31      | 49.70      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT V\_1TX  
Setting 23.5  
01-A-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6474G      | 110.34            | Inf               | -Inf           | 100.37        | 3           | Vertical  | 291            | 1.76          | -       | 35.99      | 7.00       | 33.02      |  |
| RMS  | 6.6474G      | 100.19            | Inf               | -Inf           | 90.22         | 3           | Vertical  | 291            | 1.76          | -       | 35.99      | 7.00       | 33.02      |  |
| PK   | 7.1336G      | 65.43             | 88.20             | -22.77         | 54.57         | 3           | Vertical  | 291            | 1.76          | -       | 36.77      | 7.23       | 33.14      |  |
| RMS  | 7.138G       | 54.90             | 68.20             | -13.30         | 44.01         | 3           | Vertical  | 291            | 1.76          | -       | 36.80      | 7.23       | 33.14      |  |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6665MHz\_TnomVnom




EUT V\_1TX  
Setting 23.5  
01-A-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6386G      | 104.48            | Inf               | -Inf           | 94.52         | 3           | Horizontal | 0              | 2.73          | -       | 35.98      | 7.00       | 33.02      |  |
| RMS  | 6.6408G      | 94.03             | Inf               | -Inf           | 84.07         | 3           | Horizontal | 0              | 2.73          | -       | 35.98      | 7.00       | 33.02      |  |
| PK   | 7.1358G      | 64.09             | 88.20             | -24.11         | 53.21         | 3           | Horizontal | 0              | 2.73          | -       | 36.79      | 7.23       | 33.14      |  |
| RMS  | 7.138G       | 53.26             | 68.20             | -14.94         | 42.37         | 3           | Horizontal | 0              | 2.73          | -       | 36.80      | 7.23       | 33.14      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT V\_1TX  
Setting 23.5  
01-A-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.33028G    | 59.22             | 74.00             | -14.78         | 40.76         | 3           | Vertical  | 209            | 2.45          | -       | 40.06      | 9.60       | 31.20      |
| AV   | 13.33026G    | 45.19             | 54.00             | -8.81          | 26.73         | 3           | Vertical  | 209            | 2.45          | -       | 40.06      | 9.60       | 31.20      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT V\_1TX  
Setting 23.5  
01-A-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.32718G    | 58.74             | 74.00             | -15.26         | 40.30         | 3           | Horizontal | 337            | 2.86          | -       | 40.05      | 9.60       | 31.21      |
| AV   | 13.33298G    | 45.15             | 54.00             | -8.85          | 26.68         | 3           | Horizontal | 337            | 2.86          | -       | 40.07      | 9.60       | 31.20      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT V\_1TX  
Setting 23.5  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.99276G | 48.02    | 83.54    | -35.52 | 44.81  | 1    | Vertical  | 142     | 1.58   | -       | 37.41 | 15.50 | 49.70 |
| AV   | 19.99546G | 34.50    | 63.54    | -29.04 | 31.29  | 1    | Vertical  | 142     | 1.58   | -       | 37.41 | 15.50 | 49.70 |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT V\_1TX  
Setting 23.5  
01-A-R-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.9958G | 48.21    | 83.54    | -35.33 | 45.00  | 1    | Horizontal | 182     | 1.56   | -       | 37.41 | 15.50 | 49.70 |
| AV   | 19.9928G | 34.64    | 63.54    | -28.90 | 31.43  | 1    | Horizontal | 182     | 1.56   | -       | 37.41 | 15.50 | 49.70 |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-A-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.7706G      | 110.43            | Inf               | -Inf           | 100.31        | 3           | Vertical  | 284            | 1.53          | -       | 36.20      | 7.00       | 33.08      |  |
| RMS  | 6.8106G      | 99.49             | Inf               | -Inf           | 89.29         | 3           | Vertical  | 284            | 1.53          | -       | 36.28      | 7.02       | 33.10      |  |
| PK   | 7.1258G      | 70.42             | 88.20             | -17.78         | 59.61         | 3           | Vertical  | 284            | 1.53          | -       | 36.71      | 7.24       | 33.14      |  |
| RMS  | 7.1258G      | 60.29             | 68.20             | -7.91          | 49.48         | 3           | Vertical  | 284            | 1.53          | -       | 36.71      | 7.24       | 33.14      |  |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-A-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8106G      | 104.60            | Inf               | -Inf           | 94.40         | 3           | Horizontal | 351            | 3.00          | -       | 36.28      | 7.02       | 33.10      |  |
| RMS  | 6.8154G      | 94.39             | Inf               | -Inf           | 84.15         | 3           | Horizontal | 351            | 3.00          | -       | 36.32      | 7.02       | 33.10      |  |
| PK   | 7.1258G      | 67.59             | 88.20             | -20.61         | 56.78         | 3           | Horizontal | 351            | 3.00          | -       | 36.71      | 7.24       | 33.14      |  |
| RMS  | 7.137G       | 57.17             | 68.20             | -11.03         | 46.28         | 3           | Horizontal | 351            | 3.00          | -       | 36.80      | 7.23       | 33.14      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT V\_1TX  
Setting 23  
01-A-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.64852G    | 61.41             | 88.20             | -26.79         | 42.36         | 3           | Vertical  | 97             | 1.77          | -       | 40.40      | 9.74       | 31.09      |
| RMS  | 13.64724G    | 47.62             | 68.20             | -20.58         | 28.58         | 3           | Vertical  | 97             | 1.77          | -       | 40.39      | 9.74       | 31.09      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-A-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.64932G    | 61.92             | 88.20             | -26.28         | 42.87         | 3           | Horizontal | 243            | 2.76          | -       | 40.40      | 9.74       | 31.09      |
| RMS  | 13.65276G    | 47.66             | 68.20             | -20.54         | 28.60         | 3           | Horizontal | 243            | 2.76          | -       | 40.41      | 9.74       | 31.09      |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 20.4752G     | 47.35             | 83.54             | -36.19         | 43.84         | 1           | Vertical  | 198            | 1.53          | -       | 37.69      | 15.71      | 49.89      |  |
| AV   | 20.47398G    | 33.84             | 63.54             | -29.70         | 30.33         | 1           | Vertical  | 198            | 1.53          | -       | 37.69      | 15.71      | 49.89      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.4772G     | 47.62             | 83.54             | -35.92         | 44.11         | 1           | Horizontal | 307            | 1.53          | -       | 37.69      | 15.71      | 49.89      |
| AV   | 20.47996G    | 33.92             | 63.54             | -29.62         | 30.40         | 1           | Horizontal | 307            | 1.53          | -       | 37.69      | 15.72      | 49.89      |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6985MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
01-L-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.981G       | 108.46            | Inf               | -Inf           | 97.99         | 3           | Vertical  | 288            | 1.63          | -       | 36.38      | 7.27       | 33.18      |  |
| RMS  | 6.979G       | 97.83             | Inf               | -Inf           | 87.36         | 3           | Vertical  | 288            | 1.63          | -       | 36.38      | 7.27       | 33.18      |  |
| PK   | 7.141G       | 78.65             | 88.20             | -9.55          | 67.73         | 3           | Vertical  | 288            | 1.63          | -       | 36.83      | 7.23       | 33.14      |  |
| RMS  | 7.125G       | 66.45             | 68.20             | -1.75          | 55.65         | 3           | Vertical  | 288            | 1.63          | -       | 36.70      | 7.24       | 33.14      |  |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6985MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
01-L-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.988G       | 103.10            | Inf               | -Inf           | 92.65         | 3           | Horizontal | 13             | 3.00          | -       | 36.35      | 7.28       | 33.18      |  |
| RMS  | 6.999G       | 92.54             | Inf               | -Inf           | 82.13         | 3           | Horizontal | 13             | 3.00          | -       | 36.30      | 7.30       | 33.19      |  |
| PK   | 7.142G       | 74.36             | 88.20             | -13.84         | 63.43         | 3           | Horizontal | 13             | 3.00          | -       | 36.84      | 7.23       | 33.14      |  |
| RMS  | 7.129G       | 62.59             | 68.20             | -5.61          | 51.76         | 3           | Horizontal | 13             | 3.00          | -       | 36.73      | 7.24       | 33.14      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.96638G    | 63.13             | 88.20             | -25.07         | 43.66         | 3           | Vertical  | 45             | 1.70          | -       | 40.90      | 9.88       | 31.31      |  |
| RMS  | 13.97216G    | 49.45             | 68.20             | -18.75         | 29.97         | 3           | Vertical  | 45             | 1.70          | -       | 40.90      | 9.89       | 31.31      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.97038G    | 63.41             | 88.20             | -24.79         | 43.93         | 3           | Horizontal | 320            | 2.92          | -       | 40.90      | 9.89       | 31.31      |  |
| RMS  | 13.96896G    | 49.45             | 68.20             | -18.75         | 29.97         | 3           | Horizontal | 320            | 2.92          | -       | 40.90      | 9.89       | 31.31      |  |

# 802.11ax HEW160\_Nss1,(MCS0)\_1TX

## 6985MHz\_TnomVnom




EUT V\_1TX  
Setting 20.5  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.95568G | 47.46    | 83.54    | -36.08 | 43.58  | 1    | Vertical  | 173     | 1.53   | -       | 37.67 | 15.93 | 49.72 |  |
| AV   | 20.95298G | 33.52    | 63.54    | -30.02 | 29.63  | 1    | Vertical  | 173     | 1.53   | -       | 37.68 | 15.93 | 49.72 |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom



EUT V\_1TX  
Setting 20.5  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.95378G | 47.53    | 83.54    | -36.01 | 43.65  | 1    | Horizontal | 146     | 1.52   | -       | 37.67 | 15.93 | 49.72 |  |
| AV   | 20.9585G  | 33.32    | 63.54    | -30.22 | 29.44  | 1    | Horizontal | 146     | 1.52   | -       | 37.67 | 15.93 | 49.72 |  |




For non beamforming mode

Summary

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 6.875-7.125GHz                 | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             | -        |
| 802.11ax HEW20_Nss1.(MCS0)_2TX | Pass   | RMS  | 7.1255G      | 68.10             | 68.20             | -0.10          | 3           | Vertical  | 65             | 1.80          | -        |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT\_V\_2TX  
Setting 7.5  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8906G      | 61.75             | 88.20             | -26.45         | 53.21         | 3           | Vertical  | 300            | 1.78          | -       | 34.88      | 6.60       | 32.94      |
| RMS  | 5.9242G      | 48.85             | 68.20             | -19.35         | 40.19         | 3           | Vertical  | 300            | 1.78          | -       | 35.00      | 6.60       | 32.94      |
| PK   | 5.963G       | 111.32            | Inf               | -Inf           | 102.52        | 3           | Vertical  | 300            | 1.78          | -       | 35.15      | 6.60       | 32.95      |
| RMS  | 5.963G       | 99.17             | Inf               | -Inf           | 90.37         | 3           | Vertical  | 300            | 1.78          | -       | 35.15      | 6.60       | 32.95      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT\_V\_2TX  
Setting 7.5  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9062G      | 61.57             | 88.20             | -26.63         | 52.99         | 3           | Horizontal | 37             | 2.92          | -       | 34.92      | 6.60       | 32.94      |  |
| RMS  | 5.8754G      | 48.91             | 68.20             | -19.29         | 40.40         | 3           | Horizontal | 37             | 2.92          | -       | 34.85      | 6.60       | 32.94      |  |
| PK   | 5.9498G      | 104.53            | Inf               | -Inf           | 95.77         | 3           | Horizontal | 37             | 2.92          | -       | 35.10      | 6.60       | 32.94      |  |
| RMS  | 5.9486G      | 91.80             | Inf               | -Inf           | 83.05         | 3           | Horizontal | 37             | 2.92          | -       | 35.09      | 6.60       | 32.94      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT\_V\_2TX  
Setting 7.5  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.91136G    | 56.18             | 74.00             | -17.82         | 41.57         | 3           | Vertical  | 328            | 1.17          | -       | 38.50      | 8.98       | 32.87      |  |
| AV   | 11.91468G    | 42.44             | 54.00             | -11.56         | 27.83         | 3           | Vertical  | 328            | 1.17          | -       | 38.50      | 8.98       | 32.87      |  |
| PK   | 17.86426G    | 67.47             | 74.00             | -6.53          | 45.45         | 3           | Vertical  | 70             | 1.97          | -       | 42.66      | 11.06      | 31.70      |  |
| AV   | 17.86848G    | 52.70             | 54.00             | -1.30          | 30.67         | 3           | Vertical  | 70             | 1.97          | -       | 42.67      | 11.06      | 31.70      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT\_V\_2TX  
Setting 7.5  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.90676G    | 56.44             | 74.00             | -17.56         | 41.83         | 3           | Horizontal | 119            | 1.52          | -       | 38.50      | 8.98       | 32.87      |
| AV   | 11.91396G    | 42.51             | 54.00             | -11.49         | 27.90         | 3           | Horizontal | 119            | 1.52          | -       | 38.50      | 8.98       | 32.87      |
| PK   | 17.8623G     | 67.84             | 74.00             | -6.16          | 45.83         | 3           | Horizontal | 130            | 2.63          | -       | 42.65      | 11.06      | 31.70      |
| AV   | 17.8615G     | 52.81             | 54.00             | -1.19          | 30.80         | 3           | Horizontal | 130            | 2.63          | -       | 42.65      | 11.06      | 31.70      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6175MHz\_TnomVnom




EUT\_V\_2TX  
Setting 7  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9098G      | 61.71             | 88.20             | -26.49         | 53.11         | 3           | Vertical  | 304            | 1.78          | -       | 34.94      | 6.60       | 32.94      |  |
| RMS  | 5.8762G      | 48.89             | 68.20             | -19.31         | 40.38         | 3           | Vertical  | 304            | 1.78          | -       | 34.85      | 6.60       | 32.94      |  |
| PK   | 6.1846G      | 110.67            | Inf               | -Inf           | 101.30        | 3           | Vertical  | 304            | 1.78          | -       | 35.44      | 6.88       | 32.95      |  |
| RMS  | 6.1834G      | 99.59             | Inf               | -Inf           | 90.23         | 3           | Vertical  | 304            | 1.78          | -       | 35.43      | 6.88       | 32.95      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6175MHz\_TnomVnom




EUT\_V\_2TX  
Setting 7  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9026G      | 61.48             | 88.20             | -26.72         | 52.91         | 3           | Horizontal | 47             | 2.96          | -       | 34.91      | 6.60       | 32.94      |  |
| RMS  | 5.8798G      | 48.85             | 68.20             | -19.35         | 40.33         | 3           | Horizontal | 47             | 2.96          | -       | 34.86      | 6.60       | 32.94      |  |
| PK   | 6.1666G      | 105.24            | Inf               | -Inf           | 95.97         | 3           | Horizontal | 47             | 2.96          | -       | 35.37      | 6.85       | 32.95      |  |
| RMS  | 6.1678G      | 92.96             | Inf               | -Inf           | 83.69         | 3           | Horizontal | 47             | 2.96          | -       | 35.37      | 6.85       | 32.95      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6175MHz\_TnomVnom




EUT V\_2TX  
Setting 7  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.35178G    | 57.89             | 74.00             | -16.11         | 42.57         | 3           | Vertical  | 325            | 1.47          | -       | 38.60      | 9.16       | 32.44      |  |
| RMS  | 12.35024G    | 43.41             | 54.00             | -10.59         | 28.10         | 3           | Vertical  | 325            | 1.47          | -       | 38.60      | 9.16       | 32.45      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6175MHz\_TnomVnom




EUT\_V\_2TX  
Setting 7  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.35332G    | 57.14             | 74.00             | -16.86         | 41.81         | 3           | Horizontal | 196            | 1.82          | -       | 38.61      | 9.16       | 32.44      |  |
| RMS  | 12.35308G    | 43.42             | 54.00             | -10.58         | 28.09         | 3           | Horizontal | 196            | 1.82          | -       | 38.61      | 9.16       | 32.44      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6175MHz\_TnomVnom




EUT\_V\_2TX  
Setting 7  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.52288G    | 47.40             | 83.54             | -36.14         | 44.78         | 1           | Vertical  | 231            | 1.54          | -       | 37.79      | 14.91      | 50.08      |
| AV   | 18.5238G     | 33.80             | 63.54             | -29.74         | 31.18         | 1           | Vertical  | 231            | 1.54          | -       | 37.79      | 14.91      | 50.08      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6175MHz\_TnomVnom




EUT\_V\_2TX  
Setting 7  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.5272G     | 47.65             | 83.54             | -35.89         | 45.02         | 1           | Horizontal | 57             | 1.53          | -       | 37.79      | 14.91      | 50.07      |
| AV   | 18.52032G    | 33.88             | 63.54             | -29.66         | 31.26         | 1           | Horizontal | 57             | 1.53          | -       | 37.79      | 14.91      | 50.08      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT V\_2TX  
Setting 10  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.815G       | 61.35             | 88.20             | -26.85         | 53.16         | 3           | Vertical  | 66             | 2.45          | -       | 34.52      | 6.60       | 32.93      |  |
| RMS  | 5.9062G      | 48.92             | 68.20             | -19.28         | 40.34         | 3           | Vertical  | 66             | 2.45          | -       | 34.92      | 6.60       | 32.94      |  |
| PK   | 6.4174G      | 110.14            | Inf               | -Inf           | 100.56        | 3           | Vertical  | 66             | 2.45          | -       | 35.53      | 7.00       | 32.95      |  |
| RMS  | 6.4054G      | 98.51             | Inf               | -Inf           | 88.88         | 3           | Vertical  | 66             | 2.45          | -       | 35.58      | 7.00       | 32.95      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.875G       | 62.24             | 88.20             | -25.96         | 53.73         | 3           | Horizontal | 2              | 2.79          | -       | 34.85      | 6.60       | 32.94      |  |
| RMS  | 5.8486G      | 48.89             | 68.20             | -19.31         | 40.43         | 3           | Horizontal | 2              | 2.79          | -       | 34.79      | 6.60       | 32.93      |  |
| PK   | 6.4246G      | 104.93            | Inf               | -Inf           | 95.38         | 3           | Horizontal | 2              | 2.79          | -       | 35.50      | 7.00       | 32.95      |  |
| RMS  | 6.4054G      | 92.90             | Inf               | -Inf           | 83.27         | 3           | Horizontal | 2              | 2.79          | -       | 35.58      | 7.00       | 32.95      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.83356G    | 57.72             | 88.20             | -30.48         | 40.94         | 3           | Vertical  | 91             | 1.17          | -       | 39.23      | 9.38       | 31.83      |
| RMS  | 12.82508G    | 44.08             | 68.20             | -24.12         | 27.32         | 3           | Vertical  | 91             | 1.17          | -       | 39.23      | 9.37       | 31.84      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.8332G     | 58.20             | 88.20             | -30.00         | 41.43         | 3           | Horizontal | 131            | 1.79          | -       | 39.23      | 9.37       | 31.83      |
| RMS  | 12.82512G    | 44.21             | 68.20             | -23.99         | 27.45         | 3           | Horizontal | 131            | 1.79          | -       | 39.23      | 9.37       | 31.84      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT Y\_2TX  
Setting 10  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.2467G     | 46.80             | 83.54             | -36.74         | 43.55         | 1           | Vertical  | 130            | 1.52          | -       | 37.70      | 15.20      | 49.65      |
| AV   | 19.24068G    | 33.18             | 63.54             | -30.36         | 29.92         | 1           | Vertical  | 130            | 1.52          | -       | 37.71      | 15.20      | 49.65      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT Y\_2TX  
Setting 10  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.24334G | 47.11    | 83.54    | -36.43 | 43.85  | 1    | Horizontal | 52      | 1.52   | -       | 37.71 | 15.20 | 49.65 |  |
| AV   | 19.24444G | 33.16    | 63.54    | -30.38 | 29.90  | 1    | Horizontal | 52      | 1.52   | -       | 37.71 | 15.20 | 49.65 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.863G       | 61.39             | 88.20             | -26.81         | 52.90         | 3           | Vertical  | 64             | 2.37          | -       | 34.83      | 6.60       | 32.94      |  |
| RMS  | 5.8448G      | 50.69             | 68.20             | -17.51         | 42.26         | 3           | Vertical  | 64             | 2.37          | -       | 34.76      | 6.60       | 32.93      |  |
| PK   | 6.4272G      | 111.35            | Inf               | -Inf           | 101.81        | 3           | Vertical  | 64             | 2.37          | -       | 35.49      | 7.00       | 32.95      |  |
| RMS  | 6.4272G      | 100.38            | Inf               | -Inf           | 90.84         | 3           | Vertical  | 64             | 2.37          | -       | 35.49      | 7.00       | 32.95      |  |

# 802.11ax HEW20\_Nss1,(MCS0)\_2TX

## 6435MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.8812G      | 61.44             | 88.20             | -26.76         | 52.92         | 3           | Horizontal | 0              | 2.78          | -       | 34.86      | 6.60       | 32.94      |  |
| RMS  | 5.9176G      | 48.92             | 68.20             | -19.28         | 40.29         | 3           | Horizontal | 0              | 2.78          | -       | 34.97      | 6.60       | 32.94      |  |
| PK   | 6.4272G      | 105.13            | Inf               | -Inf           | 95.59         | 3           | Horizontal | 0              | 2.78          | -       | 35.49      | 7.00       | 32.95      |  |
| RMS  | 6.4272G      | 93.49             | Inf               | -Inf           | 83.95         | 3           | Horizontal | 0              | 2.78          | -       | 35.49      | 7.00       | 32.95      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.87242G    | 57.65             | 88.20             | -30.55         | 40.77         | 3           | Vertical  | 63             | 1.17          | -       | 39.27      | 9.39       | 31.78      |
| RMS  | 12.8725G     | 44.29             | 68.20             | -23.91         | 27.41         | 3           | Vertical  | 63             | 1.17          | -       | 39.27      | 9.39       | 31.78      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.5  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.87122G    | 57.85             | 88.20             | -30.35         | 40.97         | 3           | Horizontal | 221            | 1.65          | -       | 39.27      | 9.39       | 31.78      |
| RMS  | 12.87268G    | 44.25             | 68.20             | -23.95         | 27.37         | 3           | Horizontal | 221            | 1.65          | -       | 39.27      | 9.39       | 31.78      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.5  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.30832G | 46.98    | 83.54    | -36.56 | 43.67  | 1    | Vertical  | 229     | 1.51   | -       | 37.75 | 15.22 | 49.66 |
| AV   | 19.30602G | 33.58    | 63.54    | -29.96 | 30.28  | 1    | Vertical  | 229     | 1.51   | -       | 37.74 | 15.22 | 49.66 |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.5  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.30236G | 47.33    | 83.54    | -36.21 | 44.03  | 1    | Horizontal | 149     | 1.58   | -       | 37.74 | 15.22 | 49.66 |  |
| AV   | 19.30136G | 33.67    | 63.54    | -29.87 | 30.37  | 1    | Horizontal | 149     | 1.58   | -       | 37.74 | 15.22 | 49.66 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.7862G      | 61.60             | 88.20             | -26.60         | 53.53         | 3           | Vertical  | 65             | 2.32          | -       | 34.40      | 6.60       | 32.93      |
| RMS  | 5.8366G      | 49.01             | 68.20             | -19.19         | 40.65         | 3           | Vertical  | 65             | 2.32          | -       | 34.69      | 6.60       | 32.93      |
| PK   | 6.4666G      | 110.48            | Inf               | -Inf           | 100.96        | 3           | Vertical  | 65             | 2.32          | -       | 35.47      | 7.00       | 32.95      |
| RMS  | 6.4666G      | 99.68             | Inf               | -Inf           | 90.16         | 3           | Vertical  | 65             | 2.32          | -       | 35.47      | 7.00       | 32.95      |
| PK   | 7.1498G      | 63.26             | 88.20             | -24.94         | 52.27         | 3           | Vertical  | 65             | 2.32          | -       | 36.90      | 7.23       | 33.14      |
| RMS  | 7.175G       | 51.48             | 68.20             | -16.72         | 40.40         | 3           | Vertical  | 65             | 2.32          | -       | 37.00      | 7.21       | 33.13      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.915G       | 61.23             | 88.20             | -26.97         | 52.61         | 3           | Horizontal | 354            | 2.85          | -       | 34.96      | 6.60       | 32.94      |
| RMS  | 5.85G        | 49.01             | 68.20             | -19.19         | 40.54         | 3           | Horizontal | 354            | 2.85          | -       | 34.80      | 6.60       | 32.93      |
| PK   | 6.4666G      | 103.60            | Inf               | -Inf           | 94.08         | 3           | Horizontal | 354            | 2.85          | -       | 35.47      | 7.00       | 32.95      |
| RMS  | 6.4666G      | 92.04             | Inf               | -Inf           | 82.52         | 3           | Horizontal | 354            | 2.85          | -       | 35.47      | 7.00       | 32.95      |
| PK   | 7.1666G      | 63.75             | 88.20             | -24.45         | 52.69         | 3           | Horizontal | 354            | 2.85          | -       | 36.97      | 7.22       | 33.13      |
| RMS  | 7.161G       | 51.43             | 68.20             | -16.77         | 40.40         | 3           | Horizontal | 354            | 2.85          | -       | 36.94      | 7.22       | 33.13      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.9543G     | 58.45             | 88.20             | -29.75         | 41.24         | 3           | Vertical  | 123            | 2.03          | -       | 39.46      | 9.43       | 31.68      |  |
| RMS  | 12.94702G    | 44.62             | 68.20             | -23.58         | 27.44         | 3           | Vertical  | 123            | 2.03          | -       | 39.44      | 9.43       | 31.69      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.95484G    | 58.00             | 88.20             | -30.20         | 40.79         | 3           | Horizontal | 275            | 1.50          | -       | 39.46      | 9.43       | 31.68      |
| RMS  | 12.9454G     | 44.69             | 68.20             | -23.51         | 27.51         | 3           | Horizontal | 275            | 1.50          | -       | 39.44      | 9.43       | 31.69      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.42714G | 47.90    | 83.54    | -35.64 | 44.48  | 1    | Vertical  | 15      | 1.53   | -       | 37.84 | 15.27 | 49.69 |  |
| AV   | 19.42458G | 34.44    | 63.54    | -29.10 | 31.01  | 1    | Vertical  | 15      | 1.53   | -       | 37.84 | 15.27 | 49.68 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT Y\_2TX  
Setting 11  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.42522G | 48.29    | 83.54    | -35.25 | 44.87  | 1    | Horizontal | 239     | 1.50   | -       | 37.84 | 15.27 | 49.69 |  |
| AV   | 19.4219G  | 34.31    | 63.54    | -29.23 | 30.88  | 1    | Horizontal | 239     | 1.50   | -       | 37.84 | 15.27 | 49.68 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.871G       | 61.40             | 88.20             | -26.80         | 52.90         | 3           | Vertical  | 295            | 1.65          | -       | 34.84      | 6.60       | 32.94      |
| RMS  | 5.8374G      | 48.88             | 68.20             | -19.32         | 40.51         | 3           | Vertical  | 295            | 1.65          | -       | 34.70      | 6.60       | 32.93      |
| PK   | 6.5066G      | 109.72            | Inf               | -Inf           | 100.04        | 3           | Vertical  | 295            | 1.65          | -       | 35.63      | 7.00       | 32.95      |
| RMS  | 6.5066G      | 98.98             | Inf               | -Inf           | 89.30         | 3           | Vertical  | 295            | 1.65          | -       | 35.63      | 7.00       | 32.95      |
| PK   | 7.1786G      | 64.27             | 88.20             | -23.93         | 53.18         | 3           | Vertical  | 295            | 1.65          | -       | 37.01      | 7.21       | 33.13      |
| RMS  | 7.1702G      | 51.76             | 68.20             | -16.44         | 40.70         | 3           | Vertical  | 295            | 1.65          | -       | 36.98      | 7.21       | 33.13      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8934G      | 60.55             | 88.20             | -27.65         | 52.00         | 3           | Horizontal | 341            | 1.26          | -       | 34.89      | 6.60       | 32.94      |
| RMS  | 5.8514G      | 48.93             | 68.20             | -19.27         | 40.47         | 3           | Horizontal | 341            | 1.26          | -       | 34.80      | 6.60       | 32.94      |
| PK   | 6.5094G      | 103.77            | Inf               | -Inf           | 94.08         | 3           | Horizontal | 341            | 1.26          | -       | 35.64      | 7.00       | 32.95      |
| RMS  | 6.5094G      | 90.59             | Inf               | -Inf           | 80.90         | 3           | Horizontal | 341            | 1.26          | -       | 35.64      | 7.00       | 32.95      |
| PK   | 7.1562G      | 63.58             | 88.20             | -24.62         | 52.57         | 3           | Horizontal | 341            | 1.26          | -       | 36.92      | 7.22       | 33.13      |
| RMS  | 7.1786G      | 51.69             | 68.20             | -16.51         | 40.60         | 3           | Horizontal | 341            | 1.26          | -       | 37.01      | 7.21       | 33.13      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.02874G    | 58.19             | 88.20             | -30.01         | 40.68         | 3           | Vertical  | 84             | 1.14          | -       | 39.63      | 9.46       | 31.58      |  |
| RMS  | 13.02644G    | 44.61             | 68.20             | -23.59         | 27.11         | 3           | Vertical  | 84             | 1.14          | -       | 39.63      | 9.46       | 31.59      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.03054G    | 58.11             | 88.20             | -30.09         | 40.60         | 3           | Horizontal | 123            | 1.86          | -       | 39.63      | 9.46       | 31.58      |
| RMS  | 13.02536G    | 44.59             | 68.20             | -23.61         | 27.09         | 3           | Horizontal | 123            | 1.86          | -       | 39.63      | 9.46       | 31.59      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT Y\_2TX  
Setting 11  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.54034G    | 49.18             | 83.54             | -34.36         | 45.68         | 1           | Vertical  | 50             | 1.52          | -       | 37.88      | 15.32      | 49.70      |
| AV   | 19.54602G    | 34.93             | 63.54             | -28.61         | 31.43         | 1           | Vertical  | 50             | 1.52          | -       | 37.88      | 15.32      | 49.70      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.54182G | 48.56    | 83.54    | -34.98 | 45.06  | 1    | Horizontal | 359     | 1.50   | -       | 37.88 | 15.32 | 49.70 |  |
| AV   | 19.5423G  | 34.92    | 63.54    | -28.62 | 31.42  | 1    | Horizontal | 359     | 1.50   | -       | 37.88 | 15.32 | 49.70 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.891G       | 61.24             | 88.20             | -26.96         | 52.70         | 3           | Vertical  | 298            | 1.72          | -       | 34.88      | 6.60       | 32.94      |
| RMS  | 5.9246G      | 48.90             | 68.20             | -19.30         | 40.24         | 3           | Vertical  | 298            | 1.72          | -       | 35.00      | 6.60       | 32.94      |
| PK   | 6.535G       | 110.41            | Inf               | -Inf           | 100.64        | 3           | Vertical  | 298            | 1.72          | -       | 35.74      | 7.00       | 32.97      |
| RMS  | 6.5266G      | 98.67             | Inf               | -Inf           | 88.92         | 3           | Vertical  | 298            | 1.72          | -       | 35.71      | 7.00       | 32.96      |
| PK   | 7.1902G      | 63.66             | 88.20             | -24.54         | 52.52         | 3           | Vertical  | 298            | 1.72          | -       | 37.06      | 7.20       | 33.12      |
| RMS  | 7.1902G      | 51.67             | 68.20             | -16.53         | 40.53         | 3           | Vertical  | 298            | 1.72          | -       | 37.06      | 7.20       | 33.12      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8686G      | 60.71             | 88.20             | -27.49         | 52.21         | 3           | Horizontal | 342            | 1.27          | -       | 34.84      | 6.60       | 32.94      |
| RMS  | 5.8462G      | 48.95             | 68.20             | -19.25         | 40.51         | 3           | Horizontal | 342            | 1.27          | -       | 34.77      | 6.60       | 32.93      |
| PK   | 6.5266G      | 102.38            | Inf               | -Inf           | 92.63         | 3           | Horizontal | 342            | 1.27          | -       | 35.71      | 7.00       | 32.96      |
| RMS  | 6.5294G      | 91.29             | Inf               | -Inf           | 81.53         | 3           | Horizontal | 342            | 1.27          | -       | 35.72      | 7.00       | 32.96      |
| PK   | 7.2182G      | 63.89             | 88.20             | -24.31         | 52.68         | 3           | Horizontal | 342            | 1.27          | -       | 37.10      | 7.22       | 33.11      |
| RMS  | 7.1902G      | 51.68             | 68.20             | -16.52         | 40.54         | 3           | Horizontal | 342            | 1.27          | -       | 37.06      | 7.20       | 33.12      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.06606G    | 58.82             | 88.20             | -29.38         | 41.21         | 3           | Vertical  | 193            | 2.68          | -       | 39.67      | 9.48       | 31.54      |  |
| RMS  | 13.07406G    | 44.44             | 68.20             | -23.76         | 26.82         | 3           | Vertical  | 193            | 2.68          | -       | 39.67      | 9.48       | 31.53      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.06732G    | 58.88             | 88.20             | -29.32         | 41.27         | 3           | Horizontal | 176            | 2.89          | -       | 39.67      | 9.48       | 31.54      |  |
| RMS  | 13.07086G    | 44.59             | 68.20             | -23.61         | 26.97         | 3           | Horizontal | 176            | 2.89          | -       | 39.67      | 9.48       | 31.53      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.60092G | 48.11    | 83.54    | -35.43 | 44.61  | 1    | Vertical  | 254     | 1.57   | -       | 37.86 | 15.34 | 49.70 |  |
| AV   | 19.60104G | 34.51    | 63.54    | -29.03 | 31.01  | 1    | Vertical  | 254     | 1.57   | -       | 37.86 | 15.34 | 49.70 |  |

# 802.11ax HEW20\_Nss1,(MCS0)\_2TX

## 6535MHz\_TnomVnom




EUT Y\_2TX  
Setting 11  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.6079G  | 48.11    | 83.54    | -35.43 | 44.61  | 1    | Horizontal | 22      | 1.55   | -       | 37.86 | 15.34 | 49.70 |  |
| AV   | 19.60178G | 34.37    | 63.54    | -29.17 | 30.87  | 1    | Horizontal | 22      | 1.55   | -       | 37.86 | 15.34 | 49.70 |  |

# 802.11ax HEW20\_Nss1,(MCS0)\_2TX

## 6695MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6972G      | 108.40            | Inf               | -Inf           | 98.53         | 3           | Vertical  | 297            | 1.79          | -       | 35.91      | 7.00       | 33.04      |  |
| RMS  | 6.6862G      | 98.10             | Inf               | -Inf           | 88.21         | 3           | Vertical  | 297            | 1.79          | -       | 35.93      | 7.00       | 33.04      |  |
| PK   | 7.1988G      | 63.30             | 88.20             | -24.90         | 52.12         | 3           | Vertical  | 297            | 1.79          | -       | 37.10      | 7.20       | 33.12      |  |
| RMS  | 7.1702G      | 51.60             | 68.20             | -16.60         | 40.54         | 3           | Vertical  | 297            | 1.79          | -       | 36.98      | 7.21       | 33.13      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6972G      | 104.12            | Inf               | -Inf           | 94.25         | 3           | Horizontal | 356            | 2.77          | -       | 35.91      | 7.00       | 33.04      |  |
| RMS  | 6.6862G      | 93.04             | Inf               | -Inf           | 83.15         | 3           | Horizontal | 356            | 2.77          | -       | 35.93      | 7.00       | 33.04      |  |
| PK   | 7.2296G      | 63.90             | 88.20             | -24.30         | 52.68         | 3           | Horizontal | 356            | 2.77          | -       | 37.10      | 7.23       | 33.11      |  |
| RMS  | 7.234G       | 51.79             | 68.20             | -16.41         | 40.57         | 3           | Horizontal | 356            | 2.77          | -       | 37.10      | 7.23       | 33.11      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.38702G    | 59.95             | 74.00             | -14.05         | 41.29         | 3           | Vertical  | 163            | 1.42          | -       | 40.17      | 9.62       | 31.13      |  |
| RMS  | 13.38846G    | 45.87             | 54.00             | -8.13          | 27.20         | 3           | Vertical  | 163            | 1.42          | -       | 40.18      | 9.62       | 31.13      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.38786G    | 60.70             | 74.00             | -13.30         | 42.03         | 3           | Horizontal | 258            | 2.93          | -       | 40.18      | 9.62       | 31.13      |  |
| RMS  | 13.38836G    | 45.84             | 54.00             | -8.16          | 27.17         | 3           | Horizontal | 258            | 2.93          | -       | 40.18      | 9.62       | 31.13      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT Y\_2TX  
Setting 11  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.08836G | 48.74    | 83.54    | -34.80 | 45.47  | 1    | Vertical  | 307     | 1.52   | -       | 37.47 | 15.54 | 49.74 |  |
| AV   | 20.08316G | 34.56    | 63.54    | -28.98 | 31.28  | 1    | Vertical  | 307     | 1.52   | -       | 37.47 | 15.54 | 49.73 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 20.08776G    | 48.33             | 83.54             | -35.21         | 45.06         | 1           | Horizontal | 346            | 1.56          | -       | 37.47      | 15.54      | 49.74      |  |
| AV   | 20.08148G    | 34.55             | 63.54             | -28.99         | 31.27         | 1           | Horizontal | 346            | 1.56          | -       | 37.47      | 15.54      | 49.73      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT\_V\_2TX  
Setting 9.5  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8466G      | 108.05            | Inf               | -Inf           | 97.53         | 3           | Vertical  | 68             | 1.76          | -       | 36.57      | 7.07       | 33.12      |  |
| RMS  | 6.8466G      | 97.95             | Inf               | -Inf           | 87.43         | 3           | Vertical  | 68             | 1.76          | -       | 36.57      | 7.07       | 33.12      |  |
| PK   | 7.1966G      | 63.84             | 88.20             | -24.36         | 52.67         | 3           | Vertical  | 68             | 1.76          | -       | 37.09      | 7.20       | 33.12      |  |
| RMS  | 7.1518G      | 51.78             | 68.20             | -16.42         | 40.79         | 3           | Vertical  | 68             | 1.76          | -       | 36.91      | 7.22       | 33.14      |  |

# 802.11ax HEW20\_Nss1,(MCS0)\_2TX

## 6855MHz\_TnomVnom




EUT\_V\_2TX  
Setting 9.5  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.848G       | 101.31            | Inf               | -Inf           | 90.78         | 3           | Horizontal | 355            | 1.56          | -       | 36.58      | 7.07       | 33.12      |  |
| RMS  | 6.8466G      | 89.14             | Inf               | -Inf           | 78.62         | 3           | Horizontal | 355            | 1.56          | -       | 36.57      | 7.07       | 33.12      |  |
| PK   | 7.1252G      | 64.61             | 88.20             | -23.59         | 53.81         | 3           | Horizontal | 355            | 1.56          | -       | 36.70      | 7.24       | 33.14      |  |
| RMS  | 7.184G       | 51.75             | 68.20             | -16.45         | 40.62         | 3           | Horizontal | 355            | 1.56          | -       | 37.04      | 7.21       | 33.12      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT\_V\_2TX  
Setting 9.5  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.71006G    | 62.80             | 88.20             | -25.40         | 43.63         | 3           | Vertical  | 307            | 2.15          | -       | 40.53      | 9.77       | 31.13      |
| RMS  | 13.71464G    | 49.31             | 68.20             | -18.89         | 30.14         | 3           | Vertical  | 307            | 2.15          | -       | 40.54      | 9.77       | 31.14      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT V\_2TX  
Setting 9.5  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.71064G    | 63.59             | 88.20             | -24.61         | 44.42         | 3           | Horizontal | 12             | 1.09          | -       | 40.53      | 9.77       | 31.13      |
| RMS  | 13.7134G     | 49.23             | 68.20             | -18.97         | 30.06         | 3           | Horizontal | 12             | 1.09          | -       | 40.54      | 9.77       | 31.14      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT Y\_2TX  
Setting 9.5  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.56304G | 48.19    | 83.54    | -35.35 | 44.53  | 1    | Vertical  | 150     | 1.56   | -       | 37.78 | 15.75 | 49.87 |  |
| AV   | 20.56916G | 34.90    | 63.54    | -28.64 | 31.23  | 1    | Vertical  | 150     | 1.56   | -       | 37.78 | 15.76 | 49.87 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT V\_2TX  
Setting 9.5  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.56538G | 48.39    | 83.54    | -35.15 | 44.73  | 1    | Horizontal | 290     | 1.53   | -       | 37.78 | 15.75 | 49.87 |
| AV   | 20.56964G | 34.87    | 63.54    | -28.67 | 31.20  | 1    | Horizontal | 290     | 1.53   | -       | 37.78 | 15.76 | 49.87 |

# 802.11ax HEW20\_Nss1,(MCS0)\_2TX

## 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT Y\_2TX  
Setting 10  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.869G       | 109.44            | Inf               | -Inf           | 99.02         | 3           | Vertical  | 293            | 1.70          | -       | 36.45      | 7.10       | 33.13      |  |
| RMS  | 6.869G       | 97.65             | Inf               | -Inf           | 87.23         | 3           | Vertical  | 293            | 1.70          | -       | 36.45      | 7.10       | 33.13      |  |
| PK   | 7.1558G      | 64.00             | 88.20             | -24.20         | 52.99         | 3           | Vertical  | 293            | 1.70          | -       | 36.92      | 7.22       | 33.13      |  |
| RMS  | 7.1726G      | 51.79             | 68.20             | -16.41         | 40.72         | 3           | Vertical  | 293            | 1.70          | -       | 36.99      | 7.21       | 33.13      |  |

# 802.11ax HEW20\_Nss1,(MCS0)\_2TX

## 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_2TX  
Setting 10  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.881G       | 104.17            | Inf               | -Inf           | 93.83         | 3           | Horizontal | 43             | 2.72          | -       | 36.35      | 7.12       | 33.13      |  |
| RMS  | 6.8702G      | 91.95             | Inf               | -Inf           | 81.53         | 3           | Horizontal | 43             | 2.72          | -       | 36.44      | 7.11       | 33.13      |  |
| PK   | 7.1666G      | 64.19             | 88.20             | -24.01         | 53.13         | 3           | Horizontal | 43             | 2.72          | -       | 36.97      | 7.22       | 33.13      |  |
| RMS  | 7.1726G      | 51.63             | 68.20             | -16.57         | 40.56         | 3           | Horizontal | 43             | 2.72          | -       | 36.99      | 7.21       | 33.13      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_2TX  
Setting 10  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.74996G    | 63.62             | 88.20             | -24.58         | 44.34         | 3           | Vertical  | 110            | 2.09          | -       | 40.65      | 9.79       | 31.16      |
| RMS  | 13.75276G    | 50.07             | 68.20             | -18.13         | 30.78         | 3           | Vertical  | 110            | 2.09          | -       | 40.66      | 9.79       | 31.16      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_2TX  
Setting 10  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.75266G    | 64.01             | 88.20             | -24.19         | 44.72         | 3           | Horizontal | 356            | 1.89          | -       | 40.66      | 9.79       | 31.16      |
| RMS  | 13.74982G    | 49.99             | 68.20             | -18.21         | 30.71         | 3           | Horizontal | 356            | 1.89          | -       | 40.65      | 9.79       | 31.16      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_2TX  
Setting 10  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.62252G    | 49.11             | 83.54             | -34.43         | 45.33         | 1           | Vertical  | 73             | 1.53          | -       | 37.85      | 15.78      | 49.85      |
| AV   | 20.62102G    | 35.30             | 63.54             | -28.24         | 31.52         | 1           | Vertical  | 73             | 1.53          | -       | 37.85      | 15.78      | 49.85      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_2TX  
Setting 10  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.62886G    | 49.55             | 83.54             | -33.99         | 45.77         | 1           | Horizontal | 189            | 1.58          | -       | 37.85      | 15.78      | 49.85      |
| AV   | 20.62122G    | 35.31             | 63.54             | -28.23         | 31.53         | 1           | Horizontal | 189            | 1.58          | -       | 37.85      | 15.78      | 49.85      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6895MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8866G      | 108.59            | Inf               | -Inf           | 98.29         | 3           | Vertical  | 70             | 1.83          | -       | 36.31      | 7.13       | 33.14      |  |
| RMS  | 6.8866G      | 97.87             | Inf               | -Inf           | 87.57         | 3           | Vertical  | 70             | 1.83          | -       | 36.31      | 7.13       | 33.14      |  |
| PK   | 7.1806G      | 63.63             | 88.20             | -24.57         | 52.52         | 3           | Vertical  | 70             | 1.83          | -       | 37.02      | 7.21       | 33.12      |  |
| RMS  | 7.195G       | 51.81             | 68.20             | -16.39         | 40.65         | 3           | Vertical  | 70             | 1.83          | -       | 37.08      | 7.20       | 33.12      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6895MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.9022G      | 103.82            | Inf               | -Inf           | 93.60         | 3           | Horizontal | 27             | 3.00          | -       | 36.21      | 7.15       | 33.14      |
| RMS  | 6.9034G      | 92.67             | Inf               | -Inf           | 82.43         | 3           | Horizontal | 27             | 3.00          | -       | 36.22      | 7.16       | 33.14      |
| PK   | 7.1554G      | 63.89             | 88.20             | -24.31         | 52.88         | 3           | Horizontal | 27             | 3.00          | -       | 36.92      | 7.22       | 33.13      |
| RMS  | 7.177G       | 51.70             | 68.20             | -16.50         | 40.61         | 3           | Horizontal | 27             | 3.00          | -       | 37.01      | 7.21       | 33.13      |

# 802.11ax HEW20\_Nss1,(MCS0)\_2TX

## 6895MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.5  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.79308G    | 63.52             | 88.20             | -24.68         | 44.12         | 3           | Vertical  | 208            | 2.65          | -       | 40.78      | 9.81       | 31.19      |
| RMS  | 13.7926G     | 50.15             | 68.20             | -18.05         | 30.75         | 3           | Vertical  | 208            | 2.65          | -       | 40.78      | 9.81       | 31.19      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6895MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.5  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.79196G    | 64.00             | 88.20             | -24.20         | 44.60         | 3           | Horizontal | 233            | 2.70          | -       | 40.78      | 9.81       | 31.19      |
| RMS  | 13.79044G    | 50.19             | 68.20             | -18.01         | 30.80         | 3           | Horizontal | 233            | 2.70          | -       | 40.77      | 9.81       | 31.19      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6895MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.5  
01-E-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.68906G | 49.01    | 83.54    | -34.53 | 45.09  | 1    | Vertical  | 73      | 1.55   | -       | 37.93 | 15.81 | 49.82 |
| AV   | 20.6883G  | 35.39    | 63.54    | -28.15 | 31.47  | 1    | Vertical  | 73      | 1.55   | -       | 37.93 | 15.81 | 49.82 |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6895MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.5  
01-E-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.68006G | 48.83    | 83.54    | -34.71 | 44.93  | 1    | Horizontal | 305     | 1.55   | -       | 37.92 | 15.81 | 49.83 |
| AV   | 20.68358G | 35.61    | 63.54    | -27.93 | 31.71  | 1    | Horizontal | 305     | 1.55   | -       | 37.92 | 15.81 | 49.83 |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6995MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0038G      | 108.83            | Inf               | -Inf           | 98.40         | 3           | Vertical  | 77             | 1.68          | -       | 36.32      | 7.30       | 33.19      |
| RMS  | 7.0038G      | 97.85             | Inf               | -Inf           | 87.42         | 3           | Vertical  | 77             | 1.68          | -       | 36.32      | 7.30       | 33.19      |
| PK   | 7.171G       | 64.42             | 88.20             | -23.78         | 53.36         | 3           | Vertical  | 77             | 1.68          | -       | 36.98      | 7.21       | 33.13      |
| RMS  | 7.179G       | 51.76             | 68.20             | -16.44         | 40.66         | 3           | Vertical  | 77             | 1.68          | -       | 37.02      | 7.21       | 33.13      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6995MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.003G       | 103.86            | Inf               | -Inf           | 93.43         | 3           | Horizontal | 19             | 2.94          | -       | 36.32      | 7.30       | 33.19      |
| RMS  | 7.0038G      | 93.15             | Inf               | -Inf           | 82.72         | 3           | Horizontal | 19             | 2.94          | -       | 36.32      | 7.30       | 33.19      |
| PK   | 7.1854G      | 65.45             | 88.20             | -22.75         | 54.32         | 3           | Horizontal | 19             | 2.94          | -       | 37.04      | 7.21       | 33.12      |
| RMS  | 7.1622G      | 51.75             | 68.20             | -16.45         | 40.71         | 3           | Horizontal | 19             | 2.94          | -       | 36.95      | 7.22       | 33.13      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6995MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.5  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.98936G    | 64.52             | 88.20             | -23.68         | 45.04         | 3           | Vertical  | 290            | 2.24          | -       | 40.90      | 9.90       | 31.32      |  |
| RMS  | 13.985G      | 49.94             | 68.20             | -18.26         | 30.47         | 3           | Vertical  | 290            | 2.24          | -       | 40.90      | 9.89       | 31.32      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6995MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.5  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.98614G    | 64.07             | 88.20             | -24.13         | 44.60         | 3           | Horizontal | 204            | 1.96          | -       | 40.90      | 9.89       | 31.32      |  |
| RMS  | 13.98778G    | 49.99             | 68.20             | -18.21         | 30.52         | 3           | Horizontal | 204            | 1.96          | -       | 40.90      | 9.89       | 31.32      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6995MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.5  
01-E-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.98154G    | 46.91             | 83.54             | -36.63         | 43.05         | 1           | Vertical  | 187            | 1.52          | -       | 37.63      | 15.94      | 49.71      |
| AV   | 20.98338G    | 33.25             | 63.54             | -30.29         | 29.39         | 1           | Vertical  | 187            | 1.52          | -       | 37.63      | 15.94      | 49.71      |

# 802.11ax HEW20\_Nss1,(MCS0)\_2TX

## 6995MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.5  
01-E-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.98296G | 47.07    | 83.54    | -36.47 | 43.21  | 1    | Horizontal | 47      | 1.56   | -       | 37.63 | 15.94 | 49.71 |
| AV   | 20.983G   | 33.31    | 63.54    | -30.23 | 29.45  | 1    | Horizontal | 47      | 1.56   | -       | 37.63 | 15.94 | 49.71 |

# 802.11ax HEW20\_Nss1,(MCS0)\_2TX

## 7095MHz\_TnomVnom




EUT V\_2TX  
Setting 11.5  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 7.103G       | 111.86            | Inf               | -Inf           | 101.24        | 3           | Vertical  | 78             | 1.64          | -       | 36.52      | 7.25       | 33.15      |  |
| RMS  | 7.1038G      | 100.17            | Inf               | -Inf           | 89.54         | 3           | Vertical  | 78             | 1.64          | -       | 36.53      | 7.25       | 33.15      |  |
| PK   | 7.1358G      | 64.89             | 88.20             | -23.31         | 54.01         | 3           | Vertical  | 78             | 1.64          | -       | 36.79      | 7.23       | 33.14      |  |
| RMS  | 7.1622G      | 51.87             | 68.20             | -16.33         | 40.83         | 3           | Vertical  | 78             | 1.64          | -       | 36.95      | 7.22       | 33.13      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUT V\_2TX  
Setting 11.5  
01-E-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.087G       | 107.67            | Inf               | -Inf           | 97.04         | 3           | Horizontal | 17             | 2.97          | -       | 36.53      | 7.26       | 33.16      |
| RMS  | 7.0862G      | 95.99             | Inf               | -Inf           | 85.36         | 3           | Horizontal | 17             | 2.97          | -       | 36.53      | 7.26       | 33.16      |
| PK   | 7.1506G      | 64.61             | 88.20             | -23.59         | 53.63         | 3           | Horizontal | 17             | 2.97          | -       | 36.90      | 7.22       | 33.14      |
| RMS  | 7.1862G      | 51.89             | 68.20             | -16.31         | 40.76         | 3           | Horizontal | 17             | 2.97          | -       | 37.04      | 7.21       | 33.12      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11.5  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 14.18956G    | 63.05             | 88.20             | -25.15         | 43.80         | 3           | Vertical  | 256            | 2.58          | -       | 40.81      | 9.96       | 31.52      |  |
| RMS  | 14.18648G    | 48.99             | 68.20             | -19.21         | 29.73         | 3           | Vertical  | 256            | 2.58          | -       | 40.81      | 9.96       | 31.51      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11.5  
01-E-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.19086G    | 62.88             | 88.20             | -25.32         | 43.63         | 3           | Horizontal | 125            | 1.72          | -       | 40.81      | 9.96       | 31.52      |
| RMS  | 14.18648G    | 49.00             | 68.20             | -19.20         | 29.74         | 3           | Horizontal | 125            | 1.72          | -       | 40.81      | 9.96       | 31.51      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11.5  
01-E-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 21.28312G | 49.35    | 83.54    | -34.19 | 45.27  | 1    | Vertical  | 50      | 1.54   | -       | 37.64 | 16.08 | 49.64 |
| AV   | 21.2832G  | 35.75    | 63.54    | -27.79 | 31.67  | 1    | Vertical  | 50      | 1.54   | -       | 37.64 | 16.08 | 49.64 |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11.5  
01-E-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 21.28088G | 49.79    | 83.54    | -33.75 | 45.71  | 1    | Horizontal | 278     | 1.58   | -       | 37.64 | 16.08 | 49.64 |  |
| AV   | 21.28596G | 35.62    | 63.54    | -27.92 | 31.54  | 1    | Horizontal | 278     | 1.58   | -       | 37.64 | 16.08 | 49.64 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7115MHz\_TnomVnom




EUT V\_2TX  
Setting 7.5  
01-L-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 7.10993G     | 97.30             | Inf               | -Inf           | 86.62         | 3           | Vertical  | 65             | 1.80          | -       | 36.58      | 7.25       | 33.15      |  |
| RMS  | 7.1059G      | 87.84             | Inf               | -Inf           | 77.19         | 3           | Vertical  | 65             | 1.80          | -       | 36.55      | 7.25       | 33.15      |  |
| PK   | 7.1255G      | 79.02             | 88.20             | -9.18          | 68.22         | 3           | Vertical  | 65             | 1.80          | -       | 36.70      | 7.24       | 33.14      |  |
| RMS  | 7.1255G      | 68.10             | 68.20             | -0.10          | 57.30         | 3           | Vertical  | 65             | 1.80          | -       | 36.70      | 7.24       | 33.14      |  |

# 802.11ax HEW20\_Nss1,(MCS0)\_2TX

## 7115MHz\_TnomVnom




EUT\_V\_2TX  
Setting 7.5  
01-L-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 7.10843G     | 92.54             | Inf               | -Inf           | 81.87         | 3           | Horizontal | 52             | 2.75          | -       | 36.57      | 7.25       | 33.15      |  |
| RMS  | 7.10813G     | 82.83             | Inf               | -Inf           | 72.17         | 3           | Horizontal | 52             | 2.75          | -       | 36.56      | 7.25       | 33.15      |  |
| PK   | 7.1255G      | 69.14             | 88.20             | -19.06         | 58.34         | 3           | Horizontal | 52             | 2.75          | -       | 36.70      | 7.24       | 33.14      |  |
| RMS  | 7.1255G      | 59.36             | 68.20             | -8.84          | 48.56         | 3           | Horizontal | 52             | 2.75          | -       | 36.70      | 7.24       | 33.14      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7115MHz\_TnomVnom




EUT\_V\_2TX  
Setting 7.5  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.2256G     | 63.34             | 88.20             | -24.86         | 44.17         | 3           | Vertical  | 201            | 2.27          | -       | 40.75      | 9.97       | 31.55      |
| RMS  | 14.228G      | 48.78             | 68.20             | -19.42         | 29.62         | 3           | Vertical  | 201            | 2.27          | -       | 40.74      | 9.97       | 31.55      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7115MHz\_TnomVnom




EUT\_V\_2TX  
Setting 7.5  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.22896G    | 62.63             | 88.20             | -25.57         | 43.47         | 3           | Horizontal | 149            | 2.19          | -       | 40.74      | 9.97       | 31.55      |
| RMS  | 14.22754G    | 48.75             | 68.20             | -19.45         | 29.59         | 3           | Horizontal | 149            | 2.19          | -       | 40.74      | 9.97       | 31.55      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7115MHz\_TnomVnom




EUT\_V\_2TX  
Setting 7.5  
01-L-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 21.34438G | 48.78    | 83.54    | -34.76 | 44.60  | 1    | Vertical  | 160     | 1.54   | -       | 37.71 | 16.10 | 49.63 |  |
| AV   | 21.34074G | 35.35    | 63.54    | -28.19 | 31.17  | 1    | Vertical  | 160     | 1.54   | -       | 37.71 | 16.10 | 49.63 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 7115MHz\_TnomVnom




EUT V\_2TX  
Setting 7.5  
01-L-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.34834G    | 49.34             | 83.54             | -34.20         | 45.14         | 1           | Horizontal | 38             | 1.55          | -       | 37.72      | 16.11      | 49.63      |
| AV   | 21.34084G    | 35.35             | 63.54             | -28.19         | 31.17         | 1           | Horizontal | 38             | 1.55          | -       | 37.71      | 16.10      | 49.63      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5965MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.897G       | 61.88             | 88.20             | -26.32         | 53.33         | 3           | Vertical  | 304            | 1.72          | -       | 34.89      | 6.60       | 32.94      |
| RMS  | 5.9234G      | 51.59             | 68.20             | -16.61         | 42.94         | 3           | Vertical  | 304            | 1.72          | -       | 34.99      | 6.60       | 32.94      |
| PK   | 5.9738G      | 111.80            | Inf               | -Inf           | 102.95        | 3           | Vertical  | 304            | 1.72          | -       | 35.20      | 6.60       | 32.95      |
| RMS  | 5.9734G      | 101.39            | Inf               | -Inf           | 92.55         | 3           | Vertical  | 304            | 1.72          | -       | 35.19      | 6.60       | 32.95      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5965MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9078G      | 61.69             | 88.20             | -26.51         | 53.10         | 3           | Horizontal | 38             | 2.91          | -       | 34.93      | 6.60       | 32.94      |
| RMS  | 5.9174G      | 50.60             | 68.20             | -17.60         | 41.97         | 3           | Horizontal | 38             | 2.91          | -       | 34.97      | 6.60       | 32.94      |
| PK   | 5.969G       | 104.49            | Inf               | -Inf           | 95.66         | 3           | Horizontal | 38             | 2.91          | -       | 35.18      | 6.60       | 32.95      |
| RMS  | 5.969G       | 94.30             | Inf               | -Inf           | 85.47         | 3           | Horizontal | 38             | 2.91          | -       | 35.18      | 6.60       | 32.95      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5965MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.93438G    | 56.55             | 74.00             | -17.45         | 41.94         | 3           | Vertical  | 188            | 2.47          | -       | 38.50      | 8.98       | 32.87      |
| AV   | 11.92854G    | 42.57             | 54.00             | -11.43         | 27.96         | 3           | Vertical  | 188            | 2.47          | -       | 38.50      | 8.98       | 32.87      |
| PK   | 17.8902G     | 67.99             | 74.00             | -6.01          | 45.85         | 3           | Vertical  | 250            | 2.67          | -       | 42.76      | 11.07      | 31.69      |
| AV   | 17.89344G    | 52.23             | 54.00             | -1.77          | 30.08         | 3           | Vertical  | 250            | 2.67          | -       | 42.77      | 11.07      | 31.69      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 5965MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.92948G    | 56.12             | 74.00             | -17.88         | 41.51         | 3           | Horizontal | 329            | 2.63          | -       | 38.50      | 8.98       | 32.87      |
| AV   | 11.92836G    | 42.60             | 54.00             | -11.40         | 27.99         | 3           | Horizontal | 329            | 2.63          | -       | 38.50      | 8.98       | 32.87      |
| PK   | 17.8966G     | 68.21             | 74.00             | -5.79          | 46.04         | 3           | Horizontal | 48             | 2.64          | -       | 42.79      | 11.07      | 31.69      |
| AV   | 17.89278G    | 52.26             | 54.00             | -1.74          | 30.11         | 3           | Horizontal | 48             | 2.64          | -       | 42.77      | 11.07      | 31.69      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6165MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9106G      | 62.08             | 88.20             | -26.12         | 53.48         | 3           | Vertical  | 301            | 1.77          | -       | 34.94      | 6.60       | 32.94      |  |
| RMS  | 5.9082G      | 50.50             | 68.20             | -17.70         | 41.91         | 3           | Vertical  | 301            | 1.77          | -       | 34.93      | 6.60       | 32.94      |  |
| PK   | 6.1638G      | 111.57            | Inf               | -Inf           | 102.31        | 3           | Vertical  | 301            | 1.77          | -       | 35.36      | 6.85       | 32.95      |  |
| RMS  | 6.1734G      | 100.46            | Inf               | -Inf           | 91.16         | 3           | Vertical  | 301            | 1.77          | -       | 35.39      | 6.86       | 32.95      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6165MHz\_TnomVnom




EUT V\_2TX  
Setting 10.5  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.8782G      | 61.76             | 88.20             | -26.44         | 53.24         | 3           | Horizontal | 46             | 2.96          | -       | 34.86      | 6.60       | 32.94      |  |
| RMS  | 5.9214G      | 50.51             | 68.20             | -17.69         | 41.86         | 3           | Horizontal | 46             | 2.96          | -       | 34.99      | 6.60       | 32.94      |  |
| PK   | 6.1674G      | 103.43            | Inf               | -Inf           | 94.16         | 3           | Horizontal | 46             | 2.96          | -       | 35.37      | 6.85       | 32.95      |  |
| RMS  | 6.1686G      | 93.81             | Inf               | -Inf           | 84.54         | 3           | Horizontal | 46             | 2.96          | -       | 35.37      | 6.85       | 32.95      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6165MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.5  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.32654G    | 57.30             | 74.00             | -16.70         | 42.08         | 3           | Vertical  | 118            | 2.58          | -       | 38.55      | 9.15       | 32.48      |  |
| RMS  | 12.32756G    | 43.25             | 54.00             | -10.75         | 28.01         | 3           | Vertical  | 118            | 2.58          | -       | 38.56      | 9.15       | 32.47      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6165MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.5  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.33282G    | 56.86             | 74.00             | -17.14         | 41.61         | 3           | Horizontal | 249            | 2.27          | -       | 38.57      | 9.15       | 32.47      |  |
| RMS  | 12.32704G    | 43.30             | 54.00             | -10.70         | 28.07         | 3           | Horizontal | 249            | 2.27          | -       | 38.55      | 9.15       | 32.47      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6165MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.5  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.4905G     | 47.83             | 83.54             | -35.71         | 45.24         | 1           | Vertical  | 79             | 1.55          | -       | 37.79      | 14.90      | 50.10      |
| AV   | 18.49342G    | 34.17             | 63.54             | -29.37         | 31.58         | 1           | Vertical  | 79             | 1.55          | -       | 37.79      | 14.90      | 50.10      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6165MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.5  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.49374G    | 48.43             | 83.54             | -35.11         | 45.84         | 1           | Horizontal | 206            | 1.56          | -       | 37.79      | 14.90      | 50.10      |
| AV   | 18.49724G    | 34.17             | 63.54             | -29.37         | 31.57         | 1           | Horizontal | 206            | 1.56          | -       | 37.80      | 14.90      | 50.10      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUT V\_2TX  
Setting 12.5  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.8386G      | 60.86             | 88.20             | -27.34         | 52.48         | 3           | Vertical  | 298            | 1.60          | -       | 34.71      | 6.60       | 32.93      |  |
| RMS  | 5.853G       | 50.47             | 68.20             | -17.73         | 42.00         | 3           | Vertical  | 298            | 1.60          | -       | 34.81      | 6.60       | 32.94      |  |
| PK   | 6.4146G      | 108.59            | Inf               | -Inf           | 99.00         | 3           | Vertical  | 298            | 1.60          | -       | 35.54      | 7.00       | 32.95      |  |
| RMS  | 6.3954G      | 100.21            | Inf               | -Inf           | 90.59         | 3           | Vertical  | 298            | 1.60          | -       | 35.57      | 7.00       | 32.95      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUT V\_2TX  
Setting 12.5  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.8458G      | 61.13             | 88.20             | -27.07         | 52.69         | 3           | Horizontal | 340            | 2.91          | -       | 34.77      | 6.60       | 32.93      |  |
| RMS  | 5.8818G      | 50.43             | 68.20             | -17.77         | 41.91         | 3           | Horizontal | 340            | 2.91          | -       | 34.86      | 6.60       | 32.94      |  |
| PK   | 6.3978G      | 101.48            | Inf               | -Inf           | 91.84         | 3           | Horizontal | 340            | 2.91          | -       | 35.59      | 7.00       | 32.95      |  |
| RMS  | 6.4002G      | 92.38             | Inf               | -Inf           | 82.73         | 3           | Horizontal | 340            | 2.91          | -       | 35.60      | 7.00       | 32.95      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUT V\_2TX  
Setting 12.5  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.808G      | 57.99             | 88.20             | -30.21         | 41.29         | 3           | Vertical  | 12             | 2.70          | -       | 39.21      | 9.36       | 31.87      |
| RMS  | 12.80778G    | 44.32             | 68.20             | -23.88         | 27.62         | 3           | Vertical  | 12             | 2.70          | -       | 39.21      | 9.36       | 31.87      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUT\_V\_2TX  
Setting 12.5  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.80556G    | 57.66             | 88.20             | -30.54         | 40.96         | 3           | Horizontal | 2              | 1.94          | -       | 39.21      | 9.36       | 31.87      |
| RMS  | 12.81108G    | 44.44             | 68.20             | -23.76         | 27.73         | 3           | Horizontal | 2              | 1.94          | -       | 39.21      | 9.36       | 31.86      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUT V\_2TX  
Setting 12.5  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.21524G | 47.20    | 83.54    | -36.34 | 43.91  | 1    | Vertical  | 226     | 1.54   | -       | 37.74 | 15.19 | 49.64 |  |
| AV   | 19.21202G | 33.56    | 63.54    | -29.98 | 30.27  | 1    | Vertical  | 226     | 1.54   | -       | 37.75 | 15.18 | 49.64 |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUT V\_2TX  
Setting 12.5  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.21354G | 47.41    | 83.54    | -36.13 | 44.12  | 1    | Horizontal | 197     | 1.52   | -       | 37.74 | 15.19 | 49.64 |  |
| AV   | 19.21332G | 33.60    | 63.54    | -29.94 | 30.31  | 1    | Horizontal | 197     | 1.52   | -       | 37.74 | 15.19 | 49.64 |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.8626G      | 61.54             | 88.20             | -26.66         | 53.05         | 3           | Vertical  | 299            | 1.80          | -       | 34.83      | 6.60       | 32.94      |  |
| RMS  | 5.9224G      | 50.35             | 68.20             | -17.85         | 41.70         | 3           | Vertical  | 299            | 1.80          | -       | 34.99      | 6.60       | 32.94      |  |
| PK   | 6.445G       | 108.90            | Inf               | -Inf           | 99.43         | 3           | Vertical  | 299            | 1.80          | -       | 35.42      | 7.00       | 32.95      |  |
| RMS  | 6.4346G      | 99.64             | Inf               | -Inf           | 90.13         | 3           | Vertical  | 299            | 1.80          | -       | 35.46      | 7.00       | 32.95      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.8158G      | 61.21             | 88.20             | -26.99         | 53.01         | 3           | Horizontal | 333            | 2.88          | -       | 34.53      | 6.60       | 32.93      |  |
| RMS  | 5.8782G      | 50.38             | 68.20             | -17.82         | 41.86         | 3           | Horizontal | 333            | 2.88          | -       | 34.86      | 6.60       | 32.94      |  |
| PK   | 6.4398G      | 101.56            | Inf               | -Inf           | 92.07         | 3           | Horizontal | 333            | 2.88          | -       | 35.44      | 7.00       | 32.95      |  |
| RMS  | 6.4398G      | 93.01             | Inf               | -Inf           | 83.52         | 3           | Horizontal | 333            | 2.88          | -       | 35.44      | 7.00       | 32.95      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.88832G    | 57.97             | 88.20             | -30.23         | 41.04         | 3           | Vertical  | 119            | 2.30          | -       | 39.29      | 9.40       | 31.76      |  |
| RMS  | 12.89202G    | 44.27             | 68.20             | -23.93         | 27.34         | 3           | Vertical  | 119            | 2.30          | -       | 39.29      | 9.40       | 31.76      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.88726G    | 58.15             | 88.20             | -30.05         | 41.22         | 3           | Horizontal | 64             | 1.71          | -       | 39.29      | 9.40       | 31.76      |  |
| RMS  | 12.89474G    | 44.35             | 68.20             | -23.85         | 27.41         | 3           | Horizontal | 64             | 1.71          | -       | 39.29      | 9.40       | 31.75      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT Y\_2TX  
Setting 13.5  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.33174G | 48.28    | 83.54    | -35.26 | 44.95  | 1    | Vertical  | 195     | 1.54   | -       | 37.77 | 15.23 | 49.67 |  |
| AV   | 19.33766G | 33.86    | 63.54    | -29.68 | 30.52  | 1    | Vertical  | 195     | 1.54   | -       | 37.77 | 15.24 | 49.67 |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT Y\_2TX  
Setting 13.5  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.33454G | 48.18    | 83.54    | -35.36 | 44.85  | 1    | Horizontal | 286     | 1.52   | -       | 37.77 | 15.23 | 49.67 |
| AV   | 19.33804G | 33.81    | 63.54    | -29.73 | 30.47  | 1    | Horizontal | 286     | 1.52   | -       | 37.77 | 15.24 | 49.67 |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.7878G      | 60.82             | 88.20             | -27.38         | 52.75         | 3           | Vertical  | 298            | 1.80          | -       | 34.40      | 6.60       | 32.93      |
| RMS  | 5.9194G      | 50.40             | 68.20             | -17.80         | 41.76         | 3           | Vertical  | 298            | 1.80          | -       | 34.98      | 6.60       | 32.94      |
| PK   | 6.4962G      | 109.56            | Inf               | -Inf           | 99.93         | 3           | Vertical  | 298            | 1.80          | -       | 35.58      | 7.00       | 32.95      |
| RMS  | 6.485G       | 99.46             | Inf               | -Inf           | 89.87         | 3           | Vertical  | 298            | 1.80          | -       | 35.54      | 7.00       | 32.95      |
| PK   | 7.1542G      | 63.15             | 88.20             | -25.05         | 52.14         | 3           | Vertical  | 298            | 1.80          | -       | 36.92      | 7.22       | 33.13      |
| RMS  | 7.1738G      | 53.08             | 68.20             | -15.12         | 42.00         | 3           | Vertical  | 298            | 1.80          | -       | 37.00      | 7.21       | 33.13      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8046G      | 60.67             | 88.20             | -27.53         | 52.56         | 3           | Horizontal | 355            | 2.85          | -       | 34.44      | 6.60       | 32.93      |
| RMS  | 5.9194G      | 50.31             | 68.20             | -17.89         | 41.67         | 3           | Horizontal | 355            | 2.85          | -       | 34.98      | 6.60       | 32.94      |
| PK   | 6.4766G      | 102.72            | Inf               | -Inf           | 93.16         | 3           | Horizontal | 355            | 2.85          | -       | 35.51      | 7.00       | 32.95      |
| RMS  | 6.4878G      | 93.62             | Inf               | -Inf           | 84.02         | 3           | Horizontal | 355            | 2.85          | -       | 35.55      | 7.00       | 32.95      |
| PK   | 7.1402G      | 62.71             | 88.20             | -25.49         | 51.80         | 3           | Horizontal | 355            | 2.85          | -       | 36.82      | 7.23       | 33.14      |
| RMS  | 7.1766G      | 52.95             | 68.20             | -15.25         | 41.86         | 3           | Horizontal | 355            | 2.85          | -       | 37.01      | 7.21       | 33.13      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.96598G    | 58.66             | 88.20             | -29.54         | 41.39         | 3           | Vertical  | 249            | 2.62          | -       | 39.50      | 9.43       | 31.66      |
| RMS  | 12.97468G    | 44.68             | 68.20             | -23.52         | 27.37         | 3           | Vertical  | 249            | 2.62          | -       | 39.52      | 9.44       | 31.65      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.96972G    | 58.69             | 88.20             | -29.51         | 41.40         | 3           | Horizontal | 9              | 2.79          | -       | 39.51      | 9.44       | 31.66      |  |
| RMS  | 12.97284G    | 44.74             | 68.20             | -23.46         | 27.43         | 3           | Horizontal | 9              | 2.79          | -       | 39.52      | 9.44       | 31.65      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUT Y\_2TX  
Setting 14  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 19.45696G    | 48.30             | 83.54             | -35.24         | 44.84         | 1           | Vertical  | 63             | 1.53          | -       | 37.87      | 15.28      | 49.69      |  |
| AV   | 19.45388G    | 34.44             | 63.54             | -29.10         | 30.99         | 1           | Vertical  | 63             | 1.53          | -       | 37.86      | 15.28      | 49.69      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUT Y\_2TX  
Setting 14  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.45532G | 48.26    | 83.54    | -35.28 | 44.81  | 1    | Horizontal | 326     | 1.53   | -       | 37.86 | 15.28 | 49.69 |
| AV   | 19.45668G | 34.44    | 63.54    | -29.10 | 30.98  | 1    | Horizontal | 326     | 1.53   | -       | 37.87 | 15.28 | 49.69 |

# 802.11ax HEW40\_Nss1,(MCS0)\_2TX

## 6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8362G      | 61.06             | 88.20             | -27.14         | 52.70         | 3           | Vertical  | 67             | 2.29          | -       | 34.69      | 6.60       | 32.93      |
| RMS  | 5.9202G      | 50.38             | 68.20             | -17.82         | 41.74         | 3           | Vertical  | 67             | 2.29          | -       | 34.98      | 6.60       | 32.94      |
| PK   | 6.525G       | 110.45            | Inf               | -Inf           | 100.71        | 3           | Vertical  | 67             | 2.29          | -       | 35.70      | 7.00       | 32.96      |
| RMS  | 6.5362G      | 100.05            | Inf               | -Inf           | 90.28         | 3           | Vertical  | 67             | 2.29          | -       | 35.74      | 7.00       | 32.97      |
| PK   | 7.183G       | 63.80             | 88.20             | -24.40         | 52.68         | 3           | Vertical  | 67             | 2.29          | -       | 37.03      | 7.21       | 33.12      |
| RMS  | 7.1942G      | 52.86             | 68.20             | -15.34         | 41.70         | 3           | Vertical  | 67             | 2.29          | -       | 37.08      | 7.20       | 33.12      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8894G      | 60.46             | 88.20             | -27.74         | 51.92         | 3           | Horizontal | 340            | 1.28          | -       | 34.88      | 6.60       | 32.94      |
| RMS  | 5.8306G      | 50.35             | 68.20             | -17.85         | 42.04         | 3           | Horizontal | 340            | 1.28          | -       | 34.64      | 6.60       | 32.93      |
| PK   | 6.5278G      | 102.14            | Inf               | -Inf           | 92.39         | 3           | Horizontal | 340            | 1.28          | -       | 35.71      | 7.00       | 32.96      |
| RMS  | 6.5306G      | 92.13             | Inf               | -Inf           | 82.37         | 3           | Horizontal | 340            | 1.28          | -       | 35.72      | 7.00       | 32.96      |
| PK   | 7.1578G      | 63.95             | 88.20             | -24.25         | 52.93         | 3           | Horizontal | 340            | 1.28          | -       | 36.93      | 7.22       | 33.13      |
| RMS  | 7.1802G      | 52.87             | 68.20             | -15.33         | 41.77         | 3           | Horizontal | 340            | 1.28          | -       | 37.02      | 7.21       | 33.13      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.04526G    | 59.05             | 88.20             | -29.15         | 41.49         | 3           | Vertical  | 321            | 2.18          | -       | 39.65      | 9.47       | 31.56      |
| RMS  | 13.049G      | 44.57             | 68.20             | -23.63         | 27.01         | 3           | Vertical  | 321            | 2.18          | -       | 39.65      | 9.47       | 31.56      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.05098G    | 58.54             | 88.20             | -29.66         | 40.98         | 3           | Horizontal | 27             | 2.24          | -       | 39.65      | 9.47       | 31.56      |
| RMS  | 13.04616G    | 44.54             | 68.20             | -23.66         | 26.98         | 3           | Horizontal | 27             | 2.24          | -       | 39.65      | 9.47       | 31.56      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT Y\_2TX  
Setting 13.5  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.5701G     | 49.17             | 83.54             | -34.37         | 45.67         | 1           | Vertical  | 58             | 1.56          | -       | 37.87      | 15.33      | 49.70      |
| AV   | 19.57256G    | 34.73             | 63.54             | -28.81         | 31.23         | 1           | Vertical  | 58             | 1.56          | -       | 37.87      | 15.33      | 49.70      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT Y\_2TX  
Setting 13.5  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.57372G    | 48.74             | 83.54             | -34.80         | 45.24         | 1           | Horizontal | 137            | 1.50          | -       | 37.87      | 15.33      | 49.70      |
| AV   | 19.57032G    | 34.65             | 63.54             | -28.89         | 31.15         | 1           | Horizontal | 137            | 1.50          | -       | 37.87      | 15.33      | 49.70      |

# 802.11ax HEW40\_Nss1,(MCS0)\_2TX

## 6565MHz\_TnomVnom




EUT Y\_2TX  
Setting 13.5  
01-E-G-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |
| PK   | 6.5554G | 111.16   | Inf      | -Inf   | 101.33 | 3    | Vertical  | 297     | 1.67   | -       | 35.81 | 7.00 | 32.98 |  |
| RMS  | 6.5674G | 100.40   | Inf      | -Inf   | 90.55  | 3    | Vertical  | 297     | 1.67   | -       | 35.83 | 7.00 | 32.98 |  |
| PK   | 7.1314G | 63.11    | 88.20    | -25.09 | 52.27  | 3    | Vertical  | 297     | 1.67   | -       | 36.75 | 7.23 | 33.14 |  |
| RMS  | 7.1458G | 52.93    | 68.20    | -15.27 | 41.97  | 3    | Vertical  | 297     | 1.67   | -       | 36.87 | 7.23 | 33.14 |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6565MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.5482G      | 102.62            | Inf               | -Inf           | 92.80         | 3           | Horizontal | 341            | 1.25          | -       | 35.79      | 7.00       | 32.97      |  |
| RMS  | 6.5602G      | 93.04             | Inf               | -Inf           | 83.20         | 3           | Horizontal | 341            | 1.25          | -       | 35.82      | 7.00       | 32.98      |  |
| PK   | 7.1626G      | 63.28             | 88.20             | -24.92         | 52.24         | 3           | Horizontal | 341            | 1.25          | -       | 36.95      | 7.22       | 33.13      |  |
| RMS  | 7.1482G      | 52.91             | 68.20             | -15.29         | 41.93         | 3           | Horizontal | 341            | 1.25          | -       | 36.89      | 7.23       | 33.14      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6565MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.13012G    | 58.16             | 88.20             | -30.04         | 40.35         | 3           | Vertical  | 335            | 2.41          | -       | 39.76      | 9.51       | 31.46      |
| RMS  | 13.1349G     | 44.58             | 68.20             | -23.62         | 26.75         | 3           | Vertical  | 335            | 2.41          | -       | 39.77      | 9.51       | 31.45      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6565MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.12618G    | 58.69             | 88.20             | -29.51         | 40.89         | 3           | Horizontal | 131            | 1.53          | -       | 39.75      | 9.51       | 31.46      |
| RMS  | 13.13272G    | 44.48             | 68.20             | -23.72         | 26.65         | 3           | Horizontal | 131            | 1.53          | -       | 39.77      | 9.51       | 31.45      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6565MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.69426G | 47.86    | 83.54    | -35.68 | 44.36  | 1    | Vertical  | 176     | 1.57   | -       | 37.82 | 15.38 | 49.70 |  |
| AV   | 19.69122G | 34.62    | 63.54    | -28.92 | 31.12  | 1    | Vertical  | 176     | 1.57   | -       | 37.82 | 15.38 | 49.70 |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6565MHz\_TnomVnom




EUT Y\_2TX  
Setting 13.5  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.69946G | 48.30    | 83.54    | -35.24 | 44.80  | 1    | Horizontal | 93      | 1.56   | -       | 37.82 | 15.38 | 49.70 |
| AV   | 19.69576G | 34.46    | 63.54    | -29.08 | 30.96  | 1    | Horizontal | 93      | 1.56   | -       | 37.82 | 15.38 | 49.70 |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6685MHz\_TnomVnom




EUT V\_2TX  
Setting 14  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.675G       | 109.78            | Inf               | -Inf           | 99.86         | 3           | Vertical  | 74             | 2.37          | -       | 35.95      | 7.00       | 33.03      |  |
| RMS  | 6.675G       | 99.72             | Inf               | -Inf           | 89.80         | 3           | Vertical  | 74             | 2.37          | -       | 35.95      | 7.00       | 33.03      |  |
| PK   | 7.149G       | 64.24             | 88.20             | -23.96         | 53.26         | 3           | Vertical  | 74             | 2.37          | -       | 36.89      | 7.23       | 33.14      |  |
| RMS  | 7.147G       | 52.98             | 68.20             | -15.22         | 42.01         | 3           | Vertical  | 74             | 2.37          | -       | 36.88      | 7.23       | 33.14      |  |

# 802.11ax HEW40\_Nss1,(MCS0)\_2TX

## 6685MHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.691G       | 102.02            | Inf               | -Inf           | 92.14         | 3           | Horizontal | 343            | 1.20          | -       | 35.92      | 7.00       | 33.04      |  |
| RMS  | 6.681G       | 92.32             | Inf               | -Inf           | 82.42         | 3           | Horizontal | 343            | 1.20          | -       | 35.94      | 7.00       | 33.04      |  |
| PK   | 7.133G       | 63.20             | 88.20             | -25.00         | 52.35         | 3           | Horizontal | 343            | 1.20          | -       | 36.76      | 7.23       | 33.14      |  |
| RMS  | 7.147G       | 53.00             | 68.20             | -15.20         | 42.03         | 3           | Horizontal | 343            | 1.20          | -       | 36.88      | 7.23       | 33.14      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6685MHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.36772G    | 59.34             | 74.00             | -14.66         | 40.74         | 3           | Vertical  | 38             | 1.12          | -       | 40.14      | 9.62       | 31.16      |  |
| RMS  | 13.3717G     | 45.95             | 54.00             | -8.05          | 27.34         | 3           | Vertical  | 38             | 1.12          | -       | 40.14      | 9.62       | 31.15      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6685MHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.3705G     | 59.45             | 74.00             | -14.55         | 40.84         | 3           | Horizontal | 177            | 1.72          | -       | 40.14      | 9.62       | 31.15      |  |
| RMS  | 13.37436G    | 45.96             | 54.00             | -8.04          | 27.34         | 3           | Horizontal | 177            | 1.72          | -       | 40.15      | 9.62       | 31.15      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6685MHz\_TnomVnom




EUT Y\_2TX  
Setting 14  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.0583G  | 48.38    | 83.54    | -35.16 | 45.12  | 1    | Vertical  | 126     | 1.56   | -       | 37.45 | 15.53 | 49.72 |  |
| AV   | 20.05352G | 34.44    | 63.54    | -29.10 | 31.20  | 1    | Vertical  | 126     | 1.56   | -       | 37.44 | 15.52 | 49.72 |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6685MHz\_TnomVnom




EUT Y\_2TX  
Setting 14  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.05796G | 47.91    | 83.54    | -35.63 | 44.65  | 1    | Horizontal | 321     | 1.55   | -       | 37.45 | 15.53 | 49.72 |
| AV   | 20.05468G | 34.45    | 63.54    | -29.09 | 31.21  | 1    | Horizontal | 321     | 1.55   | -       | 37.44 | 15.52 | 49.72 |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6845MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8466G      | 110.03            | Inf               | -Inf           | 99.51         | 3           | Vertical  | 70             | 2.20          | -       | 36.57      | 7.07       | 33.12      |  |
| RMS  | 6.8466G      | 99.75             | Inf               | -Inf           | 89.23         | 3           | Vertical  | 70             | 2.20          | -       | 36.57      | 7.07       | 33.12      |  |
| PK   | 7.205G       | 63.96             | 88.20             | -24.24         | 52.77         | 3           | Vertical  | 70             | 2.20          | -       | 37.10      | 7.21       | 33.12      |  |
| RMS  | 7.173G       | 53.11             | 68.20             | -15.09         | 42.04         | 3           | Vertical  | 70             | 2.20          | -       | 36.99      | 7.21       | 33.13      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6845MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8418G      | 100.51            | Inf               | -Inf           | 90.03         | 3           | Horizontal | 339            | 1.59          | -       | 36.53      | 7.06       | 33.11      |  |
| RMS  | 6.8418G      | 91.29             | Inf               | -Inf           | 80.81         | 3           | Horizontal | 339            | 1.59          | -       | 36.53      | 7.06       | 33.11      |  |
| PK   | 7.2322G      | 64.51             | 88.20             | -23.69         | 53.29         | 3           | Horizontal | 339            | 1.59          | -       | 37.10      | 7.23       | 33.11      |  |
| RMS  | 7.173G       | 53.09             | 68.20             | -15.11         | 42.02         | 3           | Horizontal | 339            | 1.59          | -       | 36.99      | 7.21       | 33.13      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6845MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.68994G    | 62.64             | 88.20             | -25.56         | 43.52         | 3           | Vertical  | 173            | 2.43          | -       | 40.48      | 9.76       | 31.12      |  |
| RMS  | 13.69478G    | 49.01             | 68.20             | -19.19         | 29.88         | 3           | Vertical  | 173            | 2.43          | -       | 40.49      | 9.76       | 31.12      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6845MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.69068G    | 63.01             | 88.20             | -25.19         | 43.89         | 3           | Horizontal | 90             | 2.45          | -       | 40.48      | 9.76       | 31.12      |  |
| RMS  | 13.6942G     | 48.96             | 68.20             | -19.24         | 29.83         | 3           | Horizontal | 90             | 2.45          | -       | 40.49      | 9.76       | 31.12      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6845MHz\_TnomVnom




EUT Y\_2TX  
Setting 13  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.53042G    | 48.11             | 83.54             | -35.43         | 44.52         | 1           | Vertical  | 163            | 1.51          | -       | 37.74      | 15.74      | 49.89      |
| AV   | 20.53966G    | 34.46             | 63.54             | -29.08         | 30.85         | 1           | Vertical  | 163            | 1.51          | -       | 37.75      | 15.74      | 49.88      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6845MHz\_TnomVnom




EUT Y\_2TX  
Setting 13  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.53092G | 48.66    | 83.54    | -34.88 | 45.07  | 1    | Horizontal | 123     | 1.57   | -       | 37.74 | 15.74 | 49.89 |  |
| AV   | 20.53974G | 34.43    | 63.54    | -29.11 | 30.82  | 1    | Horizontal | 123     | 1.57   | -       | 37.75 | 15.74 | 49.88 |  |

# 802.11ax HEW40\_Nss1,(MCS0)\_2TX

## 6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT V\_2TX  
Setting 14  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8864G      | 108.99            | Inf               | -Inf           | 98.69         | 3           | Vertical  | 70             | 1.72          | -       | 36.31      | 7.13       | 33.14      |  |
| RMS  | 6.8864G      | 99.77             | Inf               | -Inf           | 89.47         | 3           | Vertical  | 70             | 1.72          | -       | 36.31      | 7.13       | 33.14      |  |
| PK   | 7.1258G      | 63.92             | 88.20             | -24.28         | 53.11         | 3           | Vertical  | 70             | 1.72          | -       | 36.71      | 7.24       | 33.14      |  |
| RMS  | 7.1468G      | 53.20             | 68.20             | -15.00         | 42.24         | 3           | Vertical  | 70             | 1.72          | -       | 36.87      | 7.23       | 33.14      |  |

# 802.11ax HEW40\_Nss1,(MCS0)\_2TX

## 6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.899G       | 103.51            | Inf               | -Inf           | 93.29         | 3           | Horizontal | 45             | 3.00          | -       | 36.21      | 7.15       | 33.14      |  |
| RMS  | 6.8892G      | 94.06             | Inf               | -Inf           | 83.78         | 3           | Horizontal | 45             | 3.00          | -       | 36.29      | 7.13       | 33.14      |  |
| PK   | 7.207G       | 63.66             | 88.20             | -24.54         | 52.47         | 3           | Horizontal | 45             | 3.00          | -       | 37.10      | 7.21       | 33.12      |  |
| RMS  | 7.2056G      | 52.97             | 68.20             | -15.23         | 41.78         | 3           | Horizontal | 45             | 3.00          | -       | 37.10      | 7.21       | 33.12      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.76772G    | 64.29             | 88.20             | -23.91         | 44.96         | 3           | Vertical  | 279            | 2.37          | -       | 40.70      | 9.80       | 31.17      |
| RMS  | 13.77284G    | 50.20             | 68.20             | -18.00         | 30.86         | 3           | Vertical  | 279            | 2.37          | -       | 40.72      | 9.80       | 31.18      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.77438G    | 64.06             | 88.20             | -24.14         | 44.72         | 3           | Horizontal | 278            | 1.86          | -       | 40.72      | 9.80       | 31.18      |
| RMS  | 13.76694G    | 50.23             | 68.20             | -17.97         | 30.90         | 3           | Horizontal | 278            | 1.86          | -       | 40.70      | 9.80       | 31.17      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Y\_2TX  
Setting 14  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.65884G    | 49.12             | 83.54             | -34.42         | 45.27         | 1           | Vertical  | 62             | 1.55          | -       | 37.89      | 15.80      | 49.84      |
| AV   | 20.65278G    | 35.48             | 63.54             | -28.06         | 31.65         | 1           | Vertical  | 62             | 1.55          | -       | 37.88      | 15.79      | 49.84      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 20.65296G    | 49.03             | 83.54             | -34.51         | 45.20         | 1           | Horizontal | 106            | 1.50          | -       | 37.88      | 15.79      | 49.84      |  |
| AV   | 20.65696G    | 35.44             | 63.54             | -28.10         | 31.59         | 1           | Horizontal | 106            | 1.50          | -       | 37.89      | 15.80      | 49.84      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6925MHz\_TnomVnom




EUT Y\_2TX  
Setting 14  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.9358G      | 108.99            | Inf               | -Inf           | 98.54         | 3           | Vertical  | 76             | 1.90          | -       | 36.41      | 7.20       | 33.16      |
| RMS  | 6.9358G      | 99.28             | Inf               | -Inf           | 88.83         | 3           | Vertical  | 76             | 1.90          | -       | 36.41      | 7.20       | 33.16      |
| PK   | 7.2238G      | 63.91             | 88.20             | -24.29         | 52.70         | 3           | Vertical  | 76             | 1.90          | -       | 37.10      | 7.22       | 33.11      |
| RMS  | 7.1458G      | 53.20             | 68.20             | -15.00         | 42.24         | 3           | Vertical  | 76             | 1.90          | -       | 36.87      | 7.23       | 33.14      |

# 802.11ax HEW40\_Nss1,(MCS0)\_2TX

## 6925MHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.9226G      | 105.37            | Inf               | -Inf           | 95.00         | 3           | Horizontal | 23             | 3.00          | -       | 36.34      | 7.18       | 33.15      |  |
| RMS  | 6.9346G      | 94.80             | Inf               | -Inf           | 84.35         | 3           | Horizontal | 23             | 3.00          | -       | 36.41      | 7.20       | 33.16      |  |
| PK   | 7.1746G      | 63.78             | 88.20             | -24.42         | 52.70         | 3           | Horizontal | 23             | 3.00          | -       | 37.00      | 7.21       | 33.13      |  |
| RMS  | 7.1458G      | 53.07             | 68.20             | -15.13         | 42.11         | 3           | Horizontal | 23             | 3.00          | -       | 36.87      | 7.23       | 33.14      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6925MHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.8458G     | 63.82             | 88.20             | -24.38         | 44.37         | 3           | Vertical  | 330            | 1.17          | -       | 40.85      | 9.83       | 31.23      |
| RMS  | 13.85286G    | 50.31             | 68.20             | -17.89         | 30.86         | 3           | Vertical  | 330            | 1.17          | -       | 40.85      | 9.83       | 31.23      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6925MHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.84958G    | 63.84             | 88.20             | -24.36         | 44.39         | 3           | Horizontal | 139            | 1.32          | -       | 40.85      | 9.83       | 31.23      |
| RMS  | 13.85242G    | 50.37             | 68.20             | -17.83         | 30.92         | 3           | Horizontal | 139            | 1.32          | -       | 40.85      | 9.83       | 31.23      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6925MHz\_TnomVnom




EUT Y\_2TX  
Setting 14  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.77814G | 48.40    | 83.54    | -35.14 | 44.39  | 1    | Vertical  | 299     | 1.54   | -       | 37.95 | 15.85 | 49.79 |
| AV   | 20.77514G | 34.69    | 63.54    | -28.85 | 30.67  | 1    | Vertical  | 299     | 1.54   | -       | 37.96 | 15.85 | 49.79 |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 6925MHz\_TnomVnom




EUT\_V\_2TX  
Setting 14  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.7716G     | 48.50             | 83.54             | -35.04         | 44.47         | 1           | Horizontal | 255            | 1.58          | -       | 37.97      | 15.85      | 49.79      |
| AV   | 20.77862G    | 34.72             | 63.54             | -28.82         | 30.71         | 1           | Horizontal | 255            | 1.58          | -       | 37.95      | 15.85      | 49.79      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7005MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0098G      | 109.42            | Inf               | -Inf           | 98.95         | 3           | Vertical  | 291            | 1.56          | -       | 36.36      | 7.30       | 33.19      |
| RMS  | 7.009G       | 99.94             | Inf               | -Inf           | 89.48         | 3           | Vertical  | 291            | 1.56          | -       | 36.35      | 7.30       | 33.19      |
| PK   | 7.1858G      | 63.59             | 88.20             | -24.61         | 52.46         | 3           | Vertical  | 291            | 1.56          | -       | 37.04      | 7.21       | 33.12      |
| RMS  | 7.1914G      | 53.05             | 68.20             | -15.15         | 41.90         | 3           | Vertical  | 291            | 1.56          | -       | 37.07      | 7.20       | 33.12      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7005MHz\_TnomVnom




EUT V\_2TX  
Setting 13  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0034G      | 103.65            | Inf               | -Inf           | 93.22         | 3           | Horizontal | 22             | 2.94          | -       | 36.32      | 7.30       | 33.19      |
| RMS  | 7.0146G      | 94.14             | Inf               | -Inf           | 83.64         | 3           | Horizontal | 22             | 2.94          | -       | 36.39      | 7.29       | 33.18      |
| PK   | 7.1818G      | 64.23             | 88.20             | -23.97         | 53.11         | 3           | Horizontal | 22             | 2.94          | -       | 37.03      | 7.21       | 33.12      |
| RMS  | 7.197G       | 53.03             | 68.20             | -15.17         | 41.86         | 3           | Horizontal | 22             | 2.94          | -       | 37.09      | 7.20       | 33.12      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7005MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 14.01146G    | 64.15             | 88.20             | -24.05         | 44.69         | 3           | Vertical  | 40             | 1.93          | -       | 40.90      | 9.90       | 31.34      |  |
| RMS  | 14.01012G    | 49.85             | 68.20             | -18.35         | 30.39         | 3           | Vertical  | 40             | 1.93          | -       | 40.90      | 9.90       | 31.34      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7005MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.01238G    | 63.30             | 88.20             | -24.90         | 43.84         | 3           | Horizontal | 257            | 2.99          | -       | 40.90      | 9.90       | 31.34      |
| RMS  | 14.0058G     | 49.83             | 68.20             | -18.37         | 30.37         | 3           | Horizontal | 257            | 2.99          | -       | 40.90      | 9.90       | 31.34      |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7005MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 21.01524G | 47.76    | 83.54    | -35.78 | 43.90  | 1    | Vertical  | 108     | 1.55   | -       | 37.60 | 15.96 | 49.70 |  |
| AV   | 21.01398G | 33.06    | 63.54    | -30.48 | 29.20  | 1    | Vertical  | 108     | 1.55   | -       | 37.60 | 15.96 | 49.70 |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7005MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 21.01138G | 47.29    | 83.54    | -36.25 | 43.43  | 1    | Horizontal | 117     | 1.51   | -       | 37.60 | 15.96 | 49.70 |
| AV   | 21.01558G | 33.00    | 63.54    | -30.54 | 29.14  | 1    | Horizontal | 117     | 1.51   | -       | 37.60 | 15.96 | 49.70 |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7085MHz\_TnomVnom




EUT V\_2TX  
Setting 14.5  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0862G      | 111.58            | Inf               | -Inf           | 100.95        | 3           | Vertical  | 79             | 1.80          | -       | 36.53      | 7.26       | 33.16      |
| RMS  | 7.0954G      | 100.79            | Inf               | -Inf           | 90.19         | 3           | Vertical  | 79             | 1.80          | -       | 36.51      | 7.25       | 33.16      |
| PK   | 7.179G       | 63.94             | 88.20             | -24.26         | 52.84         | 3           | Vertical  | 79             | 1.80          | -       | 37.02      | 7.21       | 33.13      |
| RMS  | 7.1262G      | 53.47             | 68.20             | -14.73         | 42.66         | 3           | Vertical  | 79             | 1.80          | -       | 36.71      | 7.24       | 33.14      |

# 802.11ax HEW40\_Nss1,(MCS0)\_2TX

## 7085MHz\_TnomVnom




EUT V\_2TX  
Setting 14.5  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 7.075G       | 107.75            | Inf               | -Inf           | 97.10         | 3           | Horizontal | 12             | 3.00          | -       | 36.55      | 7.26       | 33.16      |  |
| RMS  | 7.0862G      | 97.43             | Inf               | -Inf           | 86.80         | 3           | Horizontal | 12             | 3.00          | -       | 36.53      | 7.26       | 33.16      |  |
| PK   | 7.1434G      | 64.47             | 88.20             | -23.73         | 53.53         | 3           | Horizontal | 12             | 3.00          | -       | 36.85      | 7.23       | 33.14      |  |
| RMS  | 7.129G       | 53.22             | 68.20             | -14.98         | 42.39         | 3           | Horizontal | 12             | 3.00          | -       | 36.73      | 7.24       | 33.14      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7085MHz\_TnomVnom




EUT V\_2TX  
Setting 14.5  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 14.16534G    | 63.02             | 88.20             | -25.18         | 43.73         | 3           | Vertical  | 163            | 1.80          | -       | 40.83      | 9.95       | 31.49      |  |
| RMS  | 14.1686G     | 49.17             | 68.20             | -19.03         | 29.89         | 3           | Vertical  | 163            | 1.80          | -       | 40.83      | 9.95       | 31.50      |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7085MHz\_TnomVnom




EUT\_V\_2TX  
Setting 14.5  
01-E-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.1746G     | 63.52             | 88.20             | -24.68         | 44.24         | 3           | Horizontal | 302            | 1.51          | -       | 40.83      | 9.95       | 31.50      |
| RMS  | 14.16814G    | 49.14             | 68.20             | -19.06         | 29.85         | 3           | Horizontal | 302            | 1.51          | -       | 40.83      | 9.95       | 31.49      |

# 802.11ax HEW40\_Nss1,(MCS0)\_2TX

## 7085MHz\_TnomVnom




EUT Y\_2TX  
Setting 14.5  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 21.25248G | 49.54    | 83.54    | -34.00 | 45.53  | 1    | Vertical  | 149     | 1.54   | -       | 37.60 | 16.06 | 49.65 |  |
| AV   | 21.25734G | 35.57    | 63.54    | -27.97 | 31.54  | 1    | Vertical  | 149     | 1.54   | -       | 37.61 | 16.07 | 49.65 |  |

## 802.11ax HEW40\_Nss1,(MCS0)\_2TX

### 7085MHz\_TnomVnom




EUT\_V\_2TX  
Setting 14.5  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 21.255G   | 49.29    | 83.54    | -34.25 | 45.27  | 1    | Horizontal | 197     | 1.51   | -       | 37.61 | 16.06 | 49.65 |
| AV   | 21.25194G | 35.58    | 63.54    | -27.96 | 31.57  | 1    | Horizontal | 197     | 1.51   | -       | 37.60 | 16.06 | 49.65 |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 5985MHz\_TnomVnom




EUT V\_2TX  
Setting 19.5  
01-L-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9218G      | 81.21             | 88.20             | -6.99          | 72.56         | 3           | Vertical  | 296            | 1.68          | -       | 34.99      | 6.60       | 32.94      |  |
| RMS  | 5.9234G      | 67.86             | 68.20             | -0.34          | 59.21         | 3           | Vertical  | 296            | 1.68          | -       | 34.99      | 6.60       | 32.94      |  |
| PK   | 6.0026G      | 115.72            | Inf               | -Inf           | 106.78        | 3           | Vertical  | 296            | 1.68          | -       | 35.29      | 6.60       | 32.95      |  |
| RMS  | 5.993G       | 105.96            | Inf               | -Inf           | 97.04         | 3           | Vertical  | 296            | 1.68          | -       | 35.27      | 6.60       | 32.95      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 5985MHz\_TnomVnom




EUT\_V\_2TX  
Setting 19.5  
01-L-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9186G      | 70.09             | 88.20             | -18.11         | 61.46         | 3           | Horizontal | 38             | 2.92          | -       | 34.97      | 6.60       | 32.94      |  |
| RMS  | 5.9178G      | 59.30             | 68.20             | -8.90          | 50.67         | 3           | Horizontal | 38             | 2.92          | -       | 34.97      | 6.60       | 32.94      |  |
| PK   | 5.9978G      | 110.76            | Inf               | -Inf           | 101.82        | 3           | Horizontal | 38             | 2.92          | -       | 35.29      | 6.60       | 32.95      |  |
| RMS  | 5.9882G      | 99.80             | Inf               | -Inf           | 90.90         | 3           | Horizontal | 38             | 2.92          | -       | 35.25      | 6.60       | 32.95      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5985MHz\_TnomVnom




EUT V\_2TX  
Setting 19.5  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.96816G    | 55.98             | 74.00             | -18.02         | 41.37         | 3           | Vertical  | 82             | 1.23          | -       | 38.50      | 8.99       | 32.88      |
| AV   | 11.9718G     | 42.38             | 54.00             | -11.62         | 27.77         | 3           | Vertical  | 82             | 1.23          | -       | 38.50      | 8.99       | 32.88      |
| PK   | 17.95234G    | 68.10             | 74.00             | -5.90          | 45.82         | 3           | Vertical  | 165            | 2.99          | -       | 42.85      | 11.09      | 31.66      |
| AV   | 17.95918G    | 52.38             | 54.00             | -1.62          | 30.09         | 3           | Vertical  | 165            | 2.99          | -       | 42.86      | 11.09      | 31.66      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 5985MHz\_TnomVnom




EUT\_V\_2TX  
Setting 19.5  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.96868G    | 55.85             | 74.00             | -18.15         | 41.24         | 3           | Horizontal | 157            | 1.33          | -       | 38.50      | 8.99       | 32.88      |  |
| AV   | 11.965G      | 42.39             | 54.00             | -11.61         | 27.78         | 3           | Horizontal | 157            | 1.33          | -       | 38.50      | 8.99       | 32.88      |  |
| PK   | 17.95764G    | 67.91             | 74.00             | -6.09          | 45.62         | 3           | Horizontal | 219            | 1.37          | -       | 42.86      | 11.09      | 31.66      |  |
| AV   | 17.95356G    | 52.43             | 54.00             | -1.57          | 30.15         | 3           | Horizontal | 219            | 1.37          | -       | 42.85      | 11.09      | 31.66      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6145MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-L-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.914G       | 61.01             | 88.20             | -27.19         | 52.39         | 3           | Vertical  | 302            | 1.66          | -       | 34.96      | 6.60       | 32.94      |  |
| RMS  | 5.92G        | 50.61             | 68.20             | -17.59         | 41.97         | 3           | Vertical  | 302            | 1.66          | -       | 34.98      | 6.60       | 32.94      |  |
| PK   | 6.144G       | 111.99            | Inf               | -Inf           | 102.82        | 3           | Vertical  | 302            | 1.66          | -       | 35.30      | 6.82       | 32.95      |  |
| RMS  | 6.143G       | 100.83            | Inf               | -Inf           | 91.67         | 3           | Vertical  | 302            | 1.66          | -       | 35.30      | 6.81       | 32.95      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6145MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-L-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.918G       | 60.74             | 88.20             | -27.46         | 52.11         | 3           | Horizontal | 46             | 2.96          | -       | 34.97      | 6.60       | 32.94      |  |
| RMS  | 5.907G       | 50.55             | 68.20             | -17.65         | 41.96         | 3           | Horizontal | 46             | 2.96          | -       | 34.93      | 6.60       | 32.94      |  |
| PK   | 6.129G       | 104.03            | Inf               | -Inf           | 94.89         | 3           | Horizontal | 46             | 2.96          | -       | 35.30      | 6.79       | 32.95      |  |
| RMS  | 6.148G       | 94.13             | Inf               | -Inf           | 84.96         | 3           | Horizontal | 46             | 2.96          | -       | 35.30      | 6.82       | 32.95      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6145MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.28844G    | 56.98             | 74.00             | -17.02         | 41.89         | 3           | Vertical  | 20             | 1.57          | -       | 38.48      | 9.13       | 32.52      |
| RMS  | 12.2857G     | 43.24             | 54.00             | -10.76         | 28.17         | 3           | Vertical  | 20             | 1.57          | -       | 38.47      | 9.13       | 32.53      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6145MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.28814G    | 57.14             | 74.00             | -16.86         | 42.05         | 3           | Horizontal | 98             | 3.00          | -       | 38.48      | 9.13       | 32.52      |  |
| RMS  | 12.29106G    | 43.24             | 54.00             | -10.76         | 28.15         | 3           | Horizontal | 98             | 3.00          | -       | 38.48      | 9.13       | 32.52      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6145MHz\_TnomVnom




EUT Y\_2TX  
Setting 13.5  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 18.43556G | 47.79    | 83.54    | -35.75 | 45.33  | 1    | Vertical  | 234     | 1.56   | -       | 37.72 | 14.87 | 50.13 |  |
| AV   | 18.43602G | 33.62    | 63.54    | -29.92 | 31.16  | 1    | Vertical  | 234     | 1.56   | -       | 37.72 | 14.87 | 50.13 |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6145MHz\_TnomVnom




EUT Y\_2TX  
Setting 13.5  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 18.43916G | 46.86    | 83.54    | -36.68 | 44.37  | 1    | Horizontal | 61      | 1.57   | -       | 37.73 | 14.88 | 50.12 |  |
| AV   | 18.437G   | 33.56    | 63.54    | -29.98 | 31.10  | 1    | Horizontal | 61      | 1.57   | -       | 37.72 | 14.87 | 50.13 |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 6385MHz\_TnomVnom




EUT\_V\_2TX  
Setting 15  
01-L-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9122G      | 60.70             | 88.20             | -27.50         | 52.09         | 3           | Vertical  | 300            | 1.77          | -       | 34.95      | 6.60       | 32.94      |  |
| RMS  | 5.893G       | 50.46             | 68.20             | -17.74         | 41.91         | 3           | Vertical  | 300            | 1.77          | -       | 34.89      | 6.60       | 32.94      |  |
| PK   | 6.3826G      | 110.13            | Inf               | -Inf           | 100.59        | 3           | Vertical  | 300            | 1.77          | -       | 35.50      | 6.99       | 32.95      |  |
| RMS  | 6.3754G      | 99.92             | Inf               | -Inf           | 90.43         | 3           | Vertical  | 300            | 1.77          | -       | 35.45      | 6.99       | 32.95      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6385MHz\_TnomVnom




EUT\_V\_2TX  
Setting 15  
01-L-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.833G       | 61.19             | 88.20             | -27.01         | 52.86         | 3           | Horizontal | 336            | 2.93          | -       | 34.66      | 6.60       | 32.93      |  |
| RMS  | 5.8258G      | 50.42             | 68.20             | -17.78         | 42.14         | 3           | Horizontal | 336            | 2.93          | -       | 34.61      | 6.60       | 32.93      |  |
| PK   | 6.361G       | 101.71            | Inf               | -Inf           | 92.31         | 3           | Horizontal | 336            | 2.93          | -       | 35.37      | 6.98       | 32.95      |  |
| RMS  | 6.3802G      | 92.57             | Inf               | -Inf           | 83.05         | 3           | Horizontal | 336            | 2.93          | -       | 35.48      | 6.99       | 32.95      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6385MHz\_TnomVnom




EUT\_V\_2TX  
Setting 15  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.77146G    | 57.85             | 88.20             | -30.35         | 41.27         | 3           | Vertical  | 52             | 1.24          | -       | 39.14      | 9.35       | 31.91      |  |
| RMS  | 12.77452G    | 44.17             | 68.20             | -24.03         | 27.58         | 3           | Vertical  | 52             | 1.24          | -       | 39.15      | 9.35       | 31.91      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6385MHz\_TnomVnom




EUT\_V\_2TX  
Setting 15  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.76742G    | 57.94             | 88.20             | -30.26         | 41.38         | 3           | Horizontal | 277            | 1.77          | -       | 39.13      | 9.35       | 31.92      |  |
| RMS  | 12.76568G    | 44.16             | 68.20             | -24.04         | 27.61         | 3           | Horizontal | 277            | 1.77          | -       | 39.13      | 9.34       | 31.92      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6385MHz\_TnomVnom




EUT Y\_2TX  
Setting 15  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.15994G | 48.42    | 83.54    | -35.12 | 45.08  | 1    | Vertical  | 25      | 1.50   | -       | 37.81 | 15.16 | 49.63 |  |
| AV   | 19.15066G | 33.67    | 63.54    | -29.87 | 30.32  | 1    | Vertical  | 25      | 1.50   | -       | 37.82 | 15.16 | 49.63 |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6385MHz\_TnomVnom




EUT\_V\_2TX  
Setting 15  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.15414G | 47.57    | 83.54    | -35.97 | 44.22  | 1    | Horizontal | 174     | 1.53   | -       | 37.82 | 15.16 | 49.63 |  |
| AV   | 19.15834G | 33.66    | 63.54    | -29.88 | 30.32  | 1    | Horizontal | 174     | 1.53   | -       | 37.81 | 15.16 | 49.63 |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6465MHz\_TnomVnom




EUT\_V\_2TX  
Setting 17  
01-L-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9034G      | 61.39             | 88.20             | -26.81         | 52.82         | 3           | Vertical  | 301            | 1.79          | -       | 34.91      | 6.60       | 32.94      |  |
| RMS  | 5.8982G      | 50.37             | 68.20             | -17.83         | 41.81         | 3           | Vertical  | 301            | 1.79          | -       | 34.90      | 6.60       | 32.94      |  |
| PK   | 6.4754G      | 109.72            | Inf               | -Inf           | 100.17        | 3           | Vertical  | 301            | 1.79          | -       | 35.50      | 7.00       | 32.95      |  |
| RMS  | 6.4442G      | 100.15            | Inf               | -Inf           | 90.68         | 3           | Vertical  | 301            | 1.79          | -       | 35.42      | 7.00       | 32.95      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6465MHz\_TnomVnom




EUT\_V\_2TX  
Setting 17  
01-L-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.8514G      | 61.29             | 88.20             | -26.91         | 52.83         | 3           | Horizontal | 7              | 2.74          | -       | 34.80      | 6.60       | 32.94      |  |
| RMS  | 5.8202G      | 50.45             | 68.20             | -17.75         | 42.22         | 3           | Horizontal | 7              | 2.74          | -       | 34.56      | 6.60       | 32.93      |  |
| PK   | 6.4442G      | 106.26            | Inf               | -Inf           | 96.79         | 3           | Horizontal | 7              | 2.74          | -       | 35.42      | 7.00       | 32.95      |  |
| RMS  | 6.4442G      | 95.17             | Inf               | -Inf           | 85.70         | 3           | Horizontal | 7              | 2.74          | -       | 35.42      | 7.00       | 32.95      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6465MHz\_TnomVnom




EUT\_V\_2TX  
Setting 17  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.92534G    | 58.27             | 88.20             | -29.93         | 41.19         | 3           | Vertical  | 244            | 2.26          | -       | 39.38      | 9.42       | 31.72      |  |
| RMS  | 12.9311G     | 44.52             | 68.20             | -23.68         | 27.42         | 3           | Vertical  | 244            | 2.26          | -       | 39.39      | 9.42       | 31.71      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6465MHz\_TnomVnom




EUT\_V\_2TX  
Setting 17  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.92686G    | 58.18             | 88.20             | -30.02         | 41.09         | 3           | Horizontal | 98             | 2.14          | -       | 39.38      | 9.42       | 31.71      |
| RMS  | 12.9342G     | 44.65             | 68.20             | -23.55         | 27.53         | 3           | Horizontal | 98             | 2.14          | -       | 39.40      | 9.42       | 31.70      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6465MHz\_TnomVnom




EUT Y\_2TX  
Setting 17  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.39608G    | 48.14             | 83.54             | -35.40         | 44.74         | 1           | Vertical  | 42             | 1.51          | -       | 37.82      | 15.26      | 49.68      |
| AV   | 19.39056G    | 33.99             | 63.54             | -29.55         | 30.60         | 1           | Vertical  | 42             | 1.51          | -       | 37.81      | 15.26      | 49.68      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6465MHz\_TnomVnom




EUT\_V\_2TX  
Setting 17  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.39298G    | 47.52             | 83.54             | -36.02         | 44.13         | 1           | Horizontal | 293            | 1.52          | -       | 37.81      | 15.26      | 49.68      |
| AV   | 19.39796G    | 34.05             | 63.54             | -29.49         | 30.65         | 1           | Horizontal | 293            | 1.52          | -       | 37.82      | 15.26      | 49.68      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_2TX  
Setting 15.5  
01-L-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8478G      | 60.23             | 88.20             | -27.97         | 51.78         | 3           | Vertical  | 66             | 2.36          | -       | 34.78      | 6.60       | 32.93      |
| RMS  | 5.915G       | 50.35             | 68.20             | -17.85         | 41.73         | 3           | Vertical  | 66             | 2.36          | -       | 34.96      | 6.60       | 32.94      |
| PK   | 6.545G       | 110.32            | Inf               | -Inf           | 100.51        | 3           | Vertical  | 66             | 2.36          | -       | 35.78      | 7.00       | 32.97      |
| RMS  | 6.5562G      | 101.27            | Inf               | -Inf           | 91.44         | 3           | Vertical  | 66             | 2.36          | -       | 35.81      | 7.00       | 32.98      |
| PK   | 7.203G       | 63.18             | 88.20             | -25.02         | 52.00         | 3           | Vertical  | 66             | 2.36          | -       | 37.10      | 7.20       | 33.12      |
| RMS  | 7.1834G      | 52.91             | 68.20             | -15.29         | 41.79         | 3           | Vertical  | 66             | 2.36          | -       | 37.03      | 7.21       | 33.12      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_2TX  
Setting 15.5  
01-L-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9234G      | 60.23             | 88.20             | -27.97         | 51.58         | 3           | Horizontal | 343            | 1.25          | -       | 34.99      | 6.60       | 32.94      |
| RMS  | 5.845G       | 50.41             | 68.20             | -17.79         | 41.98         | 3           | Horizontal | 343            | 1.25          | -       | 34.76      | 6.60       | 32.93      |
| PK   | 6.5394G      | 102.80            | Inf               | -Inf           | 93.01         | 3           | Horizontal | 343            | 1.25          | -       | 35.76      | 7.00       | 32.97      |
| RMS  | 6.559G       | 93.57             | Inf               | -Inf           | 83.73         | 3           | Horizontal | 343            | 1.25          | -       | 35.82      | 7.00       | 32.98      |
| PK   | 7.1834G      | 63.00             | 88.20             | -25.20         | 51.88         | 3           | Horizontal | 343            | 1.25          | -       | 37.03      | 7.21       | 33.12      |
| RMS  | 7.245G       | 52.92             | 68.20             | -15.28         | 41.67         | 3           | Horizontal | 343            | 1.25          | -       | 37.10      | 7.25       | 33.10      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_2TX  
Setting 15.5  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.08756G    | 58.45             | 88.20             | -29.75         | 40.78         | 3           | Vertical  | 218            | 2.58          | -       | 39.69      | 9.49       | 31.51      |
| RMS  | 13.08658G    | 44.49             | 68.20             | -23.71         | 26.82         | 3           | Vertical  | 218            | 2.58          | -       | 39.69      | 9.49       | 31.51      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_2TX  
Setting 15.5  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.09306G    | 58.39             | 88.20             | -29.81         | 40.71         | 3           | Horizontal | 235            | 3.00          | -       | 39.69      | 9.49       | 31.50      |
| AV   | 13.09292G    | 44.44             | 68.20             | -23.76         | 26.76         | 3           | Horizontal | 235            | 3.00          | -       | 39.69      | 9.49       | 31.50      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT Y\_2TX  
Setting 15.5  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.63642G    | 48.30             | 83.54             | -35.24         | 44.80         | 1           | Vertical  | 263            | 1.54          | -       | 37.85      | 15.35      | 49.70      |
| AV   | 19.63664G    | 34.51             | 63.54             | -29.03         | 31.01         | 1           | Vertical  | 263            | 1.54          | -       | 37.85      | 15.35      | 49.70      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT Y\_2TX  
Setting 15.5  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.6311G     | 48.57             | 83.54             | -34.97         | 45.07         | 1           | Horizontal | 353            | 1.54          | -       | 37.85      | 15.35      | 49.70      |
| AV   | 19.63664G    | 34.52             | 63.54             | -29.02         | 31.02         | 1           | Horizontal | 353            | 1.54          | -       | 37.85      | 15.35      | 49.70      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6625MHz\_TnomVnom




EUT V\_2TX  
Setting 15.5  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6154G      | 111.93            | Inf               | -Inf           | 102.01        | 3           | Vertical  | 70             | 1.80          | -       | 35.93      | 7.00       | 33.01      |  |
| RMS  | 6.6154G      | 101.71            | Inf               | -Inf           | 91.79         | 3           | Vertical  | 70             | 1.80          | -       | 35.93      | 7.00       | 33.01      |  |
| PK   | 7.2202G      | 63.93             | 88.20             | -24.27         | 52.72         | 3           | Vertical  | 70             | 1.80          | -       | 37.10      | 7.22       | 33.11      |  |
| RMS  | 7.165G       | 53.38             | 68.20             | -14.82         | 42.33         | 3           | Vertical  | 70             | 1.80          | -       | 36.96      | 7.22       | 33.13      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 6625MHz\_TnomVnom




EUT V\_2TX  
Setting 15.5  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6298G      | 104.90            | Inf               | -Inf           | 94.95         | 3           | Horizontal | 342            | 1.24          | -       | 35.96      | 7.00       | 33.01      |  |
| RMS  | 6.6106G      | 94.49             | Inf               | -Inf           | 84.57         | 3           | Horizontal | 342            | 1.24          | -       | 35.92      | 7.00       | 33.00      |  |
| PK   | 7.1602G      | 63.72             | 88.20             | -24.48         | 52.69         | 3           | Horizontal | 342            | 1.24          | -       | 36.94      | 7.22       | 33.13      |  |
| RMS  | 7.1482G      | 53.27             | 68.20             | -14.93         | 42.29         | 3           | Horizontal | 342            | 1.24          | -       | 36.89      | 7.23       | 33.14      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6625MHz\_TnomVnom




EUT\_V\_2TX  
Setting 15.5  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.24554G    | 58.60             | 88.20             | -29.60         | 40.40         | 3           | Vertical  | 269            | 2.05          | -       | 39.95      | 9.56       | 31.31      |  |
| RMS  | 13.24534G    | 44.98             | 68.20             | -23.22         | 26.78         | 3           | Vertical  | 269            | 2.05          | -       | 39.95      | 9.56       | 31.31      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6625MHz\_TnomVnom




EUT\_V\_2TX  
Setting 15.5  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.24522G    | 59.33             | 88.20             | -28.87         | 41.13         | 3           | Horizontal | 285            | 2.84          | -       | 39.95      | 9.56       | 31.31      |  |
| RMS  | 13.24516G    | 44.96             | 68.20             | -23.24         | 26.76         | 3           | Horizontal | 285            | 2.84          | -       | 39.95      | 9.56       | 31.31      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6625MHz\_TnomVnom




EUT Y\_2TX  
Setting 15.5  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.87446G | 47.81    | 83.54    | -35.73 | 44.46  | 1    | Vertical  | 151     | 1.50   | -       | 37.60 | 15.45 | 49.70 |
| AV   | 19.87734G | 33.85    | 63.54    | -29.69 | 30.50  | 1    | Vertical  | 151     | 1.50   | -       | 37.60 | 15.45 | 49.70 |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6625MHz\_TnomVnom




EUT V\_2TX  
Setting 15.5  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.87268G | 47.54    | 83.54    | -36.00 | 44.19  | 1    | Horizontal | 113     | 1.52   | -       | 37.60 | 15.45 | 49.70 |
| AV   | 19.87816G | 33.94    | 63.54    | -29.60 | 30.60  | 1    | Horizontal | 113     | 1.52   | -       | 37.59 | 15.45 | 49.70 |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 6705MHz\_TnomVnom




EUT Y\_2TX  
Setting 17  
01-E-G-2-10

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |
|------|--------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |
| PK   | 6.709G | 112.85   | Inf      | -Inf   | 102.95 | 3    | Vertical  | 58      | 3.00   | -       | 35.95 | 7.00 | 33.05 |  |
| RMS  | 6.707G | 101.21   | Inf      | -Inf   | 91.32  | 3    | Vertical  | 58      | 3.00   | -       | 35.94 | 7.00 | 33.05 |  |
| PK   | 7.205G | 63.53    | 88.20    | -24.67 | 52.34  | 3    | Vertical  | 58      | 3.00   | -       | 37.10 | 7.21 | 33.12 |  |
| RMS  | 7.179G | 53.23    | 68.20    | -14.97 | 42.13  | 3    | Vertical  | 58      | 3.00   | -       | 37.02 | 7.21 | 33.13 |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 6705MHz\_TnomVnom




EUT\_V\_2TX  
Setting 17  
01-E-G-2-10

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |
|------|--------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |
| PK   | 6.709G | 104.86   | Inf      | -Inf   | 94.96  | 3    | Horizontal | 342     | 1.26   | -       | 35.95 | 7.00 | 33.05 |  |
| RMS  | 6.709G | 93.62    | Inf      | -Inf   | 83.72  | 3    | Horizontal | 342     | 1.26   | -       | 35.95 | 7.00 | 33.05 |  |
| PK   | 7.159G | 63.36    | 88.20    | -24.84 | 52.33  | 3    | Horizontal | 342     | 1.26   | -       | 36.94 | 7.22 | 33.13 |  |
| RMS  | 7.181G | 53.22    | 68.20    | -14.98 | 42.11  | 3    | Horizontal | 342     | 1.26   | -       | 37.02 | 7.21 | 33.12 |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6705MHz\_TnomVnom




EUT\_V\_2TX  
Setting 17  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.40708G    | 59.41             | 88.20             | -28.79         | 40.69         | 3           | Vertical  | 153            | 1.76          | -       | 40.20      | 9.63       | 31.11      |  |
| RMS  | 13.41364G    | 45.87             | 68.20             | -22.33         | 27.13         | 3           | Vertical  | 153            | 1.76          | -       | 40.20      | 9.64       | 31.10      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6705MHz\_TnomVnom




EUT\_V\_2TX  
Setting 17  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.41188G    | 59.39             | 88.20             | -28.81         | 40.65         | 3           | Horizontal | 106            | 1.82          | -       | 40.20      | 9.64       | 31.10      |
| RMS  | 13.41382G    | 45.90             | 68.20             | -22.30         | 27.16         | 3           | Horizontal | 106            | 1.82          | -       | 40.20      | 9.64       | 31.10      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6705MHz\_TnomVnom




EUT Y\_2TX  
Setting 17  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.11198G    | 48.46             | 83.54             | -35.08         | 45.16         | 1           | Vertical  | 358            | 1.57          | -       | 37.49      | 15.55      | 49.74      |
| AV   | 20.11288G    | 35.12             | 63.54             | -28.42         | 31.83         | 1           | Vertical  | 358            | 1.57          | -       | 37.49      | 15.55      | 49.75      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6705MHz\_TnomVnom




EUT Y\_2TX  
Setting 17  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.11584G | 49.44    | 83.54    | -34.10 | 46.15  | 1    | Horizontal | 173     | 1.50   | -       | 37.49 | 15.55 | 49.75 |
| AV   | 20.11172G | 35.30    | 63.54    | -28.24 | 32.00  | 1    | Horizontal | 173     | 1.50   | -       | 37.49 | 15.55 | 49.74 |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6785MHz\_TnomVnom




EUT V\_2TX  
Setting 15.5  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.785G       | 109.59            | Inf               | -Inf           | 99.48         | 3           | Vertical  | 69             | 1.80          | -       | 36.20      | 7.00       | 33.09      |  |
| RMS  | 6.7754G      | 99.36             | Inf               | -Inf           | 89.24         | 3           | Vertical  | 69             | 1.80          | -       | 36.20      | 7.00       | 33.08      |  |
| PK   | 7.1482G      | 63.58             | 88.20             | -24.62         | 52.60         | 3           | Vertical  | 69             | 1.80          | -       | 36.89      | 7.23       | 33.14      |  |
| RMS  | 7.1482G      | 53.16             | 68.20             | -15.04         | 42.18         | 3           | Vertical  | 69             | 1.80          | -       | 36.89      | 7.23       | 33.14      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 6785MHz\_TnomVnom




EUT V\_2TX  
Setting 15.5  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.7802G      | 101.81            | Inf               | -Inf           | 91.69         | 3           | Horizontal | 353            | 1.26          | -       | 36.20      | 7.00       | 33.08      |  |
| RMS  | 6.7786G      | 92.47             | Inf               | -Inf           | 82.35         | 3           | Horizontal | 353            | 1.26          | -       | 36.20      | 7.00       | 33.08      |  |
| PK   | 7.153G       | 64.48             | 88.20             | -23.72         | 53.48         | 3           | Horizontal | 353            | 1.26          | -       | 36.91      | 7.22       | 33.13      |  |
| RMS  | 7.1754G      | 53.14             | 68.20             | -15.06         | 42.06         | 3           | Horizontal | 353            | 1.26          | -       | 37.00      | 7.21       | 33.13      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6785MHz\_TnomVnom




EUT\_V\_2TX  
Setting 15.5  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.57048G    | 59.38             | 88.20             | -28.82         | 40.44         | 3           | Vertical  | 26             | 2.67          | -       | 40.27      | 9.71       | 31.04      |  |
| RMS  | 13.56602G    | 46.04             | 68.20             | -22.16         | 27.10         | 3           | Vertical  | 26             | 2.67          | -       | 40.27      | 9.70       | 31.03      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6785MHz\_TnomVnom




EUT\_V\_2TX  
Setting 15.5  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.57042G    | 60.82             | 88.20             | -27.38         | 41.88         | 3           | Horizontal | 350            | 2.78          | -       | 40.27      | 9.71       | 31.04      |  |
| RMS  | 13.5658G     | 46.07             | 68.20             | -22.13         | 27.13         | 3           | Horizontal | 350            | 2.78          | -       | 40.27      | 9.70       | 31.03      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6785MHz\_TnomVnom




EUT V\_2TX  
Setting 15.5  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.35902G    | 47.70             | 83.54             | -35.84         | 44.24         | 1           | Vertical  | 250            | 1.55          | -       | 37.64      | 15.66      | 49.84      |
| AV   | 20.35486G    | 34.25             | 63.54             | -29.29         | 30.79         | 1           | Vertical  | 250            | 1.55          | -       | 37.64      | 15.66      | 49.84      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6785MHz\_TnomVnom




EUT Y\_2TX  
Setting 15.5  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.35804G | 47.91    | 83.54    | -35.63 | 44.45  | 1    | Horizontal | 238     | 1.50   | -       | 37.64 | 15.66 | 49.84 |  |
| AV   | 20.35188G | 34.17    | 63.54    | -29.37 | 30.71  | 1    | Horizontal | 238     | 1.50   | -       | 37.64 | 15.66 | 49.84 |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT V\_2TX  
Setting 16  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8566G      | 108.66            | Inf               | -Inf           | 98.15         | 3           | Vertical  | 69             | 1.80          | -       | 36.55      | 7.08       | 33.12      |  |
| RMS  | 6.8554G      | 99.17             | Inf               | -Inf           | 88.65         | 3           | Vertical  | 69             | 1.80          | -       | 36.56      | 7.08       | 33.12      |  |
| PK   | 7.1578G      | 63.60             | 88.20             | -24.60         | 52.58         | 3           | Vertical  | 69             | 1.80          | -       | 36.93      | 7.22       | 33.13      |  |
| RMS  | 7.147G       | 53.12             | 68.20             | -15.08         | 42.15         | 3           | Vertical  | 69             | 1.80          | -       | 36.88      | 7.23       | 33.14      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT V\_2TX  
Setting 16  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.841G       | 100.53            | Inf               | -Inf           | 90.05         | 3           | Horizontal | 337            | 1.64          | -       | 36.53      | 7.06       | 33.11      |  |
| RMS  | 6.8614G      | 91.37             | Inf               | -Inf           | 80.89         | 3           | Horizontal | 337            | 1.64          | -       | 36.51      | 7.09       | 33.12      |  |
| PK   | 7.1494G      | 63.22             | 88.20             | -24.98         | 52.23         | 3           | Horizontal | 337            | 1.64          | -       | 36.90      | 7.23       | 33.14      |  |
| RMS  | 7.1458G      | 53.11             | 68.20             | -15.09         | 42.15         | 3           | Horizontal | 337            | 1.64          | -       | 36.87      | 7.23       | 33.14      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_2TX  
Setting 16  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.7301G     | 63.14             | 88.20             | -25.06         | 43.92         | 3           | Vertical  | 350            | 1.14          | -       | 40.59      | 9.78       | 31.15      |
| RMS  | 13.73244G    | 49.73             | 68.20             | -18.47         | 30.50         | 3           | Vertical  | 350            | 1.14          | -       | 40.60      | 9.78       | 31.15      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_2TX  
Setting 16  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.72952G    | 63.34             | 88.20             | -24.86         | 44.12         | 3           | Horizontal | 202            | 1.87          | -       | 40.59      | 9.78       | 31.15      |
| RMS  | 13.73354G    | 49.68             | 68.20             | -18.52         | 30.45         | 3           | Horizontal | 202            | 1.87          | -       | 40.60      | 9.78       | 31.15      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_2TX  
Setting 16  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.59672G    | 48.83             | 83.54             | -34.71         | 45.10         | 1           | Vertical  | 235            | 1.50          | -       | 37.82      | 15.77      | 49.86      |
| AV   | 20.59818G    | 35.24             | 63.54             | -28.30         | 31.51         | 1           | Vertical  | 235            | 1.50          | -       | 37.82      | 15.77      | 49.86      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Y\_2TX  
Setting 16  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.59494G    | 48.93             | 83.54             | -34.61         | 45.21         | 1           | Horizontal | 206            | 1.55          | -       | 37.81      | 15.77      | 49.86      |
| AV   | 20.59G       | 35.11             | 63.54             | -28.43         | 31.39         | 1           | Horizontal | 206            | 1.55          | -       | 37.81      | 15.77      | 49.86      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6945MHz\_TnomVnom




EUT\_V\_2TX  
Setting 16  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.9354G      | 108.76            | Inf               | -Inf           | 98.31         | 3           | Vertical  | 75             | 1.80          | -       | 36.41      | 7.20       | 33.16      |  |
| RMS  | 6.9354G      | 98.75             | Inf               | -Inf           | 88.30         | 3           | Vertical  | 75             | 1.80          | -       | 36.41      | 7.20       | 33.16      |  |
| PK   | 7.1574G      | 64.08             | 88.20             | -24.12         | 53.06         | 3           | Vertical  | 75             | 1.80          | -       | 36.93      | 7.22       | 33.13      |  |
| RMS  | 7.1466G      | 53.24             | 68.20             | -14.96         | 42.28         | 3           | Vertical  | 75             | 1.80          | -       | 36.87      | 7.23       | 33.14      |  |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 6945MHz\_TnomVnom




EUT\_V\_2TX  
Setting 16  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.9546G      | 105.74            | Inf               | -Inf           | 95.20         | 3           | Horizontal | 22             | 3.00          | -       | 36.48      | 7.23       | 33.17      |  |
| RMS  | 6.9534G      | 94.61             | Inf               | -Inf           | 84.06         | 3           | Horizontal | 22             | 3.00          | -       | 36.49      | 7.23       | 33.17      |  |
| PK   | 7.1286G      | 64.55             | 88.20             | -23.65         | 53.72         | 3           | Horizontal | 22             | 3.00          | -       | 36.73      | 7.24       | 33.14      |  |
| RMS  | 7.1466G      | 53.15             | 68.20             | -15.05         | 42.19         | 3           | Horizontal | 22             | 3.00          | -       | 36.87      | 7.23       | 33.14      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6945MHz\_TnomVnom




EUT\_V\_2TX  
Setting 16  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.88808G    | 64.00             | 88.20             | -24.20         | 44.51         | 3           | Vertical  | 255            | 1.73          | -       | 40.89      | 9.85       | 31.25      |
| RMS  | 13.8928G     | 50.27             | 68.20             | -17.93         | 30.79         | 3           | Vertical  | 255            | 1.73          | -       | 40.89      | 9.85       | 31.26      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6945MHz\_TnomVnom




EUT\_V\_2TX  
Setting 16  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.88688G    | 64.05             | 88.20             | -24.15         | 44.56         | 3           | Horizontal | 341            | 1.12          | -       | 40.89      | 9.85       | 31.25      |
| RMS  | 13.88962G    | 50.23             | 68.20             | -17.97         | 30.74         | 3           | Horizontal | 341            | 1.12          | -       | 40.89      | 9.85       | 31.25      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6945MHz\_TnomVnom




EUT\_V\_2TX  
Setting 16  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.83074G | 48.80    | 83.54    | -34.74 | 44.83  | 1    | Vertical  | 107     | 1.51   | -       | 37.87 | 15.87 | 49.77 |
| AV   | 20.83044G | 34.43    | 63.54    | -29.11 | 30.46  | 1    | Vertical  | 107     | 1.51   | -       | 37.87 | 15.87 | 49.77 |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 6945MHz\_TnomVnom




EUT\_V\_2TX  
Setting 16  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.83686G    | 48.04             | 83.54             | -35.50         | 44.07         | 1           | Horizontal | 190            | 1.55          | -       | 37.86      | 15.88      | 49.77      |
| AV   | 20.8364G     | 34.45             | 63.54             | -29.09         | 30.48         | 1           | Horizontal | 190            | 1.55          | -       | 37.86      | 15.88      | 49.77      |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 7025MHz\_TnomVnom




EUT\_V\_2TX  
Setting 19.5  
01-L-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0202G      | 114.25            | Inf               | -Inf           | 103.72        | 3           | Vertical  | 290            | 1.59          | -       | 36.42      | 7.29       | 33.18      |
| RMS  | 7.0194G      | 104.38            | Inf               | -Inf           | 93.85         | 3           | Vertical  | 290            | 1.59          | -       | 36.42      | 7.29       | 33.18      |
| PK   | 7.1298G      | 78.12             | 88.20             | -10.08         | 67.28         | 3           | Vertical  | 290            | 1.59          | -       | 36.74      | 7.24       | 33.14      |
| RMS  | 7.1298G      | 67.80             | 68.20             | -0.40          | 56.96         | 3           | Vertical  | 290            | 1.59          | -       | 36.74      | 7.24       | 33.14      |

# 802.11ax HEW80\_Nss1,(MCS0)\_2TX

## 7025MHz\_TnomVnom




EUT\_V\_2TX  
Setting 22  
01-L-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 7.0346G      | 110.93            | Inf               | -Inf           | 100.32        | 3           | Horizontal | 16             | 2.98          | -       | 36.51      | 7.28       | 33.18      |  |
| RMS  | 7.0146G      | 100.19            | Inf               | -Inf           | 89.69         | 3           | Horizontal | 16             | 2.98          | -       | 36.39      | 7.29       | 33.18      |  |
| PK   | 7.1266G      | 75.99             | 88.20             | -12.21         | 65.18         | 3           | Horizontal | 16             | 2.98          | -       | 36.71      | 7.24       | 33.14      |  |
| RMS  | 7.125G       | 64.76             | 68.20             | -3.44          | 53.96         | 3           | Horizontal | 16             | 2.98          | -       | 36.70      | 7.24       | 33.14      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 7025MHz\_TnomVnom




EUT\_V\_2TX  
Setting 22  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 14.04766G    | 63.74             | 88.20             | -24.46         | 44.31         | 3           | Vertical  | 303            | 1.38          | -       | 40.90      | 9.91       | 31.38      |  |
| RMS  | 14.05294G    | 49.53             | 68.20             | -18.67         | 30.09         | 3           | Vertical  | 303            | 1.38          | -       | 40.90      | 9.92       | 31.38      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 7025MHz\_TnomVnom




EUT\_V\_2TX  
Setting 22  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 14.04606G    | 63.64             | 88.20             | -24.56         | 44.21         | 3           | Horizontal | 40             | 2.37          | -       | 40.90      | 9.91       | 31.38      |  |
| RMS  | 14.04518G    | 49.59             | 68.20             | -18.61         | 30.15         | 3           | Horizontal | 40             | 2.37          | -       | 40.90      | 9.91       | 31.37      |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 7025MHz\_TnomVnom




EUT\_V\_2TX  
Setting 22  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 21.07764G | 47.11    | 83.54    | -36.43 | 43.21  | 1    | Vertical  | 189     | 1.52   | -       | 37.60 | 15.98 | 49.68 |  |
| AV   | 21.07866G | 33.42    | 63.54    | -30.12 | 29.51  | 1    | Vertical  | 189     | 1.52   | -       | 37.60 | 15.99 | 49.68 |  |

## 802.11ax HEW80\_Nss1,(MCS0)\_2TX

### 7025MHz\_TnomVnom




EUT\_V\_2TX  
Setting 22  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 21.07278G | 46.76    | 83.54    | -36.78 | 42.87  | 1    | Horizontal | 105     | 1.55   | -       | 37.60 | 15.98 | 49.69 |
| AV   | 21.0793G  | 33.33    | 63.54    | -30.21 | 29.42  | 1    | Horizontal | 105     | 1.55   | -       | 37.60 | 15.99 | 49.68 |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6025MHz\_TnomVnom




EUT\_V\_2TX  
Setting 20  
01-L-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.924G       | 78.29             | 88.20             | -9.91          | 69.63         | 3           | Vertical  | 300            | 1.64          | -       | 35.00      | 6.60       | 32.94      |  |
| RMS  | 5.922G       | 67.07             | 68.20             | -1.13          | 58.42         | 3           | Vertical  | 300            | 1.64          | -       | 34.99      | 6.60       | 32.94      |  |
| PK   | 6.043G       | 114.69            | Inf               | -Inf           | 105.77        | 3           | Vertical  | 300            | 1.64          | -       | 35.21      | 6.66       | 32.95      |  |
| RMS  | 6.033G       | 103.72            | Inf               | -Inf           | 94.79         | 3           | Vertical  | 300            | 1.64          | -       | 35.23      | 6.65       | 32.95      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6025MHz\_TnomVnom




EUT V\_2TX  
Setting 20  
01-L-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.917G       | 73.84             | 88.20             | -14.36         | 65.21         | 3           | Horizontal | 36             | 3.00          | -       | 34.97      | 6.60       | 32.94      |  |
| RMS  | 5.918G       | 61.54             | 68.20             | -6.66          | 52.91         | 3           | Horizontal | 36             | 3.00          | -       | 34.97      | 6.60       | 32.94      |  |
| PK   | 6.029G       | 108.44            | Inf               | -Inf           | 99.51         | 3           | Horizontal | 36             | 3.00          | -       | 35.24      | 6.64       | 32.95      |  |
| RMS  | 6.029G       | 98.39             | Inf               | -Inf           | 89.46         | 3           | Horizontal | 36             | 3.00          | -       | 35.24      | 6.64       | 32.95      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6025MHz\_TnomVnom




EUT V\_2TX  
Setting 20  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.0471G     | 56.32             | 74.00             | -17.68         | 41.57         | 3           | Vertical  | 25             | 2.99          | -       | 38.55      | 9.02       | 32.82      |  |
| AV   | 12.05414G    | 42.62             | 54.00             | -11.38         | 27.86         | 3           | Vertical  | 25             | 2.99          | -       | 38.55      | 9.02       | 32.81      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6025MHz\_TnomVnom




EUT\_V\_2TX  
Setting 20  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.05226G    | 57.05             | 74.00             | -16.95         | 42.30         | 3           | Horizontal | 249            | 1.09          | -       | 38.55      | 9.02       | 32.82      |
| AV   | 12.04874G    | 42.70             | 54.00             | -11.30         | 27.95         | 3           | Horizontal | 249            | 1.09          | -       | 38.55      | 9.02       | 32.82      |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6025MHz\_TnomVnom




EUT Y\_2TX  
Setting 20  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 18.07752G | 46.60    | 83.54    | -36.94 | 44.50  | 1    | Vertical  | 254     | 1.54   | -       | 37.64 | 14.73 | 50.27 |  |
| AV   | 18.073G   | 32.84    | 63.54    | -30.70 | 30.74  | 1    | Vertical  | 254     | 1.54   | -       | 37.64 | 14.73 | 50.27 |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6025MHz\_TnomVnom




EUT V\_2TX  
Setting 20  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 18.07056G | 46.68    | 83.54    | -36.86 | 44.58  | 1    | Horizontal | 260     | 1.55   | -       | 37.64 | 14.73 | 50.27 |  |
| AV   | 18.07396G | 32.86    | 63.54    | -30.68 | 30.76  | 1    | Horizontal | 260     | 1.55   | -       | 37.64 | 14.73 | 50.27 |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6185MHz\_TnomVnom




EUT\_V\_2TX  
Setting 17  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.8906G      | 61.76             | 88.20             | -26.44         | 53.22         | 3           | Vertical  | 300            | 1.65          | -       | 34.88      | 6.60       | 32.94      |  |
| RMS  | 5.9226G      | 50.75             | 68.20             | -17.45         | 42.10         | 3           | Vertical  | 300            | 1.65          | -       | 34.99      | 6.60       | 32.94      |  |
| PK   | 6.1642G      | 111.80            | Inf               | -Inf           | 102.54        | 3           | Vertical  | 300            | 1.65          | -       | 35.36      | 6.85       | 32.95      |  |
| RMS  | 6.1642G      | 100.88            | Inf               | -Inf           | 91.62         | 3           | Vertical  | 300            | 1.65          | -       | 35.36      | 6.85       | 32.95      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6185MHz\_TnomVnom




EUT\_V\_2TX  
Setting 17  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.8298G      | 60.90             | 88.20             | -27.30         | 52.59         | 3           | Horizontal | 335            | 1.41          | -       | 34.64      | 6.60       | 32.93      |  |
| RMS  | 5.9242G      | 50.30             | 68.20             | -17.90         | 41.64         | 3           | Horizontal | 335            | 1.41          | -       | 35.00      | 6.60       | 32.94      |  |
| PK   | 6.1594G      | 101.46            | Inf               | -Inf           | 92.23         | 3           | Horizontal | 335            | 1.41          | -       | 35.34      | 6.84       | 32.95      |  |
| RMS  | 6.169G       | 92.18             | Inf               | -Inf           | 82.90         | 3           | Horizontal | 335            | 1.41          | -       | 35.38      | 6.85       | 32.95      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6185MHz\_TnomVnom




EUT Y\_2TX  
Setting 17  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.36968G    | 58.04             | 74.00             | -15.96         | 42.65         | 3           | Vertical  | 230            | 2.20          | -       | 38.64      | 9.17       | 32.42      |  |
| AV   | 12.37222G    | 43.62             | 54.00             | -10.38         | 28.23         | 3           | Vertical  | 230            | 2.20          | -       | 38.64      | 9.17       | 32.42      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6185MHz\_TnomVnom




EUT\_V\_2TX  
Setting 17  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.37168G    | 57.14             | 74.00             | -16.86         | 41.75         | 3           | Horizontal | 139            | 2.89          | -       | 38.64      | 9.17       | 32.42      |  |
| AV   | 12.36948G    | 43.68             | 54.00             | -10.32         | 28.29         | 3           | Horizontal | 139            | 2.89          | -       | 38.64      | 9.17       | 32.42      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6185MHz\_TnomVnom




EUT\_V\_2TX  
Setting 17  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 18.55806G | 46.79    | 83.54    | -36.75 | 44.13  | 1    | Vertical  | 220     | 1.56   | -       | 37.78 | 14.92 | 50.04 |  |
| AV   | 18.55064G | 33.64    | 63.54    | -29.90 | 30.99  | 1    | Vertical  | 220     | 1.56   | -       | 37.78 | 14.92 | 50.05 |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6185MHz\_TnomVnom




EUT\_V\_2TX  
Setting 17  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.5587G     | 46.88             | 83.54             | -36.66         | 44.22         | 1           | Horizontal | 187            | 1.58          | -       | 37.78      | 14.92      | 50.04      |
| AV   | 18.55092G    | 33.61             | 63.54             | -29.93         | 30.96         | 1           | Horizontal | 187            | 1.58          | -       | 37.78      | 14.92      | 50.05      |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6345MHz\_TnomVnom




EUT Y\_2TX  
Setting 18  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.907G       | 61.14             | 88.20             | -27.06         | 52.55         | 3           | Vertical  | 60             | 1.80          | -       | 34.93      | 6.60       | 32.94      |  |
| RMS  | 5.913G       | 50.32             | 68.20             | -17.88         | 41.71         | 3           | Vertical  | 60             | 1.80          | -       | 34.95      | 6.60       | 32.94      |  |
| PK   | 6.335G       | 111.09            | Inf               | -Inf           | 101.77        | 3           | Vertical  | 60             | 1.80          | -       | 35.30      | 6.97       | 32.95      |  |
| RMS  | 6.335G       | 99.76             | Inf               | -Inf           | 90.44         | 3           | Vertical  | 60             | 1.80          | -       | 35.30      | 6.97       | 32.95      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6345MHz\_TnomVnom




EUT\_V\_2TX  
Setting 18  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.899G       | 60.43             | 88.20             | -27.77         | 51.87         | 3           | Horizontal | 334            | 1.35          | -       | 34.90      | 6.60       | 32.94      |  |
| RMS  | 5.85G        | 50.25             | 68.20             | -17.95         | 41.78         | 3           | Horizontal | 334            | 1.35          | -       | 34.80      | 6.60       | 32.93      |  |
| PK   | 6.339G       | 102.72            | Inf               | -Inf           | 93.40         | 3           | Horizontal | 334            | 1.35          | -       | 35.30      | 6.97       | 32.95      |  |
| RMS  | 6.309G       | 91.76             | Inf               | -Inf           | 82.46         | 3           | Horizontal | 334            | 1.35          | -       | 35.30      | 6.95       | 32.95      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6345MHz\_TnomVnom




EUT Y\_2TX  
Setting 18  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.69424G    | 58.14             | 74.00             | -15.86         | 41.86         | 3           | Vertical  | 196            | 2.75          | -       | 38.98      | 9.31       | 32.01      |
| AV   | 12.69286G    | 43.96             | 54.00             | -10.04         | 27.68         | 3           | Vertical  | 196            | 2.75          | -       | 38.98      | 9.31       | 32.01      |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6345MHz\_TnomVnom




EUT\_V\_2TX  
Setting 18  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.69298G    | 57.64             | 74.00             | -16.36         | 41.36         | 3           | Horizontal | 192            | 1.83          | -       | 38.98      | 9.31       | 32.01      |
| AV   | 12.69238G    | 44.02             | 54.00             | -9.98          | 27.74         | 3           | Horizontal | 192            | 1.83          | -       | 38.98      | 9.31       | 32.01      |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6345MHz\_TnomVnom




EUT\_V\_2TX  
Setting 18  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.03058G | 48.23    | 83.54    | -35.31 | 44.77  | 1    | Vertical  | 114     | 1.56   | -       | 37.96 | 15.11 | 49.61 |  |
| AV   | 19.03088G | 34.32    | 63.54    | -29.22 | 30.86  | 1    | Vertical  | 114     | 1.56   | -       | 37.96 | 15.11 | 49.61 |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6345MHz\_TnomVnom




EUT\_V\_2TX  
Setting 18  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.0336G     | 47.88             | 83.54             | -35.66         | 44.42         | 1           | Horizontal | 59             | 1.57          | -       | 37.96      | 15.11      | 49.61      |
| AV   | 19.03452G    | 34.32             | 63.54             | -29.22         | 30.86         | 1           | Horizontal | 59             | 1.57          | -       | 37.96      | 15.11      | 49.61      |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT V\_2TX  
Setting 19.5  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8442G      | 60.84             | 88.20             | -27.36         | 52.42         | 3           | Vertical  | 299            | 1.74          | -       | 34.75      | 6.60       | 32.93      |
| RMS  | 5.9198G      | 50.35             | 68.20             | -17.85         | 41.71         | 3           | Vertical  | 299            | 1.74          | -       | 34.98      | 6.60       | 32.94      |
| PK   | 6.4966G      | 110.91            | Inf               | -Inf           | 101.27        | 3           | Vertical  | 299            | 1.74          | -       | 35.59      | 7.00       | 32.95      |
| RMS  | 6.4854G      | 99.55             | Inf               | -Inf           | 89.96         | 3           | Vertical  | 299            | 1.74          | -       | 35.54      | 7.00       | 32.95      |
| PK   | 7.149G       | 63.30             | 88.20             | -24.90         | 52.32         | 3           | Vertical  | 299            | 1.74          | -       | 36.89      | 7.23       | 33.14      |
| RMS  | 7.1742G      | 53.08             | 68.20             | -15.12         | 42.00         | 3           | Vertical  | 299            | 1.74          | -       | 37.00      | 7.21       | 33.13      |

# 802.11ax HEW160\_Nss1,(MCS0)\_2TX

## 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_2TX  
Setting 19.5  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9114G      | 60.66             | 88.20             | -27.54         | 52.05         | 3           | Horizontal | 340            | 1.44          | -       | 34.95      | 6.60       | 32.94      |
| RMS  | 5.9226G      | 50.30             | 68.20             | -17.90         | 41.65         | 3           | Horizontal | 340            | 1.44          | -       | 34.99      | 6.60       | 32.94      |
| PK   | 6.491G       | 102.50            | Inf               | -Inf           | 92.89         | 3           | Horizontal | 340            | 1.44          | -       | 35.56      | 7.00       | 32.95      |
| RMS  | 6.5302G      | 92.70             | Inf               | -Inf           | 82.94         | 3           | Horizontal | 340            | 1.44          | -       | 35.72      | 7.00       | 32.96      |
| PK   | 7.1714G      | 62.79             | 88.20             | -25.41         | 51.72         | 3           | Horizontal | 340            | 1.44          | -       | 36.99      | 7.21       | 33.13      |
| RMS  | 7.1742G      | 53.13             | 68.20             | -15.07         | 42.05         | 3           | Horizontal | 340            | 1.44          | -       | 37.00      | 7.21       | 33.13      |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_2TX  
Setting 19.5  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.00598G    | 58.28             | 88.20             | -29.92         | 40.83         | 3           | Vertical  | 359            | 2.93          | -       | 39.61      | 9.45       | 31.61      |  |
| RMS  | 13.00542G    | 44.72             | 68.20             | -23.48         | 27.27         | 3           | Vertical  | 359            | 2.93          | -       | 39.61      | 9.45       | 31.61      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_2TX  
Setting 19.5  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.01228G    | 58.55             | 88.20             | -29.65         | 41.08         | 3           | Horizontal | 292            | 1.57          | -       | 39.61      | 9.46       | 31.60      |
| RMS  | 13.01228G    | 44.85             | 68.20             | -23.35         | 27.38         | 3           | Horizontal | 292            | 1.57          | -       | 39.61      | 9.46       | 31.60      |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_2TX  
Setting 19.5  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.51644G    | 48.19             | 83.54             | -35.35         | 44.69         | 1           | Vertical  | 169            | 1.53          | -       | 37.89      | 15.31      | 49.70      |
| AV   | 19.51944G    | 34.84             | 63.54             | -28.70         | 31.34         | 1           | Vertical  | 169            | 1.53          | -       | 37.89      | 15.31      | 49.70      |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_V\_2TX  
Setting 19.5  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.51876G    | 48.75             | 83.54             | -34.79         | 45.25         | 1           | Horizontal | 77             | 1.56          | -       | 37.89      | 15.31      | 49.70      |
| AV   | 19.51976G    | 34.75             | 63.54             | -28.79         | 31.25         | 1           | Horizontal | 77             | 1.56          | -       | 37.89      | 15.31      | 49.70      |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6665MHz\_TnomVnom




EUT Y\_2TX  
Setting 19  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.667G       | 110.69            | Inf               | -Inf           | 100.75        | 3           | Vertical  | 70             | 2.30          | -       | 35.97      | 7.00       | 33.03      |  |
| RMS  | 6.645G       | 100.30            | Inf               | -Inf           | 90.33         | 3           | Vertical  | 70             | 2.30          | -       | 35.99      | 7.00       | 33.02      |  |
| PK   | 7.145G       | 63.40             | 88.20             | -24.80         | 52.45         | 3           | Vertical  | 70             | 2.30          | -       | 36.86      | 7.23       | 33.14      |  |
| RMS  | 7.143G       | 53.01             | 68.20             | -15.19         | 42.08         | 3           | Vertical  | 70             | 2.30          | -       | 36.84      | 7.23       | 33.14      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6665MHz\_TnomVnom




EUT\_V\_2TX  
Setting 19  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.645G       | 104.93            | Inf               | -Inf           | 94.96         | 3           | Horizontal | 0              | 2.71          | -       | 35.99      | 7.00       | 33.02      |  |
| RMS  | 6.647G       | 94.93             | Inf               | -Inf           | 84.96         | 3           | Horizontal | 0              | 2.71          | -       | 35.99      | 7.00       | 33.02      |  |
| PK   | 7.133G       | 63.23             | 88.20             | -24.97         | 52.38         | 3           | Horizontal | 0              | 2.71          | -       | 36.76      | 7.23       | 33.14      |  |
| RMS  | 7.145G       | 53.01             | 68.20             | -15.19         | 42.06         | 3           | Horizontal | 0              | 2.71          | -       | 36.86      | 7.23       | 33.14      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6665MHz\_TnomVnom




EUT Y\_2TX  
Setting 19  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.33172G    | 59.42             | 74.00             | -14.58         | 40.96         | 3           | Vertical  | 76             | 2.89          | -       | 40.06      | 9.60       | 31.20      |
| AV   | 13.32872G    | 45.52             | 54.00             | -8.48          | 27.07         | 3           | Vertical  | 76             | 2.89          | -       | 40.06      | 9.60       | 31.21      |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6665MHz\_TnomVnom




EUT V\_2TX  
Setting 19  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.3346G     | 59.30             | 74.00             | -14.70         | 40.83         | 3           | Horizontal | 126            | 1.17          | -       | 40.07      | 9.60       | 31.20      |
| AV   | 13.33122G    | 45.50             | 54.00             | -8.50          | 27.04         | 3           | Horizontal | 126            | 1.17          | -       | 40.06      | 9.60       | 31.20      |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6665MHz\_TnomVnom




EUT V\_2TX  
Setting 19  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.9905G  | 48.36    | 83.54    | -35.18 | 45.14  | 1    | Vertical  | 41      | 1.51   | -       | 37.42 | 15.50 | 49.70 |
| AV   | 19.99678G | 34.54    | 63.54    | -29.00 | 31.33  | 1    | Vertical  | 41      | 1.51   | -       | 37.41 | 15.50 | 49.70 |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6665MHz\_TnomVnom




EUT\_V\_2TX  
Setting 19  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.99208G | 47.81    | 83.54    | -35.73 | 44.60  | 1    | Horizontal | 345     | 1.53   | -       | 37.41 | 15.50 | 49.70 |
| AV   | 19.99994G | 34.48    | 63.54    | -29.06 | 31.28  | 1    | Horizontal | 345     | 1.53   | -       | 37.40 | 15.50 | 49.70 |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_2TX  
Setting 19  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.7962G      | 111.41            | Inf               | -Inf           | 101.30        | 3           | Vertical  | 71             | 1.77          | -       | 36.20      | 7.00       | 33.09      |  |
| RMS  | 6.7962G      | 100.13            | Inf               | -Inf           | 90.02         | 3           | Vertical  | 71             | 1.77          | -       | 36.20      | 7.00       | 33.09      |  |
| PK   | 7.2218G      | 64.25             | 88.20             | -23.95         | 53.04         | 3           | Vertical  | 71             | 1.77          | -       | 37.10      | 7.22       | 33.11      |  |
| RMS  | 7.1274G      | 53.81             | 68.20             | -14.39         | 42.99         | 3           | Vertical  | 71             | 1.77          | -       | 36.72      | 7.24       | 33.14      |  |

# 802.11ax HEW160\_Nss1,(MCS0)\_2TX

## 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_2TX  
Setting 19  
01-E-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.849G       | 104.23            | Inf               | -Inf           | 93.69         | 3           | Horizontal | 354            | 1.24          | -       | 36.59      | 7.07       | 33.12      |  |
| RMS  | 6.8186G      | 92.93             | Inf               | -Inf           | 82.65         | 3           | Horizontal | 354            | 1.24          | -       | 36.35      | 7.03       | 33.10      |  |
| PK   | 7.1706G      | 64.09             | 88.20             | -24.11         | 53.03         | 3           | Horizontal | 354            | 1.24          | -       | 36.98      | 7.21       | 33.13      |  |
| RMS  | 7.1834G      | 53.15             | 68.20             | -15.05         | 42.03         | 3           | Horizontal | 354            | 1.24          | -       | 37.03      | 7.21       | 33.12      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6825MHz\_TnomVnom




EUT V\_2TX  
Setting 19  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.64856G    | 62.32             | 88.20             | -25.88         | 43.27         | 3           | Vertical  | 327            | 1.04          | -       | 40.40      | 9.74       | 31.09      |
| AV   | 13.6482G     | 48.48             | 68.20             | -19.72         | 29.43         | 3           | Vertical  | 327            | 1.04          | -       | 40.40      | 9.74       | 31.09      |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6825MHz\_TnomVnom




EUT V\_2TX  
Setting 19  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.65474G    | 62.11             | 88.20             | -26.09         | 43.06         | 3           | Horizontal | 10             | 2.25          | -       | 40.41      | 9.74       | 31.10      |
| AV   | 13.6482G     | 48.46             | 68.20             | -19.74         | 29.41         | 3           | Horizontal | 10             | 2.25          | -       | 40.40      | 9.74       | 31.09      |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Y\_2TX  
Setting 19  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 20.4751G     | 47.81             | 83.54             | -35.73         | 44.30         | 1           | Vertical  | 162            | 1.58          | -       | 37.69      | 15.71      | 49.89      |  |
| AV   | 20.47706G    | 34.02             | 63.54             | -29.52         | 30.51         | 1           | Vertical  | 162            | 1.58          | -       | 37.69      | 15.71      | 49.89      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_V\_2TX  
Setting 19  
01-A-R-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.47796G    | 47.43             | 83.54             | -36.11         | 43.91         | 1           | Horizontal | 317            | 1.54          | -       | 37.69      | 15.72      | 49.89      |
| AV   | 20.47102G    | 33.83             | 63.54             | -29.71         | 30.32         | 1           | Horizontal | 317            | 1.54          | -       | 37.69      | 15.71      | 49.89      |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6985MHz\_TnomVnom




EUT\_V\_2TX  
Setting 19  
01-L-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.949G       | 110.58            | Inf               | -Inf           | 100.04        | 3           | Vertical  | 289            | 1.64          | -       | 36.49      | 7.22       | 33.17      |  |
| RMS  | 6.979G       | 100.84            | Inf               | -Inf           | 90.37         | 3           | Vertical  | 289            | 1.64          | -       | 36.38      | 7.27       | 33.18      |  |
| PK   | 7.131G       | 77.69             | 88.20             | -10.51         | 66.85         | 3           | Vertical  | 289            | 1.64          | -       | 36.75      | 7.23       | 33.14      |  |
| RMS  | 7.13G        | 65.82             | 68.20             | -2.38          | 54.98         | 3           | Vertical  | 289            | 1.64          | -       | 36.74      | 7.24       | 33.14      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6985MHz\_TnomVnom




EUT\_V\_2TX  
Setting 19  
01-L-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.954G       | 105.64            | Inf               | -Inf           | 95.10         | 3           | Horizontal | 16             | 3.00          | -       | 36.48      | 7.23       | 33.17      |  |
| RMS  | 6.974G       | 95.68             | Inf               | -Inf           | 85.20         | 3           | Horizontal | 16             | 3.00          | -       | 36.40      | 7.26       | 33.18      |  |
| PK   | 7.13G        | 75.59             | 88.20             | -12.61         | 64.75         | 3           | Horizontal | 16             | 3.00          | -       | 36.74      | 7.24       | 33.14      |  |
| RMS  | 7.125G       | 61.77             | 68.20             | -6.43          | 50.97         | 3           | Horizontal | 16             | 3.00          | -       | 36.70      | 7.24       | 33.14      |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6985MHz\_TnomVnom




EUT V\_2TX  
Setting 19  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.97166G    | 63.65             | 88.20             | -24.55         | 44.17         | 3           | Vertical  | 101            | 1.97          | -       | 40.90      | 9.89       | 31.31      |
| RMS  | 13.97072G    | 50.16             | 68.20             | -18.04         | 30.68         | 3           | Vertical  | 101            | 1.97          | -       | 40.90      | 9.89       | 31.31      |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6985MHz\_TnomVnom




EUT V\_2TX  
Setting 19  
01-L-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.96562G    | 63.58             | 88.20             | -24.62         | 44.11         | 3           | Horizontal | 113            | 2.81          | -       | 40.90      | 9.88       | 31.31      |
| RMS  | 13.97078G    | 50.13             | 68.20             | -18.07         | 30.65         | 3           | Horizontal | 113            | 2.81          | -       | 40.90      | 9.89       | 31.31      |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6985MHz\_TnomVnom




EUT\_V\_2TX  
Setting 19  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.9547G  | 47.01    | 83.54    | -36.53 | 43.13  | 1    | Vertical  | 231     | 1.56   | -       | 37.67 | 15.93 | 49.72 |  |
| AV   | 20.95814G | 33.53    | 63.54    | -30.01 | 29.65  | 1    | Vertical  | 231     | 1.56   | -       | 37.67 | 15.93 | 49.72 |  |

## 802.11ax HEW160\_Nss1,(MCS0)\_2TX

### 6985MHz\_TnomVnom



EUT\_V\_2TX  
Setting 19  
01-A-R-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.95592G | 46.99    | 83.54    | -36.55 | 43.11  | 1    | Horizontal | 173     | 1.52   | -       | 37.67 | 15.93 | 49.72 |
| AV   | 20.95548G | 33.48    | 63.54    | -30.06 | 29.60  | 1    | Horizontal | 173     | 1.52   | -       | 37.67 | 15.93 | 49.72 |




For beamforming mode

Summary

| Mode                              | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|-----------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 6.875-7.125GHz                    | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             | -        |
| 802.11ax HEW20-BF_Nss1,(MCS3)_2TX | Pass   | AV   | 7.1255G      | 68.09             | 68.20             | -0.11          | 3           | Vertical  | 64.9           | 1.80          | -        |

# 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

## 5955MHz\_TnomVnom




EUT Y\_2TX  
Setting 10  
04-C-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9194G      | 60.36             | 88.20             | -27.84         | 53.33         | 3           | Vertical  | 292.6          | 1.80          | -       | 35.02      | 5.36       | 33.35      |
| RMS  | 5.9238G      | 48.66             | 68.20             | -19.54         | 41.61         | 3           | Vertical  | 292.6          | 1.80          | -       | 35.04      | 5.36       | 33.35      |
| PK   | 5.9642G      | 106.34            | Inf               | -Inf           | 99.07         | 3           | Vertical  | 292.6          | 1.80          | -       | 35.26      | 5.38       | 33.37      |
| RMS  | 5.9638G      | 96.37             | Inf               | -Inf           | 89.10         | 3           | Vertical  | 292.6          | 1.80          | -       | 35.26      | 5.38       | 33.37      |

## 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

### 5955MHz\_TnomVnom




EUT V\_2TX  
Setting 10  
04-C-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.871G       | 59.49             | 88.20             | -28.71         | 52.64         | 3           | Horizontal | 333            | 1.52          | -       | 34.84      | 5.34       | 33.33      |
| RMS  | 5.9234G      | 48.50             | 68.20             | -19.70         | 41.45         | 3           | Horizontal | 333            | 1.52          | -       | 35.04      | 5.36       | 33.35      |
| PK   | 5.9602G      | 95.30             | Inf               | -Inf           | 88.04         | 3           | Horizontal | 333            | 1.52          | -       | 35.24      | 5.38       | 33.36      |
| RMS  | 5.9602G      | 85.23             | Inf               | -Inf           | 77.97         | 3           | Horizontal | 333            | 1.52          | -       | 35.24      | 5.38       | 33.36      |

# 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

## 5955MHz\_TnomVnom




EUTY\_2TX  
Setting 10  
04-C-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.90818G    | 56.80             | 74.00             | -17.20         | 43.60         | 3           | Vertical  | 282            | 2.99          | -       | 39.18      | 8.94       | 34.92      |  |
| AV   | 11.90724G    | 42.82             | 54.00             | -11.18         | 29.61         | 3           | Vertical  | 282            | 2.99          | -       | 39.18      | 8.94       | 34.91      |  |
| PK   | 17.8632G     | 63.06             | 74.00             | -10.94         | 46.17         | 3           | Vertical  | 49             | 2.42          | -       | 41.89      | 9.75       | 34.75      |  |
| AV   | 17.86958G    | 48.14             | 54.00             | -5.86          | 31.23         | 3           | Vertical  | 49             | 2.42          | -       | 41.91      | 9.75       | 34.75      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

### 5955MHz\_TnomVnom




EUT Y\_2TX  
Setting 10  
04-C-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.90628G    | 57.77             | 74.00             | -16.23         | 44.57         | 3           | Horizontal | 331            | 2.36          | -       | 39.18      | 8.93       | 34.91      |
| AV   | 11.90748G    | 42.81             | 54.00             | -11.19         | 29.60         | 3           | Horizontal | 331            | 2.36          | -       | 39.18      | 8.94       | 34.91      |
| PK   | 17.86962G    | 62.39             | 74.00             | -11.61         | 45.48         | 3           | Horizontal | 39             | 2.66          | -       | 41.91      | 9.75       | 34.75      |
| AV   | 17.8696G     | 48.14             | 54.00             | -5.86          | 31.23         | 3           | Horizontal | 39             | 2.66          | -       | 41.91      | 9.75       | 34.75      |

## 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

### 6175MHz\_TnomVnom




EUT Y\_2TX  
Setting 11  
04-C-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.8774G      | 58.78             | 88.20             | -29.42         | 51.92         | 3           | Vertical  | 310            | 1.69          | -       | 34.85      | 5.34       | 33.33      |  |
| RMS  | 5.9242G      | 48.44             | 68.20             | -19.76         | 41.38         | 3           | Vertical  | 310            | 1.69          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.169G       | 106.50            | Inf               | -Inf           | 98.69         | 3           | Vertical  | 310            | 1.69          | -       | 35.51      | 5.57       | 33.27      |  |
| RMS  | 6.169G       | 96.42             | Inf               | -Inf           | 88.61         | 3           | Vertical  | 310            | 1.69          | -       | 35.51      | 5.57       | 33.27      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

### 6175MHz\_TnomVnom




EUT Y\_2TX  
Setting 11  
04-C-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.911G       | 59.33             | 88.20             | -28.87         | 52.34         | 3           | Horizontal | 360            | 2.99          | -       | 34.97      | 5.36       | 33.34      |  |
| RMS  | 5.9242G      | 48.45             | 68.20             | -19.75         | 41.39         | 3           | Horizontal | 360            | 2.99          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.1822G      | 99.76             | Inf               | -Inf           | 91.85         | 3           | Horizontal | 360            | 2.99          | -       | 35.59      | 5.58       | 33.26      |  |
| RMS  | 6.1654G      | 88.53             | Inf               | -Inf           | 80.74         | 3           | Horizontal | 360            | 2.99          | -       | 35.49      | 5.57       | 33.27      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

### 6175MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
04-C-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.35318G    | 56.81             | 74.00             | -17.19         | 43.86         | 3           | Vertical  | 249            | 1.87          | -       | 38.86      | 8.93       | 34.84      |  |
| AV   | 12.35366G    | 42.38             | 54.00             | -11.62         | 29.43         | 3           | Vertical  | 249            | 1.87          | -       | 38.86      | 8.93       | 34.84      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

### 6175MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
04-C-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.3539G     | 56.37             | 74.00             | -17.63         | 43.42         | 3           | Horizontal | 247            | 1.63          | -       | 38.86      | 8.93       | 34.84      |
| AV   | 12.35334G    | 42.39             | 54.00             | -11.61         | 29.44         | 3           | Horizontal | 247            | 1.63          | -       | 38.86      | 8.93       | 34.84      |

## 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

### 6175MHz\_TnomVnom




EUT Y\_2TX  
Setting 11  
04-C-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.52814G    | 58.24             | 83.54             | -25.30         | 55.61         | 1           | Vertical  | 110            | 1.53          | -       | 37.79      | 14.91      | 50.07      |
| AV   | 18.52736G    | 44.23             | 63.54             | -19.31         | 41.60         | 1           | Vertical  | 110            | 1.53          | -       | 37.79      | 14.91      | 50.07      |

## 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

### 6175MHz\_TnomVnom




EUT Y\_2TX  
Setting 11  
04-C-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 18.52036G | 58.18    | 83.54    | -25.36 | 55.56  | 1    | Horizontal | 281     | 1.52   | -       | 37.79 | 14.91 | 50.08 |  |
| AV   | 18.5299G  | 44.27    | 63.54    | -19.27 | 41.64  | 1    | Horizontal | 281     | 1.52   | -       | 37.79 | 14.91 | 50.07 |  |

# 802.11ax HEW20-BF\_Nss1,(MCS3)\_2TX

## 6415MHz\_TnomVnom



EUT Y\_2TX  
Setting 12  
04-C-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.8318G      | 59.02             | 88.20             | -29.18         | 52.32         | 3           | Vertical  | 302            | 1.80          | -       | 34.69      | 5.32       | 33.31      |  |
| RMS  | 5.925G       | 48.45             | 68.20             | -19.75         | 41.39         | 3           | Vertical  | 302            | 1.80          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.4126G      | 107.68            | Inf               | -Inf           | 99.41         | 3           | Vertical  | 302            | 1.80          | -       | 35.67      | 5.70       | 33.10      |  |
| RMS  | 6.415G       | 95.72             | Inf               | -Inf           | 87.45         | 3           | Vertical  | 302            | 1.80          | -       | 35.67      | 5.70       | 33.10      |  |