


EUT Name	Stick 4K	Model Name	SEI900
Temperature	21.8°C	Relative Humidity	38%
Pressure	960hPa	Test Voltage	DC 5V
Test Mode	802.11n40_5310MHz	Antenna	Vertical

and adma Emission of Restricted bounds

Test Graph for Peak Measurement



Test Graph for Average Measurement




Result: Pass



EUT Name	Stick 4K	Model Name	SE1900
Temperature	21.8°C	Relative Humidity	38%
Pressure	960hPa	Test Voltage	DC 5V
Test Mode	802.11ac80_5290MHz	Antenna	Horizontal



Test Graph for Average Measurement



Result: Pass




EUT Name	Stick 4K	Model Name	SEI900
Temperature	21.8°C	Relative Humidity	38%
Pressure	960hPa	Test Voltage	DC 5V
Test Mode	802.11ac80_5290MHz	Antenna	Vertical

Test Result for Band edge Emission at Restricted bands

Test Graph for Peak Measurement



Test Graph for Average Measurement




Result: Pass



EUT Name	Stick 4K	Model Name	SE1900
Temperature	21.8°C	Relative Humidity	38%
Pressure	960hPa	Test Voltage	DC 5V
Test Mode	802.11ax80_5290MHz	Antenna	Horizontal



Test Graph for Average Measurement



Result: Pass



EUT Name	Stick 4K	Model Name	SEI900
Temperature	21.8°C	Relative Humidity	38%
Pressure	960hPa	Test Voltage	DC 5V
Test Mode	802.11ax80_5290MHz	Antenna	Vertical



Test Graph for Average Measurement



Result: Pass



EUT Name	Stick 4K	Model Name	SE1900
Temperature	21.8°C	Relative Humidity	38%
Pressure	960hPa	Test Voltage	DC 5V
Test Mode	802.11a_5500MHz	Antenna	Horizontal



Test Graph for Average Measurement



Result: Pass




EUT Name	Stick 4K	Model Name	SEI900
Temperature	21.8°C	Relative Humidity	38%
Pressure	960hPa	Test Voltage	DC 5V
Test Mode	802.11a_5500MHz	Antenna	Vertical

and adma Emission of Restricted bounds

Test Graph for Peak Measurement



Test Graph for Average Measurement



Result: Pass



EUT Name	Stick 4K	Model Name	SE1900
Temperature	21.8°C	Relative Humidity	38%
Pressure	960hPa	Test Voltage	DC 5V
Test Mode	802.11n40_5510MHz	Antenna	Horizontal

ada Ended a Contration of Destated at the state . .

Test Graph for Peak Measurement



Test Graph for Average Measurement




Result: Pass



EUT Name	Stick 4K	Model Name	SEI900
Temperature	21.8°C	Relative Humidity	38%
Pressure	960hPa	Test Voltage	DC 5V
Test Mode	802.11n40_5510MHz	Antenna	Vertical



Test Graph for Average Measurement




Result: Pass



EUT Name	Stick 4K	Model Name	SEI900
Temperature	21.8°C	Relative Humidity	38%
Pressure	960hPa	Test Voltage	DC 5V
Test Mode	802.11ac80_5530MHz	Antenna	Horizontal



Test Graph for Average Measurement



Result: Pass




EUT Name	Stick 4K	Model Name	SEI900
Temperature	21.8°C	Relative Humidity	38%
Pressure	960hPa	Test Voltage	DC 5V
Test Mode	802.11ac80_5530MHz	Antenna	Vertical

Test Result for Band edge Emission at Restricted bands

Test Graph for Peak Measurement



Test Graph for Average Measurement




Result: Pass



EUT Name	Stick 4K	Model Name	SEI900
Temperature	21.8°C	Relative Humidity	38%
Pressure	960hPa	Test Voltage	DC 5V
Test Mode	802.11ax80_5530MHz	Antenna	Horizontal



Test Graph for Average Measurement



Result: Pass




EUT Name	Stick 4K	Model Name	SE1900
Temperature	21.8°C	Relative Humidity	38%
Pressure	960hPa	Test Voltage	DC 5V
Test Mode	802.11ax80_5530MHz	Antenna	Vertical

adam Englandan of Destricted have . .

Test Graph for Peak Measurement



Test Graph for Average Measurement



Result: Pass



Note:

- 1. The factor had been edited in the "Input Correction" of the Spectrum Analyzer.
- 2. All test modes had been pre-tested, Refer to Chapter 5 of the report for details.



12. AC Power Line Conducted Emission Test

12.1 Measurement limit


Frequency	Maximum RF	Line Voltage
Frequency	Q.P (dBµV)	Average (dBµV)
150kHz~500kHz	66-56	56-46
500kHz~5MHz	56	46
5MHz~30MHz	60	50

Note:

1. The lower limit shall apply at the transition frequency.

2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50MHz.

12.2 Block Diagram of Line Conducted Emission Test





12.3 Preliminary Procedure of Line Conducted Emission Test

- The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
- 2. Support equipment, if needed, was placed as per ANSI C63.10.
- 3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
- 4. All support equipment received AC120V/60Hz power from a LISN, if any.
- 5. The EUT received DC 5V power by adapter which received 120V/60Hzpower by a LISN.
- 6. The test program was started. Emissions were measured on each current carrying line of the EUT using spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side). Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 Ohm load; the second scan had Line 1 connected to a 50 Ohm load and Line 2 connected to the Analyzer / Receiver.
- 7. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
- 8. During the above scans, the emissions were maximized by cable manipulation.
- 9. The test mode(s) were scanned during the preliminary test.


Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.

12.4 Final Procedure of Line Conducted Emission Test

- 1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
- A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit. If EUT emission level was less – 2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
- 3. The test data of the worst case was reported on the Summary Data page.
- 4. The worst mode is 802.11a 5260MHz, Chain A and Chain B work together.



12.5 Test Result of Line Conducted Emission Test



MEASUREMENT RESULT: "agc_fin"

2025/1/8 14:29 Frequency MHz		Transd dB	Limit dBµV	Margin dB	Detector	Line
0.430000 1.274000 2.310000 2.358000 2.402000 2.542000	24.80 28.20 26.30 24.60 25.10 25.90	10.3 10.4 10.5 10.5 10.5 10.5	57 56 56 56 56	29.7 31.4 30.9	QP QP QP QP	L1 L1 L1 L1 L1 L1

MEASUREMENT RESULT: "agc_fin2"

2025/1/8 14:2 Frequency MHz		Transd dB	Limit dBµV	Margin dB	Detector	Line
0.450000	29.20	10.3	47	17.7	AV	L1
1.274000	21.20	10.4	46	24.8	AV	L1
2.314000	19.20	10.5	46	26.8	AV	L1
2.358000	18.20	10.5	46	27.8	AV	L1
2.398000	19.60	10.5	46	26.4	AV	L1
2.498000	18.70	10.5	46	27.3	AV	L1

Result: Pass Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection" Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



de	802.1	la 52	260M	-17					1151	N Line	2			N	autra	al Sic	le
	002.1			12							,						
Level	[dBµV]																
80												<u></u>				··	
70	-+	⊢ – – – !	++-		+ - + -	-1- + -		+	+	+	-+-	+-+		 !			
60					÷-÷-	-i- + -		+	+	<u>+</u>		i i	İ				
50			<u></u>		+ - + -			+	+	++		+ +	+	1			
40 ~~~	where a		+-			- - + -	Var William		· -	+	· - L -	1 - 1 					
30 ~~~	~~~~~	-2-2-	441,144	-00	<u>ұқт</u> ан	4-4-	de still s				,Mark	1	1	1		-	
20			NOM NO		T		and the state of the state		-	<u>j v</u> j	~	-	1	 			None of
10			++-		+-+-			+	+	++-	· - -	+-+				· ·	
0 L	30	0k 40	Ok	600k	8008	k 1M		2M 3	3M 4	4M 5M	6M	81	/ 10	OM		20M	30M
							Frequ	uency [Hz]									
+ + + M	CS agc_fi	.n															
MI	ASURI	(ME	NT I	RES	SUL	T:	"agc	fin'	,								
					SUL	T :	"agc	fin'	,								
	25/1/8	1	4:31				_			Marc	rin	П)e+	ect	or	Lir	1e
		1	4:31 Y	Le	evel lBu	1	" agc_ Transd dB		it	Març	jin dB	I)et	ect	or	Lir	ıe
	25/1/8 Frequ	1 enc MH	4:31 y z	Le	eve: lBµV	l V	Transd dB	Lim: dBj	it 1V		dB			ect	or		le
	25/1/8 Frequ 0.84	1 enc MH 200	4:31 y z	Le c 31	evel dBµV	1 V 0	Transd dB 10.4	Lim: dBj	it 1V 56	24	dB	0	P	ect	or	N	ıe
	25/1/8 Frequ 0.84 0.88	1 enc MH 200 200	4:31 Y z 0 0	Le 0 31 32	eve: dBµV L.1(2.2(1 V 0	Transd dB 10.4 10.4	Lim: dBj	it 1V 56	24 23	dB 1.9 8.8	0)P)P	ect	or	N N	ıe
	25/1/8 Frequ 0.84	1 enc MH 200 200	4:31 y z 0 0	Le 31 32 33	evel dBµV	1 V 0 0	Transd dB 10.4	Lim: dBj	it 1V 56	24 23 22	dB	000	P	ect(or	N	ıe
	25/1/8 Frequ 0.84 0.88 1.29 1.47 2.48	1 enc MH 200 200 800 200	4:31 y 0 0 0 0 0	Le 31 32 33 30 23	eve: dBµV 2.2(3.2(0.5(3.0(1 V 0 0 0 0	Transd dB 10.4 10.4 10.4 10.4 10.5	Lim: dBp	Lt 1V 56 56 56	24 23 22 23 33	dB 4.9 3.8 2.8 5.5 3.0	0000	2P 2P 2P	ect	or	N N N	ıe
	25/1/8 Frequ 0.84 0.88 1.29 1.47	1 enc MH 200 200 800 200	4:31 y 0 0 0 0 0	Le 31 32 33 30 23	evel dBµV 1.1(2.2(3.2().5(1 V 0 0 0 0	Transd dB 10.4 10.4 10.4 10.4 10.4	Lim: dBp	it 1V 56 56	24 23 22 23 33	dB 1.9 3.8 2.8 5.5	00000)P)P)P)P	ect	or	N N N N	ıe
	25/1/8 Frequ 0.84 0.88 1.29 1.47 2.48	1 enc MH 200 200 800 200	4:31 y 0 0 0 0 0	Le 31 32 33 30 23	eve: dBµV 2.2(3.2(0.5(3.0(1 V 0 0 0 0	Transd dB 10.4 10.4 10.4 10.4 10.5	Lim: dBp	Lt 1V 56 56 56	24 23 22 23 33	dB 4.9 3.8 2.8 5.5 3.0	00000	2P 2P 2P 2P 2P 2P	ect	or	N N N N	ıe
	25/1/8 Frequ 0.84 0.88 1.29 1.47 2.48	1 enc MH 200 200 800 200	4:31 y 0 0 0 0 0	Le 31 32 33 30 23	eve: dBµV 2.2(3.2(0.5(3.0(1 V 0 0 0 0	Transd dB 10.4 10.4 10.4 10.4 10.5	Lim: dBp	Lt 1V 56 56 56	24 23 22 23 33	dB 4.9 3.8 2.8 5.5 3.0	00000	2P 2P 2P 2P 2P 2P	ect	or	N N N N	ıe
20	25/1/8 Frequ 0.84 0.88 1.29 1.47 2.48	1 200 200 800 200 000	4:31 y c 0 0 0 0 0	Le 31 32 33 30 23 23	eve: dBµV 2.2(3.2(0.5(3.0(3.2(1 V 0 0 0 0	Transd dB 10.4 10.4 10.4 10.4 10.5 10.5	Lim: dB	Lt 1V 56 56 56 56	24 23 22 23 33	dB 4.9 3.8 2.8 5.5 3.0	00000	2P 2P 2P 2P 2P 2P	ect	or	N N N N	1e
20	25/1/8 Frequ 0.84 0.88 1.29 1.47 2.48 2.53	1 200 200 800 200 000 200 000 200 000 200 000 20	4:31 y 0 0 0 0 0 0 0 0	Le 31 32 33 23 23 RES	eve: dBµV 2.2(3.2(0.5(3.0(3.2(1 V 0 0 0 0	Transd dB 10.4 10.4 10.4 10.4 10.5 10.5	Lim: dB	Lt 1V 56 56 56 56	24 23 22 23 33	dB 4.9 3.8 2.8 5.5 3.0	00000	2P 2P 2P 2P 2P 2P	ect	or	N N N N	ıe
20	25/1/8 Frequ 0.84 0.88 1.29 1.47 2.48 2.53	1 200 200 800 200 000	4:31 y 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Le 31 32 33 23 23 23 8	eve: dBµV 2.2(3.2(0.5(3.0(3.2().5(3.2()).5(3.2()).5(3.2().5().5().5().5().5().5().5().5().5().5	0 0 0 0 0 0 0 0 0	Transd dB 10.4 10.4 10.4 10.4 10.5 10.5	Lim: dBp	11 17 56 56 56 56 56 56 56	24 23 22 33 32	dB 4.9 3.8 5.5 3.0 2.8	00000	2P 2P 2P 2P 2P			N N N N	
20	25/1/8 Frequ 0.84 0.88 1.29 1.47 2.48 2.53 XASURI 25/1/8	1 200 200 800 200 000	4:31 Y 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Le 31 32 33 30 23 23 RES	eve: dBµV 2.2(3.2(0.5(3.0(3.2().5(3.2()).5(3.2()).5(3.2().5().5().5().5().5().5().5().5().5().5	1 V 0 0 0 0 0 0 0 0 0 0	Transd dB 10.4 10.4 10.4 10.4 10.5 10.5	Lim: dBp	1t 1V 56 56 56 56 56 56 56 56	24 23 22 33 32	dB 4.9 3.8 5.5 3.0 2.8		2P 2P 2P 2P 2P			N N N N	
20	25/1/8 Frequ 0.84 0.88 1.29 1.47 2.48 2.53 XASURI 25/1/8 Frequ	1 enc MH 200 200 800 200 000 000 EME 1 enc MH	4:31 y 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Lee 31 32 33 23 23 23 23 8 RES	evel dBµ 1.1(2.2(3.2().5(3.2().5(3.2().5(3.2().5(3.2().5(0.2().5(0.2().5(0.2().5(0.2().5(0.2().5(0.2().5(0.2().5(0.2().5(0.2().5(0.2().5(0.2().5(0.2().5(0.2(0.2().5(0.2(0.2(0.2(0.2(0.2(0.2(0.2(0.2	1 0 0 0 0 0 0 0 0 0	Transd dB 10.4 10.4 10.4 10.5 10.5 " agc_ Transd dB	Lim: dB; fin2 Lim: dB;	it 17 56 56 56 56 56 56 56 56 56 56 56 56 56	24 23 22 33 32 Marg	dB 1.9 3.8 5.5 5.0 2.8 dB	00000)P)P)P)P)P			N N N N Lir	
20	25/1/8 Frequ 0.84 0.88 1.29 1.47 2.48 2.53 XASURI 25/1/8 Frequ 0.45	1 200 200 800 200 800 200 000 CME 1 enc MH	4:31 y 0 0 0 0 0 0 4:31 y z 0	Lee 31 32 33 23 23 23 23 23 23 22 22	eve: dBµ ¹ 1.1(2.2() 3.2() 3.2() 3.2() 3.2() 5UL eve: dBµ ¹ 2.6()	1 V 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Transd dB 10.4 10.4 10.4 10.5 10.5 " agc_ Transd dB 10.3	Lim: dB; fin2 Lim: dB;	it 17 56 56 56 56 56 56 56 56 56 56 56 56 56	24 23 22 33 32 Marc	dB 1.9 3.8 5.5 3.0 2.8 3.0 2.8 3.0 2.8		2P 2P 2P 2P 2P 2P			N N N N Lir	
20	25/1/8 Frequ 0.84 0.88 1.29 1.47 2.48 2.53 XASURI 25/1/8 Frequ	1 200 200 800 200 200 200 000 200 000 200 2	4:31 y 0 0 0 0 0 0 0 4:31 y z 0 0	Lee 31 32 33 23 23 23 23 23 23 23 23 22 23	evel dBµ ¹ 1.1(2.2(3.2(3.2(3.2(3.0(3.2(3.0(3.2(3.0(3.0(3.0(3.0()	1 V 0 0 0 0 0 0 0 0 0 0 0 0 0	Transd dB 10.4 10.4 10.4 10.5 10.5 " agc_ Transd dB 10.3 10.4	Lim: dB) fin2 Lim: dB)	1t 1V 566 566 566 566 566 566 566 566 566 56	24 23 22 33 32 Marc	dB 4.9 3.8 5.5 3.0 2.8 3.0 2.8 4 8 4.2 3.0		2P 2P 2P 2P 2P 2P 2P			N N N N N N N	
20	25/1/8 Frequ 0.84 0.88 1.29 1.47 2.48 2.53 XASURI 25/1/8 Frequ 0.45 1.11	1 200 200 800 200 200 000 200 000 200 000 200 000 200 000 200 000 200 000 200 000 200 200 800 200 2	4:31 y 0 0 0 0 0 0 0 4:31 y z 0 0 0 0	Lee 31 32 33 23 23 23 23 23 23 23 23 22 23 24 22 23 16	eve: dBµ ¹ 1.1(2.2() 3.2() 3.2() 3.2() 3.2() 5UL eve: dBµ ¹ 2.6()	1 0 0 0 0 0 0 0 0 0 0 0 0 0	Transd dB 10.4 10.4 10.4 10.5 10.5 " agc_ Transd dB 10.3	Lim: dB) fin2 Lim: dB)	it 17 56 56 56 56 56 56 56 56 56 56 56 56 56	24 23 22 33 32 Marg 24 23 24 23	dB 1.9 3.8 5.5 3.0 2.8 3.0 2.8 3.0 2.8	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0P 0P 0P 0P 0P 0P 0P			N N N N Lir	
20	25/1/8 Frequ 0.84 0.88 1.29 1.47 2.48 2.53 CASURI 25/1/8 Frequ 0.45 1.11 2.48	1 200 200 800 200 200 200 200 200	4:31 y 0 0 0 0 0 0 0 4:31 y z 0 0 0 0 0 0 0 0	Lee 31 32 33 23 23 23 23 23 23 23 23 23 23 23	evel dBµ ¹ 1.1(2.2(3.2(0.5(3.0(3.2(5.0(3.0(5.1(5.1(1 V 0 0 0 0 0 0 0 0 0 0 0 0 0	Transd dB 10.4 10.4 10.4 10.5 10.5 " agc_ Transd dB 10.3 10.4 10.5	Lim: dBy fin2 Lim: dBy	11V 556555 2 11V 11V 1766 11V 1764	24 23 22 33 32 32 32 32 32 29 30 31	dB 1.9 3.8 3.8 5.5 3.0 2.8 dB 1.2 3.0 9.9 9.9	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0P 0P 0P 0P 0P 0P 0P 0P 0P 0P 0P 0P 0P 0			N N N N N N N N N	

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

 Attestation of Global Compliance(Shenzhen)Co., Ltd

 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

 Tel: +86-755 2523 4088
 E-mail: agc@agccert.com

 Web: http://www.agccert.com/



Report No.: AGC16253250101FR04 Page 453 of 453

Appendix I: Photographs of Test Setup

Refer to the Report No.: AGC16253250101AP01

Appendix II: Photographs of EUT

Refer to the Report No.: AGC16253250101AP01

----End of Report----



Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Co., Ltd (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").

2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.

3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.

4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.

6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.

7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.

8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.

9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.