

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 30_Single_Power

Band n77 Single NTN								
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Conducted Power (dBm)	EIRP (dBm)		Verdict	
				CC1	Total	Limit		
CC1:100	CC1:3600	NR-FR1-TM1.1	1	38.10	51.10	51.10	/	Pass
			2	37.19	50.19	50.19	/	Pass
			Sum	40.68	53.68	53.68	/	Pass
		NR-FR1-TM3.1	1	38.11	51.11	51.11	/	Pass
			2	37.48	50.48	50.48	/	Pass
			Sum	40.82	53.82	53.82	/	Pass
		NR-FR1-TM3.1a	1	38.19	51.19	51.19	/	Pass
			2	37.05	50.05	50.05	/	Pass
			Sum	40.67	53.67	53.67	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	37.96	50.96	50.96	/	Pass
			2	37.01	50.01	50.01	/	Pass
			Sum	40.52	53.52	53.52	/	Pass
		NR-FR1-TM3.1	1	37.93	50.93	50.93	/	Pass
			2	36.87	49.87	49.87	/	Pass
			Sum	40.44	53.44	53.44	/	Pass
		NR-FR1-TM3.1a	1	38.03	51.03	51.03	/	Pass
			2	36.93	49.93	49.93	/	Pass
			Sum	40.53	53.53	53.53	/	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	37.71	50.71	50.71	/	Pass
			2	36.87	49.87	49.87	/	Pass
			Sum	40.32	53.32	53.32	/	Pass
		NR-FR1-TM3.1	1	37.62	50.62	50.62	/	Pass
			2	36.56	49.56	49.56	/	Pass
			Sum	40.13	53.13	53.13	/	Pass
		NR-FR1-TM3.1a	1	37.57	50.57	50.57	/	Pass
			2	36.54	49.54	49.54	/	Pass
			Sum	40.10	53.10	53.10	/	Pass

1.1.2 30_Single_Power2

Band n77 Single NTN								
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Conducted Power (dBm/MHz)	EIRP (dBm/MHz)		Verdict	
				CC1	Total	Limit		
CC1:100	CC1:3600	NR-FR1-TM1.1	1	19.35	32.35	/	/	Pass
			2	19.15	32.15	/	/	Pass
			Sum	22.26	35.26	/	<=37	Pass
		NR-FR1-TM3.1	1	19.18	32.18	/	/	Pass
			2	18.79	31.79	/	/	Pass
			Sum	22.00	35.00	/	<=37	Pass
		NR-FR1-TM3.1a	1	19.34	32.34	/	/	Pass
			2	18.82	31.82	/	/	Pass
			Sum	22.10	35.10	/	<=37	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	19.13	32.13	/	/	Pass
			2	18.39	31.39	/	/	Pass
			Sum	21.79	34.79	/	<=37	Pass
		NR-FR1-TM3.1	1	19.29	32.29	/	/	Pass
			2	18.31	31.31	/	/	Pass
			Sum	21.84	34.84	/	<=37	Pass
		NR-FR1-TM3.1a	1	19.20	32.20	/	/	Pass
			2	18.30	31.30	/	/	Pass
			Sum	21.78	34.78	/	<=37	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	18.93	31.93	/	/	Pass
			2	18.51	31.51	/	/	Pass
			Sum	21.74	34.74	/	<=37	Pass
		NR-FR1-TM3.1	1	19.11	32.11	/	/	Pass
			2	17.97	30.97	/	/	Pass
			Sum	21.59	34.59	/	<=37	Pass
		NR-FR1-TM3.1a	1	18.83	31.83	/	/	Pass
			2	17.77	30.77	/	/	Pass
			Sum	21.34	34.34	/	<=37	Pass

1.1.3 30_Single_Power3

Band n77 Single NTN								
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Conducted Power (dBm/10MHz)	EIRP (dBm/10MHz)		Verdict	
				CC1	Total	Limit		
CC1:100	CC1:3600	NR-FR1-TM1.1	1	28.60	41.60	/	/	Pass
			2	28.07	41.07	/	/	Pass
			Sum	31.35	44.35	/	<=47	Pass
		NR-FR1-TM3.1	1	28.53	41.53	/	/	Pass
			2	28.36	41.36	/	/	Pass
			Sum	31.46	44.46	/	<=47	Pass
		NR-FR1-TM3.1a	1	28.58	41.58	/	/	Pass
			2	27.85	40.85	/	/	Pass
			Sum	31.24	44.24	/	<=47	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	28.19	41.19	/	/	Pass
			2	28.26	41.26	/	/	Pass
			Sum	31.24	44.24	/	<=47	Pass
		NR-FR1-TM3.1	1	28.14	41.14	/	/	Pass
			2	28.13	41.13	/	/	Pass
			Sum	31.15	44.15	/	<=47	Pass
		NR-FR1-TM3.1a	1	28.27	41.27	/	/	Pass
			2	27.40	40.40	/	/	Pass
			Sum	30.87	43.87	/	<=47	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	27.60	40.60	/	/	Pass
			2	27.80	40.80	/	/	Pass
			Sum	30.71	43.71	/	<=47	Pass
		NR-FR1-TM3.1	1	27.62	40.62	/	/	Pass
			2	27.72	40.72	/	/	Pass
			Sum	30.68	43.68	/	<=47	Pass
		NR-FR1-TM3.1a	1	27.65	40.65	/	/	Pass
			2	27.73	40.73	/	/	Pass
			Sum	30.70	43.70	/	<=47	Pass

2. Frequency Stability

2.1 Test Result

2.1.1 30_Single_Ant1

Band n77 Single Ant1								
BW (MHz)	DL Frequency (MHz)	Test Mode	Temp. (°C)	Voltage (VDC)	Frequency Deviation (Hz)	Freq. vs. Rated (ppm)		Verdict
						Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	20	40.8	11.71	0.0033	/	Pass
				48	12.31	0.0034	/	Pass
				55.2	-17.95	-0.005	/	Pass
			-30	48	9.43	0.0026	/	Pass
			-20	48	1.67	0.0005	/	Pass
			-10	48	-9.7	-0.0027	/	Pass
			0	48	3.75	0.001	/	Pass
			10	48	1.11	0.0003	/	Pass
			30	48	17.21	0.0048	/	Pass
			40	48	3.87	0.0011	/	Pass
			50	48	11.69	0.0032	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	20	40.8	16.43	0.0045	/	Pass
				48	-9.63	-0.0027	/	Pass
				55.2	-12.28	-0.0034	/	Pass
			-30	48	-19.79	-0.0055	/	Pass
			-20	48	-15.74	-0.0043	/	Pass
			-10	48	10.16	0.0028	/	Pass
			0	48	-6.36	-0.0018	/	Pass
			10	48	6.35	0.0018	/	Pass
			30	48	-15.06	-0.0042	/	Pass
			40	48	-7.71	-0.0021	/	Pass
			50	48	15.26	0.0042	/	Pass
	CC1:3649.98	NR-FR1-TM1.1	20	40.8	-2.28	-0.0006	/	Pass
				48	2.31	0.0006	/	Pass
				55.2	-19.59	-0.0054	/	Pass
			-30	48	-10.05	-0.0028	/	Pass
			-20	48	-15.06	-0.0041	/	Pass
			-10	48	-8.49	-0.0023	/	Pass
			0	48	1.73	0.0005	/	Pass
			10	48	-11.37	-0.0031	/	Pass
			30	48	14.74	0.004	/	Pass
			40	48	-8.98	-0.0025	/	Pass
			50	48	11.04	0.003	/	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 30_Single_OBW


Band n77 Single NTN						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	1	97.59	/	Pass
			2	97.38	/	Pass
		NR-FR1-TM3.1	1	97.46	/	Pass
			2	97.59	/	Pass
		NR-FR1-TM3.1a	1	97.28	/	Pass
			2	97.20	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	97.36	/	Pass
			2	97.21	/	Pass
		NR-FR1-TM3.1	1	97.28	/	Pass
			2	97.32	/	Pass
		NR-FR1-TM3.1a	1	96.96	/	Pass
			2	97.28	/	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	97.63	/	Pass
			2	97.59	/	Pass
		NR-FR1-TM3.1	1	97.48	/	Pass
			2	97.75	/	Pass
		NR-FR1-TM3.1a	1	97.54	/	Pass
			2	97.47	/	Pass

3.1.2 30_Single_XDB


Band n77 Single NTN						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	26dB Bandwidth (MHz)		Verdict
				Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	1	102.48	/	Pass
			2	102.38	/	Pass
		NR-FR1-TM3.1	1	102.17	/	Pass
			2	102.40	/	Pass
		NR-FR1-TM3.1a	1	102.50	/	Pass
			2	102.60	/	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	102.56	/	Pass
			2	102.42	/	Pass
		NR-FR1-TM3.1	1	102.16	/	Pass
			2	102.17	/	Pass
		NR-FR1-TM3.1a	1	102.23	/	Pass
			2	102.23	/	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	102.36	/	Pass
			2	102.61	/	Pass
		NR-FR1-TM3.1	1	102.16	/	Pass
			2	102.40	/	Pass
		NR-FR1-TM3.1a	1	102.43	/	Pass
			2	102.65	/	Pass

3.2 Test Graph


3.2.1 30_Single_OBW




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant2




3.2.2 30_Single_XDB




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant2



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant2



4. Peak-Average Ratio


4.1 Test Result

4.1.1 30_Single


Band n77 Single NTN Ant1						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Peak-Average Ratio (dB)		Verdict
				Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	1	9.61	<=13	Pass
			2	10.25	<=13	Pass
		NR-FR1-TM3.1	1	9.33	<=13	Pass
			2	10.23	<=13	Pass
		NR-FR1-TM3.1a	1	9.46	<=13	Pass
			2	10.12	<=13	Pass
	CC1:3624.99	NR-FR1-TM1.1	1	9.83	<=13	Pass
			2	10.19	<=13	Pass
		NR-FR1-TM3.1	1	9.26	<=13	Pass
			2	9.93	<=13	Pass
		NR-FR1-TM3.1a	1	9.64	<=13	Pass
			2	10.15	<=13	Pass
	CC1:3649.98	NR-FR1-TM1.1	1	9.61	<=13	Pass
			2	10.15	<=13	Pass
		NR-FR1-TM3.1	1	9.25	<=13	Pass
			2	10.03	<=13	Pass
		NR-FR1-TM3.1a	1	9.59	<=13	Pass
			2	9.78	<=13	Pass

4.2 Test Graph


4.2.1 30_Single




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3624.99MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3624.99MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3624.99MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3649.98MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3649.98MHz_Ant2



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant1



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1a_CC1:3649.98MHz_Ant2



5. Spurious Emission


5.1 Test Result

5.1.1 30_Single


Band n77 Single NTN Ant1						
BW (MHz)	DL Frequency (MHz)	Test Mode	Ant No.	Spurious Emission		Verdict
				Result	Limit	
CC1:100	CC1:3600	NR-FR1-TM1.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
	CC1:3624.99	NR-FR1-TM1.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
	CC1:3649.98	NR-FR1-TM1.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass
		NR-FR1-TM3.1a	1	Refer To Test Graph		Pass
			2	Refer To Test Graph		Pass
			Sum	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 30_Single




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant1



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3470	3530	1	CHP	1	3520.440	-52.98	-40	Pass
3530	3540	1	CHP	2	3539.940	-42.43	-25	Pass
3540	3547.809	1	CHP	3	3547.220	-26.31	-13	Pass
3547.809	3548.809	1	CHP	4	3548.780	-24.65	-13	Pass
3548.809	3651.192	1	CHP	/	/	/	/	/
3651.192	3652.192	1	CHP	5	3651.480	-27.58	-13	Pass
3652.192	3710	1	CHP	6	3660.320	-26.66	-13	Pass
3710	3720	1	CHP	7	3710.240	-45.95	-25	Pass
3720	3730	1	CHP	8	3724.280	-47.68	-40	Pass


n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Ant2



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3470	3530	1	CHP	1	3492.100	-50.51	-40	Pass
3530	3540	1	CHP	2	3539.940	-38.97	-25	Pass
3540	3547.751	1	CHP	3	3547.220	-23.69	-13	Pass
3547.751	3548.751	1	CHP	4	3548.520	-22.28	-13	Pass
3548.751	3651.249	1	CHP	/	/	/	/	/
3651.249	3652.249	1	CHP	5	3651.740	-24.49	-13	Pass
3652.249	3710	1	CHP	6	3660.320	-23.92	-13	Pass
3710	3720	1	CHP	7	3710.240	-43.81	-25	Pass
3720	3730	1	CHP	8	3721.160	-45.19	-40	Pass


n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum




n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM1.1_CC1:3600MHz_Sum



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1



n77_BS Type 1-C_30_Single_NTNV_CC1:100MHz_NR-FR1-TM3.1_CC1:3600MHz_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3470	3530	1	CHP	1	3487.940	-53.10	-40	Pass
3530	3540	1	CHP	2	3539.940	-41.66	-25	Pass
3540	3547.915	1	CHP	3	3547.220	-27.03	-13	Pass
3547.915	3548.915	1	CHP	4	3548.780	-25.78	-13	Pass
3548.915	3651.086	1	CHP	/	/	/	/	/
3651.086	3652.086	1	CHP	5	3651.480	-28.23	-13	Pass
3652.086	3710	1	CHP	6	3658.240	-28.12	-13	Pass
3710	3720	1	CHP	7	3712.320	-47.82	-25	Pass
3720	3730	1	CHP	8	3727.140	-48.33	-40	Pass