


[11n(HT20)]
W53 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1083
 Serial No. : N/A
 Test mode : 5GHz_W53_11n(HT20)_Tx_ch:High

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum : 22.3[°C] 66.9[%]
 Note1 : CH:64 5320MHz
 Note2 :



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]
W53 / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1083
 Serial No. : N/A
 Test mode : WLAN_W53_11n(HT20)_Tx_High

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum,Atm : 21.8[°C] 55.2[%]
 Note1 : ch:64_5320MHz
 Note2 :

[dB(μV/m)]



<FCC E_GHz_3m>
 Limit(PK)
 Limit(AV)
 <06_GHz_Tx_W53_11n(HT20)_High>
 Peak level(H,PK)
 Peak level(V,PK)
 Emission level(H,PK)
 Emission level(H,AV)

Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	10640.000	H	47.3	34.1	11.7	59.0	45.8	74.0	54.0	15.0	8.2	106.0	214.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT20)]
W56 / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1083
Serial No. : N/A
Test mode : 5GHz_W56_11n(HT20)_Tx_ch:Low

Standard : FCC Part.15 subpart E
Operator : T.Watanabe
Temp,Hum : 22.3[°C] 66.9[%]
Note1 : CH:100 5500MHz
Note2 :

[dB(μV/m)]



<FCC Part15 subpartC >
Limit(QP)
<20_MHz_Tx_W56_11n(HT20)_Low>
Peak level(H,PK)
Peak level(V,PK)


Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]
W56 / Channel Low
ABOVE 1GHz



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5468.443	H	50.0	—	11.8	61.8	—	68.2	54.0	6.4	—	114.0	266.0	
2	5464.476	V	50.0	—	11.8	61.8	—	68.2	54.0	6.4	—	103.0	55.0	
3	11000.000	H	45.9	33.0	12.3	58.2	45.3	74.0	54.0	15.8	8.7	115.0	235.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT20)]
W56 / Channel Middle
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1083
 Serial No. : N/A
 Test mode : 5GHz_W56_11n(HT20)_Tx_ch:Mid

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum : 22.3[°C] 66.9[%]
 Note1 : CH:116 5580MHz
 Note2 :

[dB(μV/m)]




Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]
W56 / Channel Middle
ABOVE 1GHz



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11160.000	H	45.4	33.2	12.3	57.7	45.5	74.0	54.0	16.3	8.5	107.0	170.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT20)]
W56 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1083
 Serial No. : N/A
 Test mode : 5GHz_W56_11n(HT20)_Tx_ch:High

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum : 22.3[°C] 66.9[%]
 Note1 : CH:140 5700MHz
 Note2 :

[dB(μV/m)]




Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]
W56 / Channel High
ABOVE 1GHz



Final Result

No.	Frequency (P)	Reading PK	Reading AV	c. f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	11400.000	H	46.3	33.3	12.5	58.8	45.8	74.0	54.0	15.2	8.2	102.0	187.0

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT20)]
W56 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1083
 Serial No. : N/A
 Test mode : 5GHz_W56_11n(HT20)_Tx_ch:High

Standard : FCC Part.15 subpart E
 Operator : N.Toda
 Temp,Hum : 21.3[°C] 58.9[%]
 Note1 : CH:144 5720MHz
 Note2 :

[dB(μV/m)]



<FCC Part15 subpartC >
 Limit(QP)
 <23_MHz_Tx_W56_11n(HT20)_High>
 Peak level(H,PK)
 Peak level(V,PK)

Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]
W56 / Channel High
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1083
 Serial No. : N/A
 Test mode : WLAN_W56_11n(HT20)_Tx_High

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum,Atm : 21.8[°C] 55.2[%]
 Note1 : ch:144.5720MHz
 Note2 :



Final Result

No.	Frequency (P)	Reading PK	Reading AV	c. f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	11440.000	H	45.5	33.0	12.5	58.0	45.5	74.0	54.0	16.0	8.5	110.0	183.0

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT20)]
W58 / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1086
Serial No. : N/A
Test mode : WLAN_11n(HT20)_W58_Tx_ch:Low

Standard : FCC Part.15 subpartE
Operator : T.Watanabe
Temp,Hum : 22.2[°C] 64.9[%]
Note1 : CH:149 5745MHz
Note2 :

[dB(μV/m)]



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]
W58 / Channel Low
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W58_11n(HT20)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 22.8[°C] 63.2[%]
 Note1 : ch:149_5745MHz
 Note2 :



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5627.400	H	49.3		11.8	61.1		68.2	54.0	7.1		100.0	337.0	
2	5630.000	V	49.2		11.9	61.1		68.2	54.0	7.1		100.0	337.0	
3	11490.000	H	46.4	32.2	12.5	58.9	44.7	74.0	54.0	15.1	9.3	100.0	258.0	


Note:

- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT20)]
W58 / Channel Middle
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_11n(HT20)_W58_Tx_ch:Mid

Standard : FCC Part.15 subpartE
 Operator : T.Watanabe
 Temp,Hum : 22.2[°C] 64.9[%]
 Note1 : CH:157 5785MHz
 Note2 :




Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]
W58 / Channel Middle
ABOVE 1GHz



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11570.000	H	47.2	32.8	12.5	59.7	45.3	74.0	54.0	14.3	8.7	100.0	253.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT20)]
W58 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_11n(HT20)_W58_Tx_ch:High

Standard : FCC Part.15 subpartE
 Operator : T.Watanabe
 Temp,Hum : 22.2[°C] 64.9[%]
 Note1 : CH:165 5825MHz
 Note2 :




Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT20)]
W58 / Channel High
ABOVE 1GHz



Final Result

No.	Frequency (P)	Reading PK	Reading AV	c. f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	11650.000	H	46.4	32.6	12.5	58.9	45.1	74.0	54.0	15.1	8.9	100.0	253.0


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



Japan

[11n(HT40)]
W52 / Channel Low
BELOW 1GHz




Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W52 / Channel Low
ABOVE 1GHz



Final Result

No.	Frequency	(P)	Reading	c.f	Result	Limit	Margin	Height	Angle	Remark
	[MHz]		PK		PK	PK	PK			
			[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[cm]	[°]	
1	10380.000	H	46.0	11.2	57.2	68.2	11.0	100.0	252.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]
W52 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W52_11n(HT40)_Tx_ch:High

Standard : FCC Part.15 subpartC
 Operator : T.Watanabe
 Temp,Hum : 23.3[°C] 65.1[%]
 Note1 : CH:46 5230MHz
 Note2 :

[dB(μV/m)]




Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W52 / Channel High
ABOVE 1GHz



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10460.000	H	46.0	11.4	57.4	68.2	10.8	100.0	245.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]
W53 / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W53_11n(HT40)_Tx_ch:Low

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum : 23.3[°C] 65.1[%]
 Note1 : CH:54 5270MHz
 Note2 :

[dB(μV/m)]




Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W53 / Channel Low
ABOVE 1GHz



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10540.000	H	45.7	11.5	57.2	68.2	11.0	100.0	260.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]
W53 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W53_11n(HT40)_Tx_ch:High

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum : 23.3[°C] 65.1[%]
 Note1 : CH:62 5310MHz
 Note2 :

[dB(μV/m)]




Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W53 / Channel High
ABOVE 1GHz



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	10620.000	H	45.2	33.6	11.7	56.9	45.3	74.0	54.0	17.1	8.7	100.0	252.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]
W56 / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W56_11n(HT40)_Tx_ch:Low

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum : 23.3[°C] 65.1[%]
 Note1 : CH:102 5510MHz
 Note2 :

[dB(μV/m)]



<FCC Part15 subpartC >
 Limit(QP)
 <15_MHz_Tx_W56_11n(HT40)_Low>
 Peak level(H,PK)
 Peak level(V,PK)


Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W56 / Channel Low
ABOVE 1GHz




Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5468.300	H	48.7		11.8	60.5		68.2	54.0	7.7		200.0	308.0	
2	5467.900	V	49.2		11.8	61.0		68.2	54.0	7.2		100.0	10.0	
3	11020.000	H	46.5	33.8	12.3	58.8	46.1	74.0	54.0	15.2	7.9	100.0	252.0	

Note:

- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]
W56 / Channel Middle
BELOW 1GHz




Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W56 / Channel Middle
ABOVE 1GHz



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11100.000	H	46.8	34.8	12.3	59.1	47.1	74.0	54.0	14.9	6.9	100.0	245.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]
W56 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W56_11n(HT40)_Tx_ch:High

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum : 23.3[°C] 65.1[%]
 Note1 : CH:134 5670MHz
 Note2 :

[dB(μV/m)]




Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W56 / Channel High
ABOVE 1GHz



Final Result

No.	Frequency (P)	Reading PK	Reading AV	c. f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	11340.000	H	45.5	33.9	12.4	57.9	46.3	74.0	54.0	16.1	7.7	100.0	268.0


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]
W56 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1086
Serial No. : N/A
Test mode : 5GHz_W56_11n(HT40)_Tx_ch:High

Standard : FCC Part.15 subpart E
Operator : T.Watanabe
Temp,Hum : 23.3[°C] 65.1[%]
Note1 : CH:142 5710MHz
Note2 :




Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W56 / Channel High
ABOVE 1GHz



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	11420.000	H	45.2	33.3	12.5	57.7	45.8	74.0	54.0	16.3	8.2	100.0	267.0	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]
W58 / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
EUT : Mobile Phone
Model No. : EB1086
Serial No. : N/A
Test mode : 5GHz_W58_11n(HT40)_Tx_ch:Low

Standard : FCC Part.15 subpart E
Operator : T.Watanabe
Temp,Hum : 23.3[°C] 65.1[%]
Note1 : CH:151 5755MHz
Note2 :

[dB(μV/m)]



Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W58 / Channel Low
ABOVE 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W58_11n(HT40)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 22.8[°C] 63.2[%]
 Note1 : ch:151_5755MHz
 Note2 :

[dB(μV/m)]



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5648.000	H	49.8		11.9	61.7		68.2	54.0	6.5		100.0	337.0	
2	5647.500	V	49.7		11.9	61.6		68.2	54.0	6.6		100.0	315.0	
3	11510.000	H	46.2	32.2	12.5	58.7	44.7	74.0	54.0	15.3	9.3	100.0	248.0	

Note:


- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11n(HT40)]
W58 / Channel High
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W58_11n(HT40)_Tx_ch:High

Standard : FCC Part.15 subpart E
 Operator : T.Watanabe
 Temp,Hum : 23.3[°C] 65.1[%]
 Note1 : CH:159 5795MHz
 Note2 :

[dB(μV/m)]




Final Result

No.	Frequency [MHz]	(P) [dB(1/m)]	c.f	Height [cm]	Angle [°]	Remark
-----	--------------------	------------------	-----	----------------	--------------	--------

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11n(HT40)]
W58 / Channel High
ABOVE 1GHz



Final Result

No.	Frequency (P)	Reading PK	Reading AV	c. f	Result PK	Result AV	Limit PK	Limit AV	Margin PK	Margin AV	Height	Angle	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[dB]	[cm]	[°]	
1	11590.000	H	46.7	32.6	12.5	59.2	45.1	74.0	54.0	14.8	8.9	100.0	243.0

Note:


1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11ac(VHT80)]**W52****BELOW 1GHz**

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W52_11ac(HT80)_Tx

Standard : FCC Part.15 subpartE
 Operator : T.Watanabe
 Temp,Hum,Atm : 23.3[°C] 65.1[%]
 Note1 : Ch:42_5210MHz
 Note2 :


[dB(μV/m)]

**Final Result**

No.	Frequency (P)	c. f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11ac(VHT80)]**W52****ABOVE 1GHz****Final Result**

No.	Frequency	(P)	Reading	c.f	Result	Limit	Margin	Height	Angle	Remark
	[MHz]		PK		PK	PK	PK			
			[dB(μV)]	[dB(1/m)]	[dB(μV/m)]	[dB(μV/m)]	[dB]	[cm]	[°]	
1	10420.000	H	45.3	11.3	56.6	68.2	11.6	100.0	260.0	


Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.



Japan

[11ac(VHT80)]
W53
BELOW 1GHz



Final Result


No.	Frequency	(P)	c.f	Height	Angle	Remark
	[MHz]		[dB(1/m)]	[cm]	[°]	

- Note:
- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
 - No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11ac(VHT80)]**W53****ABOVE 1GHz**

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : WLAN_W53_11ac(VHT80)_Tx_Low

Standard : FCC Part.15 subpart E
 Operator : C.Kanno
 Temp,Hum,Atm : 20.7[°C] 68.7[%]
 Note1 : ch:58_5290MHz
 Note2 :

**Final Result**

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	c.f [dB(1/m)]	Result PK [dB(μV/m)]	Limit PK [dB(μV/m)]	Margin PK [dB]	Height [cm]	Angle [°]	Remark
1	10580.000	H	45.6	11.6	57.2	68.2	11.0	100.0	268.0	

Note:


- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.

[11ac(VHT80)]
W56 / Channel Low
BELOW 1GHz

Company name : KYOCERA Corporation
 EUT : Mobile Phone
 Model No. : EB1086
 Serial No. : N/A
 Test mode : 5GHz_W56_11ac(HT80)_Tx

Standard : FCC Part.15 subpartE
 Operator : T.Watanabe
 Temp,Hum,Atm : 23.3[°C] 65.1[%]
 Note1 : Ch:106_5530MHz
 Note2 :

[dB(μV/m)]



<FCC Part15 subpartC >
 Limit(QP)
 <09_MHz_Tx_W56_11ac(HT80)_Low>
 Peak level(H,PK)
 Peak level(V,PK)


Final Result

No.	Frequency (P)	c.f	Height	Angle	Remark
	[MHz]	[dB(1/m)]	[cm]	[°]	

Note:

1. Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
2. No emission were detected in frequency range 9kHz to 1000MHz at the 3 meters distance.

[11ac(VHT80)]
W56 / Channel Low
ABOVE 1GHz



Final Result

No.	Frequency [MHz]	(P)	Reading PK [dB(μV)]	Reading AV [dB(μV)]	c. f [dB(1/m)]	Result PK [dB(μV/m)]	Result AV [dB(μV/m)]	Limit PK [dB(μV/m)]	Limit AV [dB(μV/m)]	Margin PK [dB]	Margin AV [dB]	Height [cm]	Angle [°]	Remark
1	5468.300	H	50.3		11.8	62.1		68.2	54.0	6.1		100.0	258.0	
2	5467.900	V	49.1		11.8	60.9		68.2	54.0	7.3		100.0	145.0	
3	11060.000	H	46.6	34.8	12.3	58.9	47.1	74.0	54.0	15.1	6.9	100.0	267.0	

Note:

- Emission Level (Margin) = Limit - [Reading + Factor (Antenna + Cable – Amp)]
- No emission were detected in frequency range 18GHz to 40GHz at the 3 meters distance.