## Reliance Communications LLC

## **UNII Declaration Letter**

We have declared below	w featured for FCC ed	quipment authorizatio	n, device FCC ID: 2/	∖BGH-RC400LX
(1) DFS Device		ent with Radar detecti dar detection capabili		
(2) Active / Passive Sca	anning , adhoc mode	access point capabilit	ty	
Frequency Band (MHz)	Active Scanning (the device can transmit a probe (beacon))	passive scanning (where the device is can listen only with no probes)	Ad Hoc Mode capability	Access point capability
2412 – 2462 MHz	Yes, No	Yes, No		
2422 – 2452 MHz	Yes, No	☐ Yes, ☒ No	🛛 Yes, 🔲 No	☐ Yes, ☐ No
5745 – 5825 MHz	☐ Yes, ☐ No	☐ Yes, ☒ No	🛛 Yes, 🔲 No	🛛 Yes, 🔲 No
5755 – 5795 MHz	Yes, No	☐ Yes, ☒ No	🛛 Yes, 🔲 No	
5180 – 5240 MHz	☐ Yes, ☐ No	☐ Yes, ☒ No	🛛 Yes, 🔲 No	X Yes, No
5190 – 5230 MHz	Yes, No	☐ Yes, ☒ No	🛛 Yes, 🔲 No	X Yes, No
5260 – 5320 MHz	Yes, No	Yes, No	Yes, No	Yes, No
5270 – 5310 MHz	Yes, No	Yes, No	Yes, No	Yes, No
5500 – 5700 MHz	Yes, No	Yes, No	Yes, No	Yes, No
5510 – 5670 MHz	Yes, No	Yes, No	Yes, No	Yes, No
If no, pls explain how was implemented: Country is selected as US by default and user can not change the country code.  (4) Meet 15.202 requirement -   Yes,   No,  pls check below:   A master device is defined as a device operating in a mode in which it has the capability to transmit without receiving an enabling signal. In this mode it is able to select a channel and initiate a network by sending enabling signals to other devices  A client device is defined as a device operating in a mode in which the transmissions of the device are under control of the master. A device in client mode is not able to initiate a network.				
(5) For client devices the scanning in some and proclasses or those that open of operations through some without the software and be modified by end use Apply, No Apple (If apply, pls help to provide a The device configuration can allow USB connection for use	passive scanning in of perate on non-DFS free oftware, the application or hardware is impler or an installer. by, explanation on how it was not be modified by user as	thers) in different ban equencies) or modula on must provide softw mented to ensure that implement (By hardware o s program is not exposed to	ds (devices with multing devices which configure and operations of proper operations may be software, and how software, and how software.)	tiple equipment igure the modes description on nodes can not
If you have any questio	ns, please feel free to	contact me at the ac	ldress shown below.	
Yours sincerely, Signatory sagib g Printed Name: Saqib (	houri			
Printed Name: Saqib (	Ghouri			

Position: Director, Product Management Company: Reliance Communications LLC