



Full RB:


Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



4.5 Antenna Port Test Data and Results for LTE Band 4

Serial Number:	2DYI-2	Test Date:	2023/12/29~2024/3/7
Test Site:	RF	Test Mode:	Transmitting
Tester:	One Luo, Loge Long	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	21.3~25.2	Relative Humidity: (%)	28~65	ATM Pressure: (kPa)	100.9~101.4
----------------------	-----------	------------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2023/3/31	2024/3/30
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
YINSAIGE	Coaxial Cable	SS402	SJ0100001	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554403	Each time	N/A
Weinschel	Power Splitter	1515	RA914	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	143458	2023/3/31	2024/3/30
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2023/3/31	2024/3/30
UNI-T	Multimeter	UT39A+	C210582554	2023/9/29	2024/9/28
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	1710.7	1732.5	1754.3
3MHz	1711.5	1732.5	1753.5
5MHz	1712.5	1732.5	1752.5
10MHz	1715	1732.5	1750
15MHz	1717.5	1732.5	1747.5
20MHz	1720	1732.5	1745

Test Data:

RF Output Power						
Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum EIRP (dBm)	EIRP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	23.32	23.2	23.09	22	30
	RB1#3	23.42	23.4	23.21		
	RB1#5	23.34	23.29	23.28		
	RB3#0	23.18	23.25	23.04		
	RB3#3	23.12	23.3	23.11		
	RB6#0	22.16	22.37	22.25		
1.4MHz 16QAM	RB1#0	22.28	22.34	22.16	20.92	30
	RB1#3	22.25	22.26	22.27		
	RB1#5	22.21	22.2	22.22		
	RB3#0	22.11	22.25	22.11		
	RB3#3	22.17	22.26	22.21		
	RB6#0	21.13	21.29	21.27		
3MHz QPSK	RB1#0	23.25	23.44	23.22	22.02	30
	RB1#8	23.23	23.35	23.23		
	RB1#14	23.2	23.33	23.3		
	RB6#0	22.23	22.34	22.18		
	RB6#9	22.26	22.37	22.31		
	RB15#0	22.24	22.39	22.11		
3MHz 16QAM	RB1#0	22.26	22.38	22.18	21	30
	RB1#8	22.1	22.24	22.2		
	RB1#14	22.09	22.41	22.42		
	RB6#0	21.23	21.35	21.03		
	RB6#9	21.21	21.37	21.21		
	RB15#0	21.15	21.35	21.07		
5MHz QPSK	RB1#0	23.16	23.31	23.2	21.96	30
	RB1#13	23.21	23.29	23.24		
	RB1#24	23.18	23.25	23.38		
	RB15#0	22.26	22.3	22.25		
	RB15#10	22.25	22.33	22.42		
	RB25#0	22.23	22.31	22.34		
5MHz 16QAM	RB1#0	22.33	22.34	22.29	21.03	30
	RB1#13	22.3	22.29	22.37		
	RB1#24	22.45	22.19	22.44		
	RB15#0	21.22	21.37	21.25		
	RB15#10	21.23	21.38	21.4		
	RB25#0	21.23	21.39	21.23		
10MHz QPSK	RB1#0	23.34	23.35	23.14	22.02	30
	RB1#25	23.44	23.39	23.14		
	RB1#49	23.22	23.25	23.31		

	RB25#0	22.25	22.31	22.24		
	RB25#25	22.28	22.33	22.16		
	RB50#0	22.31	22.33	22.17		
10MHz 16QAM	RB1#0	22.42	22.14	22.06	21	30
	RB1#25	22.32	22.31	22.14		
	RB1#49	22.09	22.13	22.13		
	RB25#0	21.15	21.28	21.09		
	RB25#25	21.15	21.27	21.2		
	RB50#0	21.19	21.25	21.18		
15MHz QPSK	RB1#0	23.25	23.1	23.23	21.92	30
	RB1#38	23.12	23.22	23.16		
	RB1#74	23.34	23.2	23.26		
	RB36#0	22.21	22.32	22.19		
	RB36#39	22.2	22.37	22.22		
	RB75#0	22.27	22.3	22.25		
15MHz 16QAM	RB1#0	22.07	22.23	22.21	20.84	30
	RB1#38	22.03	22.26	21.92		
	RB1#74	22.24	22.19	22.01		
	RB36#0	21.25	21.22	21.09		
	RB36#39	21.15	21.28	21.14		
	RB75#0	21.31	21.27	21.08		
20MHz QPSK	RB1#0	23.04	22.97	23.27	21.85	30
	RB1#50	23.06	23.21	23.12		
	RB1#99	23.22	23.05	23.25		
	RB50#0	22.15	22.09	22.2		
	RB50#50	22.22	22.2	22.08		
	RB100#0	22.06	22.12	22.03		
20MHz 16QAM	RB1#0	21.92	22.12	21.96	20.96	30
	RB1#50	22.07	22.38	21.9		
	RB1#99	22.28	22.07	21.89		
	RB50#0	21.03	21.08	21.12		
	RB50#50	21.15	21.21	21.01		
	RB100#0	21.06	21.16	21.08		
Note: EIRP=Conducted Power(dBm) - Lc(dB) + Gr(dBi)						
					Result:	Pass

Peak-to-average Ratio(PAR)					
Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
20MHz QPSK	RB1#0	4.12	4.58	4.55	13
	RB100#0	3.94	3.88	3.94	13
20MHz 16QAM	RB1#0	5.19	5.51	5.48	13
	RB100#0	5.65	5.65	5.68	13
Result:					Pass

Occupied Bandwidth						
Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.108	1.096	1.096	1.326	1.308	1.32
1.4MHz 16QAM	1.102	1.102	1.102	1.302	1.314	1.32
3MHz QPSK	2.695	2.695	2.707	2.952	2.964	2.964
3MHz 16QAM	2.695	2.695	2.683	2.988	2.964	3
5MHz QPSK	4.511	4.511	4.531	5.02	5.02	5
5MHz 16QAM	4.511	4.531	4.531	5.06	5.04	5.08
10MHz QPSK	8.942	8.942	8.942	9.8	9.84	9.72
10MHz 16QAM	8.942	8.942	8.942	9.8	9.8	9.68
15MHz QPSK	13.533	13.473	13.533	14.94	14.82	14.94
15MHz 16QAM	13.473	13.473	13.473	14.88	14.82	14.82
20MHz QPSK	17.964	17.964	17.964	19.52	19.52	19.44
20MHz 16QAM	17.964	17.884	17.964	19.6	19.44	19.52
Note: The test plots please refer to the Plots of Occupied Bandwidth						

Spurious Emissions at Antenna Terminal	
Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.


Out of band emission, Band Edge	
Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.

Frequency Stability						
Test Mode:	20M QPSK	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.6	1711.017	1710.00	1754.095	1755
	-20	3.6	1711.041	1710.00	1754.062	1755
	-10	3.6	1711.004	1710.00	1754.015	1755
	0	3.6	1711.012	1710.00	1754.017	1755
	10	3.6	1711.086	1710.00	1754.058	1755
	20	3.6	1711.058	1710.00	1754.022	1755
	30	3.6	1711.011	1710.00	1754.026	1755
	40	3.6	1711.067	1710.00	1754.003	1755
	50	3.6	1711.022	1710.00	1754.065	1755
Frequency Stability vs. Voltage	20	3.45	1711.020	1710.00	1754.058	1755
	20	4.12	1711.067	1710.00	1754.064	1755
					Result:	Pass

Test Mode:	20M 16QAM	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.6	1711.097	1710.00	1754.056	1755
	-20	3.6	1711.082	1710.00	1754.097	1755
	-10	3.6	1711.037	1710.00	1754.097	1755
	0	3.6	1711.093	1710.00	1754.006	1755
	10	3.6	1711.006	1710.00	1754.045	1755
	20	3.6	1711.058	1710.00	1754.022	1755
	30	3.6	1711.035	1710.00	1754.078	1755
	40	3.6	1711.001	1710.00	1754.075	1755
	50	3.6	1711.022	1710.00	1754.076	1755
Frequency Stability vs. Voltage	20	3.45	1711.026	1710.00	1754.007	1755
	20	4.12	1711.026	1710.00	1754.021	1755
					Result:	Pass

Test Plots(Note: The 7.5dB is the Insertion loss of the RF cable, Power Splitter and DC Block, which was offset into the Spectrum Analyzer):

Occupied Bandwidth





Occupied Bandwidth

Channel



3MHz Bandwidth QPSK

3MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



5MHz Bandwidth QPSK

5MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



10MHz Bandwidth QPSK

10MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



15MHz Bandwidth QPSK

15MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



20MHz Bandwidth QPSK

20MHz Bandwidth 16QAM



Lowest



Middle



Highest





1RB:

Spurious Emissions at Antenna Terminal



Channel

1.4MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

3MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

5MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

10MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

15MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

20MHz Bandwidth QPSK



Lowest



Middle




Highest




1RB:


Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge




Out of band emission, Band Edge




Full RB:


Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



4.6 Antenna Port Test Data and Results for LTE Band 5

Serial Number:	2DYI-2	Test Date:	2024/2/6~2024/3/8
Test Site:	RF	Test Mode:	Transmitting
Tester:	Loge Long	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	21.3-21.5	Relative Humidity: (%)	28-65	ATM Pressure: (kPa)	100.9-101.4
----------------------	-----------	------------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2023/3/31	2024/3/30
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
YINSAIGE	Coaxial Cable	SS402	SJ0100001	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554403	Each time	N/A
Weinschel	Power Splitter	1515	RA914	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	143458	2023/3/31	2024/3/30
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2023/3/31	2024/3/30
UNI-T	Multimeter	UT39A+	C210582554	2023/9/29	2024/9/28
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A

** Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	824.7	836.5	848.3
3MHz	825.5	836.5	847.5
5MHz	826.5	836.5	846.5
10MHz	829	836.5	844

Test Data:

RF Output Power						
Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum ERP (dBm)	ERP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	23.01	22.47	22.33	18.5	38.45
	RB1#3	23	22.51	22.46		
	RB1#5	22.86	22.53	22.39		
	RB3#0	22.86	22.38	22.44		
	RB3#3	22.82	22.39	22.37		
	RB6#0	21.92	21.44	21.46		
1.4MHz 16QAM	RB1#0	22.08	21.4	21.31	17.66	38.45
	RB1#3	22.17	21.63	21.44		
	RB1#5	21.87	21.56	21.32		
	RB3#0	21.69	21.41	21.38		
	RB3#3	21.37	21.55	21.36		
	RB6#0	20.58	20.45	21.25		
3MHz QPSK	RB1#0	23.52	23.54	23.73	19.22	38.45
	RB1#8	23.39	23.45	23.44		
	RB1#14	23.49	23.52	23.46		
	RB6#0	22.54	22.57	22.62		
	RB6#9	22.5	22.48	22.48		
	RB15#0	22.44	22.55	22.5		
3MHz 16QAM	RB1#0	22.7	22.2	22.49	18.19	38.45
	RB1#8	22.29	22.39	22.37		
	RB1#14	22.57	22.48	22.37		
	RB6#0	21.46	21.45	21.51		
	RB6#9	21.42	21.37	21.47		
	RB15#0	21.39	21.54	21.44		
5MHz QPSK	RB1#0	23.42	23.42	23.59	19.08	38.45
	RB1#13	23.38	23.39	23.48		
	RB1#24	23.36	23.46	23.39		
	RB15#0	22.39	22.5	22.6		
	RB15#10	22.42	22.58	22.48		
	RB25#0	22.45	22.5	22.47		
5MHz 16QAM	RB1#0	22.51	22.46	22.48	18	38.45
	RB1#13	22.39	22.38	22.49		
	RB1#24	22.38	22.5	22.28		
	RB15#0	21.39	21.42	21.49		
	RB15#10	21.44	21.47	21.41		
	RB25#0	21.47	21.47	21.45		
10MHz QPSK	RB1#0	23.64	23.44	23.56	19.33	38.45
	RB1#25	23.64	23.56	23.84		
	RB1#49	23.65	23.53	23.65		
	RB25#0	22.54	22.61	22.59		

	RB25#25	22.48	22.62	22.57		
	RB50#0	22.53	22.57	22.53		
10MHz 16QAM	RB1#0	22.47	22.53	22.41	18.34	38.45
	RB1#25	22.54	22.57	22.85		
	RB1#49	22.58	22.4	22.67		
	RB25#0	21.56	21.57	21.5		
	RB25#25	21.46	21.53	21.52		
	RB50#0	21.53	21.52	21.51		

Note:

ERP= Conducted Power(dBm) - Lc(dB) + G_T(dBd)G_T(dBd)=G_T(dBi)-2.15

Result:

Pass

Peak-to-average Ratio(PAR)

Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
10MHz QPSK	RB1#0	5.04	4.67	4.7	13
	RB50#0	5.33	5.22	5.39	13
10MHz 16QAM	RB1#0	5.94	5.68	5.48	13
	RB50#0	6.17	6.12	6.29	13
				Result:	Pass

Occupied Bandwidth

Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.102	1.096	1.102	1.296	1.302	1.326
1.4MHz 16QAM	1.096	1.096	1.096	1.290	1.326	1.296
3MHz QPSK	2.683	2.683	2.695	2.916	2.868	2.868
3MHz 16QAM	2.683	2.683	2.683	2.868	2.892	2.868
5MHz QPSK	4.511	4.511	4.491	4.940	4.920	4.920
5MHz 16QAM	4.491	4.511	4.511	4.920	4.940	4.980
10MHz QPSK	8.942	8.942	8.942	9.680	9.680	9.640
10MHz 16QAM	8.942	8.942	8.942	9.600	9.560	9.640

Note: The test plots please refer to the Plots of Occupied Bandwidth

Spurious Emissions at Antenna Terminal

Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.
----------------	--

Out of band emission, Band Edge

Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.
----------------	---


Frequency Stability

Test Modulation:	10 MHz QPSK		Test Channel:	836.5	MHz
Test Item	Temperature (°C)	Voltage (V _{bc})	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	3.6	-7.21	-0.009	2.5
	-20	3.6	9.12	0.011	2.5
	-10	3.6	8.51	0.010	2.5
	0	3.6	-7.15	-0.009	2.5
	10	3.6	-5.29	-0.006	2.5
	20	3.6	-4.48	-0.005	2.5
	30	3.6	-5.81	-0.007	2.5
	40	3.6	5.59	0.007	2.5
	50	3.6	6.87	0.008	2.5
Frequency Stability vs. Voltage	20	3.45	9.94	0.012	2.5
	20	4.12	9.99	0.012	2.5
				Result:	Pass

Test Modulation:	10 MHz 16QAM		Test Channel:	836.5	MHz
Test Item	Temperature (°C)	Voltage (V _{bc})	Frequency Error		Limit
			(Hz)	(ppm)	(ppm)
Frequency Stability vs. Temperature	-30	3.6	-9.4	-0.011	2.5
	-20	3.6	-6.7	-0.008	2.5
	-10	3.6	9.8	0.012	2.5
	0	3.6	-7.6	-0.009	2.5
	10	3.6	-9.9	-0.012	2.5
	20	3.6	-8.7	-0.010	2.5
	30	3.6	-6.7	-0.008	2.5
	40	3.6	-8.9	-0.011	2.5
	50	3.6	5.7	0.007	2.5
Frequency Stability vs. Voltage	20	3.45	6.1	0.007	2.5
	20	4.12	7.5	0.009	2.5
				Result:	Pass

Test Plots(Note: The 7.5dB is the Insertion loss of the RF cable, Power Splitter and DC Block, which was offset into the Spectrum Analyzer):

Occupied Bandwidth





Occupied Bandwidth

Channel



3MHz Bandwidth QPSK

3MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



5MHz Bandwidth QPSK

5MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



10MHz Bandwidth QPSK

10MHz Bandwidth 16QAM



Lowest



Middle



Highest





1RB:

Spurious Emissions at Antenna Terminal



Channel

1.4MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

3MHz Bandwidth QPSK

Lowest



Middle



Highest

