

FCC RF EXPOSURE REPORT

FCC ID: VIXSP446

Project No. : 1706133
Equipment : WIRELESS SPEAKER
Test Model : SP446
Series Model : N/A
Applicant : Voxx Accessories Corp.
Address : 3502 Woodview Trace, Suite 220 Indianapolis,
IN 46268 USA

According: : FCC Guidelines for Human Exposure IEEE
C95.1

Technical Manager

:


(Herbert Liu)

B T L I N C .

B1, No. 37, Lane 365, Yang-Guang St.,
Nei-Hu District, Taipei City 114, Taiwan.
TEL: +886-2-2657-3299 FAX: +886-2-2657-3331

Table for Filed Antenna

Ant.	Brand	Model Name	Antenna Type	Connecto	Gain(dBi)
1	AIROHA	pcbmonoA1	PCB	N/A	0

TEST RESULTS

Test Mode :	TX Mode _1Mbps
-------------	----------------

Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
0	1.0000	9.86	9.6828	0.00192730	1	Complies
0	1.0000	10.03	10.0693	0.00200424	1	Complies
0	1.0000	10.04	10.0925	0.00200886	1	Complies

Test Mode :	TX Mode _3Mbps
-------------	----------------

Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
0	1.0000	11.37	13.7088	0.00272867	1	Complies
0	1.0000	11.43	13.8995	0.00276663	1	Complies
0	1.0000	11.47	14.0281	0.00279222	1	Complies

Conclusion: No SAR evaluation required since transmitter power is below FCC threshold.