

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #736

Date: 17/03/06/

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 55 %

EUT: WIFI Module

M/N:

Mode: 11g Middle(Ant0)

Note:

No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Antenna Height cm	Table Degree degree	Comment
1		16878.00	38.95	16.14	55.09	74.00	-18.91	peak		
2	*	16878.00	23.56	16.14	39.70	54.00	-14.30	AVG		

*:Maximum data x:Over limit !:over margin

Operator:

File: TUV HAIXIN Data: #736

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #737

Date: 17/03/06/

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 55 %

EUT: WIFI Module

M/N:

Mode: 11g High(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		17490.00	36.99	17.67	54.66	74.00	-19.34	peak		
2	*	17490.00	20.83	17.67	38.50	54.00	-15.50	AVG		

*:Maximum data x:Over limit !:over margin

Operator:

File: TUV HAIXIN Data: #737

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #738

Date: 17/03/06/

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 55 %

EUT: WIFI Module

M/N:

Mode: 11g High(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		16861.00	38.95	16.03	54.98	74.00	-19.02	peak		
2	*	16861.00	23.17	16.03	39.20	54.00	-14.80	AVG		

*:Maximum data x:Over limit !:over margin

Operator:

File: TUV HAIXIN Data: #738

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #739

Date: 17/03/06/

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 55 %

EUT: WIFI Module

M/N:

Mode: 11b High(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		17507.00	37.39	17.70	55.09	74.00	-18.91	peak		
2	*	17507.00	19.80	17.70	37.50	54.00	-16.50	AVG		

*:Maximum data x:Over limit !:over margin

Operator:

File: TUV HAIXIN Data: #739

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #740

Date: 17/03/06/

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 55 %

EUT: WIFI Module

M/N:

Mode: 11b High(Ant0)

Note:

No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Antenna Height cm	Table Degree	Comment
1		17507.00	36.78	17.70	54.48	74.00	-19.52	peak		
2	*	17507.00	27.17	17.70	44.87	54.00	-9.13	AVG		

*:Maximum data x:Over limit !:over margin

Operator:

File: TUV HAIXINData: #740

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #741

Date: 17/03/06/

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 55 %

EUT: WIFI Module

M/N:

Mode: 11b Middle(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		17014.00	37.84	17.00	54.84	74.00	-19.16	peak		
2	*	17014.00	25.68	17.00	42.68	54.00	-11.32	AVG		

*:Maximum data x:Over limit !:over margin

Operator:

File: TUV HAIXIN Data: #741

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File: TUV HAIXIN

Data: #742

Date: 17/03/06/

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 55 %

EUT: WIFI Module

M/N:

Mode: 11b Middle(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		17252.00	36.99	17.34	54.33	74.00	-19.67	peak		
2	*	17252.00	26.28	17.34	43.62	54.00	-10.38	AVG		

*:Maximum data x:Over limit !:over margin

Operator:

File: TUV HAIXIN Data: #742

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #743

Date: 2017/03/05

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 55 %

EUT: WIFI Module

M/N:

Mode: 11b Low(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		15280.00	41.93	11.78	53.71	74.00	-20.29	peak		
2	*	15280.00	24.92	11.78	36.70	54.00	-17.30	AVG		

*:Maximum data x:Over limit !:over margin

Operator:

File: TUV HAIXIN Data: #743

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #744

Date: 2017/03/05

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 55 %

EUT: WIFI Module

M/N:

Mode: 11b Low(Ant0)

Note:

No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Antenna Height cm	Table Degree degree	Comment
1		15365.00	41.89	11.57	53.46	74.00	-20.54	peak		
2	*	15365.00	27.03	11.57	38.60	54.00	-15.40	AVG		

*:Maximum data x:Over limit !:over margin

Operator:

File: TUV HAIXIN Data: #744


Page: 1

5.3 Transmitter Spurious Emissions, 18GHz-26.5GHz

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site: 3m Chamber #3 Polarization: **Horizontal** Temperature: 24 C
 Limit: (RE)FCC PART 15 C Power: Humidity: 53 %
 EUT: WIFI Module
 M/N:
 Mode: 11b Low(Ant0)
 Note:

No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Antenna Height cm	Table Degree	Comment
1		24647.00	89.55	-37.05	52.50	74.00	-21.50	peak	0	
2	*	24647.00	73.95	-37.05	36.90	54.00	-17.10	AVG	0	

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN\Data: #957

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #958

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11b Low(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		23474.00	87.98	-37.68	50.30	74.00	-23.70	peak	0	
2	*	23474.00	72.78	-37.68	35.10	54.00	-18.90	AVG	0	

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #958

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #959

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11b Middle(Ant0)

Note:

No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Antenna Height cm	Table Degree	Comment
1		24349.50	86.90	-37.09	49.81	74.00	-24.19	peak	0	
2	*	24349.50	70.99	-37.09	33.90	54.00	-20.10	AVG	0	

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #959

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #960

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11b Middle(Ant0)

Note:

No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Antenna Height cm	Table Degree	Comment
1		25633.00	87.32	-36.24	51.08	74.00	-22.92	peak	0	
2	*	25633.00	72.64	-36.24	36.40	54.00	-17.60	AVG	0	

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #960

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #961

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11b High(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		23644.00	86.54	-37.50	49.04	74.00	-24.96	peak	0	
2	*	23644.00	70.70	-37.50	33.20	54.00	-20.80	AVG	0	

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #961

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #962

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11b High(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		26024.00	86.78	-35.76	51.02	74.00	-22.98	peak		0
2	*	26024.00	72.16	-35.76	36.40	54.00	-17.60	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXINData: #962

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #963

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11g High(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		23006.50	87.89	-38.17	49.72	74.00	-24.28	peak	0	
2	*	23006.50	71.57	-38.17	33.40	54.00	-20.60	AVG	0	

*: Maximum data x: Over limit !: over margin

Operator: KK

File: TUV HAIXIN Data: #963

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #964

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11g High(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		23618.50	88.71	-37.53	51.18	74.00	-22.82	peak	0	
2	*	23618.50	73.33	-37.53	35.80	54.00	-18.20	AVG	0	

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #964

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #965

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11g Middle(Ant0)

Note:

No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Antenna Height cm	Table Degree	Comment
1		25072.00	86.79	-36.92	49.87	74.00	-24.13	peak	0	
2	*	25072.00	70.02	-36.92	33.10	54.00	-20.90	AVG	0	

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #965

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #966

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11g Middle(Ant0)

Note:

No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Antenna Height cm	Table Degree	Comment
1		22955.50	87.92	-38.27	49.65	74.00	-24.35	peak	0	
2	*	22955.50	71.67	-38.27	33.40	54.00	-20.60	AVG	0	

*: Maximum data x: Over limit !: over margin

Operator: KK

File: TUV HAIXIN Data: #966

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #967

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11g Low(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		23703.50	87.19	-37.44	49.75	74.00	-24.25	peak	0	
2	*	23703.50	70.94	-37.44	33.50	54.00	-20.50	AVG	0	

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #967

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #968

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11g Low(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		22862.00	88.36	-38.46	49.90	74.00	-24.10	peak	0	
2	*	22862.00	72.26	-38.46	33.80	54.00	-20.20	AVG	0	

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #968

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #969

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 Low(Ant0)

Note:

No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Antenna Height cm	Table Degree	Comment
1		24902.00	86.85	-37.02	49.83	74.00	-24.17	peak	0	
2	*	24902.00	70.12	-37.02	33.10	54.00	-20.90	AVG	0	

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #969

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #970

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 Low(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		25998.50	86.87	-35.79	51.08	74.00	-22.92	peak	0	
2	*	25998.50	71.19	-35.79	35.40	54.00	-18.60	AVG	0	

*: Maximum data x: Over limit !: over margin

Operator: KK

File: TUV HAIXIN Data: #970

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #971

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 Middle(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		24256.00	88.15	-37.10	51.05	74.00	-22.95	peak		0
2	*	24256.00	73.20	-37.10	36.10	54.00	-17.90	AVG		0

*: Maximum data x: Over limit l: over margin

Operator: KK

File: TUV HAIXIN Data: #971

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #972

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 Middle(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		25182.50	87.73	-36.79	50.94	74.00	-23.06	peak	0	
2	*	25182.50	72.69	-36.79	35.90	54.00	-18.10	AVG	0	

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #972

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #973

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 High(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		26015.50	85.82	-35.77	50.05	74.00	-23.95	peak	0	
2	*	26015.50	70.87	-35.77	35.10	54.00	-18.90	AVG	0	

*: Maximum data x: Over limit !: over margin

Operator: KK

File: TUV HAIXIN Data: #973

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #974

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 High(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		22760.00	88.27	-38.66	49.61	74.00	-24.39	peak	0	
2	*	22760.00	70.96	-38.66	32.30	54.00	-21.70	AVG	0	

*: Maximum data x: Over limit !: over margin

Operator: KK

File: TUV HAIXIN Data: #974

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #975

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT40 High(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		24740.50	87.13	-37.04	50.09	74.00	-23.91	peak		0
2	*	24740.50	70.84	-37.04	33.80	54.00	-20.20	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #975

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #976

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT40 High(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		24179.50	87.96	-37.11	50.85	74.00	-23.15	peak		0
2	*	24179.50	72.51	-37.11	35.40	54.00	-18.60	AVG		0

*: Maximum data x: Over limit !: over margin

Operator: KK

File: TUV HAIXIN Data: #976

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #977

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT40 Middle(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		22751.50	88.42	-38.68	49.74	74.00	-24.26	peak	0	
2	*	22751.50	71.88	-38.68	33.20	54.00	-20.80	AVG	0	

*: Maximum data x: Over limit !: over margin

Operator: KK

File: TUV HAIXIN Data: #977

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #978

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT40 Middle(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		23763.00	88.29	-37.38	50.91	74.00	-23.09	peak	0	
2	*	23763.00	72.48	-37.38	35.10	54.00	-18.90	AVG	0	

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #978

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #979

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT40 Low(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		25029.50	88.70	-36.97	51.73	74.00	-22.27	peak	0	
2	*	25029.50	73.87	-36.97	36.90	54.00	-17.10	AVG	0	

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #979

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #980

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT40 Low(Ant0)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		23261.50	88.01	-37.91	50.10	74.00	-23.90	peak	0	
2	*	23261.50	73.01	-37.91	35.10	54.00	-18.90	AVG	0	

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #980

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #981

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT40 Low(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		23627.00	87.69	-37.52	50.17	74.00	-23.83	peak	0	
2	*	23627.00	72.72	-37.52	35.20	54.00	-18.80	AVG	0	

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #981

Page: 1