






401 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03



402 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03



403 | P a g e


Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03




404 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03



405 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>


Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Certificate#5593.01

Report No.: AAEMT/RF/231110-04-03



406 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







407 | P a g e


Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03



408 | P a g e


Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03



409 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03



410 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03



411 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03



412 | P a g e


Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03






413 | P a g e


Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03





414 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03



415 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India


Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: www.aaemtlabs.com

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03




416 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03




417 | Page

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








418 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03




Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: www.aaemtlabs.com

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








421 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







422 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







423 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India


Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: www.aaemtlabs.com

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03




Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03



425 | P a g e


Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: www.aaemtlabs.com

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels






Report No.: AAEMT/RF/231110-04-03



Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India

Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








429 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: www.aaemtlabs.com

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels








Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03



431 | P a g e


Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: www.aaemtlabs.com

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03




432 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







433 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India


Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03




434 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: www.aaemtlabs.com

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







435 | P a g e


Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India

Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







436 | P a g e


Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels






Report No.: AAEMT/RF/231110-04-03




Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels










438 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







439 | P a g e


Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03

Antenna 4:



440 | P a g e


Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Certificate#5593.01

Report No.: AAEMT/RF/231110-04-03



441 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







442 | P a g e


Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03



443 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03



444 | P a g e


Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03




445 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03



446 | P a g e


Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03



Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03




Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u>

Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels





Report No.: AAEMT/RF/231110-04-03



Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels







450 | P a g e

Plot No.174, Udyog Vihar Phase 4, Sector -18, Gurgaon -122016, Haryana, India Contact:0124-4235350, 4145343; e-mail: info @aaemtlabs.com; Website: <u>www.aaemtlabs.com</u> Decision Rule: The result of conformity based on the mentioned standards actual test limits / levels