

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240900366204

Page: 852 of 862

		5787.5	20	43.40	5787.490	5725 to 5850	Pass
				48.23	5787.470	5725 to 5850	Pass
				53.05	5787.490	5725 to 5850	Pass
			-20	48.23	5787.500	5725 to 5850	Pass
			-15	48.23	5787.520	5725 to 5850	Pass
			-10	48.23	5787.490	5725 to 5850	Pass
			0	48.23	5787.510	5725 to 5850	Pass
			10	48.23	5787.480	5725 to 5850	Pass
			30	48.23	5787.490	5725 to 5850	Pass
			40	48.23	5787.510	5725 to 5850	Pass
			50	48.23	5787.500	5725 to 5850	Pass
		5844.5	20	43.40	5844.500	5725 to 5850	Pass
				48.23	5844.500	5725 to 5850	Pass
				53.05	5844.500	5725 to 5850	Pass
			-20	48.23	5844.490	5725 to 5850	Pass
			-15	48.23	5844.490	5725 to 5850	Pass
			-10	48.23	5844.510	5725 to 5850	Pass
			0	48.23	5844.500	5725 to 5850	Pass
			10	48.23	5844.480	5725 to 5850	Pass
			30	48.23	5844.490	5725 to 5850	Pass
			40	48.23	5844.500	5725 to 5850	Pass
			50	48.23	5844.510	5725 to 5850	Pass
20M	MIMO	5735.5	20	43.40	5735.520	5725 to 5850	Pass
				48.23	5735.520	5725 to 5850	Pass
				53.05	5735.500	5725 to 5850	Pass
			-20	48.23	5735.520	5725 to 5850	Pass
			-15	48.23	5735.520	5725 to 5850	Pass
			-10	48.23	5735.520	5725 to 5850	Pass
			0	48.23	5735.520	5725 to 5850	Pass
			10	48.23	5735.520	5725 to 5850	Pass
			30	48.23	5735.520	5725 to 5850	Pass
			40	48.23	5735.540	5725 to 5850	Pass
			50	48.23	5735.520	5725 to 5850	Pass
		5787.5	20	43.40	5787.540	5725 to 5850	Pass
				48.23	5787.500	5725 to 5850	Pass
				53.05	5787.520	5725 to 5850	Pass
			-20	48.23	5787.500	5725 to 5850	Pass
			-15	48.23	5787.520	5725 to 5850	Pass
			-10	48.23	5787.540	5725 to 5850	Pass
			0	48.23	5787.520	5725 to 5850	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240900366204

Page: 853 of 862

			10	48.23	5787.520	5725 to 5850	Pass
			30	48.23	5787.520	5725 to 5850	Pass
			40	48.23	5787.500	5725 to 5850	Pass
			50	48.23	5787.520	5725 to 5850	Pass
		5839.5	20	43.40	5839.520	5725 to 5850	Pass
				48.23	5839.520	5725 to 5850	Pass
				53.05	5839.520	5725 to 5850	Pass
			-20	48.23	5839.540	5725 to 5850	Pass
			-15	48.23	5839.500	5725 to 5850	Pass
			-10	48.23	5839.520	5725 to 5850	Pass
			0	48.23	5839.520	5725 to 5850	Pass
			10	48.23	5839.520	5725 to 5850	Pass
			30	48.23	5839.540	5725 to 5850	Pass
			40	48.23	5839.520	5725 to 5850	Pass
			50	48.23	5839.520	5725 to 5850	Pass
40M	MIMO	5745.5	20	43.40	5745.380	5725 to 5850	Pass
				48.23	5745.380	5725 to 5850	Pass
				53.05	5745.380	5725 to 5850	Pass
			-20	48.23	5745.460	5725 to 5850	Pass
			-15	48.23	5745.340	5725 to 5850	Pass
			-10	48.23	5745.260	5725 to 5850	Pass
			0	48.23	5745.300	5725 to 5850	Pass
			10	48.23	5745.380	5725 to 5850	Pass
			30	48.23	5745.380	5725 to 5850	Pass
			40	48.23	5745.380	5725 to 5850	Pass
			50	48.23	5745.300	5725 to 5850	Pass
		5787.5	20	43.40	5787.380	5725 to 5850	Pass
				48.23	5787.380	5725 to 5850	Pass
				53.05	5787.500	5725 to 5850	Pass
			-20	48.23	5787.380	5725 to 5850	Pass
			-15	48.23	5787.380	5725 to 5850	Pass
			-10	48.23	5787.380	5725 to 5850	Pass
			0	48.23	5787.420	5725 to 5850	Pass
			10	48.23	5787.500	5725 to 5850	Pass
			30	48.23	5787.420	5725 to 5850	Pass
			40	48.23	5787.420	5725 to 5850	Pass
			50	48.23	5787.460	5725 to 5850	Pass
		5829.5	20	43.40	5829.420	5725 to 5850	Pass
				48.23	5829.420	5725 to 5850	Pass
				53.05	5829.500	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing & Inspection Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240900366204

Page: 854 of 862

			-20	48.23	5829.420	5725 to 5850	Pass
			-15	48.23	5829.460	5725 to 5850	Pass
			-10	48.23	5829.420	5725 to 5850	Pass
			0	48.23	5829.420	5725 to 5850	Pass
			10	48.23	5829.460	5725 to 5850	Pass
			30	48.23	5829.460	5725 to 5850	Pass
			40	48.23	5829.460	5725 to 5850	Pass
			50	48.23	5829.420	5725 to 5850	Pass
60M	MIMO	5755.5	20	43.40	5755.500	5725 to 5850	Pass
				48.23	5755.560	5725 to 5850	Pass
				53.05	5755.500	5725 to 5850	Pass
			-20	48.23	5755.560	5725 to 5850	Pass
			-15	48.23	5755.560	5725 to 5850	Pass
			-10	48.23	5755.500	5725 to 5850	Pass
			0	48.23	5755.320	5725 to 5850	Pass
			10	48.23	5755.500	5725 to 5850	Pass
			30	48.23	5755.560	5725 to 5850	Pass
			40	48.23	5755.500	5725 to 5850	Pass
			50	48.23	5755.500	5725 to 5850	Pass
		5787.5	20	43.40	5787.500	5725 to 5850	Pass
				48.23	5787.500	5725 to 5850	Pass
				53.05	5787.500	5725 to 5850	Pass
			-20	48.23	5787.500	5725 to 5850	Pass
			-15	48.23	5787.500	5725 to 5850	Pass
			-10	48.23	5787.440	5725 to 5850	Pass
			0	48.23	5787.440	5725 to 5850	Pass
			10	48.23	5787.500	5725 to 5850	Pass
			30	48.23	5787.500	5725 to 5850	Pass
			40	48.23	5787.440	5725 to 5850	Pass
			50	48.23	5787.500	5725 to 5850	Pass
		5819.5	20	43.40	5819.440	5725 to 5850	Pass
				48.23	5819.500	5725 to 5850	Pass
				53.05	5819.440	5725 to 5850	Pass
			-20	48.23	5819.500	5725 to 5850	Pass
			-15	48.23	5819.500	5725 to 5850	Pass
			-10	48.23	5819.500	5725 to 5850	Pass
			0	48.23	5819.500	5725 to 5850	Pass
			10	48.23	5819.500	5725 to 5850	Pass
			30	48.23	5819.440	5725 to 5850	Pass
			40	48.23	5819.560	5725 to 5850	Pass

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240900366204

Page: 855 of 862

			50	48.23	5819.500	5725 to 5850	Pass
80M	MIMO	5765.5	20	43.40	5765.275	5725 to 5850	Pass
				48.23	5765.275	5725 to 5850	Pass
				53.05	5765.200	5725 to 5850	Pass
			-20	48.23	5765.275	5725 to 5850	Pass
			-15	48.23	5765.200	5725 to 5850	Pass
			-10	48.23	5765.350	5725 to 5850	Pass
			0	48.23	5765.200	5725 to 5850	Pass
			10	48.23	5765.200	5725 to 5850	Pass
			30	48.23	5765.350	5725 to 5850	Pass
			40	48.23	5765.425	5725 to 5850	Pass
			50	48.23	5765.275	5725 to 5850	Pass
		5787.5	20	43.40	5787.200	5725 to 5850	Pass
				48.23	5787.125	5725 to 5850	Pass
				53.05	5787.125	5725 to 5850	Pass
			-20	48.23	5787.125	5725 to 5850	Pass
			-15	48.23	5787.125	5725 to 5850	Pass
			-10	48.23	5787.125	5725 to 5850	Pass
			0	48.23	5787.200	5725 to 5850	Pass
			10	48.23	5787.125	5725 to 5850	Pass
			30	48.23	5787.200	5725 to 5850	Pass
			40	48.23	5787.200	5725 to 5850	Pass
			50	48.23	5787.050	5725 to 5850	Pass
		5809.5	20	43.40	5809.050	5725 to 5850	Pass
				48.23	5809.125	5725 to 5850	Pass
				53.05	5809.050	5725 to 5850	Pass
			-20	48.23	5809.125	5725 to 5850	Pass
			-15	48.23	5809.050	5725 to 5850	Pass
			-10	48.23	5809.050	5725 to 5850	Pass
			0	48.23	5809.200	5725 to 5850	Pass
			10	48.23	5809.200	5725 to 5850	Pass
			30	48.23	5809.275	5725 to 5850	Pass
			40	48.23	5809.125	5725 to 5850	Pass
			50	48.23	5809.200	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240900366204

Page: 856 of 862

5.1.2 Ant5

Ant5							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
1.4M	MIMO	5728.5	20	43.40	5728.513	5725 to 5850	Pass
				48.23	5728.515	5725 to 5850	Pass
				53.05	5728.513	5725 to 5850	Pass
			-20	48.23	5728.513	5725 to 5850	Pass
				48.23	5728.514	5725 to 5850	Pass
				48.23	5728.517	5725 to 5850	Pass
			0	48.23	5728.515	5725 to 5850	Pass
				48.23	5728.518	5725 to 5850	Pass
				48.23	5728.517	5725 to 5850	Pass
			40	48.23	5728.513	5725 to 5850	Pass
				48.23	5728.518	5725 to 5850	Pass
				48.23	5728.518	5725 to 5850	Pass
		5786.5	20	43.40	5786.513	5725 to 5850	Pass
				48.23	5786.513	5725 to 5850	Pass
				53.05	5786.517	5725 to 5850	Pass
			-20	48.23	5786.515	5725 to 5850	Pass
				48.23	5786.510	5725 to 5850	Pass
				48.23	5786.520	5725 to 5850	Pass
			0	48.23	5786.515	5725 to 5850	Pass
				48.23	5786.514	5725 to 5850	Pass
				48.23	5786.515	5725 to 5850	Pass
			40	48.23	5786.513	5725 to 5850	Pass
				48.23	5786.513	5725 to 5850	Pass
				48.23	5786.500	5725 to 5850	Pass
		5846.12	20	43.40	5846.128	5725 to 5850	Pass
				48.23	5846.130	5725 to 5850	Pass
				53.05	5846.131	5725 to 5850	Pass
			-20	48.23	5846.134	5725 to 5850	Pass
				48.23	5846.128	5725 to 5850	Pass
				48.23	5846.126	5725 to 5850	Pass
			0	48.23	5846.133	5725 to 5850	Pass
				48.23	5846.128	5725 to 5850	Pass
				48.23	5846.128	5725 to 5850	Pass
			40	48.23	5846.128	5725 to 5850	Pass
				48.23	5846.128	5725 to 5850	Pass
				48.23	5846.133	5725 to 5850	Pass
3M	MIMO	5727.5	20	43.40	5727.488	5725 to 5850	Pass
				48.23	5727.503	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240900366204

Page: 857 of 862

				53.05	5727.512	5725 to 5850	Pass
			-20	48.23	5727.512	5725 to 5850	Pass
			-15	48.23	5727.506	5725 to 5850	Pass
			-10	48.23	5727.503	5725 to 5850	Pass
			0	48.23	5727.500	5725 to 5850	Pass
			10	48.23	5727.503	5725 to 5850	Pass
			30	48.23	5727.494	5725 to 5850	Pass
			40	48.23	5727.485	5725 to 5850	Pass
			50	48.23	5727.521	5725 to 5850	Pass
		5787.5	20	43.40	5787.494	5725 to 5850	Pass
				48.23	5787.506	5725 to 5850	Pass
				53.05	5787.494	5725 to 5850	Pass
			-20	48.23	5787.518	5725 to 5850	Pass
			-15	48.23	5787.509	5725 to 5850	Pass
			-10	48.23	5787.491	5725 to 5850	Pass
			0	48.23	5787.503	5725 to 5850	Pass
			10	48.23	5787.488	5725 to 5850	Pass
			30	48.23	5787.494	5725 to 5850	Pass
			40	48.23	5787.506	5725 to 5850	Pass
			50	48.23	5787.482	5725 to 5850	Pass
		5847.2	20	43.40	5847.215	5725 to 5850	Pass
				48.23	5847.182	5725 to 5850	Pass
				53.05	5847.200	5725 to 5850	Pass
			-20	48.23	5847.197	5725 to 5850	Pass
			-15	48.23	5847.209	5725 to 5850	Pass
			-10	48.23	5847.197	5725 to 5850	Pass
			0	48.23	5847.191	5725 to 5850	Pass
			10	48.23	5847.215	5725 to 5850	Pass
			30	48.23	5847.194	5725 to 5850	Pass
			40	48.23	5847.188	5725 to 5850	Pass
			50	48.23	5847.194	5725 to 5850	Pass
5M	MIMO	5732.5	20	43.40	5732.580	5725 to 5850	Pass
				48.23	5732.575	5725 to 5850	Pass
				53.05	5732.575	5725 to 5850	Pass
			-20	48.23	5732.545	5725 to 5850	Pass
			-15	48.23	5732.570	5725 to 5850	Pass
			-10	48.23	5732.550	5725 to 5850	Pass
			0	48.23	5732.560	5725 to 5850	Pass
			10	48.23	5732.575	5725 to 5850	Pass
			30	48.23	5732.580	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing & Inspection) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240900366204

Page: 858 of 862

			40	48.23	5732.575	5725 to 5850	Pass		
			50	48.23	5732.590	5725 to 5850	Pass		
		5787.5	20	43.40	5787.560	5725 to 5850	Pass		
				48.23	5787.560	5725 to 5850	Pass		
				53.05	5787.570	5725 to 5850	Pass		
			-20	48.23	5787.570	5725 to 5850	Pass		
			-15	48.23	5787.585	5725 to 5850	Pass		
			-10	48.23	5787.565	5725 to 5850	Pass		
			0	48.23	5787.570	5725 to 5850	Pass		
			10	48.23	5787.580	5725 to 5850	Pass		
			30	48.23	5787.580	5725 to 5850	Pass		
			40	48.23	5787.575	5725 to 5850	Pass		
			50	48.23	5787.590	5725 to 5850	Pass		
			5842.5	20	43.40	5842.580	5725 to 5850	Pass	
		48.23			5842.530	5725 to 5850	Pass		
		53.05			5842.550	5725 to 5850	Pass		
		-20		48.23	5842.575	5725 to 5850	Pass		
		-15		48.23	5842.560	5725 to 5850	Pass		
		-10		48.23	5842.585	5725 to 5850	Pass		
		0		48.23	5842.545	5725 to 5850	Pass		
		10		48.23	5842.570	5725 to 5850	Pass		
		30		48.23	5842.555	5725 to 5850	Pass		
		40		48.23	5842.535	5725 to 5850	Pass		
		50	48.23	5842.580	5725 to 5850	Pass			
		10M	MIMO	5730.5	20	43.40	5730.510	5725 to 5850	Pass
						48.23	5730.520	5725 to 5850	Pass
53.05	5730.480					5725 to 5850	Pass		
-20	48.23				5730.500	5725 to 5850	Pass		
-15	48.23				5730.500	5725 to 5850	Pass		
-10	48.23				5730.480	5725 to 5850	Pass		
0	48.23				5730.490	5725 to 5850	Pass		
10	48.23				5730.490	5725 to 5850	Pass		
30	48.23				5730.510	5725 to 5850	Pass		
40	48.23				5730.510	5725 to 5850	Pass		
50	48.23				5730.500	5725 to 5850	Pass		
5787.5	20				43.40	5787.500	5725 to 5850	Pass	
				48.23	5787.500	5725 to 5850	Pass		
				53.05	5787.500	5725 to 5850	Pass		
	-20			48.23	5787.510	5725 to 5850	Pass		
	-15			48.23	5787.490	5725 to 5850	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240900366204

Page: 859 of 862

			-10	48.23	5787.500	5725 to 5850	Pass
			0	48.23	5787.520	5725 to 5850	Pass
			10	48.23	5787.500	5725 to 5850	Pass
			30	48.23	5787.490	5725 to 5850	Pass
			40	48.23	5787.500	5725 to 5850	Pass
			50	48.23	5787.510	5725 to 5850	Pass
		5844.5	20	43.40	5844.500	5725 to 5850	Pass
				48.23	5844.500	5725 to 5850	Pass
				53.05	5844.500	5725 to 5850	Pass
			-20	48.23	5844.490	5725 to 5850	Pass
			-15	48.23	5844.500	5725 to 5850	Pass
			-10	48.23	5844.490	5725 to 5850	Pass
			0	48.23	5844.490	5725 to 5850	Pass
			10	48.23	5844.490	5725 to 5850	Pass
			30	48.23	5844.500	5725 to 5850	Pass
			40	48.23	5844.500	5725 to 5850	Pass
			50	48.23	5844.480	5725 to 5850	Pass
20M	MIMO	5735.5	20	43.40	5735.520	5725 to 5850	Pass
				48.23	5735.500	5725 to 5850	Pass
				53.05	5735.520	5725 to 5850	Pass
			-20	48.23	5735.520	5725 to 5850	Pass
			-15	48.23	5735.540	5725 to 5850	Pass
			-10	48.23	5735.500	5725 to 5850	Pass
			0	48.23	5735.520	5725 to 5850	Pass
			10	48.23	5735.520	5725 to 5850	Pass
			30	48.23	5735.500	5725 to 5850	Pass
			40	48.23	5735.520	5725 to 5850	Pass
			50	48.23	5735.500	5725 to 5850	Pass
		5787.5	20	43.40	5787.520	5725 to 5850	Pass
				48.23	5787.500	5725 to 5850	Pass
				53.05	5787.540	5725 to 5850	Pass
			-20	48.23	5787.540	5725 to 5850	Pass
			-15	48.23	5787.520	5725 to 5850	Pass
			-10	48.23	5787.540	5725 to 5850	Pass
			0	48.23	5787.520	5725 to 5850	Pass
			10	48.23	5787.520	5725 to 5850	Pass
			30	48.23	5787.500	5725 to 5850	Pass
			40	48.23	5787.540	5725 to 5850	Pass
			50	48.23	5787.520	5725 to 5850	Pass
		5839.5	20	43.40	5839.540	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Testing & Inspection Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240900366204

Page: 860 of 862

				48.23	5839.520	5725 to 5850	Pass
				53.05	5839.540	5725 to 5850	Pass
			-20	48.23	5839.520	5725 to 5850	Pass
			-15	48.23	5839.520	5725 to 5850	Pass
			-10	48.23	5839.500	5725 to 5850	Pass
			0	48.23	5839.520	5725 to 5850	Pass
			10	48.23	5839.520	5725 to 5850	Pass
			30	48.23	5839.520	5725 to 5850	Pass
			40	48.23	5839.520	5725 to 5850	Pass
			50	48.23	5839.520	5725 to 5850	Pass
40M	MIMO	5745.5	20	43.40	5745.460	5725 to 5850	Pass
				48.23	5745.420	5725 to 5850	Pass
				53.05	5745.420	5725 to 5850	Pass
			-20	48.23	5745.420	5725 to 5850	Pass
			-15	48.23	5745.380	5725 to 5850	Pass
			-10	48.23	5745.420	5725 to 5850	Pass
			0	48.23	5745.500	5725 to 5850	Pass
			10	48.23	5745.420	5725 to 5850	Pass
			30	48.23	5745.460	5725 to 5850	Pass
			40	48.23	5745.380	5725 to 5850	Pass
			50	48.23	5745.420	5725 to 5850	Pass
		5787.5	20	43.40	5787.340	5725 to 5850	Pass
				48.23	5787.380	5725 to 5850	Pass
				53.05	5787.260	5725 to 5850	Pass
			-20	48.23	5787.420	5725 to 5850	Pass
			-15	48.23	5787.380	5725 to 5850	Pass
			-10	48.23	5787.340	5725 to 5850	Pass
			0	48.23	5787.300	5725 to 5850	Pass
			10	48.23	5787.340	5725 to 5850	Pass
			30	48.23	5787.340	5725 to 5850	Pass
			40	48.23	5787.340	5725 to 5850	Pass
			50	48.23	5787.380	5725 to 5850	Pass
		5829.5	20	43.40	5829.380	5725 to 5850	Pass
				48.23	5829.420	5725 to 5850	Pass
				53.05	5829.420	5725 to 5850	Pass
			-20	48.23	5829.340	5725 to 5850	Pass
			-15	48.23	5829.420	5725 to 5850	Pass
			-10	48.23	5829.380	5725 to 5850	Pass
			0	48.23	5829.420	5725 to 5850	Pass
			10	48.23	5829.380	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240900366204

Page: 861 of 862

			30	48.23	5829.460	5725 to 5850	Pass
			40	48.23	5829.380	5725 to 5850	Pass
			50	48.23	5829.380	5725 to 5850	Pass
60M	MIMO	5755.5	20	43.40	5755.500	5725 to 5850	Pass
				48.23	5755.500	5725 to 5850	Pass
				53.05	5755.560	5725 to 5850	Pass
			-20	48.23	5755.500	5725 to 5850	Pass
				48.23	5755.440	5725 to 5850	Pass
				48.23	5755.500	5725 to 5850	Pass
			0	48.23	5755.440	5725 to 5850	Pass
				48.23	5755.440	5725 to 5850	Pass
				48.23	5755.500	5725 to 5850	Pass
			40	48.23	5755.560	5725 to 5850	Pass
				48.23	5755.440	5725 to 5850	Pass
				48.23	5755.440	5725 to 5850	Pass
		5787.5	20	43.40	5787.440	5725 to 5850	Pass
				48.23	5787.440	5725 to 5850	Pass
				53.05	5787.440	5725 to 5850	Pass
			-20	48.23	5787.500	5725 to 5850	Pass
				48.23	5787.500	5725 to 5850	Pass
				48.23	5787.440	5725 to 5850	Pass
			0	48.23	5787.440	5725 to 5850	Pass
				48.23	5787.500	5725 to 5850	Pass
				48.23	5787.500	5725 to 5850	Pass
			40	48.23	5787.500	5725 to 5850	Pass
				48.23	5787.500	5725 to 5850	Pass
				48.23	5787.440	5725 to 5850	Pass
		5819.5	20	43.40	5819.500	5725 to 5850	Pass
				48.23	5819.620	5725 to 5850	Pass
				53.05	5819.560	5725 to 5850	Pass
			-20	48.23	5819.560	5725 to 5850	Pass
				48.23	5819.500	5725 to 5850	Pass
				48.23	5819.440	5725 to 5850	Pass
			0	48.23	5819.500	5725 to 5850	Pass
				48.23	5819.560	5725 to 5850	Pass
				48.23	5819.500	5725 to 5850	Pass
			40	48.23	5819.560	5725 to 5850	Pass
				48.23	5819.560	5725 to 5850	Pass
				48.23	5819.500	5725 to 5850	Pass
80M	MIMO	5765.5	20	43.40	5765.275	5725 to 5850	Pass
				48.23	5765.275	5725 to 5850	Pass
				53.05	5765.275	5725 to 5850	Pass
			-20	48.23	5765.200	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR240900366204

Page: 862 of 862

			-15	48.23	5765.200	5725 to 5850	Pass
			-10	48.23	5765.125	5725 to 5850	Pass
			0	48.23	5765.275	5725 to 5850	Pass
			10	48.23	5765.200	5725 to 5850	Pass
			30	48.23	5765.200	5725 to 5850	Pass
			40	48.23	5765.050	5725 to 5850	Pass
			50	48.23	5765.125	5725 to 5850	Pass
		5787.5	20	43.40	5787.125	5725 to 5850	Pass
				48.23	5787.200	5725 to 5850	Pass
				53.05	5787.125	5725 to 5850	Pass
			-20	48.23	5787.050	5725 to 5850	Pass
			-15	48.23	5786.975	5725 to 5850	Pass
			-10	48.23	5787.050	5725 to 5850	Pass
			0	48.23	5787.125	5725 to 5850	Pass
			10	48.23	5786.975	5725 to 5850	Pass
			30	48.23	5786.975	5725 to 5850	Pass
			40	48.23	5787.125	5725 to 5850	Pass
			50	48.23	5787.050	5725 to 5850	Pass
		5809.5	20	43.40	5808.975	5725 to 5850	Pass
				48.23	5809.050	5725 to 5850	Pass
				53.05	5808.900	5725 to 5850	Pass
			-20	48.23	5809.050	5725 to 5850	Pass
			-15	48.23	5808.975	5725 to 5850	Pass
			-10	48.23	5808.900	5725 to 5850	Pass
			0	48.23	5808.975	5725 to 5850	Pass
			10	48.23	5808.975	5725 to 5850	Pass
			30	48.23	5808.975	5725 to 5850	Pass
			40	48.23	5808.900	5725 to 5850	Pass
			50	48.23	5808.975	5725 to 5850	Pass

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com