

**FCC PART 15 SUBPART B & C
TEST REPORT***for***HUBZ****Model: HUSBZB-1**

Prepared for

**NORTEK SECURITY & CONTROL
1950 CAMINO VIDA ROBLE
CARLSBAD, CA 92008**

Prepared by: _____

MATT HARRISON

Approved by: _____

JEFF KLINGER**COMPATIBLE ELECTRONICS INC.
20621 PASCAL WAY
LAKE FOREST, CALIFORNIA 92630
(949) 587-0400**

DATE: JULY 21, 2015

	REPORT BODY	APPENDICES					TOTAL
		A	B	C	D	E	
PAGES	19	2	2	2	17	53	95

This report shall not be reproduced except in full, without the written approval of Compatible Electronics.

**Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500****Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600****Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700****Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400**

TABLE OF CONTENTS

Section / Title	PAGE
GENERAL REPORT SUMMARY	4
SUMMARY OF TEST RESULTS	5
1. PURPOSE	6
2. ADMINISTRATIVE DATA	7
2.1 Location of Testing	7
2.2 Traceability Statement	7
2.3 Cognizant Personnel	7
2.4 Date Test Sample was Received	7
2.5 Disposition of the Test Sample	7
2.6 Abbreviations and Acronyms	7
3. APPLICABLE DOCUMENTS	8
4. DESCRIPTION OF TEST CONFIGURATION	9
4.1 Description of Test Configuration	9
4.1.1 Photograph Test Configuration	9
4.1.2 Cable Construction and Termination	10
5. LISTS OF EUT, ACCESSORIES AND TEST EQUIPMENT	11
5.1 EUT and Accessory List	11
5.2 EMI Test Equipment	12
6. TEST SITE DESCRIPTION	13
6.1 Test Facility Description	13
6.2 EUT Mounting, Bonding and Grounding	13
6.3 Facility Environmental Characteristics	13
7. CHARACTERISTICS OF THE TRANSMITTER	14
7.1 Channel Number and Frequencies	14
7.2 Antenna	14
8. TEST PROCEDURES	15
8.1 RF Emissions	15
8.1.1 Conducted Emissions Test	15
8.1.2 Radiated Emissions (Spurious and Harmonics) Test	16
8.1.3 DTS Bandwidth	17
8.1.4 Maximum Peak Conducted Output Power	17
8.1.5 Maximum Peak Power Spectral Density Level In The Fundamental Emission	17
8.1.6 Emissions in Non-Restricted Frequency Bands (in 100kHz Bandwidth)	18
8.1.7 Emissions in the Restricted Bands (Radiated)	18
8.1.8 Emissions Radiated Outside of the Fundamental Frequency Band	18
9. TEST PROCEDURE DEVIATIONS	19
10. CONCLUSIONS	19



LIST OF APPENDICES

APPENDIX	TITLE
A	Laboratory Accreditations and Recognitions
B	Modifications to the EUT
C	Additional Models Covered Under This Report
D	Diagrams, Factors, Charts, and Photos • Test Setup Diagrams • Antenna and Amplifier Factors • Radiated and Conducted Emissions Photos
E	Radiated and Conducted Emissions Data Sheets

LIST OF FIGURES

FIGURE	TITLE
1	Plot Map And Layout of Test Site Below 1GHz
2	Plot Map And Layout of Test Site Above 1GHz
3	Conducted Emissions Test Setup



GENERAL REPORT SUMMARY

This electromagnetic emission test report is generated by Compatible Electronics Inc., which is an independent testing and consulting firm. The test report is based on testing performed by Compatible Electronics personnel according to the measurement procedures described in the test specifications given below and in the "Test Procedures" section of this report.

The measurement data and conclusions appearing herein relate only to the sample tested and this report may not be reproduced in any form unless done so in full with the written permission of Compatible Electronics.

This report must not be used to claim product endorsement by NVLAP, NIST, or any other agency of the U.S. Government or other governments.

Device Tested: HubZ
Model: HUSBZB-1
S/N: None

Product Description: HubZ is a USB v2.0 full speed low power CDC-ACM compliant Z-Wave/Zigbee adapter in a thumb drive form factor. When plugged into computer or similar host device, it appears as a serial port so no additional drivers are required. HubZ is an independently controlled Z-Wave/Zigbee hub that requires an application from a third party to operate. The application will control such function as Inclusion, Exclusion and Replication.

Modifications: The EUT was not modified in order to comply with specifications.

Manufacturer: Nortek Security & Control
1950 Camino Roble
Carlsbad, CA 92008

Test Dates: May 29, June 3, 2015

Test Specifications: EMI requirements
CFR Title 47, Part 15 Subpart B Section 15.109, & Subpart C Sections 15.205, 15.209 & 15.247.

Test Procedure: ANSI C63.4 & C63.10, and KDB 558074 D01 v03R01.



SUMMARY OF TEST RESULTS

TEST	DESCRIPTION	RESULTS
1	Conducted RF Emissions, 150 kHz - 30 MHz	Complies with the limits of CFR Title 47 Part 15 Subpart C Section 15.207
2	Radiated RF Emissions & Harmonics, 9 kHz – 25,000 MHz	Complies with the limits of CFR Title 47 Part 15 Subpart B, Section 15.109 and Subpart C Sections 15.205, 15.209
3	DTS Bandwidth	Complies with CFR Title 47 Part 15 Subpart C Section 15.247
4	Maximum Peak Conducted Output Power	Complies with CFR Title 47 Part 15 Subpart C Section 15.247
5	Maximum Peak Power Spectral Density Level In The Fundamental Emission	Complies with CFR Title 47 Part 15 Subpart C Section 15.247
6	Emissions in Non-Restricted Frequency Bands (in 100kHz Bandwidth)	Complies with CFR Title 47 Part 15 Subpart C Section 15.247
7	Emissions in the Restricted Bands	Complies with CFR Title 47 Part 15 Subpart C Section 15.205



1. PURPOSE

This document is a qualification test report based on the Electromagnetic Interference (EMI) tests performed on the HubZ Model: HUSBZB-1. The EMI measurements were performed according to the measurement procedure described in ANSI C63.10 & C63.4. The tests were performed in order to determine whether the electromagnetic emissions from the equipment under test, referred to as EUT (equipment under test) hereafter, are within the specification limits defined by the Code of Federal Regulations Title 47, Part 15 Subpart B sections 15.107, 15.109, & Subpart C sections 15.205, 15.207, 15.209 and 15.247.



2. ADMINISTRATIVE DATA

2.1 Location of Testing

The tests described herein were performed at the test facility of Compatible Electronics, 20621 Pascal Way Lake Forest, California 92630.

2.2 Traceability Statement

The calibration certificates of all test equipment used during the test are on file at the location of the test. The calibration is traceable to the National Institute of Standards and Technology (NIST).

2.3 Cognizant Personnel

Nortek Security & Control

Josh Hansen Regulatory Engineer

Compatible Electronics Inc.

Matt Harrison Test Engineer
Joey Madlangbayan Product Safety Manager
Jeff Klinger Director of Engineering

2.4 Date Test Sample was Received

The test sample was received on May 27, 2015.

2.5 Disposition of the Test Sample

The test sample remains at Compatible Electronics as of the date of this test report.

2.6 Abbreviations and Acronyms

The following abbreviations and acronyms may be used in this document.

RF	Radio Frequency
EMI	Electromagnetic Interference
EUT	Equipment Under Test
P/N	Part Number
S/N	Serial Number
HP	Hewlett Packard
ITE	Information Technology Equipment
CML	Corrected Meter Limit
LISN	Line Impedance Stabilization Network
NVLAP	National Voluntary Laboratory Accreditation Program
CFR	Code of Federal Regulations
PCB	Printed Circuit Board
TX	Transmit
RX	Receive



3. APPLICABLE DOCUMENTS

The following documents are referenced or used in the preparation of this Test Report.

SPEC	TITLE
CFR Title 47, Part 15	FCC Rules – Radio frequency devices (including digital devices)
ANSI C63.4 2009	Methods of measurement of radio-noise emissions from low-voltage electrical and electronic equipment in the range of 9 kHz to 40 GHz.
ANSI C63.10: 2009	Methods of measurement of radio-noise emissions from low-voltage electrical and electronic equipment in the range of 9 kHz to 40 GHz
KDB 558074 D01 v03r02	Guidance for Performing Compliance Measurements on Digital Transmission Systems (DTS) Operating Under §15.247



4. DESCRIPTION OF TEST CONFIGURATION


4.1 Description of Test Configuration

The HubZ Model: HUSBZB-1 (EUT) was setup in a tabletop configuration. The EUT was connected to the Laptop Computer USB port. The EUT was checked all 3 axis. The worst case was found to be the Z-Axis. The EUT was continuously transmitting a data stream during transmit tests and constantly receiving during receiver tests.

The voltage was varied $\pm 15\%$; the transmitting signal amplitude and frequency did not vary.

It was determined that the emissions were at their highest level when the EUT was transmitting in the configuration described above for Radiated Emissions. The final radiated data was taken in the above configuration. Please see Appendix E for the test data.

4.1.1 Photograph Test Configuration



4.1.2 Cable Construction and Termination

Cable 1

This is a 2-meter, braid shielded USB cable. It is connecting the EUT to the Laptop Computer. It has a USB Type A connector at both ends of the cable. The cable was bundled to a length of 1 meter.

Cable 2

This is a 2-meter, unshielded cable. It is connecting the Laptop to the Laptop Power Supply. It is hardwired at the EUT end. The cable was not bundled.



5. LISTS OF EUT, ACCESSORIES AND TEST EQUIPMENT**5.1 EUT and Accessory List**

#	EQUIPMENT TYPE	MANU-FACTURER	MODEL	SERIAL NUMBER
1	HUBZ (EUT)	NORTEK SECURITY & CONTROL	HUSBZB-1	1
2	LAPTOP	LENOVO	W530	R9-WRFYR 13/01
3	LAPTOP POWER SUPPLY	LENOVO	45N0113	11S45M0113Z1ZHX82CB1M9



5.2 EMI Test Equipment

EQUIPMENT TYPE	MANUFACTURER	MODEL NUMBER	SERIAL NUMBER	CAL. DATE	CAL. DUE DATE
Computer	Hewlett Packard	s5250t	NONE	N/A	N/A
EMI Receiver	Rohde & Schwarz	ESIB40	100219	09/19/2014	09/05/2015
Antenna, Loop	Com Power	AL-130	121049	12/06/2013	12/06/2015
Antenna, CombiLog	Com Power	AC-220	25857	5/21/2014	5/21/2016
Antenna, Horn 1-18GHz	Com Power	AH-118	071250	07/03/2014	07/03/2016
Antenna, Horn 18-26GHz	Com Power	AH-826	081033	N.C.R.	N.C.R.
Pre-Amp, 1-18GHz	Com Power	PAM-118	443013	04/24/2014	04/24/2016
Pre-Amp, 1-18GHz	Com Power	PAM-118	443011	04/24/2014	04/24/2016
Pre-Amp, 18-40GHz	Com Power	PA-840	181289	06/16/2014	06/16/2016
High Pass Filter	AMTI Microwave Circuits	H3G020G4	481230	06/04/2014	06/04/2016
Mast, Antenna Positioner	Sunol Science Corporation	TWR 95-4	081309-3	N/A	N/A
Turntable	Sunol Science Corporation	FM 2011VS	None	N/A	N/A
Mast and Turntable Controller	Sunol Science Corporation	SC104V	081309-1	N/A	N/A
LISN	Com-Power	LI-150	191935	3/17/2014	3/17/2016



6. TEST SITE DESCRIPTION**6.1 Test Facility Description**

Please refer to section 2.1 and the figures in Appendix D of this report for test location.

6.2 EUT Mounting, Bonding and Grounding

The EUT was mounted on a 1.0 by 1.5 by 0.8 meter high non-conductive table, which was placed on the ground plane.

The EUT was not grounded.

6.3 Facility Environmental Characteristics

When applicable refer to the data sheets in Appendix E for the relative humidity, air temperature, and barometric pressure.




7. CHARACTERISTICS OF THE TRANSMITTER

7.1 Channel Number and Frequencies

There are a total of 16 channels. The low channel is at 2405.0 MHz and the high channel is at 2480.0 MHz. There is a 5 MHz separation between channels.

11 == 2405 MHz
12 == 2410 MHz
13 == 2415 MHz
14 == 2420 MHz
15 == 2425 MHz
16 == 2430 MHz
17 == 2435 MHz
18 == 2440 MHz
19 == 2445 MHz
20 == 2450 MHz
21 == 2455 MHz
22 == 2460 MHz
23 == 2465 MHz
24 == 2470 MHz
25 == 2475 MHz
26 == 2480 MHz



7.2 Antenna

The antenna is made up of a trace located on the PCB.



8. TEST PROCEDURES

The following sections describe the test methods and the specifications for the tests. Test results are also included in this section.

8.1 RF Emissions

8.1.1 Conducted Emissions Test


The EMI receiver was used as a measuring meter. A quasi-peak and/or average reading was taken only where indicated in the data sheets. The LISN output was measured using the EMI receiver. The output of the second LISN was terminated by a 50-ohm termination. The effective measurement bandwidth used for this test was 9 kHz.

Please see section 6.2 of this report for mounting, bonding, and grounding of the EUT. The EUT received its power through the LISN, which was bonded to the ground plane. The EUT was set up with the minimum distances from any conductive surfaces as specified in ANSI 63.4. The excess power cord was wrapped in a figure eight pattern to form a bundle not exceeding 0.4 meters in length.

The conducted emissions from the EUT were maximized for operating mode as well as cable placement. The final data was collected under program control by the computer software. The final qualification data is located in Appendix E.

Test Results:

The EUT complies with the limits of CFR Title 47 Part 15 Subpart B section 15.107 & Subpart C section 15.207.



8.1.2 Radiated Emissions (Spurious and Harmonics) Test

The Receiver was used as a measuring meter. The Receiver was used in the peak detect mode with the "Max Hold" feature activated. In this mode, the receiver records the highest measured reading over all the sweeps. Amplifiers were used to increase the sensitivity of the instrument. There was one Microwave Preamplifier used for frequencies above 1 GHz.

For spurious emissions the quasi-peak detector was used for frequencies below 1GHz and the average detector was used for frequencies above 1 GHz.

For the radiated Harmonic emissions and Band Edges a linear average detector was used.

The measurement bandwidths and transducers used for the radiated emissions test were:

FREQUENCY RANGE (MHz)	TRANSDUCER	EFFECTIVE MEASUREMENT BANDWIDTH
.009 to .150	Active Loop Antenna	200 Hz
.150 to 30	Active Loop Antenna	9 kHz
30 to 1000	Combilog Antenna	100 kHz
1000 to 25000	Horn Antenna	1 MHz

The TDK FAC-3 shielded test chamber of Compatible Electronics, Inc. was used for radiated emissions testing. This test site is in full compliance with ANSI C63.4, EN 50147-2, and CISPR 22. Please see section 6.2 of this report for mounting, bonding and grounding of the EUT. The turntable supporting the EUT is remote controlled using a motor. The turntable permits EUT rotation of 360 degrees in order to maximize emissions. Also, the antenna mast allows height variation of the antenna from 1 meter to 4 meters. Data was collected in the worst case (highest emission) configuration of the EUT. At each reading, the EUT was rotated 360 degrees and the antenna height was varied from 1 to 4 meters in both vertical and horizontal polarizations (for E field radiated field strength).

Test Results:

The EUT complies with the limits of CFR Title 47 Part 15 Subpart B section 15.109, & Subpart C sections 15.205, 15.209 and 15.247.



8.1.3 DTS Bandwidth

The DTS Bandwidth was measured directly connected to the EMI Receiver using a RBW of 100 kHz and a VBW of 300 kHz. A peak detector and a max hold trace were used with auto sweep time. The trace was allowed to fully maximize. We measured the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission. The final qualification data sheets are located in Appendix E.

Test Results:

The EUT complies with Part 15, Subpart C, Section 15.247.

8.1.4 Maximum Peak Conducted Output Power

The maximum peak conducted output power was measured using an EMI Receiver. The Receiver used a resolution bandwidth that is greater than the DTS bandwidth and a video bandwidth greater than 3 x RBW. Sweep time was set to auto with a peak detector using the max hold function of the EMI Receiver. The final qualification data sheets are located in Appendix E.

Test Results:

The EUT complies with Part 15 Subpart C, Section 15.247.

8.1.5 Maximum Peak Power Spectral Density Level In The Fundamental Emission

The Maximum Peak Power Spectral Density Level in the Fundamental Emission was measured directly connected to the EMI Receiver. Tuned to the center frequency of the DTS channel and set the span to 1.5 times the DTS bandwidth. RBW was set to 3 kHz and VBW 10 kHz. A peak detector was used with the sweep time set to auto. A max hold trace was used and allowed to fully stabilize. The peak marker function was used to determine the maximum amplitude level within the RBW. The final qualification data sheets are located in Appendix E.

Test Results:

The EUT complies with Part 15, Subpart C, Section 15.247.



8.1.6 Emissions in Non-Restricted Frequency Bands (in 100kHz Bandwidth)

The Emissions in Non-Restricted Frequency Bands (in 100kHz Bandwidth) measurements were performed using the EMI Receiver directly connected to the EUT. A reference level was established by setting the instrument center frequency to DTS channel center frequency. The span was set to ≥ 1.5 times the DTS bandwidth. The RBW was 100 kHz and VBW 300 kHz. A peak detector was used with a sweep time set to auto. A max hold trace was used and allowed to fully stabilize. The peak marker function was used to determine the level and 20dB below that was the reference level. For Emission Level Measurement the center frequency and span were set to encompass the frequency range to be measured. RBW was set to 100 kHz and VBW to 300 kHz. A peak detector was used with a sweep time set to auto. The number of measurement points were greater than span/RBW. A max hold trace was used and allowed to fully stabilize. The peak marker function was used to determine the maximum amplitude level. The final qualification data sheets are located in Appendix E.

Test Results:

The EUT complies with Part 15, Subpart C, Section 15.247.

8.1.7 Emissions in the Restricted Bands (Radiated)

The Emissions in the Restricted Bands measurement was performed using the EMI Receiver at a 3-meter test distance to obtain the final test data. The final qualification data sheets are located in Appendix E.

Test Results:

The EUT complies with Part 15 Subpart C, Section 15.247.

8.1.8 Emissions Radiated Outside of the Fundamental Frequency Band

The Band Edge measurement was performed using the EMI Receiver at a 3-meter test distance to obtain the final test data. The low and high channels were tuned to during the low and high band edge tests. The final qualification data sheets are located in Appendix E.

Test Results:

The EUT complies with Part 15 Subpart C, Section 15.247.



9. TEST PROCEDURE DEVIATIONS

The test procedures were not deviated from throughout all tests.

10. CONCLUSIONS

The HubZ Model: HUSBZB-1 meets all of the relevant specification requirements defined in the Code of Federal Regulations Title 47, Part 15 Subpart B sections 15.107, 15.109, & Subpart C sections 15.205, 15.207, 15.209 and 15.247.



APPENDIX A***LABORATORY ACCREDITATIONS AND
RECOGNITIONS***

Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

LABORATORY ACCREDITATIONS AND RECOGNITIONS



NVLAP LAB CODES 200063-0,
200528-0, 200527-0

For US, Canada, Australia/New Zealand, Taiwan and the European Union, Compatible Electronics is currently accredited by NVLAP to ISO/IEC 17025 an ISO 9002 equivalent. Please follow the link to the NIST site for each of our facilities NVLAP certificate and scope of accreditation.

NVLAP listing links

Agoura Division - <http://ts.nist.gov/Standards/scopes/2000630.htm>

Brea Division - <http://ts.nist.gov/Standards/scopes/2005280.htm>

Silverado/Lake Forest Division - <http://ts.nist.gov/Standards/scopes/2005270.htm>



ANSI listing

[CETCB](#)

<https://www.ansica.org/wwwversion2/outside/ALLdirectoryDetails.asp?menuID=1&prgID=3&orgID=123&status=4>



Compatible Electronics has been nominated as a Conformity Assessment Body (CAB) for EMC under the US/EU Mutual Recognition Agreement (MRA).



Compatible Electronics has been nominated as a Conformity Assessment Body (CAB) for Taiwan/BSMI under the US/APEC (Asia-Pacific Economic Cooperation) Mutual Recognition Agreement (MRA).

We are also certified/listed for IT products by the following country/agency:



VCCI Listing, from VCCI site

[Enter "Compatible" in search form](#) http://www.vcci.or.jp/vcci_e/activity/registration/setsubi.html



FCC Listing, from FCC OET site

[FCC test lab search](#) <https://fjallfoss.fcc.gov/oetcf/eas/reports/TestFirmSearch.cfm>



Compatible Electronics IC listing can be found at:

<http://www.ic.gc.ca/eic/site/ic1.nsf/eng/home>



Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

APPENDIX B***MODIFICATIONS TO THE EUT***

Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

MODIFICATIONS TO THE EUT

There were no modifications made to the EUT during the tests.



APPENDIX C***ADDITIONAL MODELS COVERED
UNDER THIS REPORT***

Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

ADDITIONAL MODELS COVERED UNDER THIS REPORT

USED FOR THE PRIMARY TEST

HubZ
Model: HUSBZB-1
S/N: 1

No additional models were tested.



APPENDIX D***DIAGRAMS, FACTORS, CHARTS, AND PHOTOS***

Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

FIGURE 1: PLOT MAP AND LAYOUT OF TEST SITE BELOW 1GHZ




FIGURE 2: PLOT MAP AND LAYOUT OF TEST SITE ABOVE 1GHZ





FIGURE 3: CONDUCTED EMISSIONS TEST SETUP



COM-POWER AL-130**LOOP ANTENNA****S/N: 121049****CALIBRATION DUE: DECEMBER 6, 2015**

FREQUENCY (MHz)	MAGNETIC (dB/m)	ELECTRIC (dB/m)	FREQUENCY (MHz)	MAGNETIC (dB/m)	ELECTRIC (dB/m)
0.009	-34.64	16.86	0.8	-36.32	15.18
0.01	-34.78	16.72	0.9	-36.22	15.28
0.02	-35.91	15.59	1.0	-36.22	15.28
0.03	-35.48	16.02	2.0	-35.91	15.59
0.04	-35.82	15.68	3.0	-35.91	15.59
0.05	-36.49	15.01	4.0	-36.01	15.49
0.06	-36.30	15.20	5.0	-35.80	15.70
0.07	-36.43	15.07	6.0	-36.00	15.50
0.08	-36.30	15.20	7.0	-35.90	15.60
0.09	-36.39	15.11	8.0	-35.70	15.80
0.1	-36.41	15.09	9.0	-35.70	15.80
0.2	-36.61	14.89	10.0	-35.60	15.90
0.3	-36.63	14.87	15.0	-36.52	14.98
0.4	-36.52	14.99	20.0	-35.75	15.75
0.5	-36.63	14.87	25.0	-37.78	13.72
0.6	-36.62	14.88	30.0	-38.62	12.88
0.7	-36.53	14.97			



COM-POWER AC-220**LAB R - COMBILOG ANTENNA****S/N: 25857****CALIBRATION DUE: MAY 21, 2016**

FREQUENCY (MHz)	FACTOR (dB)	FREQUENCY (MHz)	FACTOR (dB)
30	22.5	160	13.3
35	22.5	180	15.0
40	23.0	200	14.6
45	21.5	250	16.5
50	21.3	300	18.1
60	18.2	400	19.4
70	13.2	500	21.4
80	11.6	600	21.6
90	11.9	700	23.7
100	12.6	800	26.0
120	15.1	900	26.6
140	13.6	1000	28.5



COM-POWER AH-118**HORN ANTENNA****S/N: 071250****CALIBRATION DUE: JULY 3, 2016**

FREQUENCY (MHz)	FACTOR (dB)	FREQUENCY (MHz)	FACTOR (dB)
1000	30.1	9500	44.2
1500	29.2	10000	43.4
2000	31.6	10500	44.6
2500	35.5	11000	45.1
3000	33.7	11500	45.7
3500	36.0	12000	46.2
4000	35.4	12500	45.4
4500	35.5	13000	44.8
5000	40.1	13500	46.7
5500	37.8	14000	47.8
6000	39.0	14500	46.4
6500	39.9	15000	47.2
7000	40.4	15500	45.5
7500	44.4	16000	45.0
8000	44.1	16500	44.5
8500	43.1	17000	47.0
9000	43.0	17500	47.8
		18000	44.2



COM-POWER AH-826**HORN ANTENNA****S/N: 81033**

FREQUENCY (MHz)	FACTOR (dB)	FREQUENCY (MHz)	FACTOR (dB)
18000	32.8	22500	32.7
18500	32.2	23000	32.7
19000	31.9	23500	32.0
19500	31.5	24000	32.9
20000	33.3	24500	33.7
20500	33.2	25000	34.1
21000	32.6	25500	33.6
21500	33.2	26000	35.1
22000	33.0	26500	33.6



COM-POWER PAM-118**1-18GHz - PREAMPLIFIER****S/N: 443011****CALIBRATION DUE: APRIL 24, 2016**

FREQUENCY (MHz)	FACTOR (dB)	FREQUENCY (GHz)	FACTOR (dB)
0.500	27.2	7.000	23.8
1.000	26.6	7.500	23.9
1.500	27.0	8.000	24.4
2.000	27.0	8.500	25.2
2.500	27.4	9.500	26.2
3.000	27.6	10.000	25.8
3.500	27.5	11.000	25.5
4.000	27.3	12.000	25.4
4.500	27.3	13.000	25.1
5.000	27.5	14.000	24.6
5.500	26.3	15.000	24.1
6.000	26.1	16.000	25.1
6.500	25.4	17.000	25.2
		18.000	24.4



COM-POWER PAM-118**1-18GHz - PREAMPLIFIER****S/N: 443013****CALIBRATION DUE: APRIL 24, 2016**

FREQUENCY (MHz)	FACTOR (dB)	FREQUENCY (MHz)	FACTOR (dB)
500	26.2	5500	25.3
1000	25.6	6000	25.0
1100	25.9	6500	24.7
1200	25.9	7000	23.6
1300	26.3	7500	23.3
1400	26.5	8000	23.7
1500	26.3	8500	24.0
1600	26.1	9000	24.3
1700	26.2	9500	24.1
1800	26.3	10000	23.7
1900	25.8	11000	24.2
2000	26.0	12000	23.2
2500	26.0	13000	22.8
3000	25.8	14000	22.6
3500	25.9	15000	22.9
4000	26.4	16000	22.3
4500	26.0	17000	22.6
5000	25.6	18000	23.9



COM-POWER PA-840**18-40 GHz PREAMPLIFIER****S/N: 181289****CALIBRATION DUE: JUNE 16, 2016**

FREQUENCY (MHz)	FACTOR (dB)	FREQUENCY (MHz)	FACTOR (dB)
18000	29.4	31500	28.2
19000	28.8	32000	28.6
20000	30.5	32500	28.8
21000	31.4	33000	28.2
22000	31.2	33500	27.7
23000	30.1	34000	27.2
24000	30.3	34500	28.2
25000	29.8	35000	27.3
26000	30.5	35500	27.2
26500	30.7	36000	27.2
27000	30.8	36500	27.5
27500	30.2	37000	27.0
28000	30.1	37500	26.7
28500	30.2	38000	26.2
29000	30.1	38500	26.5
29500	29.8	39000	26.3
30000	29.2	39500	26.9
30500	28.4	40000	27.6
31000	29.8		



**FRONT VIEW**

NORTEK SECURITY & CONTROL
HUBZ

Model: HUSBZB-1

FCC SUBPART B & C - RADIATED EMISSIONS < 1GHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION
FOR MAXIMUM EMISSIONS**

Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

**REAR VIEW**

NORTEK SECURITY & CONTROL
HUBZ

Model: HUSBZB-1

FCC SUBPART B & C - RADIATED EMISSIONS < 1GHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION
FOR MAXIMUM EMISSIONS**

Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

**FRONT VIEW**

NORTEK SECURITY & CONTROL
HUBZ

Model: HUSBZB-1

FCC SUBPART B & C - RADIATED EMISSIONS > 1GHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION
FOR MAXIMUM EMISSIONS**

Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

**REAR VIEW**

NORTEK SECURITY & CONTROL
HUBZ

Model: HUSBZB-1

FCC SUBPART B & C - RADIATED EMISSIONS > 1GHz

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION
FOR MAXIMUM EMISSIONS**

Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400



VIEW 1

NORTEK SECURITY & CONTROL
HUBZ

Model: HUSBZB-1

FCC SUBPART B & C - CONDUCTED EMISSIONS

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION
FOR MAXIMUM EMISSIONS**



Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400



VIEW 2

NORTEK SECURITY & CONTROL
HUBZ

Model: HUSBZB-1

FCC SUBPART B & C - CONDUCTED EMISSIONS

**PHOTOGRAPH SHOWING THE EUT CONFIGURATION
FOR MAXIMUM EMISSIONS**



Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

APPENDIX E***RADIATED EMISSIONS DATA SHEETS***

Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500


Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

Title: FCC 15.209
File: Radiated Pre-Scan 30-1000Mhz_Tx.set
Operator: Matt Harrison
EUT Type: HUSBZB-1.
EUT Condition: Transmitting @ 2405MHz (Worst case).
Comments: Connected to Laptop Computer Via USB Extension Cable.
Temp: 70f
Hum: 46%
Host: 120V 60Hz

6/3/2015 10:46:39 AM
Sequence: Preliminary Scan

Compatible Electronics, Inc. FAC-3 (Lab R)

There were no radiated emissions besides harmonics found between 9kHz-30 MHz or 1GHz-25GHz.



Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400


Title: FCC 15.209
File: Radiated Final 30-1000Mhz_Tx.set
Operator: Matt Harrison
EUT Type: HUSBZB-1.
EUT Condition: Transmitting @ 2405MHz (Worst case).
Comments: Connected to Laptop Computer Via USB Extension Cable.
Temp: 70f
Hum: 46%
Host: 120V 60Hz

6/3/2015 11:02:55 AM
Sequence: Final Measurements

Compatible Electronics, Inc. FAC-3 (Lab R)

Freq (MHz)	(QP) Margin (dB)	(QP) EMI (dBµV/m)	(PEAK) EMI (dBµV/m)	Limit (dBµV/m)	Pol	Ttbl Agl (deg)	Twr Ht (cm)	Transducer (dB)	Cable(dB)
36.00	-12.87	27.13	41.33	40.00	V	29.25	162.85	22.61	1.08
37.50	-12.97	27.03	31.78	40.00	V	1.75	113.23	22.77	1.17
38.10	-11.57	28.43	32.69	40.00	V	229.25	126.73	22.81	1.19
38.50	-14.43	25.57	30.96	40.00	V	237.75	129.41	22.87	1.23
72.30	-15.39	24.61	29.15	40.00	V	189.00	172.40	12.80	0.62
666.10	-17.21	28.79	33.48	46.00	V	359.75	100.40	23.43	2.66

There were no radiated emissions besides harmonics found between 9kHz-30 MHz or 1GHz-25GHz.



Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500


Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

Title: FCC 15.209
File: Radiated Pre-Scan 30-1000Mhz_Rx.set
Operator: Matt Harrison
EUT Type: HUSBZB-1.
EUT Condition: Constantly Receiving.
Comments: Connected to Laptop Computer Via USB Extension Cable.
Temp: 70f
Hum: 46%
Host: 120V 60Hz

6/3/2015 11:33:34 AM
Sequence: Preliminary Scan

Compatible Electronics, Inc. FAC-3 (Lab R)

There were no radiated emissions besides harmonics found between 9kHz-30 MHz or 1GHz-25GHz.



Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400


Title: FCC 15.209
File: Radiated Final 30-1000Mhz_Rx.set
Operator: Matt Harrison
EUT Type: HUSBZB-1.
EUT Condition: Constantly Receiving.
Comments: Connected to Laptop Computer Via USB Extension Cable.
Temp: 70f
Hum: 46%
Host: 120V 60Hz

6/3/2015 11:44:27 AM
Sequence: Final Measurements

Compatible Electronics, Inc. FAC-3 (Lab R)

Freq (MHz)	(QP) Margin (dB)	(QP) EMI (dBµV/m)	(PEAK) EMI (dBµV/m)	Limit (dBµV/m)	Pol	Ttbl Agl (deg)	Twr Ht (cm)	Transducer (dB)	Cable(dB)
36.00	-11.51	28.49	41.75	40.00	V	304.25	101.35	22.60	1.08
37.80	-13.17	26.83	31.79	40.00	V	65.25	123.86	22.78	1.18
38.30	-13.72	26.28	31.38	40.00	V	203.00	112.22	22.85	1.21
76.50	-19.35	20.65	25.78	40.00	V	196.25	113.29	12.13	0.50
78.40	-25.09	14.91	23.15	40.00	V	360.00	196.58	11.83	0.44
666.10	-14.04	31.96	35.87	46.00	V	355.75	109.17	23.43	2.66

There were no radiated emissions besides harmonics found between 9kHz-30 MHz or 1GHz-25GHz.



Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500


Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

Title: FCC 15.207
File: Conducted Pre-Line.set
Operator: Matt Harrison
EUT Type: HUSBZB-1.
EUT Condition: Transmitting Zigbee @ 2405 MHz.
Comments: Connected to Laptop Computer.
Temp: 73f
Hum: 44%
Host: 120V 60Hz

5/29/2015 10:06:40 AM
Sequence: Preliminary Scan

Compatible Electronics, Inc. FAC- 3 (LAB P)

Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700


Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

Title: FCC 15.207
 File: Conducted Final-Line.set
 Operator: Matt Harrison
 EUT Type: HUSBZB-1.
 EUT Condition: Transmitting Zigbee @ 2405 MHz.
 Comments: Connected to Laptop Computer via USB Extension Cable.
 Temp: 73f
 Hum: 44%
 Host: 120V 60Hz

5/29/2015 10:14:38 AM
 Sequence: Final Measurements

Compatible Electronics, Inc. FAC- 3 (LAB P)

Freq (MHz)	(AVG) Margin AVL (dB)	(QP) Margin QPL (dB)	(AVG) EMI (dBuV)	(QP) EMI (dBuV)	(PEAK) EMI (dBuV)	(AVG) Limit (dBuV)	(QP) Limit (dBuV)	Transducer (dB)	Cable(dB)
0.16	-30.20	-8.91	25.36	56.66	63.45	55.57	65.57	0.59	0.20
0.17	-30.07	-9.82	24.70	54.94	61.55	54.77	64.77	0.55	0.24
0.19	-25.75	-10.74	28.29	53.30	60.47	54.04	64.04	0.51	0.28
0.21	-27.75	-11.69	25.61	51.68	58.94	53.37	63.37	0.47	0.29
0.22	-32.63	-12.18	20.26	50.72	57.36	52.89	62.89	0.45	0.27
0.23	-33.62	-12.69	18.69	49.62	55.88	52.31	62.31	0.41	0.25
0.25	-32.63	-13.48	19.12	48.28	54.75	51.76	61.76	0.38	0.23
0.27	-21.60	-14.20	29.64	47.04	54.47	51.24	61.24	0.36	0.21
0.28	-34.75	-14.59	16.13	46.29	53.01	50.88	60.88	0.34	0.19
0.30	-35.65	-15.16	14.65	45.14	51.97	50.30	60.30	0.30	0.17
0.31	-35.47	-15.53	14.50	44.44	51.02	49.97	59.97	0.29	0.16
0.33	-20.79	-15.86	28.76	43.70	51.00	49.55	59.55	0.26	0.14
0.34	-31.56	-16.13	17.69	43.12	49.89	49.25	59.25	0.25	0.13
0.35	-36.58	-16.32	12.28	42.55	49.04	48.87	58.87	0.23	0.11
0.37	-36.89	-16.66	11.61	41.84	48.38	48.50	58.50	0.23	0.10
0.38	-31.89	-16.76	16.35	41.48	48.27	48.24	58.24	0.23	0.09
0.40	-17.11	-16.84	30.79	41.05	49.20	47.90	57.90	0.23	0.07
0.41	-36.19	-17.15	11.46	40.50	47.09	47.65	57.65	0.23	0.06
0.43	-37.58	-17.25	9.75	40.08	46.65	47.33	57.33	0.23	0.05
0.44	-36.85	-17.44	10.17	39.59	46.29	47.02	57.02	0.23	0.04
0.46	-23.64	-17.52	23.08	39.21	46.68	46.73	56.73	0.23	0.03
0.47	-36.44	-17.60	10.00	38.84	45.75	46.44	56.44	0.24	0.02
0.49	-37.08	-17.69	9.08	38.48	45.02	46.17	56.17	0.25	0.01
0.50	-35.67	-17.61	10.33	38.39	44.76	46.00	56.00	0.25	0.00
0.59	-14.67	-18.69	31.33	37.31	44.96	46.00	56.00	0.24	0.00



Brea Division
 114 Olinda Drive
 Brea, CA 92823
 (714) 579-0500


Agoura Division
 2337 Troutdale Drive
 Agoura, CA 91301
 (818) 597-0600

Silverado Division
 19121 El Toro Road
 Silverado, CA 92676
 (949) 589-0700

Lake Forest Division
 20621 Pascal Way
 Lake Forest, CA 92630
 (949) 587-0400

Title: FCC 15.207
File: Conducted Pre-Neutral.set
Operator: Matt Harrison
EUT Type: HUSBZB-1.
EUT Condition: Transmitting Zigbee @ 2405 MHz.
Comments: Connected to Laptop Computer via USB Extension Cable.
Temp: 73f
Hum: 44%
Host: 120V 60Hz

5/29/2015 10:32:26 AM
Sequence: Preliminary Scan

Compatible Electronics, Inc. FAC- 3 (LAB R)

Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700


Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

Title: FCC 15.207
File: Conducted Final-Neutral.set
Operator: Matt Harrison
EUT Type: HUSBZB-1.
EUT Condition: Transmitting Zigbee @ 2405 MHz.
Comments: Connected to Laptop Computer via USB Extension Cable.
Temp: 73f
Hum: 44%
Host: 120V 60Hz

5/29/2015 10:38:16 AM
Sequence: Final Measurements

Compatible Electronics, Inc. FAC- 3 (LAB P)

Freq (MHz)	(AVG) Margin AVL (dB)	(QP) Margin QPL (dB)	(AVG) EMI (dBuV)	(QP) EMI (dBuV)	(PEAK) EMI (dBuV)	(AVG) Limit (dBuV)	(QP) Limit (dBuV)	Transducer (dB)	Cable(dB)
0.16	-28.93	-8.60	26.64	56.97	63.98	55.57	65.57	0.38	0.20
0.17	-29.14	-9.47	25.63	55.30	61.89	54.77	64.77	0.34	0.24
0.19	-27.13	-10.43	26.91	53.61	60.35	54.04	64.04	0.30	0.28
0.21	-28.24	-11.32	25.12	52.04	59.00	53.37	63.37	0.26	0.29
0.22	-30.68	-11.83	22.21	51.06	57.61	52.89	62.89	0.23	0.27
0.23	-31.32	-12.69	20.98	49.62	56.31	52.31	62.31	0.20	0.25
0.25	-31.07	-13.11	20.69	48.65	55.24	51.76	61.76	0.17	0.23
0.27	-21.37	-13.70	29.88	47.54	54.73	51.24	61.24	0.14	0.21
0.28	-32.30	-14.16	18.57	46.72	53.37	50.88	60.88	0.12	0.19
0.29	-32.98	-14.75	17.43	45.66	52.43	50.41	60.41	0.10	0.17
0.31	-33.14	-15.14	16.83	44.83	52.02	49.97	59.97	0.07	0.16
0.32	-31.33	-15.37	18.32	44.28	51.25	49.66	59.66	0.06	0.14
0.34	-32.92	-15.86	16.33	43.39	50.22	49.25	59.25	0.04	0.13
0.35	-34.38	-16.01	14.59	42.95	49.91	48.96	58.96	0.02	0.12
0.37	-34.56	-16.26	14.03	42.33	49.01	48.59	58.59	0.02	0.10
0.38	-31.99	-16.56	16.25	41.68	48.74	48.24	58.24	0.02	0.09
0.39	-23.46	-16.52	24.52	41.46	49.03	47.98	57.98	0.02	0.08
0.41	-34.82	-16.91	12.75	40.65	47.68	47.57	57.57	0.02	0.06
0.43	-34.97	-17.12	12.36	40.21	47.06	47.33	57.33	0.02	0.05
0.44	-34.32	-17.26	12.78	39.84	46.66	47.10	57.10	0.02	0.04
0.45	-24.99	-17.43	21.81	39.37	46.76	46.80	56.80	0.02	0.03
0.47	-30.53	-17.52	15.99	39.00	46.15	46.51	56.51	0.02	0.02
0.49	-34.92	-17.58	11.32	38.66	45.46	46.24	56.24	0.03	0.01
0.50	-34.32	-17.54	11.68	38.46	45.31	46.00	56.00	0.03	0.00
0.51	-33.56	-17.93	12.44	38.07	45.03	46.00	56.00	0.03	0.00




Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

Title: FCC 15.207 5/29/2015 10:48:06 AM
File: Conducted Pre-Line_Rx.set Sequence: Preliminary Scan
Operator: Matt Harrison
EUT Type: HUSBZB-1.
EUT Condition: Transmitting Zigbee @ 2405 MHz.
Comments: Connected to Laptop Computer via USB Extension Cable.
Temp: 73f
Hum: 44%
Host: 120V 60Hz

Compatible Electronics, Inc. FAC- 3 (LAB P)

Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

Title: FCC 15.207
File: Conducted Final-Line_Rx.set
Operator: Matt Harrison
EUT Type: HUSBZB-1.
EUT Condition: Constantly Receiving.
Comments: Connected to Laptop Computer via USB Extension Cable.
Temp: 73f
Hum: 44%
Host: 120V 60Hz

5/29/2015 10:51:30 AM
Sequence: Final Measurements

Compatible Electronics, Inc. FAC- 3 (LAB R)

Freq (MHz)	(AVG) Margin AVL (dB)	(QP) Margin QPL (dB)	(AVG) EMI (dBuV)	(QP) EMI (dBuV)	(PEAK) EMI (dBuV)	(AVG) Limit (dBuV)	(QP) Limit (dBuV)	Transducer (dB)	Cable(dB)
0.15	-29.87	-8.56	26.13	57.44	64.12	56.00	66.00	0.62	0.18
0.16	-30.52	-9.20	24.84	56.16	62.65	55.36	65.36	0.58	0.21
0.18	-30.71	-10.22	23.87	54.35	61.27	54.58	64.58	0.54	0.25
0.19	-19.00	-10.85	34.86	53.01	60.03	53.86	63.86	0.50	0.29
0.21	-31.33	-11.79	21.87	51.42	58.05	53.21	63.21	0.46	0.28
0.22	-33.12	-12.27	19.62	50.47	56.89	52.74	62.74	0.44	0.27
0.24	-33.08	-13.03	19.09	49.14	55.68	52.17	62.17	0.41	0.24
0.25	-31.32	-13.67	20.31	47.96	54.95	51.63	61.63	0.38	0.22
0.27	-21.73	-14.33	29.51	46.91	54.21	51.24	61.24	0.36	0.21
0.28	-34.99	-14.70	15.76	46.06	52.51	50.76	60.76	0.33	0.19
0.30	-35.54	-15.14	14.76	45.16	51.90	50.30	60.30	0.30	0.17
0.31	-35.63	-15.39	14.34	44.58	51.05	49.97	59.97	0.29	0.16
0.33	-21.02	-15.74	28.53	43.81	51.29	49.55	59.55	0.26	0.14
0.34	-35.49	-16.11	13.66	43.04	49.87	49.15	59.15	0.24	0.12
0.36	-36.98	-16.46	11.80	42.31	48.80	48.77	58.77	0.23	0.11
0.37	-36.97	-16.66	11.53	41.84	48.34	48.50	58.50	0.23	0.10
0.39	-27.91	-16.74	20.24	41.41	48.00	48.15	58.15	0.23	0.08
0.40	-25.28	-17.03	22.53	40.78	47.78	47.81	57.81	0.23	0.07
0.42	-37.13	-17.24	10.36	40.24	46.79	47.49	57.49	0.23	0.06
0.43	-37.54	-17.21	9.71	40.04	46.36	47.25	57.25	0.23	0.05
0.46	-25.28	-17.51	21.45	39.22	46.52	46.73	56.73	0.23	0.03



Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500


Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

Title: FCC 15.207
File: Conducted Pre-Neutral_Rx.set
Operator: Matt Harrison
EUT Type: HUSBZB-1.
EUT Condition: Constantly Receiving.
Comments: Connected to Laptop Computer via USB Extension Cable.
Temp: 73f
Hum: 44%
Host: 120V 60Hz

5/29/2015 10:58:56 AM
Sequence: Preliminary Scan

Compatible Electronics, Inc. FAC- 3 (LAB P)

Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700


Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

Title: FCC 15.207
File: Conducted Final-Neutral_RX.set
Operator: Matt Harrison
EUT Type: HUSBZB-1.
EUT Condition: Constantly Receiving.
Comments: Connected to Laptop Computer via USB Extension Cable.
Temp: 73f
Hum: 44%
Host: 120V 60Hz

5/29/2015 11:05:00 AM
Sequence: Final Measurements

Compatible Electronics, Inc. FAC- 3 (LAB R)

Freq (MHz)	(AVG) Margin AVL (dB)	(QP) Margin QPL (dB)	(AVG) EMI (dBuV)	(QP) EMI (dBuV)	(PEAK) EMI (dBuV)	(AVG) Limit (dBuV)	(QP) Limit (dBuV)	Transducer (dB)	Cable(dB)
0.15	-29.30	-8.88	26.70	57.12	64.00	56.00	66.00	0.40	0.18
0.17	-29.93	-9.90	25.23	55.26	61.91	55.16	65.16	0.36	0.22
0.18	-30.35	-10.76	24.05	53.63	60.31	54.39	64.39	0.31	0.26
0.20	-19.37	-11.63	34.32	52.06	59.48	53.69	63.69	0.28	0.30
0.21	-30.85	-12.53	22.35	50.67	57.44	53.21	63.21	0.25	0.28
0.23	-31.75	-13.27	20.85	49.32	56.30	52.60	62.60	0.22	0.26
0.24	-30.61	-13.95	21.42	48.08	54.78	52.03	62.03	0.19	0.24
0.26	-25.70	-14.37	25.80	47.12	54.22	51.50	61.50	0.16	0.22
0.27	-28.48	-14.96	22.64	46.16	52.88	51.12	61.12	0.14	0.20
0.29	-33.22	-15.48	17.42	45.16	51.88	50.64	60.64	0.11	0.18
0.30	-33.67	-15.88	16.52	44.30	50.94	50.19	60.19	0.09	0.17
0.31	-33.91	-16.12	15.95	43.74	50.74	49.86	59.86	0.07	0.15
0.33	-23.95	-16.38	25.50	43.07	50.25	49.45	59.45	0.05	0.14
0.35	-34.81	-16.85	14.24	42.21	49.08	49.06	59.06	0.03	0.12
0.36	-35.08	-17.09	13.70	41.69	48.56	48.77	58.77	0.02	0.11
0.37	-35.22	-17.29	13.19	41.12	47.88	48.41	58.41	0.02	0.10
0.39	-27.61	-17.55	20.45	40.51	48.11	48.06	58.06	0.02	0.08
0.41	-34.90	-17.79	12.83	39.94	46.82	47.73	57.73	0.02	0.07
0.42	-35.42	-17.86	12.07	39.63	46.44	47.49	57.49	0.02	0.06
0.43	-35.19	-18.01	11.98	39.16	46.09	47.18	57.18	0.02	0.05
0.45	-31.97	-18.13	14.91	38.74	45.72	46.88	56.88	0.02	0.03
0.46	-15.49	-17.37	31.16	39.29	46.80	46.66	56.66	0.02	0.03
0.48	-35.39	-18.36	10.99	38.01	44.88	46.37	56.37	0.03	0.01
0.49	-35.41	-18.08	10.69	38.02	44.49	46.10	56.10	0.03	0.00
0.52	-19.60	-18.71	26.40	37.29	45.69	46.00	56.00	0.03	0.00




Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

DTS BANDWIDTH**DATA SHEETS**

Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

FCC 15.247

Nortek Security & Control

HubZ

Model: HUSBZB-1

Mode: Zigbee

Date: 6/3/2015


Lab: R

Tested By: M. Harrison

DTS Bandwidth

Freq. (GHz)	Bandwidth (kHz)	Minimum (kHz)	Margin (kHz)	Comments
2.405	1518.04	500.00	1018.04	
2.440	1307.62	500.00	807.62	
2.480	1593.19	500.00	1093.19	





Title: HUSBZB-1.
 Comment A: DTS Bandwidth, 2405MHz.
 Date: 3.JUN.2015 13:13:46




Brea Division
 114 Olinda Drive
 Brea, CA 92823
 (714) 579-0500

Agoura Division
 2337 Troutdale Drive
 Agoura, CA 91301
 (818) 597-0600

Silverado Division
 19121 El Toro Road
 Silverado, CA 92676
 (949) 589-0700

Lake Forest Division
 20621 Pascal Way
 Lake Forest, CA 92630
 (949) 587-0400



Title: HUSBZB-1.
 Comment A: DTS Bandwidth, 2440MHz.
 Date: 3.JUN.2015 13:17:18



Brea Division
 114 Olinda Drive
 Brea, CA 92823
 (714) 579-0500


Agoura Division
 2337 Troutdale Drive
 Agoura, CA 91301
 (818) 597-0600

Silverado Division
 19121 El Toro Road
 Silverado, CA 92676
 (949) 589-0700

Lake Forest Division
 20621 Pascal Way
 Lake Forest, CA 92630
 (949) 587-0400



Delta 1 [T1] RBW 100 kHz RF Att 30 dB
Ref Lvl -0.27 dB VBW 300 kHz
127 dBμV 1.59318637 MHz SWT 5 ms Unit dBμV



Title: HUSBZB-1.
Comment A: DTS Bandwidth, 2480MHz.
Date: 3.JUN.2015 13:21:33



Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

CONDUCTED OUTPUT POWER
DATA SHEETS

Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

CONDUCTED OUTPUT POWER

FCC 15.247

Nortek Security & Control
HubZ
Model: HUSBZB-1
Mode: Zigbee

Date: 6/3/2015
Lab: R
Tested By: M. Harrison

Freq. (GHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Peak / QP / Avg	Comments
2405	15.49	30.00	-14.51	Peak	Power Level Set to -3
2440	14.60	30.00	-15.40	Peak	Power Level Set to -5
2480	5.12	30.00	-24.88	Peak	Power Level Set to -13



POWER SPECTRAL DENSITY
DATA SHEETS

Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

POWER SPECTRAL DENSITY

FCC 15.247

Nortek Security & Control
HubZ
Model: HUSBZB-1
Mode: Zigbee


Date: 6/3/2015
Lab: R
Tested By: M. Harrison

Freq. (GHz)	Level (dBμV)	Limit (dBμV)	Margin (dB)	Peak / QP / Avg	Comments
2.405	107.29	115.00	-7.71	Peak	Power Set to -3
2.440	107.07	115.00	-7.93	Peak	Power Level Set to -5
2.480	92.97	115.00	-22.03	Peak	Power Level Set to -13





Marker 1 [T1] RBW 3 kHz RF Att 30 dB
Ref Lvl 107.29 dB μ V VBW 10 kHz
127 dB μ V 2.40525326 GHz SWT 640 ms Unit dB μ V



Center 2.405 GHz 227.7054 kHz/ Span 2.277054 MHz

Title: HUSBZB-1.
Comment A: PSD, 2405MHz.
Date: 3.JUN.2015 13:32:54



Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500


Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400



Marker 1 [T1] RBW 3 kHz RF Att 30 dB
Ref Lvl 107.07 dByV VBW 10 kHz
127 dByV 2.44009630 GHz SWT 560 ms Unit dByV



Title: HUSBZB-1.
Comment A: PSD, 2440MHz.
Date: 3.JUN.2015 13:30:54



Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500


Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400



Marker 1 [T1] RBW 3 kHz RF Att 30 dB
Ref Lvl 92.97 dBμV VBW 10 kHz
127 dBμV 2.48009339 GHz SWT 680 ms Unit dBμV



Title: HUSBZB-1.
Comment A: PSD, 2480MHz.
Date: 3.JUN.2015 13:25:22



Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

HARMONIC EMISSIONS IN NON-RESTRICTED FREQUENCY BANDS (IN 100KHZ BANDWIDTH) / CONDUCTED

DATA SHEETS



Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

HARMONIC EMISSIONS IN NON-RESTRICTED FREQUENCY BANDS

FCC 15.247

Nortek Security & Control
HubZ
Model: HUSBZB-1
Mode: Zigbee

Date: 5/29/2015
Lab: R
Tested By: M. Harrison

Freq. (MHz)	Level (dBuV)	Pol (v/h)	Limit	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
								No radio emissions found within 20dB of Limit

Test distance
3 meter




Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400



Title: HUSBZB-1.
Comment A: Conducted Spurious, 2405MHz.
Date: 3.JUN.2015 13:40:00




Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600


Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400



Title: HUSBZB-1.
 Comment A: Conducted Spurious, 2405MHz.
 Date: 3.JUN.2015 13:36:14





Title: HUSBZB-1.
Comment A: Conducted Spurious, 2405MHz.
Date: 3.JUN.2015 13:41:18




Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400



Title: HUSBZB-1.
Comment A: Conducted Spurious, 2405MHz.
Date: 3.JUN.2015 13:42:01




Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400



Title: HUSBZB-1.
Comment A: Conducted Spurious, 2440MHz.
Date: 3.JUN.2015 13:45:29




Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400



Title: HUSBZB-1.
Comment A: Conducted Spurious, 2440MHz.
Date: 3.JUN.2015 13:45:01




Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400



Title: HUSBZB-1.
Comment A: Conducted Spurious, 2440MHZ.
Date: 3.JUN.2015 13:46:31




Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400



Title: HUSBZB-1.
Comment A: Conducted Spurious, 2440MHz.
Date: 3.JUN.2015 13:47:42




Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600


Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400




Title: HUSBZB-1.
Comment A: Conducted Spurious, 2480MHz.
Date: 3.JUN.2015 13:49:46





Title: HUSBZB-1.
Comment A: Conducted Spurious, 2480MHz.
Date: 3.JUN.2015 13:49:12





Title: HUSBZB-1.
Comment A: Conducted Spurious, 2480MHZ.
Date: 3.JUN.2015 13:50:44




Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400



Title: HUSBZB-1.
Comment A: Conducted Spurious, 2480MHz.
Date: 3.JUN.2015 13:51:23



Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

***EMISSIONS IN RESTRICTED FREQUENCY BANDS (RADIATED
FIELD STRENGTH)
DATA SHEETS***



Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

HARMONIC EMISSIONS IN RESTRICTED FREQUENCY BANDS (Low Channel-Vertical)

FCC 15.247

Nortek Security & Control
HubZ
Model: HUSBZB-1
Mode: Zigbee Pwr Set -3

Date: 5/29/2015
Lab: R
Tested By: M. Harrison

Freq. (MHz)	Level (dB μ V/ m)	Pol (v/h)	Limit (dB μ V)	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4810	55.55	V	73.98	-18.43	Peak	1.01	185	Restricted Band
4810	34.12	V	53.98	-19.86	Avg	1.01	185	
12025	59.03	V	73.98	-14.95	Peak	1	175	Restricted Band
12025	40.72	V	53.98	-13.26	Avg	1	175	
19240	--	V	--	--	Peak			Restricted Band
19240	--	V	--	--	Avg			No Emission Found



HARMONIC EMISSIONS IN RESTRICTED FREQUENCY BANDS (Low Channel-Horizontal)

FCC 15.247

Nortek Security & Control
HubZ
Model: HUSBZB-1
Mode: Zigbee Pwr Set -3

Date: 5/29/2015
Lab: R
Tested By: M. Harrison

Freq. (MHz)	Level (dBµV/m)	Pol (v/h)	Limit (dBµV)	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4810	58.45	H	73.98	-15.53	Peak	1.01	170	Restricted Band
4810	37.02	H	53.98	-16.96	Avg	1.01	170	
12025	57.46	H	73.98	-16.52	Peak	1.01	178	Restricted Band
12025	39.02	H	53.98	-14.96	Avg	1.01	178	
19240	--	H	--	--	Peak			Restricted Band
19240	--	H	--	--	Avg			No Emission Found



HARMONIC EMISSIONS IN RESTRICTED FREQUENCY BANDS (Mid Channel-Vertical)

FCC 15.247

Nortek Security & Control
HubZ
Model: HUSBZB-1
Mode: Zigbee Pwr Set -5

Date: 5/29/2015
Lab: R
Tested By: M. Harrison

Freq. (MHz)	Level (dBµV/m)	Pol (v/h)	Limit (dBµV)	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4880.00	57.99	V	73.98	-15.99	Peak	1.02	192	Restricted Band
4880.00	35.95	V	53.98	-18.03	Avg	1.02	192	
7320.00	67.34	V	73.98	-6.64	Peak	1.38	202	
7320.00	43.25	V	53.98	-10.73	Avg	1.38	202	In Restricted Band
12200.00	--	V	73.98	--	Peak	--	--	Restricted Band
12200.00	--	V	53.98	--	Avg	--	--	No Emission Found
19520.00	--	V	73.98	--	Peak	--	--	No Emissions Found
19520.00	--	V	53.98	--	Avg	--	--	In Restricted Band



HARMONIC EMISSIONS IN RESTRICTED FREQUENCY BANDS (Mid Channel-Horizontal)

FCC 15.247

Nortek Security & Control
HubZ
Model: HUSBZB-1
Mode: Zigbee Pwr Set -5

Date: 5/29/2015
Lab: R
Tested By: M. Harrison

Freq. (MHz)	Level (dBµV/m)	Pol (v/h)	Limit (dBµV)	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4880.00	60.15	H	73.98	-13.83	Peak	1	160	Restricted Band
4880.00	38.11	H	53.98	-15.87	Avg	1	160	
7320.00	71.66	H	73.98	-2.32	Peak	1	125	
7320.00	47.57	H	53.98	-6.41	Avg	1	125	In Restricted Band
12200.00	--	H	73.98	--	Peak	--	--	Restricted Band
12200.00	--	H	53.98	--	Avg	--	--	No Emission Found
19520.00	--	H	73.98	--	Peak	--	--	No Emissions Found
19520.00	--	H	53.98	--	Avg	--	--	In Restricted Band



HARMONIC EMISSIONS IN RESTRICTED FREQUENCY BANDS (High Channel-Vertical)

FCC 15.247

Nortek Security & Control

HubZ

Model: HUSBZB-1

Mode: Zigbee Pwr Set -13

Date: 5/29/2015

Lab: R

Tested By: M. Harrison

Freq. (MHz)	Level (dBµV/m)	Pol (v/h)	Limit (dBµV)	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4960.00	--	V	73.98	--	Peak	--	--	In Restricted Band
4960.00	--	V	53.98	--	Avg	--	--	No Emissions Found
7440.00	--	V	73.98	--	Peak	--	--	In Restricted Band
7440.00	--	V	53.98	--	Avg	--	--	No Emissions Found
12400.00	--	V	73.98	--	Peak	--	--	In Restricted Band
12400.00	--	V	53.98	--	Avg	--	--	No Emissions Found
19840.00	--	V	73.98	--	Peak	--	--	In Restricted Band
19840.00	--	V	53.98	--	Avg	--	--	No Emissions Found
22320.00	--	V	73.98	--	Peak	--	--	In Restricted Band
22320.00	--	V	53.98	--	Avg	--	--	No Emissions Found



HARMONIC EMISSIONS IN RESTRICTED FREQUENCY BANDS (High Channel-Horizontal)

FCC 15.247

Nortek Security & Control

HubZ

Model: HUSBZB-1

Mode: Zigbee Pwr Set -13

Date: 5/29/2015

Lab: R

Tested By: M. Harrison

Freq. (MHz)	Level (dBµV/m)	Pol (v/h)	Limit (dBµV)	Margin	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
4960.00	--	H	73.98	--	Peak	--	--	In Restricted Band
4960.00	--	H	53.98	--	Avg	--	--	No Emissions Found
7440.00	--	H	73.98	--	Peak	--	--	In Restricted Band
7440.00	--	H	53.98	--	Avg	--	--	No Emissions Found
12400.00	--	H	73.98	--	Peak	--	--	In Restricted Band
12400.00	--	H	53.98	--	Avg	--	--	No Emissions Found
19840.00	--	H	73.98	--	Peak	--	--	In Restricted Band
19840.00	--	H	53.98	--	Avg	--	--	No Emissions Found
22320.00	--	H	73.98	--	Peak	--	--	In Restricted Band
22320.00	--	H	73.98	--	Peak	--	--	In Restricted Band



***EMISSIONS RADIATED OUTSIDE OF THE FUNDAMENTAL
FREQUENCY BAND AT BAND EDGES***

DATA SHEETS



Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

BAND EDGE – VERTICAL**FCC 15.247**Nortek Security & Control
HubZ
Model: HUSBZB-1
Mode: ZigbeeDate: 6/03/2015
Lab: R
Tested By: M. Harrison**Compatible Electronics, Inc. FAC-3 (Lab R)**

Freq. (MHz)	Level (dBµV/m)	Pol	Limit (dBµV)	Margin (dB)	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
2405.00	112.81	V	--	--	Peak	1	90	Fundamental of High Channel
								Z-Axis, Power Level Set to -3
2400.00	75.66	V	92.81	-17.15	Delta	1	90	From Peak
2389.59	58.13	V	73.98	-15.85	Peak	1	90	No Marker Delta Method Used
2389.59	39.62	V	53.98	-14.36	Avg	1	90	Z-Axis, Power Level Set to -3
2480.00	99.16	V	--	--	Peak	1.11	276	Fundamental of High Channel
2483.50	69.02	V	73.98	-4.96	Peak	1.11	276	No Marker Delta Method Used
2483.50	50.26	V	53.98	-3.72	Avg	1.11	276	Z-Axis, Power Level Set to -13

Test distance
3 meter**Brea Division**
114 Olinda Drive
Brea, CA 92823
(714) 579-0500**Agoura Division**
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600**Silverado Division**
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700**Lake Forest Division**
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

BAND EDGE – HORIZONTAL**FCC 15.247**Nortek Security & Control
HubZ
Model: HUSBZB-1
Mode: ZigbeeDate: 6/03/2015
Lab: R
Tested By: M. Harrison**Compatible Electronics, Inc. FAC-3 (Lab R)**


Freq. (MHz)	Level (dBµV/m)	Pol	Limit (dBµV)	Margin (dB)	Peak / QP / Avg	Ant. Height (m)	Table Angle (deg)	Comments
2405.00	114.41	H	--	--	Peak	1.1	225	Fundamental of High Channel
								Z-Axis, Power Level Set to -3
2400.00	78.41	H	94.41	-16.00	Delta	1.1	225	From Peak
2390.00	59.94	H	73.98	-14.04	Peak	1.1	225	No Marker Delta Method Used
2390.00	40.22	H	53.98	-13.76	Avg	1.1	225	Z-Axis, Power Level Set to -3
2480.00	103.47	H	--	--	Peak	1	225	Fundamental of High Channel
2483.50	72.21	H	73.98	-1.77	Peak	1	225	No Marker Delta Method Used
2483.50	51.13	H	53.98	-2.85	Avg	1	225	Z-Axis, Power Level Set to -13

Test distance

3 meter

**Brea Division**
114 Olinda Drive
Brea, CA 92823
(714) 579-0500**Agoura Division**
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600**Silverado Division**
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700**Lake Forest Division**
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

LOWER BAND EDGE (Horizontal)



Title: HUSBZB-1.
Comment A: LBE, Horizontal.
Date: 3.JUN.2015 09:00:56




Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400


LOWER BAND EDGE (Vertical)



Title: HUSBZB-1.
Comment A: LBE, Vertical.
Date: 3.JUN.2015 09:05:28



UPPER BAND EDGE (Horizontal)



Title: HUSBZB-1.
Comment A: UBE, Horizontal.
Date: 3.JUN.2015 08:37:12




Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400

UPPER BAND EDGE (Vertical)



Title: HUSBZB-1.
Comment A: UBE, Vertical.
Date: 3.JUN.2015 08:38:06



Brea Division
114 Olinda Drive
Brea, CA 92823
(714) 579-0500

Agoura Division
2337 Troutdale Drive
Agoura, CA 91301
(818) 597-0600

Silverado Division
19121 El Toro Road
Silverado, CA 92676
(949) 589-0700

Lake Forest Division
20621 Pascal Way
Lake Forest, CA 92630
(949) 587-0400