


802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT V_4TX
Setting 15.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4408G	62.60	74.00	-11.40	53.88	3	Vertical	182	1.80	-	34.00	5.44	30.72	
PK	5.47G	67.87	68.20	-0.33	59.12	3	Vertical	182	1.80	-	34.00	5.47	30.72	
AV	5.46G	50.77	54.00	-3.23	42.03	3	Vertical	182	1.80	-	34.00	5.46	30.72	
PK	5.5088G	119.55	Inf	-Inf	110.77	3	Vertical	182	1.80	-	34.00	5.51	30.73	
AV	5.5112G	106.99	Inf	-Inf	98.21	3	Vertical	182	1.80	-	34.00	5.51	30.73	

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_V_4TX
Setting 15.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4584G	63.31	74.00	-10.69	54.57	3	Horizontal	176	1.76	-	34.00	5.46	30.72	
AV	5.46G	51.19	54.00	-2.81	42.45	3	Horizontal	176	1.76	-	34.00	5.46	30.72	
PK	5.47G	67.99	68.20	-0.21	59.24	3	Horizontal	176	1.76	-	34.00	5.47	30.72	
PK	5.5196G	119.23	Inf	-Inf	110.44	3	Horizontal	176	1.76	-	34.00	5.52	30.73	
AV	5.5088G	107.94	Inf	-Inf	99.16	3	Horizontal	176	1.76	-	34.00	5.51	30.73	

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 15.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02628G	53.22	74.00	-20.78	38.81	3	Vertical	344	1.41	-	38.63	7.71	31.93
AV	11.02024G	39.76	54.00	-14.24	25.36	3	Vertical	344	1.41	-	38.62	7.71	31.93
PK	16.5306G	60.76	68.20	-7.44	42.24	3	Vertical	173	2.55	-	39.19	10.27	30.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 15.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02156G	53.67	74.00	-20.33	39.27	3	Horizontal	229	1.68	-	38.62	7.71	31.93
AV	11.01764G	39.73	54.00	-14.27	25.33	3	Horizontal	229	1.68	-	38.62	7.71	31.93
PK	16.53188G	60.47	68.20	-7.73	41.93	3	Horizontal	35	2.46	-	39.20	10.27	30.93

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Y_4TX
Setting 20
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4138G	64.48	74.00	-9.52	55.79	3	Vertical	184	1.86	-	34.00	5.41	30.72	
PK	5.4666G	67.80	68.20	-0.40	59.05	3	Vertical	184	1.86	-	34.00	5.47	30.72	
AV	5.4582G	52.03	54.00	-1.97	43.29	3	Vertical	184	1.86	-	34.00	5.46	30.72	
PK	5.5572G	125.83	Inf	-Inf	117.04	3	Vertical	184	1.86	-	33.99	5.56	30.76	
AV	5.547G	112.48	Inf	-Inf	103.69	3	Vertical	184	1.86	-	34.00	5.55	30.76	

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_V_4TX
Setting 20
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.13	74.00	-8.87	56.39	3	Horizontal	177	1.82	-	34.00	5.46	30.72
AV	5.4594G	52.12	54.00	-1.88	43.38	3	Horizontal	177	1.82	-	34.00	5.46	30.72
PK	5.4696G	67.97	68.20	-0.23	59.22	3	Horizontal	177	1.82	-	34.00	5.47	30.72
PK	5.5494G	124.79	Inf	-Inf	116.00	3	Horizontal	177	1.82	-	34.00	5.55	30.76
AV	5.5482G	111.39	Inf	-Inf	102.60	3	Horizontal	177	1.82	-	34.00	5.55	30.76

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 20
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1G	52.88	74.00	-21.12	38.40	3	Vertical	210	1.48	-	38.70	7.74	31.96
AV	11.10076G	39.48	54.00	-14.52	25.00	3	Vertical	210	1.48	-	38.70	7.74	31.96
PK	16.65536G	60.75	68.20	-7.45	41.67	3	Vertical	360	2.19	-	39.51	10.33	30.76

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 20
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09564G	53.16	74.00	-20.84	38.68	3	Horizontal	68	1.15	-	38.70	7.74	31.96
AV	11.09084G	39.46	54.00	-14.54	24.99	3	Horizontal	68	1.15	-	38.69	7.74	31.96
PK	16.65652G	60.96	68.20	-7.24	41.87	3	Horizontal	78	2.52	-	39.51	10.33	30.75

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 17
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.672G	123.57	Inf	-Inf	114.98	3	Vertical	182	1.81	-	33.84	5.60	30.85
AV	5.6716G	111.26	Inf	-Inf	102.67	3	Vertical	182	1.81	-	33.84	5.60	30.85
PK	5.7308G	68.05	68.20	-0.15	59.51	3	Vertical	182	1.81	-	33.84	5.60	30.90

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 17
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6692G	122.10	Inf	-Inf	113.51	3	Horizontal	171	1.78	-	33.84	5.60	30.85
AV	5.6688G	109.48	Inf	-Inf	100.89	3	Horizontal	171	1.78	-	33.84	5.60	30.85
PK	5.7256G	66.97	68.20	-1.23	58.41	3	Horizontal	171	1.78	-	33.85	5.60	30.89

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 17
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34788G	52.94	74.00	-21.06	38.36	3	Vertical	311	2.92	-	38.80	7.84	32.06
AV	11.33512G	39.16	54.00	-14.84	24.58	3	Vertical	311	2.92	-	38.80	7.83	32.05
PK	17.01412G	63.42	68.20	-4.78	42.11	3	Vertical	237	1.69	-	41.06	10.51	30.26

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 17
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3456G	52.63	74.00	-21.37	38.05	3	Horizontal	328	1.53	-	38.80	7.84	32.06
AV	11.33992G	39.25	54.00	-14.75	24.67	3	Horizontal	328	1.53	-	38.80	7.84	32.06
PK	17.00384G	63.89	68.20	-4.31	42.63	3	Horizontal	105	1.16	-	41.02	10.50	30.26

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7092G	128.68	Inf	-Inf	120.08	3	Vertical	183	1.80	-	33.88	5.60	30.88
AV	5.7108G	116.98	Inf	-Inf	108.38	3	Vertical	183	1.80	-	33.88	5.60	30.88
PK	5.8516G	67.84	68.20	-0.36	59.37	3	Vertical	183	1.80	-	33.81	5.65	30.99

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7076G	127.30	Inf	-Inf	118.70	3	Horizontal	172	1.80	-	33.88	5.60	30.88	
AV	5.7068G	116.15	Inf	-Inf	107.54	3	Horizontal	172	1.80	-	33.89	5.60	30.88	
PK	5.8668G	65.41	68.20	-2.79	56.84	3	Horizontal	172	1.80	-	33.90	5.67	31.00	

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41708G	52.25	74.00	-21.75	37.64	3	Vertical	328	1.51	-	38.83	7.87	32.09
AV	11.42916G	39.07	54.00	-14.93	24.43	3	Vertical	328	1.51	-	38.86	7.87	32.09
PK	17.12672G	63.89	68.20	-4.31	42.02	3	Vertical	354	1.78	-	41.56	10.56	30.25

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT Y_4TX
Setting 25
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.42524G	53.47	74.00	-20.53	38.84	3	Horizontal	53	2.02	-	38.85	7.87	32.09	
AV	11.42668G	39.04	54.00	-14.96	24.41	3	Horizontal	53	2.02	-	38.85	7.87	32.09	
PK	17.12576G	63.91	68.20	-4.29	42.05	3	Horizontal	94	2.21	-	41.55	10.56	30.25	

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT V_4TX
Setting 13
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	62.44	74.00	-11.56	54.34	3	Vertical	183	1.70	-	33.59	5.24	30.73
AV	5.1484G	49.80	54.00	-4.20	41.68	3	Vertical	183	1.70	-	33.60	5.25	30.73
PK	5.2788G	114.99	Inf	-Inf	106.61	3	Vertical	183	1.70	-	33.76	5.34	30.72
AV	5.2892G	102.59	Inf	-Inf	94.19	3	Vertical	183	1.70	-	33.78	5.34	30.72
PK	5.3524G	65.55	74.00	-8.45	56.99	3	Vertical	183	1.70	-	33.90	5.38	30.72
AV	5.35G	53.61	54.00	-0.39	45.05	3	Vertical	183	1.70	-	33.90	5.38	30.72
PK	5.474G	62.53	68.20	-5.67	53.78	3	Vertical	183	1.70	-	34.00	5.47	30.72

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_V_4TX
Setting 13
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0948G	62.19	74.00	-11.81	54.23	3	Horizontal	176	1.80	-	33.50	5.19	30.73
AV	5.1476G	49.38	54.00	-4.62	41.26	3	Horizontal	176	1.80	-	33.60	5.25	30.73
PK	5.2988G	113.04	Inf	-Inf	104.61	3	Horizontal	176	1.80	-	33.80	5.35	30.72
AV	5.278G	101.06	Inf	-Inf	92.68	3	Horizontal	176	1.80	-	33.76	5.34	30.72
PK	5.3588G	64.10	74.00	-9.90	55.52	3	Horizontal	176	1.80	-	33.92	5.38	30.72
AV	5.3588G	52.06	54.00	-1.94	43.48	3	Horizontal	176	1.80	-	33.92	5.38	30.72
PK	5.4724G	62.09	68.20	-6.11	53.34	3	Horizontal	176	1.80	-	34.00	5.47	30.72

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 13
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5892G	53.44	68.20	-14.76	39.25	3	Vertical	134	1.00	-	38.51	7.54	31.86
PK	15.86128G	56.87	74.00	-17.13	41.07	3	Vertical	279	2.06	-	37.38	9.94	31.52
AV	15.86004G	43.71	54.00	-10.29	27.91	3	Vertical	279	2.06	-	37.38	9.94	31.52

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 13
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58776G	54.24	68.20	-13.96	40.05	3	Horizontal	264	2.67	-	38.51	7.54	31.86
PK	15.8608G	56.95	74.00	-17.05	41.15	3	Horizontal	251	2.40	-	37.38	9.94	31.52
AV	15.8612G	43.70	54.00	-10.30	27.90	3	Horizontal	251	2.40	-	37.38	9.94	31.52

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Y_4TX
Setting 14
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.338G	62.71	68.20	-5.49	54.18	3	Vertical	184	1.85	-	33.88	5.37	30.72
AV	5.35G	50.09	54.00	-3.91	41.54	3	Vertical	184	1.85	-	33.90	5.37	30.72
PK	5.4564G	66.91	74.00	-7.09	58.17	3	Vertical	184	1.85	-	34.00	5.46	30.72
AV	5.458G	53.96	54.00	-0.04	45.22	3	Vertical	184	1.85	-	34.00	5.46	30.72
PK	5.4684G	67.17	68.20	-1.03	58.42	3	Vertical	184	1.85	-	34.00	5.47	30.72
PK	5.5188G	116.40	Inf	-Inf	107.61	3	Vertical	184	1.85	-	34.00	5.52	30.73
AV	5.5276G	103.77	Inf	-Inf	94.98	3	Vertical	184	1.85	-	34.00	5.53	30.74
PK	5.7276G	61.82	68.20	-6.38	53.27	3	Vertical	184	1.85	-	33.84	5.60	30.89

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_V_4TX
Setting 14
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3484G	62.27	68.20	-5.93	53.72	3	Horizontal	176	1.65	-	33.90	5.37	30.72
AV	5.35G	50.09	54.00	-3.91	41.54	3	Horizontal	176	1.65	-	33.90	5.37	30.72
PK	5.454G	65.43	74.00	-8.57	56.70	3	Horizontal	176	1.65	-	34.00	5.45	30.72
AV	5.4596G	53.59	54.00	-0.41	44.85	3	Horizontal	176	1.65	-	34.00	5.46	30.72
PK	5.47G	67.71	68.20	-0.49	58.96	3	Horizontal	176	1.65	-	34.00	5.47	30.72
PK	5.5084G	115.67	Inf	-Inf	106.89	3	Horizontal	176	1.65	-	34.00	5.51	30.73
AV	5.5292G	103.41	Inf	-Inf	94.62	3	Horizontal	176	1.65	-	34.00	5.53	30.74
PK	5.7268G	62.04	68.20	-6.16	53.48	3	Horizontal	176	1.65	-	33.85	5.60	30.89

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 14
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0694G	53.59	74.00	-20.41	39.14	3	Vertical	181	2.59	-	38.67	7.73	31.95
AV	11.055G	39.72	54.00	-14.28	25.28	3	Vertical	181	2.59	-	38.66	7.72	31.94
PK	16.59344G	61.28	68.20	-6.92	42.45	3	Vertical	146	2.87	-	39.38	10.30	30.85

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 14
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0512G	53.01	74.00	-20.99	38.58	3	Horizontal	164	1.60	-	38.65	7.72	31.94
AV	11.05684G	39.72	54.00	-14.28	25.28	3	Horizontal	164	1.60	-	38.66	7.72	31.94
PK	16.58824G	61.26	68.20	-6.94	42.46	3	Horizontal	115	2.87	-	39.36	10.29	30.85

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT V_4TX
Setting 17.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	63.12	74.00	-10.88	54.38	3	Vertical	182	1.90	-	34.00	5.46	30.72
AV	5.4596G	51.18	54.00	-2.82	42.44	3	Vertical	182	1.90	-	34.00	5.46	30.72
PK	5.47G	63.21	68.20	-4.99	54.46	3	Vertical	182	1.90	-	34.00	5.47	30.72
PK	5.6308G	119.37	Inf	-Inf	110.75	3	Vertical	182	1.90	-	33.84	5.60	30.82
AV	5.6108G	108.19	Inf	-Inf	99.51	3	Vertical	182	1.90	-	33.88	5.60	30.80
PK	5.7308G	67.93	68.20	-0.27	59.39	3	Vertical	182	1.90	-	33.84	5.60	30.90

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT V_4TX
Setting 17.5
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4116G	63.37	74.00	-10.63	54.68	3	Horizontal	171	1.83	-	34.00	5.41	30.72
PK	5.4652G	62.69	68.20	-5.51	53.94	3	Horizontal	171	1.83	-	34.00	5.47	30.72
AV	5.4444G	50.76	54.00	-3.24	42.04	3	Horizontal	171	1.83	-	34.00	5.44	30.72
PK	5.618G	118.03	Inf	-Inf	109.38	3	Horizontal	171	1.83	-	33.86	5.60	30.81
AV	5.6084G	106.60	Inf	-Inf	97.92	3	Horizontal	171	1.83	-	33.88	5.60	30.80
PK	5.7396G	65.10	68.20	-3.10	56.58	3	Horizontal	171	1.83	-	33.82	5.60	30.90

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22256G	52.63	74.00	-21.37	38.05	3	Vertical	233	2.96	-	38.80	7.79	32.01
AV	11.21092G	39.46	54.00	-14.54	24.88	3	Vertical	233	2.96	-	38.80	7.78	32.00
PK	16.82788G	62.28	68.20	-5.92	41.90	3	Vertical	223	2.49	-	40.48	10.41	30.51

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22532G	53.72	74.00	-20.28	39.14	3	Horizontal	116	1.17	-	38.80	7.79	32.01
AV	11.21008G	39.49	54.00	-14.51	24.91	3	Horizontal	116	1.17	-	38.80	7.78	32.00
PK	16.82092G	61.68	68.20	-6.52	41.33	3	Horizontal	291	2.77	-	40.46	10.41	30.52

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 21
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6876G	124.27	Inf	-Inf	115.65	3	Vertical	178	1.80	-	33.88	5.60	30.86
AV	5.6884G	111.81	Inf	-Inf	103.19	3	Vertical	178	1.80	-	33.88	5.60	30.86
PK	5.8508G	67.80	68.20	-0.40	59.34	3	Vertical	178	1.80	-	33.80	5.65	30.99

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 21
02-F-S-8-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6628G	121.78	Inf	-Inf	113.19	3	Horizontal	174	1.71	-	33.83	5.60	30.84
AV	5.6836G	110.36	Inf	-Inf	101.75	3	Horizontal	174	1.71	-	33.87	5.60	30.86
PK	5.866G	67.53	68.20	-0.67	58.96	3	Horizontal	174	1.71	-	33.90	5.67	31.00

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz_TnomVnom




EUT Y_4TX
Setting 21
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39G	52.55	74.00	-21.45	37.97	3	Vertical	261	2.58	-	38.80	7.86	32.08
AV	11.3832G	39.16	54.00	-14.84	24.58	3	Vertical	261	2.58	-	38.80	7.85	32.07
PK	17.077G	62.98	68.20	-5.22	41.38	3	Vertical	294	1.18	-	41.31	10.54	30.25

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz_TnomVnom




EUT Y_4TX
Setting 21
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38128G	52.43	74.00	-21.57	37.85	3	Horizontal	240	2.83	-	38.80	7.85	32.07
AV	11.38408G	39.14	54.00	-14.86	24.56	3	Horizontal	240	2.83	-	38.80	7.85	32.07
PK	17.0654G	63.56	68.20	-4.64	42.02	3	Horizontal	333	1.92	-	41.26	10.53	30.25

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT V_4TX
Setting 13.5
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	65.44	74.00	-8.56	57.34	3	Vertical	179	1.80	-	33.59	5.24	30.73
AV	5.1444G	53.57	54.00	-0.43	45.47	3	Vertical	179	1.80	-	33.59	5.24	30.73
PK	5.2756G	113.39	Inf	-Inf	105.02	3	Vertical	179	1.80	-	33.75	5.34	30.72
AV	5.2532G	100.57	Inf	-Inf	92.25	3	Vertical	179	1.80	-	33.71	5.33	30.72
PK	5.3556G	64.80	74.00	-9.20	56.23	3	Vertical	179	1.80	-	33.91	5.38	30.72
AV	5.3556G	53.30	54.00	-0.70	44.73	3	Vertical	179	1.80	-	33.91	5.38	30.72
PK	5.4644G	60.18	68.20	-8.02	51.44	3	Vertical	179	1.80	-	34.00	5.46	30.72

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_V_4TX
Setting 13.5
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	63.50	74.00	-10.50	55.41	3	Horizontal	177	1.80	-	33.58	5.24	30.73
AV	5.1364G	52.32	54.00	-1.68	44.24	3	Horizontal	177	1.80	-	33.57	5.24	30.73
PK	5.2772G	111.07	Inf	-Inf	102.70	3	Horizontal	177	1.80	-	33.75	5.34	30.72
AV	5.2756G	98.69	Inf	-Inf	90.32	3	Horizontal	177	1.80	-	33.75	5.34	30.72
PK	5.4276G	65.20	74.00	-8.80	56.49	3	Horizontal	177	1.80	-	34.00	5.43	30.72
AV	5.3556G	53.30	54.00	-0.70	44.73	3	Horizontal	177	1.80	-	33.91	5.38	30.72
PK	5.538G	60.77	68.20	-7.43	51.98	3	Horizontal	177	1.80	-	34.00	5.54	30.75

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz_TnomVnom




EUT Y_4TX
Setting 13.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50476G	52.93	68.20	-15.27	38.68	3	Vertical	165	3.00	-	38.60	7.50	31.85
PK	15.75852G	58.23	74.00	-15.77	42.30	3	Vertical	17	1.80	-	37.50	9.89	31.46
AV	15.74552G	44.36	54.00	-9.64	28.43	3	Vertical	17	1.80	-	37.50	9.89	31.46

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz_TnomVnom




EUT Y_4TX
Setting 13.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50756G	53.05	68.20	-15.15	38.81	3	Horizontal	43	2.93	-	38.59	7.50	31.85
PK	15.75572G	58.31	74.00	-15.69	42.38	3	Horizontal	17	1.75	-	37.50	9.89	31.46
AV	15.74176G	44.39	54.00	-9.61	28.47	3	Horizontal	17	1.75	-	37.50	9.88	31.46

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT Y_4TX
Setting 15
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2692G	60.63	68.20	-7.57	52.28	3	Vertical	178	1.85	-	33.74	5.33	30.72
PK	5.3972G	66.29	74.00	-7.71	57.62	3	Vertical	178	1.85	-	33.99	5.40	30.72
AV	5.3956G	52.92	54.00	-1.08	44.25	3	Vertical	178	1.85	-	33.99	5.40	30.72
PK	5.4644G	64.79	68.20	-3.41	56.05	3	Vertical	178	1.85	-	34.00	5.46	30.72
PK	5.5972G	114.12	Inf	-Inf	105.40	3	Vertical	178	1.85	-	33.91	5.60	30.79
AV	5.5876G	102.08	Inf	-Inf	93.36	3	Vertical	178	1.85	-	33.92	5.59	30.79
PK	5.738G	67.29	68.20	-0.91	58.77	3	Vertical	178	1.85	-	33.82	5.60	30.90

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_V_4TX
Setting 15
02-F-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3492G	60.04	68.20	-8.16	51.49	3	Horizontal	175	1.83	-	33.90	5.37	30.72
PK	5.4532G	65.01	74.00	-8.99	56.28	3	Horizontal	175	1.83	-	34.00	5.45	30.72
AV	5.45G	53.41	54.00	-0.59	44.68	3	Horizontal	175	1.83	-	34.00	5.45	30.72
PK	5.4692G	65.12	68.20	-3.08	56.37	3	Horizontal	175	1.83	-	34.00	5.47	30.72
PK	5.5508G	112.42	Inf	-Inf	103.63	3	Horizontal	175	1.83	-	34.00	5.55	30.76
AV	5.5716G	100.11	Inf	-Inf	91.35	3	Horizontal	175	1.83	-	33.96	5.57	30.77
PK	5.7524G	63.78	68.20	-4.42	55.29	3	Horizontal	175	1.83	-	33.80	5.60	30.91

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Y_4TX
Setting 15
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1306G	52.91	74.00	-21.09	38.40	3	Vertical	301	2.83	-	38.73	7.75	31.97
AV	11.14172G	39.93	54.00	-14.07	25.41	3	Vertical	301	2.83	-	38.74	7.76	31.98
PK	16.70196G	60.92	68.20	-7.28	41.64	3	Vertical	298	1.76	-	39.62	10.35	30.69

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT Y_4TX
Setting 15
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13976G	54.11	74.00	-19.89	39.59	3	Horizontal	147	1.21	-	38.74	7.76	31.98
AV	11.1472G	39.82	54.00	-14.18	25.29	3	Horizontal	147	1.21	-	38.75	7.76	31.98
PK	16.71076G	60.88	68.20	-7.32	41.51	3	Horizontal	238	2.34	-	39.69	10.36	30.68




RSE TX above 1GHz_R3 + Antenna set 5_Beamforming mode Appendix D.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.85	54.00	-0.15	3	Horizontal	0	1.80	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1214G	63.20	74.00	-10.80	56.88	3	Vertical	7	1.80	-	32.76	6.36	32.80
AV	5.1208G	49.63	54.00	-4.37	43.31	3	Vertical	7	1.80	-	32.76	6.36	32.80
PK	5.254G	123.37	Inf	-Inf	116.90	3	Vertical	7	1.80	-	32.81	6.40	32.74
AV	5.2528G	112.21	Inf	-Inf	105.74	3	Vertical	7	1.80	-	32.81	6.40	32.74
PK	5.4082G	63.26	74.00	-10.74	56.25	3	Vertical	7	1.80	-	33.28	6.41	32.68
AV	5.4082G	50.53	54.00	-3.47	43.52	3	Vertical	7	1.80	-	33.28	6.41	32.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.128G	63.16	74.00	-10.84	56.86	3	Horizontal	0	1.80	-	32.74	6.36	32.80
AV	5.11G	49.98	54.00	-4.02	43.64	3	Horizontal	0	1.80	-	32.78	6.36	32.80
PK	5.2666G	122.62	Inf	-Inf	116.13	3	Horizontal	0	1.80	-	32.83	6.40	32.74
AV	5.251G	111.77	Inf	-Inf	105.31	3	Horizontal	0	1.80	-	32.80	6.40	32.74
PK	5.4016G	63.11	74.00	-10.89	56.17	3	Horizontal	0	1.80	-	33.22	6.40	32.68
AV	5.41G	50.95	54.00	-3.05	43.92	3	Horizontal	0	1.80	-	33.30	6.41	32.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51598G	56.41	68.20	-11.79	40.91	3	Vertical	112	2.28	-	38.52	8.63	31.65
PK	15.7822G	62.38	74.00	-11.62	44.41	3	Vertical	266	1.08	-	38.19	10.43	30.65
AV	15.77952G	48.40	54.00	-5.60	30.44	3	Vertical	266	1.08	-	38.18	10.43	30.65

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5194G	55.92	68.20	-12.28	40.43	3	Horizontal	214	2.77	-	38.52	8.63	31.66
PK	15.77528G	61.83	74.00	-12.17	43.90	3	Horizontal	262	1.47	-	38.15	10.43	30.65
AV	15.7813G	48.26	54.00	-5.74	30.29	3	Horizontal	262	1.47	-	38.19	10.43	30.65

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3064G	123.96	Inf	-Inf	117.37	3	Vertical	4	1.79	-	32.91	6.40	32.72	
AV	5.3088G	112.28	Inf	-Inf	105.68	3	Vertical	4	1.79	-	32.92	6.40	32.72	
PK	5.3916G	62.07	74.00	-11.93	55.19	3	Vertical	4	1.79	-	33.17	6.40	32.69	
AV	5.3524G	49.58	54.00	-4.42	42.87	3	Vertical	4	1.79	-	33.01	6.40	32.70	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.292G	123.49	Inf	-Inf	116.94	3	Horizontal	0	1.80	-	32.88	6.40	32.73	
AV	5.2912G	111.69	Inf	-Inf	105.14	3	Horizontal	0	1.80	-	32.88	6.40	32.73	
PK	5.3672G	62.24	74.00	-11.76	55.47	3	Horizontal	0	1.80	-	33.07	6.40	32.70	
AV	5.4G	50.12	54.00	-3.88	43.20	3	Horizontal	0	1.80	-	33.20	6.40	32.68	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59618G	56.58	68.20	-11.62	41.05	3	Vertical	1	1.22	-	38.60	8.65	31.72
PK	15.90312G	63.97	74.00	-10.03	45.71	3	Vertical	334	1.47	-	38.40	10.47	30.61
AV	15.90276G	49.89	54.00	-4.11	31.63	3	Vertical	334	1.47	-	38.40	10.47	30.61

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60252G	56.15	74.00	-17.85	40.62	3	Horizontal	182	2.60	-	38.60	8.65	31.72
PK	15.90492G	62.58	74.00	-11.42	44.32	3	Horizontal	214	2.66	-	38.40	10.47	30.61
AV	15.9G	50.00	54.00	-4.00	31.74	3	Horizontal	214	2.66	-	38.40	10.47	30.61

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3288G	124.29	Inf	-Inf	117.64	3	Vertical	5	1.80	-	32.96	6.40	32.71
AV	5.3288G	112.39	Inf	-Inf	105.74	3	Vertical	5	1.80	-	32.96	6.40	32.71
PK	5.3564G	63.09	74.00	-10.91	56.36	3	Vertical	5	1.80	-	33.03	6.40	32.70
AV	5.3502G	50.06	54.00	-3.94	43.36	3	Vertical	5	1.80	-	33.00	6.40	32.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.312G	124.42	Inf	-Inf	117.82	3	Horizontal	360	1.80	-	32.92	6.40	32.72	
AV	5.3112G	112.04	Inf	-Inf	105.44	3	Horizontal	360	1.80	-	32.92	6.40	32.72	
PK	5.3596G	64.42	74.00	-9.58	57.68	3	Horizontal	360	1.80	-	33.04	6.40	32.70	
AV	5.3504G	50.25	54.00	-3.75	43.55	3	Horizontal	360	1.80	-	33.00	6.40	32.70	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64132G	56.52	74.00	-17.48	41.01	3	Vertical	48	2.17	-	38.60	8.66	31.75
AV	10.64282G	43.16	54.00	-10.84	27.65	3	Vertical	48	2.17	-	38.60	8.66	31.75
PK	15.96174G	64.32	74.00	-9.68	46.02	3	Vertical	103	1.97	-	38.40	10.49	30.59
AV	15.95984G	50.54	54.00	-3.46	32.24	3	Vertical	103	1.97	-	38.40	10.49	30.59

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64334G	56.55	74.00	-17.45	41.04	3	Horizontal	329	2.21	-	38.60	8.66	31.75
AV	10.64228G	42.94	54.00	-11.06	27.43	3	Horizontal	329	2.21	-	38.60	8.66	31.75
PK	15.9571G	63.62	74.00	-10.38	45.32	3	Horizontal	264	1.18	-	38.40	10.49	30.59
AV	15.95752G	50.57	54.00	-3.43	32.27	3	Horizontal	264	1.18	-	38.40	10.49	30.59

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4576G	63.13	74.00	-10.87	55.63	3	Vertical	10	1.80	-	33.70	6.46	32.66	
AV	5.456G	50.68	54.00	-3.32	43.18	3	Vertical	10	1.80	-	33.70	6.46	32.66	
PK	5.4662G	64.16	68.20	-4.04	56.64	3	Vertical	10	1.80	-	33.70	6.47	32.65	
PK	5.4916G	123.86	Inf	-Inf	116.31	3	Vertical	10	1.80	-	33.70	6.49	32.64	
AV	5.491G	112.04	Inf	-Inf	104.49	3	Vertical	10	1.80	-	33.70	6.49	32.64	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4532G	63.51	74.00	-10.49	56.02	3	Horizontal	0	1.80	-	33.70	6.45	32.66	
AV	5.4536G	50.39	54.00	-3.61	42.90	3	Horizontal	0	1.80	-	33.70	6.45	32.66	
PK	5.4632G	63.22	68.20	-4.98	55.72	3	Horizontal	0	1.80	-	33.70	6.46	32.66	
PK	5.491G	125.35	Inf	-Inf	117.80	3	Horizontal	0	1.80	-	33.70	6.49	32.64	
AV	5.4912G	112.72	Inf	-Inf	105.17	3	Horizontal	0	1.80	-	33.70	6.49	32.64	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99782G	56.35	74.00	-17.65	41.14	3	Vertical	247	1.41	-	38.50	8.75	32.04
AV	10.99506G	43.46	54.00	-10.54	28.25	3	Vertical	247	1.41	-	38.50	8.75	32.04
PK	16.50096G	67.85	68.20	-0.35	45.84	3	Vertical	31	2.33	-	40.30	10.65	28.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00236G	56.49	74.00	-17.51	41.28	3	Horizontal	106	2.60	-	38.50	8.75	32.04
AV	10.99506G	43.66	54.00	-10.34	28.45	3	Horizontal	106	2.60	-	38.50	8.75	32.04
PK	16.49572G	67.76	68.20	-0.44	45.78	3	Horizontal	120	1.65	-	40.28	10.65	28.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4064G	61.34	74.00	-12.66	54.35	3	Vertical	0	1.80	-	33.26	6.41	32.68
AV	5.3968G	49.00	54.00	-5.00	42.09	3	Vertical	0	1.80	-	33.19	6.40	32.68
PK	5.4688G	61.01	68.20	-7.19	53.49	3	Vertical	0	1.80	-	33.70	6.47	32.65
PK	5.5736G	122.97	Inf	-Inf	115.22	3	Vertical	0	1.80	-	33.85	6.57	32.67
AV	5.5712G	111.21	Inf	-Inf	103.45	3	Vertical	0	1.80	-	33.86	6.57	32.67
PK	5.7504G	63.59	68.20	-4.61	55.33	3	Vertical	0	1.80	-	34.40	6.60	32.74

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.428G	63.92	74.00	-10.08	56.68	3	Horizontal	357	1.80	-	33.48	6.43	32.67
AV	5.408G	51.00	54.00	-3.00	43.99	3	Horizontal	357	1.80	-	33.28	6.41	32.68
PK	5.4664G	62.25	68.20	-5.95	54.73	3	Horizontal	357	1.80	-	33.70	6.47	32.65
PK	5.5736G	123.31	Inf	-Inf	115.56	3	Horizontal	357	1.80	-	33.85	6.57	32.67
AV	5.5728G	111.68	Inf	-Inf	103.93	3	Horizontal	357	1.80	-	33.85	6.57	32.67
PK	5.764G	62.16	68.20	-6.04	53.91	3	Horizontal	357	1.80	-	34.40	6.60	32.75

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1605G	56.04	74.00	-17.96	40.85	3	Vertical	175	1.24	-	38.34	8.79	31.94
AV	11.15606G	43.07	54.00	-10.93	27.89	3	Vertical	175	1.24	-	38.34	8.79	31.95
PK	16.73784G	65.50	68.20	-2.70	43.69	3	Vertical	233	1.69	-	40.44	10.72	29.35

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1633G	56.57	74.00	-17.43	41.38	3	Horizontal	60	2.69	-	38.34	8.79	31.94
AV	11.15634G	42.88	54.00	-11.12	27.70	3	Horizontal	60	2.69	-	38.34	8.79	31.95
PK	16.73786G	65.63	68.20	-2.57	43.82	3	Horizontal	335	2.08	-	40.44	10.72	29.35

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7038G	124.83	Inf	-Inf	116.92	3	Vertical	0	1.80	-	34.03	6.60	32.72
AV	5.7088G	112.18	Inf	-Inf	104.23	3	Vertical	0	1.80	-	34.07	6.60	32.72
PK	5.7262G	66.93	68.20	-1.27	58.85	3	Vertical	0	1.80	-	34.21	6.60	32.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.705G	123.10	Inf	-Inf	115.18	3	Horizontal	355	1.70	-	34.04	6.60	32.72
AV	5.7088G	110.90	Inf	-Inf	102.95	3	Horizontal	355	1.70	-	34.07	6.60	32.72
PK	5.725G	66.57	68.20	-1.63	58.50	3	Horizontal	355	1.70	-	34.20	6.60	32.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40236G	57.18	74.00	-16.82	41.73	3	Vertical	77	2.33	-	38.40	8.85	31.80
AV	11.4005G	44.18	54.00	-9.82	28.73	3	Vertical	77	2.33	-	38.40	8.85	31.80
PK	17.10144G	67.22	68.20	-0.98	44.96	3	Vertical	153	2.22	-	41.40	10.83	29.97

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40458G	57.94	74.00	-16.06	42.49	3	Horizontal	67	1.73	-	38.40	8.85	31.80
AV	11.40106G	44.23	54.00	-9.77	28.78	3	Horizontal	67	1.73	-	38.40	8.85	31.80
PK	17.10244G	67.74	68.20	-0.46	45.48	3	Horizontal	13	2.64	-	41.40	10.83	29.97

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.724G	125.10	Inf	-Inf	117.04	3	Vertical	0	1.80	-	34.19	6.60	32.73
AV	5.7136G	112.34	Inf	-Inf	104.36	3	Vertical	0	1.80	-	34.11	6.60	32.73
PK	5.9056G	61.63	68.20	-6.57	52.91	3	Vertical	0	1.80	-	34.92	6.60	32.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7112G	122.42	Inf	-Inf	114.45	3	Horizontal	360	1.80	-	34.09	6.60	32.72
AV	5.7288G	110.88	Inf	-Inf	102.78	3	Horizontal	360	1.80	-	34.23	6.60	32.73
PK	5.8912G	62.14	68.20	-6.06	53.46	3	Horizontal	360	1.80	-	34.88	6.60	32.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44046G	58.62	74.00	-15.38	43.14	3	Vertical	300	2.64	-	38.40	8.86	31.78
AV	11.44158G	44.57	54.00	-9.43	29.09	3	Vertical	300	2.64	-	38.40	8.86	31.78
PK	17.17146G	67.79	68.20	-0.41	45.48	3	Vertical	280	2.28	-	41.54	10.85	30.08

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4438G	57.91	74.00	-16.09	42.42	3	Horizontal	193	2.82	-	38.40	8.86	31.77
AV	11.43506G	44.41	54.00	-9.59	28.93	3	Horizontal	193	2.82	-	38.40	8.86	31.78
PK	17.16058G	67.86	68.20	-0.34	45.55	3	Horizontal	120	2.14	-	41.52	10.85	30.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1308G	63.84	74.00	-10.16	57.53	3	Vertical	4	1.80	-	32.74	6.37	32.80
AV	5.1218G	50.61	54.00	-3.39	44.29	3	Vertical	4	1.80	-	32.76	6.36	32.80
PK	5.2754G	122.72	Inf	-Inf	116.20	3	Vertical	4	1.80	-	32.85	6.40	32.73
AV	5.2688G	109.48	Inf	-Inf	102.98	3	Vertical	4	1.80	-	32.84	6.40	32.74
PK	5.4068G	63.06	74.00	-10.94	56.06	3	Vertical	4	1.80	-	33.27	6.41	32.68
AV	5.4146G	50.68	54.00	-3.32	43.60	3	Vertical	4	1.80	-	33.35	6.41	32.68

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	61.95	74.00	-12.05	55.66	3	Horizontal	0	1.75	-	32.71	6.37	32.79
AV	5.1242G	49.86	54.00	-4.14	43.55	3	Horizontal	0	1.75	-	32.75	6.36	32.80
PK	5.2718G	120.19	Inf	-Inf	113.69	3	Horizontal	0	1.75	-	32.84	6.40	32.74
AV	5.2664G	109.91	Inf	-Inf	103.42	3	Horizontal	0	1.75	-	32.83	6.40	32.74
PK	5.402G	63.20	74.00	-10.80	56.26	3	Horizontal	0	1.75	-	33.22	6.40	32.68
AV	5.4098G	50.89	54.00	-3.11	43.86	3	Horizontal	0	1.75	-	33.30	6.41	32.68

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5351G	56.71	68.20	-11.49	41.21	3	Vertical	54	1.04	-	38.54	8.63	31.67
PK	15.809G	61.50	74.00	-12.50	43.39	3	Vertical	70	2.44	-	38.31	10.44	30.64
AV	15.80712G	48.35	54.00	-5.65	30.24	3	Vertical	70	2.44	-	38.31	10.44	30.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53676G	56.37	68.20	-11.83	40.87	3	Horizontal	258	2.34	-	38.54	8.63	31.67
PK	15.81106G	61.26	74.00	-12.74	43.15	3	Horizontal	50	2.64	-	38.31	10.44	30.64
AV	15.80886G	48.44	54.00	-5.56	30.33	3	Horizontal	50	2.64	-	38.31	10.44	30.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Y_4TX
Setting 22
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3144G	120.27	Inf	-Inf	113.66	3	Vertical	0	1.80	-	32.93	6.40	32.72	
AV	5.3072G	108.03	Inf	-Inf	101.44	3	Vertical	0	1.80	-	32.91	6.40	32.72	
PK	5.3524G	64.63	74.00	-9.37	57.92	3	Vertical	0	1.80	-	33.01	6.40	32.70	
AV	5.35G	52.54	54.00	-1.46	45.84	3	Vertical	0	1.80	-	33.00	6.40	32.70	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 22
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3056G	120.89	Inf	-Inf	114.30	3	Horizontal	0	1.80	-	32.91	6.40	32.72
AV	5.3176G	107.63	Inf	-Inf	101.01	3	Horizontal	0	1.80	-	32.94	6.40	32.72
PK	5.3508G	65.30	74.00	-8.70	58.60	3	Horizontal	0	1.80	-	33.00	6.40	32.70
AV	5.35G	53.85	54.00	-0.15	47.15	3	Horizontal	0	1.80	-	33.00	6.40	32.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 22
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62036G	56.52	74.00	-17.48	41.00	3	Vertical	216	2.22	-	38.60	8.66	31.74
AV	10.62118G	43.03	54.00	-10.97	27.51	3	Vertical	216	2.22	-	38.60	8.66	31.74
PK	15.92916G	63.55	74.00	-10.45	45.27	3	Vertical	122	2.17	-	38.40	10.48	30.60
AV	15.93456G	50.12	54.00	-3.88	31.84	3	Vertical	122	2.17	-	38.40	10.48	30.60

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 22
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62342G	56.31	74.00	-17.69	40.79	3	Horizontal	334	2.76	-	38.60	8.66	31.74
AV	10.62072G	43.16	54.00	-10.84	27.64	3	Horizontal	334	2.76	-	38.60	8.66	31.74
PK	15.93138G	63.26	74.00	-10.74	44.98	3	Horizontal	27	1.36	-	38.40	10.48	30.60
AV	15.93228G	50.19	54.00	-3.81	31.91	3	Horizontal	27	1.36	-	38.40	10.48	30.60

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	63.13	74.00	-10.87	55.63	3	Vertical	2	1.80	-	33.70	6.46	32.66
AV	5.46G	50.78	54.00	-3.22	43.28	3	Vertical	2	1.80	-	33.70	6.46	32.66
PK	5.47G	68.02	68.20	-0.18	60.50	3	Vertical	2	1.80	-	33.70	6.47	32.65
PK	5.5136G	119.70	Inf	-Inf	112.09	3	Vertical	2	1.80	-	33.75	6.51	32.65
AV	5.516G	107.68	Inf	-Inf	100.05	3	Vertical	2	1.80	-	33.76	6.52	32.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.454G	64.32	74.00	-9.68	56.83	3	Horizontal	0	1.84	-	33.70	6.45	32.66	
AV	5.46G	51.33	54.00	-2.67	43.83	3	Horizontal	0	1.84	-	33.70	6.46	32.66	
PK	5.4684G	67.06	68.20	-1.14	59.54	3	Horizontal	0	1.84	-	33.70	6.47	32.65	
PK	5.5164G	120.72	Inf	-Inf	113.08	3	Horizontal	0	1.84	-	33.77	6.52	32.65	
AV	5.5048G	108.23	Inf	-Inf	100.65	3	Horizontal	0	1.84	-	33.72	6.50	32.64	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01678G	55.99	74.00	-18.01	40.79	3	Vertical	60	2.13	-	38.48	8.75	32.03
AV	11.01524G	42.77	54.00	-11.23	27.57	3	Vertical	60	2.13	-	38.48	8.75	32.03
PK	16.5338G	67.25	68.20	-0.95	45.29	3	Vertical	191	2.89	-	40.30	10.66	29.00

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02306G	56.10	74.00	-17.90	40.89	3	Horizontal	356	2.13	-	38.48	8.76	32.03
AV	11.01536G	42.73	54.00	-11.27	27.53	3	Horizontal	356	2.13	-	38.48	8.75	32.03
PK	16.53114G	67.21	68.20	-0.99	45.24	3	Horizontal	227	1.52	-	40.30	10.66	28.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.409G	61.76	74.00	-12.24	54.74	3	Vertical	0	1.77	-	33.29	6.41	32.68
AV	5.4012G	48.83	54.00	-5.17	41.90	3	Vertical	0	1.77	-	33.21	6.40	32.68
PK	5.4612G	60.71	68.20	-7.49	53.21	3	Vertical	0	1.77	-	33.70	6.46	32.66
PK	5.5524G	120.43	Inf	-Inf	112.64	3	Vertical	0	1.77	-	33.90	6.55	32.66
AV	5.5482G	107.37	Inf	-Inf	99.59	3	Vertical	0	1.77	-	33.89	6.55	32.66

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Y_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4036G	63.70	74.00	-10.30	56.74	3	Horizontal	358	1.73	-	33.24	6.40	32.68
AV	5.4054G	50.76	54.00	-3.24	43.78	3	Horizontal	358	1.73	-	33.25	6.41	32.68
PK	5.4672G	61.76	68.20	-6.44	54.24	3	Horizontal	358	1.73	-	33.70	6.47	32.65
PK	5.5524G	120.81	Inf	-Inf	113.02	3	Horizontal	358	1.73	-	33.90	6.55	32.66
AV	5.5452G	108.15	Inf	-Inf	100.38	3	Horizontal	358	1.73	-	33.88	6.55	32.66

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10214G	55.82	74.00	-18.18	40.62	3	Vertical	130	2.54	-	38.40	8.78	31.98
AV	11.10186G	42.91	54.00	-11.09	27.71	3	Vertical	130	2.54	-	38.40	8.78	31.98
PK	16.65322G	67.11	68.20	-1.09	45.27	3	Vertical	144	1.88	-	40.35	10.70	29.21

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10312G	56.43	74.00	-17.57	41.23	3	Horizontal	82	2.38	-	38.40	8.78	31.98
AV	11.10044G	42.82	54.00	-11.18	27.62	3	Horizontal	82	2.38	-	38.40	8.78	31.98
PK	16.64916G	67.25	68.20	-0.95	45.41	3	Horizontal	48	2.15	-	40.35	10.69	29.20

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6636G	121.95	Inf	-Inf	113.99	3	Vertical	0	1.80	-	34.07	6.60	32.71
AV	5.672G	109.49	Inf	-Inf	101.54	3	Vertical	0	1.80	-	34.06	6.60	32.71
PK	5.7252G	63.59	68.20	-4.61	55.52	3	Vertical	0	1.80	-	34.20	6.60	32.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.674G	120.37	Inf	-Inf	112.43	3	Horizontal	360	1.80	-	34.05	6.60	32.71
AV	5.6708G	107.89	Inf	-Inf	99.94	3	Horizontal	360	1.80	-	34.06	6.60	32.71
PK	5.7304G	62.98	68.20	-5.22	54.87	3	Horizontal	360	1.80	-	34.24	6.60	32.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34458G	56.94	74.00	-17.06	41.53	3	Vertical	7	1.06	-	38.40	8.84	31.83
AV	11.3435G	43.58	54.00	-10.42	28.17	3	Vertical	7	1.06	-	38.40	8.84	31.83
PK	17.0118G	67.20	68.20	-1.00	45.09	3	Vertical	159	1.54	-	41.14	10.80	29.83

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3436G	57.30	74.00	-16.70	41.89	3	Horizontal	283	2.66	-	38.40	8.84	31.83
AV	11.33586G	43.70	54.00	-10.30	28.31	3	Horizontal	283	2.66	-	38.40	8.83	31.84
PK	17.00632G	67.50	68.20	-0.70	45.40	3	Horizontal	293	2.91	-	41.12	10.80	29.82

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7036G	121.69	Inf	-Inf	113.78	3	Vertical	360	1.79	-	34.03	6.60	32.72
AV	5.7156G	109.55	Inf	-Inf	101.56	3	Vertical	360	1.79	-	34.12	6.60	32.73
PK	5.8508G	62.42	68.20	-5.78	53.80	3	Vertical	360	1.79	-	34.80	6.60	32.78

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7052G	120.00	Inf	-Inf	112.08	3	Horizontal	352	1.76	-	34.04	6.60	32.72
AV	5.7084G	108.26	Inf	-Inf	100.31	3	Horizontal	352	1.76	-	34.07	6.60	32.72
PK	5.8572G	62.49	68.20	-5.71	53.86	3	Horizontal	352	1.76	-	34.81	6.60	32.78

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41534G	57.10	74.00	-16.90	41.64	3	Vertical	252	1.61	-	38.40	8.85	31.79
AV	11.41522G	43.97	54.00	-10.03	28.51	3	Vertical	252	1.61	-	38.40	8.85	31.79
PK	17.13192G	67.36	68.20	-0.84	45.08	3	Vertical	276	1.89	-	41.46	10.84	30.02

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4207G	56.99	74.00	-17.01	41.52	3	Horizontal	34	1.74	-	38.40	8.86	31.79
AV	11.42398G	43.93	54.00	-10.07	28.46	3	Horizontal	34	1.74	-	38.40	8.86	31.79
PK	17.1301G	67.30	68.20	-0.90	45.01	3	Horizontal	98	1.16	-	41.46	10.84	30.01

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 20
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1372G	60.98	74.00	-13.02	54.67	3	Vertical	7	1.80	-	32.73	6.37	32.79
AV	5.1156G	48.74	54.00	-5.26	42.41	3	Vertical	7	1.80	-	32.77	6.36	32.80
PK	5.3028G	113.94	Inf	-Inf	107.35	3	Vertical	7	1.80	-	32.91	6.40	32.72
AV	5.3028G	102.13	Inf	-Inf	95.54	3	Vertical	7	1.80	-	32.91	6.40	32.72
PK	5.354G	63.93	74.00	-10.07	57.21	3	Vertical	7	1.80	-	33.02	6.40	32.70
AV	5.3516G	51.88	54.00	-2.12	45.17	3	Vertical	7	1.80	-	33.01	6.40	32.70
PK	5.4612G	61.38	68.20	-6.82	53.88	3	Vertical	7	1.80	-	33.70	6.46	32.66

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 20
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.28	74.00	-12.72	55.00	3	Horizontal	359	1.80	-	32.70	6.37	32.79
AV	5.1244G	48.64	54.00	-5.36	42.33	3	Horizontal	359	1.80	-	32.75	6.36	32.80
PK	5.2916G	113.86	Inf	-Inf	107.31	3	Horizontal	359	1.80	-	32.88	6.40	32.73
AV	5.2876G	101.75	Inf	-Inf	95.20	3	Horizontal	359	1.80	-	32.88	6.40	32.73
PK	5.35G	64.63	74.00	-9.37	57.93	3	Horizontal	359	1.80	-	33.00	6.40	32.70
AV	5.3516G	51.99	54.00	-2.01	45.28	3	Horizontal	359	1.80	-	33.01	6.40	32.70
PK	5.4644G	62.65	68.20	-5.55	55.14	3	Horizontal	359	1.80	-	33.70	6.46	32.65

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 20
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5766G	56.74	68.20	-11.46	41.22	3	Vertical	4	2.42	-	38.58	8.64	31.70
PK	15.86512G	62.48	74.00	-11.52	44.27	3	Vertical	99	2.52	-	38.37	10.46	30.62
AV	15.87446G	49.55	54.00	-4.45	31.34	3	Vertical	99	2.52	-	38.37	10.46	30.62

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 20
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57696G	56.59	68.20	-11.61	41.07	3	Horizontal	352	2.77	-	38.58	8.64	31.70
PK	15.86634G	62.75	74.00	-11.25	44.54	3	Horizontal	199	2.22	-	38.37	10.46	30.62
AV	15.87138G	49.65	54.00	-4.35	31.44	3	Horizontal	199	2.22	-	38.37	10.46	30.62

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 22
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.311G	61.19	68.20	-7.01	54.59	3	Vertical	0	1.80	-	32.92	6.40	32.72
PK	5.447G	62.96	74.00	-11.04	55.50	3	Vertical	0	1.80	-	33.67	6.45	32.66
PK	5.47G	63.78	68.20	-4.42	56.26	3	Vertical	0	1.80	-	33.70	6.47	32.65
AV	5.46G	51.49	54.00	-2.51	43.99	3	Vertical	0	1.80	-	33.70	6.46	32.66
PK	5.546G	115.30	Inf	-Inf	107.53	3	Vertical	0	1.80	-	33.88	6.55	32.66
AV	5.528G	103.32	Inf	-Inf	95.63	3	Vertical	0	1.80	-	33.81	6.53	32.65
PK	5.746G	62.32	68.20	-5.88	54.09	3	Vertical	0	1.80	-	34.37	6.60	32.74

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 22
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.336G	63.20	68.20	-5.00	56.54	3	Horizontal	358	1.80	-	32.97	6.40	32.71
PK	5.458G	65.47	74.00	-8.53	57.97	3	Horizontal	358	1.80	-	33.70	6.46	32.66
AV	5.459G	53.32	54.00	-0.68	45.82	3	Horizontal	358	1.80	-	33.70	6.46	32.66
PK	5.47G	65.19	68.20	-3.01	57.67	3	Horizontal	358	1.80	-	33.70	6.47	32.65
PK	5.529G	116.71	Inf	-Inf	109.01	3	Horizontal	358	1.80	-	33.82	6.53	32.65
AV	5.528G	104.91	Inf	-Inf	97.22	3	Horizontal	358	1.80	-	33.81	6.53	32.65
PK	5.725G	62.96	68.20	-5.24	54.89	3	Horizontal	358	1.80	-	34.20	6.60	32.73

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 22
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06122G	56.58	74.00	-17.42	41.37	3	Vertical	256	2.45	-	38.44	8.77	32.00
AV	11.05726G	42.81	54.00	-11.19	27.62	3	Vertical	256	2.45	-	38.44	8.76	32.01
PK	16.59352G	67.98	68.20	-0.22	46.10	3	Vertical	281	2.39	-	40.30	10.68	29.10

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 22
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06338G	55.82	74.00	-18.18	40.61	3	Horizontal	60	2.78	-	38.44	8.77	32.00
AV	11.06016G	42.90	54.00	-11.10	27.69	3	Horizontal	60	2.78	-	38.44	8.77	32.00
PK	16.58696G	68.00	68.20	-0.20	46.11	3	Horizontal	153	1.67	-	40.30	10.68	29.09

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44G	61.53	74.00	-12.47	54.16	3	Vertical	0	1.80	-	33.60	6.44	32.67
PK	5.47G	61.94	68.20	-6.26	54.42	3	Vertical	0	1.80	-	33.70	6.47	32.65
AV	5.459G	49.23	54.00	-4.77	41.73	3	Vertical	0	1.80	-	33.70	6.46	32.66
PK	5.635G	118.48	Inf	-Inf	110.56	3	Vertical	0	1.80	-	34.01	6.60	32.69
AV	5.588G	110.42	Inf	-Inf	102.69	3	Vertical	0	1.80	-	33.82	6.59	32.68
PK	5.734G	63.74	68.20	-4.46	55.60	3	Vertical	0	1.80	-	34.27	6.60	32.73

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	63.60	74.00	-10.40	56.11	3	Horizontal	359	1.80	-	33.70	6.45	32.66
AV	5.452G	51.32	54.00	-2.68	43.83	3	Horizontal	359	1.80	-	33.70	6.45	32.66
PK	5.461G	62.61	68.20	-5.59	55.11	3	Horizontal	359	1.80	-	33.70	6.46	32.66
PK	5.618G	117.28	Inf	-Inf	109.46	3	Horizontal	359	1.80	-	33.91	6.60	32.69
AV	5.584G	108.67	Inf	-Inf	100.93	3	Horizontal	359	1.80	-	33.83	6.58	32.67
PK	5.742G	63.53	68.20	-4.67	55.33	3	Horizontal	359	1.80	-	34.34	6.60	32.74

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21676G	57.48	74.00	-16.52	42.27	3	Vertical	342	1.06	-	38.32	8.80	31.91
AV	11.22204G	43.11	54.00	-10.89	27.89	3	Vertical	342	1.06	-	38.32	8.81	31.91
PK	16.83234G	65.96	68.20	-2.24	44.07	3	Vertical	65	2.18	-	40.66	10.75	29.52

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21922G	56.54	74.00	-17.46	41.33	3	Horizontal	125	2.64	-	38.32	8.80	31.91
AV	11.216G	43.14	54.00	-10.86	27.93	3	Horizontal	125	2.64	-	38.32	8.80	31.91
PK	16.83346G	66.07	68.20	-2.13	44.17	3	Horizontal	1	2.49	-	40.67	10.75	29.52

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6668G	120.67	Inf	-Inf	112.71	3	Vertical	0	1.80	-	34.07	6.60	32.71
AV	5.6532G	106.30	Inf	-Inf	98.31	3	Vertical	0	1.80	-	34.09	6.60	32.70
PK	5.8612G	62.58	68.20	-5.62	53.94	3	Vertical	0	1.80	-	34.82	6.60	32.78

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Y_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6668G	118.17	Inf	-Inf	110.21	3	Horizontal	360	1.80	-	34.07	6.60	32.71
AV	5.6524G	108.10	Inf	-Inf	100.10	3	Horizontal	360	1.80	-	34.10	6.60	32.70
PK	5.8596G	62.14	68.20	-6.06	53.50	3	Horizontal	360	1.80	-	34.82	6.60	32.78

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37948G	57.60	74.00	-16.40	42.17	3	Vertical	347	2.04	-	38.40	8.84	31.81
AV	11.38356G	44.05	54.00	-9.95	28.61	3	Vertical	347	2.04	-	38.40	8.85	31.81
PK	17.06908G	67.53	68.20	-0.67	45.32	3	Vertical	234	1.29	-	41.31	10.82	29.92

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38348G	56.53	74.00	-17.47	41.09	3	Horizontal	20	1.00	-	38.40	8.85	31.81
AV	11.3837G	43.98	54.00	-10.02	28.54	3	Horizontal	20	1.00	-	38.40	8.85	31.81
PK	17.07204G	67.56	68.20	-0.64	45.34	3	Horizontal	268	1.51	-	41.32	10.82	29.92

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT Y_4TX
Setting 21
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	64.09	74.00	-9.91	57.79	3	Vertical	0	1.80	-	32.72	6.37	32.79
AV	5.1492G	52.03	54.00	-1.97	45.75	3	Vertical	0	1.80	-	32.70	6.37	32.79
PK	5.234G	111.26	Inf	-Inf	104.84	3	Vertical	0	1.80	-	32.77	6.40	32.75
AV	5.2708G	99.73	Inf	-Inf	93.23	3	Vertical	0	1.80	-	32.84	6.40	32.74
PK	5.3524G	66.53	74.00	-7.47	59.82	3	Vertical	0	1.80	-	33.01	6.40	32.70
AV	5.3556G	52.69	54.00	-1.31	45.97	3	Vertical	0	1.80	-	33.02	6.40	32.70
PK	5.5748G	62.56	68.20	-5.64	54.81	3	Vertical	0	1.80	-	33.85	6.57	32.67

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT Y_4TX
Setting 21
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	66.56	74.00	-7.44	60.27	3	Horizontal	0	1.80	-	32.71	6.37	32.79
AV	5.1492G	51.86	54.00	-2.14	45.58	3	Horizontal	0	1.80	-	32.70	6.37	32.79
PK	5.2356G	111.17	Inf	-Inf	104.75	3	Horizontal	0	1.80	-	32.77	6.40	32.75
AV	5.2804G	98.88	Inf	-Inf	92.35	3	Horizontal	0	1.80	-	32.86	6.40	32.73
PK	5.3844G	66.38	74.00	-7.62	59.53	3	Horizontal	0	1.80	-	33.14	6.40	32.69
AV	5.3732G	53.51	54.00	-0.49	46.71	3	Horizontal	0	1.80	-	33.09	6.40	32.69
PK	5.4868G	61.57	68.20	-6.63	54.03	3	Horizontal	0	1.80	-	33.70	6.49	32.65

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT Y_4TX
Setting 21
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50356G	56.05	68.20	-12.15	40.56	3	Vertical	175	1.21	-	38.50	8.63	31.64
PK	15.74962G	61.22	74.00	-12.78	43.46	3	Vertical	44	1.81	-	38.00	10.42	30.66
AV	15.7459G	48.07	54.00	-5.93	30.33	3	Vertical	44	1.81	-	37.98	10.42	30.66

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TnomVnom




EUT Y_4TX
Setting 21
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49934G	56.30	68.20	-11.90	40.82	3	Horizontal	255	1.99	-	38.50	8.62	31.64
PK	15.7499G	61.66	74.00	-12.34	43.90	3	Horizontal	332	1.57	-	38.00	10.42	30.66
AV	15.74666G	48.03	54.00	-5.97	30.29	3	Horizontal	332	1.57	-	37.98	10.42	30.66

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_V_4TX
Setting 21
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2724G	60.43	68.20	-7.77	53.93	3	Vertical	10	1.44	-	32.84	6.40	32.74
PK	5.434G	65.70	74.00	-8.30	58.40	3	Vertical	10	1.44	-	33.54	6.43	32.67
PK	5.4612G	62.36	68.20	-5.84	54.86	3	Vertical	10	1.44	-	33.70	6.46	32.66
AV	5.4532G	52.03	54.00	-1.97	44.54	3	Vertical	10	1.44	-	33.70	6.45	32.66
PK	5.5076G	117.71	Inf	-Inf	110.11	3	Vertical	10	1.44	-	33.73	6.51	32.64
AV	5.5044G	104.55	Inf	-Inf	96.97	3	Vertical	10	1.44	-	33.72	6.50	32.64
PK	5.7604G	63.45	68.20	-4.75	55.19	3	Vertical	10	1.44	-	34.40	6.60	32.74

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT Y_4TX
Setting 21
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3444G	60.95	68.20	-7.25	54.27	3	Horizontal	359	1.80	-	32.99	6.40	32.71
PK	5.4132G	64.57	74.00	-9.43	57.51	3	Horizontal	359	1.80	-	33.33	6.41	32.68
PK	5.4644G	65.98	68.20	-2.22	58.47	3	Horizontal	359	1.80	-	33.70	6.46	32.65
AV	5.4532G	52.93	54.00	-1.07	45.44	3	Horizontal	359	1.80	-	33.70	6.45	32.66
PK	5.4916G	114.12	Inf	-Inf	106.57	3	Horizontal	359	1.80	-	33.70	6.49	32.64
AV	5.5076G	111.58	Inf	-Inf	103.98	3	Horizontal	359	1.80	-	33.73	6.51	32.64
PK	5.7396G	64.81	68.20	-3.39	56.63	3	Horizontal	359	1.80	-	34.32	6.60	32.74

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT Y_4TX
Setting 21
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13928G	56.74	74.00	-17.26	41.56	3	Vertical	300	1.89	-	38.36	8.78	31.96
AV	11.14406G	43.01	54.00	-10.99	27.81	3	Vertical	300	1.89	-	38.36	8.79	31.95
PK	16.7102G	66.03	68.20	-2.17	44.22	3	Vertical	166	1.63	-	40.41	10.71	29.31

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT Y_4TX
Setting 21
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1361G	56.73	74.00	-17.27	41.55	3	Horizontal	78	1.85	-	38.36	8.78	31.96
AV	11.13636G	43.02	54.00	-10.98	27.84	3	Horizontal	78	1.85	-	38.36	8.78	31.96
PK	16.71482G	66.43	68.20	-1.77	44.62	3	Horizontal	320	1.37	-	40.41	10.71	29.31