
## Wireless and batteryless Wake Up/Sleep control 0 648 84L/85L - 0 677 86L 0 770 57L - 6 000 84L 5 742 87/93 - 5 743 22 - 5 748 36 7 418 03L/33L/63L





Requires to install the connected starter pack and one or more «... with Netatmo» connected switch, micromodule or socket outlet




## (1) Start the configuration

Press the configuration button of Module Control or press the middle of the wireless master switch (with battery) until its light briefly turns green, and then stop pressing. All wired products lights will turn green.









To complete your installation, **briefly** press the configuration of the **Module Control** or the middle of **the wireless Home / Away master switch.** 

All the indicator lights on the products switch off



While holding the "setup" button on the wireless batteryless control, press the "Wake Up" button for 5 seconds. Confirm that your control is correctly reset by making an "Wake Up" command, then "Sleep"



This device complies with FCC and ISED radiation exposure limits set forth for general population. This device must not be co-located or operating in conjunction with any other antenna or transmitter.

FCC Caution: the user that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

FCC NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instruction, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception which can be determined by turning the equipment off and on, the user is encouraged to try to correct interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

## ▲ Safety instructions

Make sure the power supply is disconnected before any intervention. Strictly comply with instructions for installation and use.

(GB)(E)

