

TEST REPORT

APPLICANT : You Tec Ltd

PRODUCT NAME: Smartphone

MODEL NAME : X3

BRAND NAME: STK

FCC ID : 2A2KI-STKX3

STANDARD(S) : 47 CFR Part 15 Subpart E

RECEIPT DATE : 2021-06-18

TEST DATE : 2021-07-20

ISSUE DATE : 2021-08-09

Certification

Qrosal Service

Edited by:

Peng **M**i (Rapporteur)

Approved by:

Shen Junsheng (Supervisor)

NOTE: This document is issued by Shenzhen Morlab Communications Technology Co., Ltd., the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.



Tel: 86-755-36698555

Http://www.morlab.cn

Fax: 86-755-36698525

E-mail: service@morlab.cn





DIRECTORY

1. Technical Information·····	3
1.1. Applicant and Manufacturer Information ······	з
1.2. Equipment Under Test (EUT) Description ······	з
1.3. Companion Equipment(Master) Description ······	5
1.4. The Channel Number and Frequency······	
1.5. Test Standards and Results······	7
1.6. Environmental Conditions······	
2. 47 CFR Part 15E Requirements······	8
2.1. Transmit Power Control (TPC) and Dynamic Frequency Selection (DFS)	8
Annex A Test Uncertainty ······	-18
Annex B Testing Laboratory Information ······	-19

Change History						
Version	Version Date Reason for change					
1.0 2021-08-09		First edition				



1. Technical Information

Note: Provide by applicant.

1.1. Applicant and Manufacturer Information

Applicant: You Tec Ltd	
Applicant Address:	Santok House Unit L, Braintree Industrial Estate, Braintree Road,
	South Ruislip, Middlesex, United Kingdom, HA4 0EJ
Manufacturer:	You Tec Ltd
Manufacturer Address: Santok House Unit L, Braintree Industrial Estate, Brain	
	South Ruislip, Middlesex, United Kingdom, HA4 0EJ

1.2. Equipment Under Test (EUT) Description

Product Name:	Smartphone		
Sample No.:	6#		
Hardware Version:	STKX3XW1		
Software Version:	SW2_V1.6_HW1_\	V.1_DSVLTEEU_SIG_240721	
Modulation Type:	OFDM		
Modulation Mode:	802.11a, 802.11n (I	HT20), 802.11n (HT40)	
Wodulation Wode.	802.11ac (VHT20),	802.11ac (VHT40), 802.11ac (VHT80)	
Operating Frequency Range:	5180MHz-5240MH	tz; 5260MHz–5320MHz;	
Operating Frequency Kange.	5745MHz-5825MH	Z	
Channel Number:	Refer to 1.4		
Antenna Type:	IFA Antenna		
Antenna Gain:	-1.50dBi		
	Battery		
	Brand Name:	STK	
	Model No.:	STK X3	
A a a a a a a w I information	Serial No.:	(N/A, marked #1 by test site)	
Accessory Information:	Capacity:	4000mAh	
	Rated Voltage:	3.85V	
	Charge Limit:	4.40V	
	Manufacturer:	Zhongshan Tianmao Battery Co., Ltd.	



	AC Adapter	AC Adapter			
	Brand Name:	STK			
	Model No.:	MC/X3WH2TC, MC/X3WH2TA2, MC/X3WH2TI, MC/X3WH2TI2			
	Serial No.:	(N/A, marked #1 by test site)			
Accessory Information:	Rated Output:	5V=2A			
-	Rated Input:	100-240V~50/60Hz, 0.3A			
	Manufacturer:	You Tec Ltd			
	USB				
	Model No.:	CAB/X3WHUSBC			
	Manufacturer:	You Tec Ltd			

Note 1: For a more detailed description, please refer to Specification or User's Manual supplied by the applicant and/or manufacturer.

Note 2: Hereby, we, You Tec Ltd, declare that for model name: X3(FCC ID: 2A2KI-STKX3, IC: 27509-X3), there are 2 models of CPU, only the model suffix is different; Memory (EMMC+LPDDR4X) and camera have 2 Suppliers. It's just that the supplier is different. details as follows:

Part Name		Supplier	Supplier	
		(Main Supply)	(Secondary Supply)	
CPU		MediaTek.Inc	MediaTek.Inc	
		(Model: MT6762V/CB)	(Model: MT6762V/WA)	
Memory EMMC		Hosin Global Electronics Co.,	Shenzhen Longsys Electronics Co.,	
		Ltd.	Ltd.	
LPDDR4X		Rayson Hi-Tech (HK) Limited	Shenzhen Longsys Electronics Co.,	
			Ltd.	
Camera		Chongqing Ts-Precision	Shen zhen Holitech opto-Electronics	
		Technology Co., Ltd.	Co., Ltd.	

Except for the above differences, their electrical circuit design, layout, components used and internal wiring are identical. We have evaluated those changes in EMC reports. The changes do not affect the results in report.



1.3. Companion Equipment(Master) Description

Product Name:	Router
Manufacturer:	Cisco
FCC ID:	LDK102091
Serial No:	FGL1848X9S5
Antenna Gain:	2.1dBi



Tel: 86-755-36698555

Http://www.morlab.cn



1.4. The Channel Number and Frequency

Frequency Rang	je: 5150MHz-52	50MHz		
Bandwidth	Channel	Frequency (MHz)	Channel	Frequency (MHz)
201411-	36	5180	40	5200
20MHz	44	5220	48	5240
40MHz	38	5190	46	5230
80MHz	42	5210		
Frequency Rang	je: 5250MHz-53	50MHz		
Bandwidth	Channel	Frequency (MHz)	Channel	Frequency (MHz)
20MH-	52	5260	56	5280
20MHz	60	5300	64	5320
40MHz	54	5270	62	5310
80MHz	58	5290		
Frequency Rang	je: 5725MHz-58	25MHz		
Bandwidth	Channel	Frequency (MHz)	Channel	Frequency (MHz)
	149	5745	153	5765
20MHz	157	5785	161	5805
	165	5825		
40MHz	151	5775	159	5795
80MHz	155	5775		

Note 1: The black bold channels were selected for test.



1.5. Test Standards and Results

The objective of the report is to perform testing according to 47 CFR Part 15 Subpart E (U-NII band) for the EUT FCC ID Certification:

No.	Identity	Document Title
1	47 CFR Part 15 (5-1-14 Edition)	Radio Frequency Devices

Test detailed items/section required by FCC rules and results are as below:

No.	Section	Description	Test Date	Test Engineer	Result	Method Determination /Remark
1	15.407(h)	TPC and DFS	Jul 20, 2021	Su Xiaoxian	PASS	No deviation

Note 1: The DFS section for U-NII band is applicable to this report; the other test items are documented in a separate report.

Note 2: These RF tests were performed according to the method of measurements prescribed in KDB 905462 D02 UNII DFS Compliance Procedures New Rules v02.

Note 3: Additions to, deviation, or exclusions from the method shall be judged in the "method determination" column of add, deviate or exclude from the specific method shall be explained in the "Remark" of the above table.

Note 4: When the test result is a critical value, we will use the measurement uncertainty give the judgment result based on the 95% confidence intervals.

1.6. Environmental Conditions

Shenzhen Morlab Communications Technology Co., Ltd.

FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,

Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

During the measurement, the environmental conditions were within the listed ranges:

Temperature (°C):	15-35
Relative Humidity (%):	30-60
Atmospheric Pressure (kPa):	86-106



2. 47 CFR Part 15E Requirements

2.1. Transmit Power Control (TPC) and Dynamic Frequency Selection (DFS)

2.1.1. Requirement

According to FCC section 15.407(h), (1) Transmit power control (TPC). U-NII devices operating in the 5.25-5.35 GHz band and the 5.47-5.725 GHz band shall employ a TPC mechanism. The U-NII device is required to have the capability to operate at least 6 dB below the mean EIRP value of 30 dBm. A TPC mechanism is not required for systems with an e.i.r.p. of less than 500 mW. (2) Radar Detection Function of Dynamic Frequency Selection (DFS). U-NII devices operating with any part of its 26 dB emission bandwidth in the 5.25-5.35 GHz and 5.47-5.725 GHz bands shall employ a DFS radar detection mechanism to detect the presence of radar systems and to avoid co-channel operation with radar systems. Operators shall only use equipment with a DFS mechanism that is turned on when operating in these bands. The device must sense for radar signals at 100 percent of its emission bandwidth. The minimum DFS detection threshold for devices with a maximum e.i.r.p. of 200 mW to 1 W is -64 dBm. For devices that operate with less than 200 mW e.i.r.p. and a power spectral density of less than 10 dBm in a 1 MHz band, the minimum detection threshold is -62 dBm. The detection threshold is the received power averaged over 1 microsecond referenced to a 0 dBi antenna. For the initial channel setting, the manufacturers shall be permitted to provide for either random channel selection or manual channel selection.

A U-NII network will employ a DFS function to detect signals from radar systems and to avoid co-channel operation with these systems. This applies to the 5250-5350 MHz and/or 5470-5725 MHz bands.1

Within the context of the operation of the DFS function, a U-NII device will operate in either Master Mode or Client Mode. U-NII devices operating in Client Mode can only operate in a network controlled by a U-NII device operating in Master Mode.2

Tables 1 and 2 shown below summarize the information contained in sections 5.1.1 and 5.1.2.

Table 1: Applicability of DFS Requirements Prior to Use of a Channel

	Operational Mode			
Requirement	Master	Client Without Radar	Client With Radar	
		Detection	Detection	
Non-Occupancy Period	Yes	Not required	Yes	
DFS Detection Threshold	Yes	Not required	Yes	
Channel Availability Check Time	Yes	Not required	Not required	
U-NII Detection Bandwidth	Yes	Not required	Yes	





Table 2: Applicability of DFS requirements during normal operation

Paguiroment	Operational Mode			
Requirement	Master	Client Without Radar Detection		
DFS Detection Threshold	Yes Not required			
Channel Closing Transmission Time	Yes	Yes		
Channel Move Time	Yes	Yes		
U-NII Detection Bandwidth	Yes	Not required		

Additional requirements for devices with multiple bandwidth modes	Master Device or Client with Radar Detection	Client Without Radar Detection
U-NII Detection Bandwidth and Statistical Performance Check	All BW modes must be tested	Not required
Channel Move Time and Channel	Test using widest BW mode	Test using the widest BW
Closing Transmission Time	available	mode available for the link
All other tests	Any single BW mode	Not required

Note: Frequencies selected for statistical performance check (Section 7.8.4) should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in each of the bonded 20 MHz channels and the channel center frequency.

The operational behavior and individual DFS requirements that are associated with these modes are as follows:

Master Devices

- a) The Master Device will use DFS in order to detect Radar Waveforms with received signal strength above the DFS Detection Threshold in the 5250 5350 MHz and 5470 5725 MHz bands. DFS is not required in the 5150 5250 MHz or 5725 5825 MHz bands.
- b) Before initiating a network on a Channel, the Master Device will perform a Channel Availability Check for specified time duration (Channel Availability Check Time) to ensure that there is no radar system operating on the Channel, using DFS described under subsection a) above.
- c) The Master Device initiates a U-NII network by transmitting control signals that will enable other U-NII devices to Associate with the Master Device.
- d) During normal operation, the Master Device will monitor the Channel (In-Service Monitoring) to ensure that there is no radar system operating on the Channel, using DFS described under a).
- e) If the Master Device has detected a Radar Waveform during In-Service Monitoring as described under d), the Operating Channel of the U-NII network is no longer an Available Channel. The Master Device will instruct all associated Client Device(s) to stop transmitting on this Channel within the Channel Move Time. The transmissions during the Channel Move Time will be limited to the Channel Closing Transmission Time.





- f) Once the Master Device has detected a Radar Waveform it will not utilize the Channel for the duration of the Non-Occupancy Period. 3.
- g) If the Master Device delegates the In-Service Monitoring to a Client Device, then the combination will be tested to the requirements described under d) through f) above.

Client Devices

- a) A Client Device will not transmit before having received appropriate control signals from a Master Device.
- b) A Client Device will stop all its transmissions whenever instructed by a Master Device to which it is associated and will meet the Channel Move Time and Channel Closing Transmission Time requirements. The Client Device will not resume any transmissions until it has again received control signals from a Master Device.
- c) If a Client Device is performing In-Service Monitoring and detects a Radar Waveform above the DFS Detection Threshold, it will inform the Master Device. This is equivalent to the Master Device detecting the Radar Waveform and d) through f) of section 5.1.1 apply.
- d) Irrespective of Client Device or Master Device detection the Channel Move Time and Channel Closing Transmission Time requirements remain the same.
- e) The client test frequency must be monitored to ensure no transmission of any type has occurred for 30 minutes. Note: If the client moves with the master, the device is considered compliant if nothing appears in the client non-occupancy period test. For devices that shut down (rather than moving channels), no beacons should appear.

DFS Detection Thresholds

Table 3 below provides the DFS Detection Thresholds for Master Devices as well as Client Devices incorporating In-Service Monitoring.

Table 3: DFS Detection Thresholds for Master Devices and Client Devices with Radar Detection

Maximum Transmit Power	Value (See Notes 1, 2, and 3)
EIRP ≥ 200 mill watt	-64 dBm
EIRP < 200 mill watt and	-62 dBm
power spectral density < 10 dBm/MHz	-02 dBIII
EIRP < 200 mill watt that do not meet the power spectral	-64 dBm
density requirement	-04 UDIII

Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna.

Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.

Note3: EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.



Shenzhen Morlab Communications Technology Co., Ltd.



Response Requirements

Table 4 provides the response requirements for Master and Client Devices incorporating DFS.

Table 4: DFS Response Requirement Values

Parameter	Value
Non-occupancy period	Minimum 30 minutes
Channel Availability Check Time	60 seconds
Channel Mayo Time	10 seconds
Channel Move Time	See Note 1.
Channel Clasing Transmission Time	200 milliseconds + an aggregate of 60 milliseconds
Channel Closing Transmission Time	over remaining 10 second period. See Notes 1 and 2.
LL NIII Detection Bandwidth	Minimum 100% of the U-NII 99% transmission power
U-NII Detection Bandwidth	bandwidth. See Note 3.

Note 1: Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.


Note 2: The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.

Note 3: During the U-NII Detection Bandwidth detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.

2.1.1. Test Description

According to Section 7.2 of KDB 905462 D02 V01R01

1. Setup for Master with injection at the Master



(Example Conducted Setup where UUT is a Master and Radar Test Waveforms are injected into the Master)




Tel: 86-755-36698555

Http://www.morlab.cn




2. Setup for Client with injection at the Master



(Example Conducted Setup where UUT is a Client and Radar Test Waveforms are injected into the Master)

3. Setup for Client with injection at the Client



(Example Conducted Setup where UUT is a Client and Radar Test Waveforms are injected into the Client)






2.1.2. Test Result

a. Test sequence and Channel loading between Master and Client


Test Channel	Frequency(MHz)	Payload
62	5310	40.13%

Test Plot



(Test sequence)






(Payload)





b.Radar Test Waveforms are injected into the Master:

Test Mode	Channel	Radar Type	Result	Limit[dbm]	Verdict
11AC20SISO	5320	Reference	-61.97	-56.89	PASS
11AC80SISO	5290	Reference	-62.52	-60.60	PASS








c.EUT is a Client Device Without Radar Detection :

Test Mode	Channel	CCT[ms]	Limit[ms]	CMT[ms]	Limit[ms]	Verdict
11AC20SISO	5320	93.96	1000	785.7	10000	PASS
11AC80SISO	5290	25.92	1000	322.38	10000	PASS








d.verification of Non-occupancy time

Test Mode	Channel	Result	Limit[s]	Verdict
11AC20SISO	5320	see test graph	>=1800	PASS







Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test Items	Uncertainty
Bandwidth	±5%
Conducted Emission	±2.44dB

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.





Annex B Testing Laboratory Information

1. Identification of the Responsible Testing Laboratory

Laboratory Name:	Shenzhen Morlab Communications Technology Co., Ltd.	
	FL.3, Building A, FeiYang Science Park, No.8 LongChang	
Laboratory Address:	Road, Block 67, BaoAn District, ShenZhen, GuangDong	
	Province, P. R. China	
Telephone:	+86 755 36698555	
Facsimile:	+86 755 36698525	

2. Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd.
	FL.3, Building A, FeiYang Science Park, No.8 LongChang
Address:	Road, Block 67, BaoAn District, ShenZhen, GuangDong
	Province, P. R. China

3. Facilities and Accreditations

All measurement facilities used to collect the measurement data are located at FL.3, Building A, FeiYang Science Park, Block 67, BaoAn District, Shenzhen, 518101 P. R. China. The test site is constructed in conformance with the requirements of ANSI C63.10-2013 and CISPR Publication 22; the FCC designation number is CN1192, the test firm registration number is 226174.





4. Test Equipments Utilized

4.1 Conducted Test Equipments

Equipment Name	Serial No.	Туре	Manufacturer	Cal. Date	Due Date
EXA Signal	MY53470836	N9010A	Agilent	2021.03.25	2022.03.24
Analzyer	101100170000	143010/1	/ ignorit	202::00:20	2022.00.21
MXG Vector Signal	MY53050961	N5182B	Agilopt	2021.03.25	2022.03.24
Generator	W 1 5505090 1	N3102D	Agilent	2021.03.25	2022.03.24

4.2 List of Software Used

Description	Manufacturer	Software Version
Test System	Tonscend	V2.5.77.0418

END OF REPORT
