

Appendix B: Test Results of Radiation Spurious Emissions & Mains Conducted Emission

Band Edges, 4.5GHz ~ 5.15GHz


U-NII-1

802.11a

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5055.00	56.08	14.22	41.86	74.00	-17.92		116	191	Peak	Horizontal	
2 *	5180.00	106.24	64.22	42.02	68.20	38.04		116	191	Peak	Horizontal	
3	5456.50	56.02	13.65	42.37	74.00	-17.98		116	191	Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5096.50	50.04	16.16	41.88	74.00	-15.96		100	355	Peak	Vertical	
2 *	5180.00	119.46	77.44	42.02	68.20	51.26		100	355	Peak	Vertical	
3	5393.50	57.47	14.94	42.53	74.00	-16.53		100	355	Peak	Vertical	

802.11a

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5106.00	42.81	0.93	41.88	54.00	-11.19	116	191	Average	Horizontal	
2 *	5180.00	95.90	53.88	42.02	54.00	41.90	116	191	Average	Horizontal	
3	5403.50	43.08	0.51	42.57	54.00	-10.92	116	191	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5098.50	44.57	2.68	41.89	54.00	-9.43	100	355	Average	Vertical	
2 *	5180.00	100.63	67.61	42.02	54.00	55.63	100	355	Average	Vertical	
3	5384.50	43.57	1.11	42.46	54.00	-10.43	100	355	Average	Vertical	

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5137.50	56.43	14.59	41.84	74.00	-17.57	202	193	Peak	Horizontal	
2 *	5200.00	106.23	64.00	42.15	68.20	38.03	202	193	Peak	Horizontal	
3	5374.00	56.00	13.64	42.36	74.00	-18.00	202	193	Peak	Horizontal	

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4940.00	57.18	15.51	41.67	74.00	-16.82	140	181	Peak	Vertical	
2 *	5200.00	121.15	79.00	42.15	68.20	52.95	140	181	Peak	Vertical	
3	5391.50	56.68	14.17	42.51	74.00	-17.32	140	181	Peak	Vertical	

802.11a

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5114.50	42.86	0.99	41.87	54.00	-11.14	202	193	Average	Horizontal	
2 *	5200.00	96.95	53.99	42.95	54.00	42.95	202	193	Average	Horizontal	
3	5426.00	43.17	0.72	42.45	54.00	-10.83	202	193	Average	Horizontal	

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5117.50	45.85	3.98	41.87	54.00	-8.15	140	181	Average	Vertical	
2 *	5200.00	111.76	69.61	42.15	54.00	57.76	140	181	Average	Vertical	
3	5398.50	44.07	1.49	42.58	54.00	-9.93	140	181	Average	Vertical	


802.11a

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5111.50	56.82	14.95	41.87	74.00	-17.18	109	331	Peak	Horizontal	
2 *	5240.00	105.55	63.69	41.86	68.20	37.35	109	331	Peak	Horizontal	
3	5425.00	56.69	14.24	42.45	74.00	-17.31	109	331	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5057.50	57.64	15.78	41.86	74.00	-16.36	144	180	Peak	Vertical	
2 *	5240.00	121.09	79.23	41.86	68.20	52.89	144	180	Peak	Vertical	
3	5406.50	57.04	14.49	42.55	74.00	-16.96	144	180	Peak	Vertical	

802.11a

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5188.58	42.97	1.18	41.87	54.00	-11.03	109	331 Average	Horizontal	
2 *	5240.00	94.87	53.81	41.86	54.00	40.87	109	331 Average	Horizontal	
3	5432.00	43.23	0.81	42.42	54.00	-10.77	109	331 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4531.00	45.20	4.31	40.89	54.00	-8.80	144	180 Average	Vertical	
2 *	5240.00	111.63	69.77	41.86	54.00	57.63	144	180 Average	Vertical	
3	5409.00	44.00	1.46	42.54	54.00	-10.00	144	180 Average	Vertical	

802.11ax HE20

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4964.00	55.47	13.86	41.61	74.00	-18.53	244	312	Peak	Horizontal	
2 *	5180.00	106.61	64.59	42.02	68.20	38.41	244	312	Peak	Horizontal	
3	5387.50	55.45	12.97	42.48	74.00	-18.55	244	312	Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5100.50	57.64	15.75	41.89	74.00	-16.36	100	360	Peak	Vertical	
2 *	5180.00	119.56	77.54	42.02	68.20	51.36	100	360	Peak	Vertical	
3	5432.00	56.86	14.44	42.42	74.00	-17.14	100	360	Peak	Vertical	

802.11ax HE20

CH 36 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5099.50	43.77	1.88	41.89	54.00	-10.23	244	312	Average	Horizontal	
2 *	5180.00	95.99	53.87	42.02	54.00	41.89	244	312	Average	Horizontal	
3	5391.00	43.84	1.33	42.51	54.00	-10.16	244	312	Average	Horizontal	

CH 36 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5099.00	45.13	3.25	41.88	54.00	-8.87	100	360	Average	Vertical	
2 *	5180.00	107.74	65.72	42.02	54.00	53.74	100	360	Average	Vertical	
3	5401.50	44.28	1.70	42.58	54.00	-9.72	100	360	Average	Vertical	


802.11ax HE20

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5000.50	55.64	14.22	41.42	74.00	-18.36	108	312	Peak	Horizontal	
2 *	5200.00	106.70	64.55	42.15	68.20	38.50	100	312	Peak	Horizontal	
3	5403.50	55.28	12.71	42.57	74.00	-18.72	108	312	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5100.00	57.81	15.94	41.87	74.00	-16.19	115	183	Peak	Vertical	
2 *	5200.00	110.90	76.83	42.15	68.20	50.78	115	183	Peak	Vertical	
3	5355.00	56.58	14.38	42.20	74.00	-17.42	115	183	Peak	Vertical	

802.11ax HE20

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5050.00	43.53	1.68	41.85	54.00	-10.47	108	312	Average	Horizontal		
2 *	5200.00	96.14	53.99	42.15	54.00	42.14	108	312	Average	Horizontal		
3	5387.50	43.90	1.42	42.48	54.00	-10.10	108	312	Average	Horizontal		

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5117.00	45.61	3.74	41.87	54.00	-8.39	115	183	Average	Vertical		
2 *	5200.00	100.92	66.77	42.15	54.00	54.92	115	183	Average	Vertical		
3	5393.00	44.89	2.37	42.52	54.00	-9.11	115	183	Average	Vertical		


802.11ax HE20

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5105.00	55.29	13.41	41.88	74.00	-18.71	134	312	Peak	Horizontal	
2 *	5240.00	106.45	64.59	41.86	68.29	38.25	134	312	Peak	Horizontal	
3	5431.50	56.26	13.84	42.42	74.00	-17.74	134	312	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5023.00	58.09	16.47	41.62	74.00	-15.91	119	182	Peak	Vertical	
2 *	5240.00	119.91	78.05	41.86	68.29	51.71	119	182	Peak	Vertical	
3	5398.50	56.69	14.11	42.58	74.00	-17.31	119	182	Peak	Vertical	

802.11ax HE20

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5051.00	43.81	1.96	41.85	54.00	-10.19	134	312 Average	Horizontal	
2 *	5240.00	95.50	53.64	41.86	54.00	41.50	134	312 Average	Horizontal	
3	5427.50	43.81	1.37	42.44	54.00	-10.19	134	312 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5106.50	45.25	3.37	41.88	54.00	-8.75	119	182 Average	Vertical	
2 *	5240.00	100.79	66.93	41.86	54.00	54.79	119	182 Average	Vertical	
3	5403.50	44.74	2.17	42.57	54.00	-9.26	119	182 Average	Vertical	


802.11ax HE40

CH 38 (Horizontal) Peak

CH 38 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5057.50	55.77	13.91	41.86	74.00	-18.23	198	312	Peak	Horizontal	
2 *	5190.00	106.13	64.04	42.09	68.20	37.93	198	312	Peak	Horizontal	
3	5387.00	55.69	13.21	42.48	74.00	-18.31	198	312	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.50	61.67	19.84	41.83	74.00	-12.33	100	192	Peak	Vertical	
2 *	5190.00	120.50	78.41	42.09	68.20	52.30	100	192	Peak	Vertical	
3	5375.50	57.38	15.01	42.37	74.00	-16.62	100	192	Peak	Vertical	

802.11ax HE40

CH 38 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5104.50	43.59	1.71	41.88	54.00	-10.41	198	312	Average	Horizontal		
2 *	5190.00	95.87	53.78	42.09	54.00	-41.87	198	312	Average	Horizontal		
3	5399.50	44.11	1.52	42.59	54.00	-9.89	198	312	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	49.55	7.73	41.82	54.00	-4.45	100	192	Average	Vertical		
2 *	5190.00	100.79	66.70	42.09	54.00	-54.79	100	192	Average	Vertical		
3	5401.00	44.94	2.36	42.58	54.00	-9.06	100	192	Average	Vertical		

802.11ax HE40

CH 46 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.50	55.62	13.77	41.85	74.00	-18.38	100	313	Peak	Horizontal	
2 *	5230.00	105.99	63.96	41.93	68.20	37.69	100	313	Peak	Horizontal	
3	5401.00	55.46	12.88	42.58	74.00	-18.54	100	313	Peak	Horizontal	

CH 46 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.50	60.19	18.36	41.83	74.00	-13.81	146	178	Peak	Vertical	
2 *	5230.00	120.66	78.73	41.93	68.20	52.46	146	178	Peak	Vertical	
3	5395.00	57.82	15.28	42.54	74.00	-16.18	146	178	Peak	Vertical	

802.11ax HE40

CH 46 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5070.50	43.57	1.70	41.87	54.00	-10.43	100	313 Average	Horizontal	
2 *	5230.00	94.91	52.88	41.93	54.00	40.01	100	313 Average	Horizontal	
3	5413.00	43.88	1.36	42.52	54.00	-10.12	100	313 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5137.00	46.30	4.46	41.84	54.00	-7.70	146	178 Average	Vertical	
2 *	5230.00	100.74	67.81	41.93	54.00	55.74	146	178 Average	Vertical	
3	5405.50	45.09	2.53	42.56	54.00	-8.91	146	178 Average	Vertical	


802.11ax HE80

CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5182.65	56.48	14.60	41.88	74.00	-17.52	122	314	Peak	Horizontal	
2 *	5210.00	109.93	59.75	42.00	68.20	32.63	122	314	Peak	Horizontal	
3	5485.59	56.43	13.87	42.56	74.00	-17.57	122	314	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.44	64.34	22.51	41.83	74.00	-9.66	150	179	Peak	Vertical	
2 *	5210.00	115.24	73.16	42.00	68.20	47.04	150	179	Peak	Vertical	
3	5363.89	57.23	14.97	42.26	74.00	-16.77	150	179	Peak	Vertical	

802.11ax HE80

CH 42 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5131.47	43.70	1.85	41.85	54.00	-10.30	122	314	Average	Horizontal		
2 *	5210.00	89.37	47.39	42.00	54.00	35.37	122	314	Average	Horizontal		
3	5402.21	43.93	1.35	42.58	54.00	-10.07	122	314	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5137.06	51.38	9.54	41.84	54.00	-2.62	150	179	Average	Vertical		
2 *	5210.00	103.26	61.18	42.00	54.00	49.26	150	179	Average	Vertical		
3	5403.82	44.57	2.00	42.57	54.00	-9.43	150	179	Average	Vertical		

Band Edges, 5.35GHz
U-NII-2A


802.11a

CH 52 (Horizontal) Peak


CH 52 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 52 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5096.50	42.73	0.85	41.88	54.00	-11.27	100	312	Average	Horizontal
2 *	5260.00	94.23	52.32	41.91	54.00	40.23	100	312	Average	Horizontal
3	5442.00	42.87	0.50	42.37	54.00	-11.13	100	312	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4531.00	45.67	4.78	40.89	54.00	-8.33	140	166	Average	Vertical
2 *	5260.00	110.09	66.18	41.91	54.00	56.09	140	166	Average	Vertical
3	5429.50	43.77	1.34	42.43	54.00	-10.23	140	166	Average	Vertical


802.11a

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5882.58	54.64	12.76	41.88	74.00	-19.36	156	336	Peak	Horizontal	
2 *	5300.00	105.92	62.60	42.42	68.20	36.82	156	336	Peak	Horizontal	
3	5436.58	55.53	13.14	42.39	74.00	-18.47	156	336	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5883.00	57.10	15.24	41.86	74.00	-16.90	144	164	Peak	Vertical	
2 *	5300.00	120.65	78.23	42.42	68.20	52.45	144	164	Peak	Vertical	
3	5436.00	55.97	13.54	42.43	74.00	-18.03	144	164	Peak	Vertical	

802.11a

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5097.00	42.78	0.90	41.88	54.00	-11.22	156	336 Average	Horizontal	
2 *	5300.00	95.63	53.21	42.42	54.00	41.63	156	336 Average	Horizontal	
3	5414.50	42.87	0.36	42.51	54.00	-11.13	156	336 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	4531.00	45.63	4.74	40.89	54.00	-8.37	144	164 Average	Vertical	
2 *	5300.00	111.48	69.06	42.42	54.00	57.48	144	164 Average	Vertical	
3	5381.00	44.12	1.69	42.43	54.00	-9.88	144	164 Average	Vertical	

802.11a

CH 64 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5110.00	42.70	0.83	41.87	54.00	-11.30	329	47 Average	Horizontal	
2 *	5320.00	96.68	54.37	42.31	54.00	42.68	329	47 Average	Horizontal	
3	5419.00	42.90	0.41	42.49	54.00	-11.10	329	47 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5854.00	43.97	2.11	41.86	54.00	-10.03	148	197 Average	Vertical	
2 *	5320.00	110.97	68.66	42.31	54.00	56.97	148	197 Average	Vertical	
3	5399.00	44.30	1.72	42.58	54.00	-9.70	148	197 Average	Vertical	


802.11ax HE20

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5067.50	55.08	13.21	41.87	74.00	-18.92	125	312	Peak	Horizontal	
2 *	5260.00	107.73	65.82	41.91	68.20	39.53	125	312	Peak	Horizontal	
3	5416.50	56.04	13.54	42.50	74.00	-17.96	125	312	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5183.00	58.32	16.44	41.88	74.00	-15.68	122	185	Peak	Vertical	
2 *	5260.00	122.65	80.74	41.91	68.20	54.45	122	185	Peak	Vertical	
3	5392.50	57.62	15.10	42.52	74.00	-16.38	122	185	Peak	Vertical	

802.11ax HE20

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5101.50	44.01	2.12	41.89	54.00	-9.99	125	312 Average	Horizontal	
2 *	5260.00	97.52	55.61	41.91	54.00	43.52	125	312 Average	Horizontal	
3	5437.50	44.09	1.70	42.39	54.00	-9.91	125	312 Average	Horizontal	

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5050.50	46.39	4.53	41.86	54.00	-7.61	122	185 Average	Vertical	
2 *	5260.00	112.11	70.20	41.91	54.00	58.11	122	185 Average	Vertical	
3	5403.50	45.63	3.06	42.57	54.00	-8.37	122	185 Average	Vertical	


802.11ax HE20

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5068.50	56.42	14.55	41.87	74.00	-17.58	162	220	Peak	Horizontal	
2 *	5380.00	106.11	63.69	42.42	68.20	37.91	162	220	Peak	Horizontal	
3	5380.50	55.48	13.87	42.41	74.00	-18.52	162	220	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5061.00	56.95	15.10	41.85	74.00	-17.05	117	184	Peak	Vertical	
2 *	5380.00	121.83	79.41	42.42	68.20	53.63	117	184	Peak	Vertical	
3	5417.50	56.57	14.07	42.50	74.00	-17.43	117	184	Peak	Vertical	

802.11ax HE20

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5088.50	43.57	1.70	41.87	54.00	-10.43	162	220	Average	Horizontal	
2 *	5387.00	96.14	53.72	42.42	54.00	42.14	162	220	Average	Horizontal	
3	5432.50	43.92	1.50	42.42	54.00	-10.08	162	220	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5088.50	45.16	3.30	41.86	54.00	-8.84	117	184	Average	Vertical	
2 *	5387.00	111.02	68.60	42.42	54.00	57.02	117	184	Average	Vertical	
3	5387.00	44.74	2.26	42.48	54.00	-9.26	117	184	Average	Vertical	


802.11ax HE20

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5081.00	55.96	14.09	41.87	74.00	-18.04	134	312	Peak	Horizontal	
2 *	5320.00	100.37	66.06	42.31	68.20	40.17	134	312	Peak	Horizontal	
3	5412.50	55.77	13.25	42.52	74.00	-18.23	134	312	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5067.50	57.65	15.78	41.87	74.00	-16.35	143	350	Peak	Vertical	
2 *	5330.00	120.64	78.33	42.31	68.20	52.44	143	350	Peak	Vertical	
3	5351.00	57.26	15.09	42.17	74.00	-16.74	143	350	Peak	Vertical	

802.11ax HE20

CH 64 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5069.00	43.75	1.89	41.87	54.00	-10.24	134	312 Average	Horizontal	
2 *	5320.00	97.24	54.93	42.33	54.00	43.24	134	312 Average	Horizontal	
3	5445.00	43.75	1.40	42.35	54.00	-10.25	134	312 Average	Horizontal	

CH 64 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5097.00	45.51	3.63	41.88	54.00	-8.49	143	350 Average	Vertical	
2 *	5320.00	111.27	68.96	42.33	54.00	57.27	143	350 Average	Vertical	
3	5350.00	45.55	3.40	42.15	54.00	-8.45	143	350 Average	Vertical	

802.11ax HE40

CH 54 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5183.50	55.79	13.91	41.88	74.00	-18.21	111	313	Peak	Horizontal	
2 *	5270.00	107.54	65.50	42.04	68.20	39.34	111	313	Peak	Horizontal	
3	5459.00	55.71	13.33	42.38	74.00	-18.29	111	313	Peak	Horizontal	

CH 54 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5091.00	59.80	17.92	41.88	74.00	-14.20	122	177	Peak	Vertical	
2 *	5270.00	123.39	81.35	42.04	68.20	55.19	122	177	Peak	Vertical	
3	5361.50	61.28	19.03	42.25	74.00	-12.72	122	177	Peak	Vertical	

802.11ax HE40

CH 54 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5121.50	43.63	1.77	41.86	54.00	-10.37	111	313	Average	Horizontal	
2 *	5270.00	96.95	54.91	42.04	54.00	42.95	111	313	Average	Horizontal	
3	5382.50	43.70	1.26	42.44	54.00	-10.30	111	313	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5183.50	46.14	4.26	41.88	54.00	-7.86	122	177	Average	Vertical	
2 *	5270.00	112.90	70.86	42.04	54.00	56.90	122	177	Average	Vertical	
3	5351.50	46.43	4.26	42.17	54.00	-7.57	122	177	Average	Vertical	


802.11ax HE40

CH 62 (Horizontal) Peak

CH 62 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5183.50	55.91	14.03	41.88	74.00	-18.09	247	312	Peak	Horizontal	
2 *	5310.00	104.97	62.50	42.37	68.20	36.67	247	312	Peak	Horizontal	
3	5441.50	56.60	14.23	42.37	74.00	-17.40	247	312	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5070.50	56.00	15.03	41.87	74.00	-17.10	155	190	Peak	Vertical	
2 *	5310.00	119.04	76.67	42.37	68.20	50.04	155	190	Peak	Vertical	
3	5352.00	64.92	22.74	42.18	74.00	-9.08	155	190	Peak	Vertical	

802.11ax HE40

CH 62 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5310.00	43.65	1.79	41.86	54.00	-10.35	247	312 Average	Horizontal	
2 *	5310.00	93.58	51.21	42.37	54.00	39.58	247	312 Average	Horizontal	
3	5405.00	43.75	1.19	42.56	54.00	-10.25	247	312 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4531.00	44.92	4.03	40.89	54.00	-9.08	155	190 Average	Vertical	
2 *	5310.00	100.82	66.45	42.37	54.00	56.82	155	190 Average	Vertical	
3 !	5351.00	51.99	9.82	42.17	54.00	-2.01	155	190 Average	Vertical	


802.11ax HE80

CH 58 (Horizontal) Peak

CH 58 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5112.500	55.73	13.86	41.87	74.00	-18.27	216	311	Peak	Horizontal	
2	5290.000	100.23	57.94	42.29	68.20	32.03	216	311	Peak	Horizontal	
3	5358.500	55.18	12.95	42.23	74.00	-18.82	216	311	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5125.000	57.02	15.17	41.85	74.00	-16.98	116	348	Peak	Vertical	
2	5290.000	113.62	71.33	42.29	68.20	45.42	116	348	Peak	Vertical	
3	5350.000	62.00	19.85	42.15	68.20	-6.20	116	348	Peak	Vertical	

802.11ax HE80

CH 58 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5191.500	43.26	1.37	41.89	54.00	-10.74	216	311 Average	Horizontal	
2	5290.000	89.93	46.54	42.29	54.00	34.83	216	311 Average	Horizontal	
3	5350.000	44.16	2.01	42.15	54.00	-9.84	216	311 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5139.500	44.52	2.69	41.83	54.00	-9.48	116	348 Average	Vertical	
2	5290.000	103.42	61.13	42.29	54.00	49.42	116	348 Average	Vertical	
3	5354.000	51.81	9.62	42.19	54.00	-2.19	116	348 Average	Vertical	


802.11ax HE160

CH 50 (Horizontal) Peak

CH 50 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5039.000	55.90	14.14	41.76	74.00	-18.10	249	308	Peak	HORIZONTAL		
2	5250.000	94.60	52.89	41.79	68.20	26.40	249	308	Peak	HORIZONTAL		
3	5383.500	55.85	13.40	42.45	74.00	-18.15	249	308	Peak	HORIZONTAL		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5144.500	63.36	21.53	41.83	74.00	-10.64	155	177	Peak	Vertical		
2	5250.000	100.97	68.18	41.79	68.20	41.77	155	177	Peak	Vertical		
3	5354.500	61.10	18.90	42.20	74.00	-12.90	155	177	Peak	Vertical		

802.11ax HE160

CH 50 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5132.500	43.72	1.87	41.85	54.00	-10.28	249	308	Average	HORIZONTAL		
2	5250.000	82.90	41.11	41.79	54.00	28.90	249	308	Average	HORIZONTAL		
3	5422.500	43.58	1.11	42.47	54.00	-10.42	249	308	Average	HORIZONTAL		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5144.000	51.33	9.50	41.83	54.00	-2.67	155	177	Average	Vertical		
2	5250.000	99.18	57.39	41.79	54.00	45.18	155	177	Average	Vertical		
3	5354.000	51.02	8.83	42.19	54.00	-2.98	155	177	Average	Vertical		

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz

U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5410.00	55.85	13.32	42.53	74.00	-18.15	259	290 Peak	Horizontal	
2	5467.00	55.94	12.61	42.43	68.20	-13.16	259	290 Peak	Horizontal	
3 *	5580.00	104.93	62.28	42.65	68.20	36.73	259	290 Peak	Horizontal	
4	6968.00	59.69	15.47	44.22	68.20	-8.51	259	290 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5396.50	56.34	13.78	42.56	74.00	-17.66	175	188 Peak	Vertical	
2	5469.00	56.58	14.14	42.44	68.20	-11.62	175	188 Peak	Vertical	
3 *	5580.00	120.26	77.61	42.65	68.20	52.86	175	188 Peak	Vertical	
4	6970.50	59.23	15.01	44.22	68.20	-8.97	175	188 Peak	Vertical	

802.11a

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	5398.00	42.92	0.35	42.57	54.00	-11.08	259	290 Average	Horizontal	
2 *	5500.00	95.58	52.93	42.65	54.00	41.58	259	290 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	5419.50	45.16	2.68	42.48	54.00	-8.84	175	188 Average	Vertical	
2 *	5500.00	110.99	68.34	42.65	54.00	56.99	175	188 Average	Vertical	

802.11a

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5432.50	55.40	12.98	42.42	74.00	-10.60	280	63 Peak	Horizontal	
2	5466.50	54.46	12.03	42.43	68.20	-13.74	280	63 Peak	Horizontal	
3 *	5580.00	103.61	61.82	42.59	68.20	35.41	280	63 Peak	Horizontal	
4	6903.50	58.43	14.29	44.14	68.20	-9.77	280	63 Peak	Horizontal	

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5352.00	56.56	14.38	42.18	74.00	-17.44	170	185 Peak	Vertical	
2	5462.50	55.66	13.25	42.41	68.20	-12.54	170	185 Peak	Vertical	
3 *	5580.00	119.24	76.65	42.59	68.20	51.04	170	185 Peak	Vertical	
4	6940.50	59.45	15.29	44.16	68.20	-8.75	170	185 Peak	Vertical	

802.11a

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5423.00	42.94	0.48	42.46	54.00	-11.06	280	63 Average	Horizontal	
2 *	5500.00	94.63	52.04	42.59	54.00	40.63	280	63 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5395.50	43.98	1.44	42.54	54.00	-10.02	170	185 Average	Vertical	
2 *	5500.00	110.22	67.63	42.59	54.00	56.22	170	185 Average	Vertical	

802.11a

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5455.00	55.59	13.24	42.35	74.00	-10.41	307	59 Peak	Horizontal	
2	5463.50	55.00	12.67	42.41	68.20	-13.12	307	59 Peak	Horizontal	
3 *	5700.00	107.67	65.88	42.59	68.20	39.47	307	59 Peak	Horizontal	
4	6974.50	59.53	15.30	44.23	68.20	-8.67	307	59 Peak	Horizontal	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5412.50	56.87	14.35	42.52	74.00	-17.13	145	184 Peak	Vertical	
2	5463.50	55.42	13.01	42.41	68.20	-12.78	145	184 Peak	Vertical	
3 *	5700.00	119.71	77.12	42.59	68.20	51.51	145	184 Peak	Vertical	
4	6981.50	59.68	15.43	44.25	68.20	-8.52	145	184 Peak	Vertical	

802.11a

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5486.00	42.99	0.44	42.55	54.00	-11.01	307	59 Average	Horizontal	
2 *	5700.00	98.17	55.58	42.59	54.00	44.17	307	59 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5458.50	44.25	1.87	42.38	54.00	-9.75	145	184 Average	Vertical	
2 *	5700.00	110.63	68.04	42.59	54.00	56.63	145	184 Average	Vertical	


802.11ax HE20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5435.50	56.15	13.75	42.40	74.00	-17.85	145	220 Peak	Horizontal
2	5470.00	55.73	13.28	42.45	68.20	-12.47	145	220 Peak	Horizontal
3 *	5500.00	112.13	69.48	42.65	68.20	43.93	145	220 Peak	Horizontal
4	6957.50	59.77	15.59	44.18	68.20	-8.43	145	220 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5430.00	58.53	16.05	42.48	74.00	-15.47	138	185 Peak	Vertical
2	5467.50	58.12	15.68	42.44	68.20	-10.08	138	185 Peak	Vertical
3 *	5500.00	123.99	81.34	42.65	68.20	55.79	138	185 Peak	Vertical
4	6097.00	60.23	16.20	44.03	68.20	-7.97	138	185 Peak	Vertical


802.11ax HE20

CH 100 (Horizontal) Average

CH 100 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5391.50	43.87	1.36	42.51	54.00	-10.13	145	220 Average	Horizontal	
2 *	5500.00	100.65	50.00	42.65	54.00	46.65	145	220 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5422.00	47.19	4.72	42.47	54.00	-6.81	138	185 Average	Vertical	
2 *	5500.00	114.75	72.10	42.65	54.00	60.75	138	185 Average	Vertical	