


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2412MHz


CSE NdB



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2437MHz

CSE NdB




802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2462MHz

CSE NdB

13/10/2019



Port 1
Port 2



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	12.98	-17.02	1.71313G	-53.38	2.39828G	-49.92	2.48368G	-38.10	17.05456G	-46.76	1
2.43198G	12.98	-17.02	2.18904G	-52.85	2.39008G	-49.81	2.4839G	-35.32	24.46337G	-47.26	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


2422MHz

CSE NdB

13/10/2019



Port 1
Port 2




RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	6.05	-23.95	959.17M	-53.45	2.39324G	-40.37	2.55646G	-49.06	15.08587G	-45.87	1
2.43198G	6.05	-23.95	2.30483G	-52.38	2.39924G	-34.64	2.48446G	-43.67	16.93408G	-47.33	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

CSE NdB


2437MHz



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

CSE NdB

2452MHz



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.4625G	15.28	-14.72	2.30612G	-52.78	2.39996G	-35.57	2.48474G	-49.66	7.23514G	-46.05	1
802.11g_Nss1,(6Mbps)_1TX	Pass	2.43073G	11.68	-18.32	592.11M	-53.26	2.39986G	-30.40	2.4958G	-50.82	6.77999G	-47.18	1
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	2.43198G	10.77	-19.23	948.31M	-52.42	2.39944G	-27.01	2.48408G	-51.26	24.63476G	-47.18	1
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	2.42948G	3.98	-26.02	2.30311G	-52.29	2.39956G	-30.49	2.49078G	-36.36	16.35353G	-47.06	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.4625G	15.28	-14.72	2.30612G	-52.78	2.39996G	-35.57	2.48474G	-49.66	7.23514G	-46.05	1
2437MHz	Pass	2.4625G	15.28	-14.72	631.72M	-52.35	2.39896G	-46.46	2.48698G	-47.80	16.51512G	-47.09	1
2462MHz	Pass	2.4625G	15.28	-14.72	1.84332G	-52.64	2.39948G	-48.27	2.48446G	-37.85	15.26206G	-47.28	1
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43073G	11.68	-18.32	592.11M	-53.26	2.39986G	-30.40	2.4958G	-50.82	6.77999G	-47.18	1
2437MHz	Pass	2.43073G	11.68	-18.32	788.42M	-52.13	2.39954G	-36.37	2.487G	-39.22	15.29296G	-46.76	1
2462MHz	Pass	2.43073G	11.68	-18.32	901.71M	-52.78	2.39168G	-49.73	2.48414G	-39.06	16.7736G	-46.22	1
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43198G	10.77	-19.23	948.31M	-52.42	2.39944G	-27.01	2.48408G	-51.26	24.63476G	-47.18	1
2437MHz	Pass	2.43198G	10.77	-19.23	1.95021G	-53.31	2.39942G	-36.41	2.48384G	-39.33	24.74433G	-46.81	1
2462MHz	Pass	2.43198G	10.77	-19.23	726.38M	-52.74	2.39912G	-51.24	2.48354G	-38.89	16.78765G	-46.84	1
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.42948G	3.98	-26.02	2.12592G	-53.31	2.39712G	-36.08	2.48574G	-48.57	24.58492G	-46.96	1
2437MHz	Pass	2.42948G	3.98	-26.02	2.30311G	-52.29	2.39956G	-30.49	2.49078G	-36.36	16.35353G	-47.06	1
2452MHz	Pass	2.42948G	3.98	-26.02	2.30569G	-53.22	2.39964G	-43.77	2.48574G	-34.76	16.85836G	-45.79	1

802.11b_Nss1,(1Mbps)_1TX


CSE NdB

2412MHz

03/10/2019



Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.4625G	15.28	-14.72	2.30612G	-52.78	2.39996G	-35.57	2.48474G	-49.66	7.23514G	-46.05	1

802.11b_Nss1,(1Mbps)_1TX


CSE NdB

2437MHz

03/10/2019



Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.4625G	15.28	-14.72	631.72M	-52.35	2.39896G	-46.46	2.48698G	-47.80	16.51512G	-47.09	1



802.11b_Nss1,(1Mbps)_1TX

2462MHz

CSE NdB

03/10/2019

Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.4625G	15.28	-14.72	1.84332G	-52.64	2.39948G	-48.27	2.48446G	-37.85	15.26206G	-47.28	1



802.11g_Nss1,(6Mbps)_1TX

2412MHz

CSE NdB

03/10/2019

Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43073G	11.68	-18.32	592.11M	-53.26	2.39986G	-30.40	2.4958G	-50.82	6.77999G	-47.18	1



802.11g_Nss1,(6Mbps)_1TX

2437MHz

CSE NdB

03/10/2019

Port1



RBW (Hz)
100K
VBW (Hz)
300K
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
243073G	11.68	-18.32	788.42M	-52.13	2.39954G	-36.37	2.487G	-39.22	15.29296G	-46.76	1



802.11g_Nss1,(6Mbps)_1TX

2462MHz

CSE NdB

03/10/2019

Port1



RBW (Hz)
100K
VBW (Hz)
300K
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
243073G	11.68	-18.32	901.71M	-52.78	2.39168G	-49.73	2.48414G	-39.06	16.7736G	-46.22	1

802.11ax HEW20_Nss1,(MCS0)_1TX


CSE NdB

2412MHz

03/10/2019



Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	10.77	-19.23	948.31M	-52.42	2.39944G	-27.01	2.48408G	-51.26	24.63476G	-47.18	1

802.11ax HEW20_Nss1,(MCS0)_1TX


CSE NdB

2437MHz

03/10/2019



Port1




RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	10.77	-19.23	1.95021G	-53.31	2.39942G	-36.41	2.48384G	-39.33	24.74433G	-46.81	1

802.11ax HEW20_Nss1,(MCS0)_1TX


CSE NdB

2462MHz



03/10/2019

Port1




RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43198G	10.77	-19.23	726.38M	-52.74	2.39912G	-51.24	2.48354G	-38.89	16.78765G	-46.84	1

802.11ax HEW40_Nss1,(MCS0)_1TX


CSE NdB

2422MHz



03/10/2019

Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.42948G	3.98	-26.02	2.12592G	-53.31	2.39712G	-36.08	2.48574G	-48.57	24.58492G	-46.96	1



802.11ax HEW40_Nss1,(MCS0)_1TX

2437MHz

CSE NdB

03/10/2019

Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.42948G	3.98	-26.02	2.30311G	-52.29	2.39956G	-30.49	2.49078G	-36.36	16.35353G	-47.06	1



802.11ax HEW40_Nss1,(MCS0)_1TX

2452MHz

CSE NdB

03/10/2019

Port1



RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.42948G	3.98	-26.02	2.30569G	-53.22	2.39964G	-43.77	2.48574G	-34.76	16.85836G	-45.79	1

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	2.43649G	15.86	-14.14	948.31M	-52.51	2.39998G	-25.88	2.48398G	-50.00	7.23233G	-45.87	2
802.11g_Nss1,(6Mbps)_2TX	Pass	2.44196G	10.65	-19.35	954.43M	-53.42	2.39884G	-32.78	2.49442G	-50.27	24.47742G	-47.29	2
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	2.442G	9.92	-20.08	382.12M	-53.19	2.39942G	-33.61	2.4854G	-39.10	15.20306G	-46.98	2
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	2.43198G	3.55	-26.45	2.30225G	-52.77	2.39924G	-28.02	2.4837G	-35.38	17.38561G	-46.62	2


Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43649G	15.86	-14.14	898.22M	-52.54	2.3945G	-36.12	2.49074G	-49.60	17.30742G	-46.74	1
2412MHz	Pass	2.43649G	15.86	-14.14	948.31M	-52.51	2.39998G	-25.88	2.48398G	-50.00	7.23233G	-45.87	2
2437MHz	Pass	2.43649G	15.86	-14.14	2.14011G	-52.74	2.39398G	-44.83	2.48846G	-46.66	24.48023G	-46.71	1
2437MHz	Pass	2.43649G	15.86	-14.14	822.78M	-53.48	2.39948G	-34.18	2.48544G	-38.31	15.21429G	-47.28	2
2462MHz	Pass	2.43649G	15.86	-14.14	2.30961G	-53.06	2.39908G	-49.98	2.49174G	-45.58	16.7736G	-46.35	1
2462MHz	Pass	2.43649G	15.86	-14.14	875.5M	-52.71	2.39146G	-48.88	2.48844G	-39.95	15.09348G	-46.91	2
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44196G	10.65	-19.35	2.30437G	-52.87	2.39984G	-37.02	2.48478G	-51.46	15.11034G	-46.84	1
2412MHz	Pass	2.44196G	10.65	-19.35	954.43M	-53.42	2.39884G	-32.78	2.49442G	-50.27	24.47742G	-47.29	2
2437MHz	Pass	2.44196G	10.65	-19.35	573.18M	-52.71	2.39856G	-38.07	2.48474G	-44.67	24.83143G	-46.38	1
2437MHz	Pass	2.44196G	10.65	-19.35	865.01M	-53.03	2.39792G	-34.50	2.48574G	-36.20	6.76594G	-46.64	2
2462MHz	Pass	2.44196G	10.65	-19.35	933.75M	-52.97	2.39758G	-50.58	2.48384G	-43.63	16.43364G	-46.80	1
2462MHz	Pass	2.44196G	10.65	-19.35	2.30816G	-52.71	2.39626G	-50.70	2.48478G	-40.20	15.15248G	-47.13	2
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.442G	9.92	-20.08	1.97002G	-52.93	2.39886G	-36.58	2.49984G	-50.98	15.18901G	-46.34	1
2412MHz	Pass	2.442G	9.92	-20.08	1.99477G	-52.70	2.39902G	-34.52	2.50402G	-50.15	21.40657G	-46.78	2
2437MHz	Pass	2.442G	9.92	-20.08	1.86488G	-52.23	2.39964G	-38.71	2.49108G	-45.14	23.1794G	-47.30	1
2437MHz	Pass	2.442G	9.92	-20.08	382.12M	-53.19	2.39942G	-33.61	2.4854G	-39.10	15.20306G	-46.98	2
2462MHz	Pass	2.442G	9.92	-20.08	822.78M	-52.25	2.39726G	-50.73	2.4837G	-40.69	16.4196G	-46.89	1
2462MHz	Pass	2.442G	9.92	-20.08	924.72M	-53.01	2.39474G	-49.49	2.48366G	-35.49	24.53923G	-46.88	2
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.43198G	3.55	-26.45	2.11648G	-52.89	2.39824G	-38.70	2.49422G	-50.86	16.77983G	-46.77	1
2422MHz	Pass	2.43198G	3.55	-26.45	2.10589G	-52.65	2.39276G	-36.19	2.48534G	-48.78	6.94423G	-46.67	2
2437MHz	Pass	2.43198G	3.55	-26.45	2.30139G	-52.42	2.39924G	-30.21	2.48594G	-38.51	21.85328G	-47.42	1
2437MHz	Pass	2.43198G	3.55	-26.45	2.30225G	-52.77	2.39924G	-28.02	2.4837G	-35.38	17.38561G	-46.62	2
2452MHz	Pass	2.43198G	3.55	-26.45	948.86M	-52.86	2.39956G	-47.80	2.48698G	-39.74	16.47133G	-47.07	1
2452MHz	Pass	2.43198G	3.55	-26.45	908.5M	-52.90	2.39572G	-45.66	2.48698G	-38.25	16.8864G	-46.26	2

802.11b_Nss1,(1Mbps)_2TX

2412MHz


CSE NdB



802.11b_Nss1,(1Mbps)_2TX

2437MHz


CSE NdB



802.11b_Nss1,(1Mbps)_2TX

CSE NdB


2462MHz



802.11g_Nss1,(6Mbps)_2TX

CSE NdB


2412MHz



802.11g_Nss1,(6Mbps)_2TX

CSE NdB


2437MHz



802.11g_Nss1,(6Mbps)_2TX

CSE NdB


2462MHz



802.11ax HEW20_Nss2,(MCS0)_2TX

CSE NdB


2412MHz



802.11ax HEW20_Nss2,(MCS0)_2TX

CSE NdB


2437MHz



802.11ax HEW20_Nss2,(MCS0)_2TX

CSE NdB


2462MHz



802.11ax HEW40_Nss2,(MCS0)_2TX

CSE NdB


2422MHz



802.11ax HEW40_Nss2,(MCS0)_2TX

CSE NdB


2437MHz



802.11ax HEW40_Nss2,(MCS0)_2TX

CSE NdB

2452MHz





Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	2.442G	10.28	-19.72	734.24M	-53.50	2.39956G	-30.22	2.50118G	-51.67	6.61703G	-47.06	2
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	2.43194G	2.69	-27.31	2.08499G	-53.72	2.39948G	-34.28	2.48494G	-40.58	16.7041G	-46.92	2


Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20-BF_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.442G	10.28	-19.72	1.85934G	-53.07	2.39986G	-31.59	2.49326G	-51.48	6.69008G	-47.05	1
2412MHz	Pass	2.442G	10.28	-19.72	734.24M	-53.50	2.39956G	-30.22	2.50118G	-51.67	6.61703G	-47.06	2
2437MHz	Pass	2.442G	10.28	-19.72	953.55M	-53.37	2.39978G	-38.08	2.48392G	-40.00	16.73989G	-47.18	1
2437MHz	Pass	2.442G	10.28	-19.72	1.81769G	-52.79	2.39754G	-35.31	2.48376G	-37.45	16.93375G	-47.55	2
2462MHz	Pass	2.442G	10.28	-19.72	2.14651G	-52.16	2.39962G	-51.10	2.48368G	-38.50	15.20867G	-47.16	1
2462MHz	Pass	2.442G	10.28	-19.72	1.96973G	-51.94	2.39796G	-49.82	2.48384G	-34.98	23.24402G	-47.35	2
802.11ax HEW40-BF_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.43194G	2.69	-27.31	523.21M	-53.35	2.39388G	-39.99	2.48762G	-50.96	16.6985G	-46.92	1
2422MHz	Pass	2.43194G	2.69	-27.31	2.30741G	-51.74	2.39044G	-38.58	2.48678G	-49.84	24.77844G	-47.33	2
2437MHz	Pass	2.43194G	2.69	-27.31	2.30683G	-53.06	2.39828G	-34.31	2.49374G	-43.86	16.46852G	-47.77	1
2437MHz	Pass	2.43194G	2.69	-27.31	2.08499G	-53.72	2.39948G	-34.28	2.48494G	-40.58	16.7041G	-46.92	2
2452MHz	Pass	2.43194G	2.69	-27.31	941.99M	-53.17	2.39888G	-48.43	2.49074G	-43.63	15.1644G	-47.43	1
2452MHz	Pass	2.43194G	2.69	-27.31	2.12879G	-53.33	2.39852G	-47.35	2.48822G	-43.19	16.84994G	-46.74	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2412MHz


CSE NdB



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2437MHz


CSE NdB



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

CSE NdB


2462MHz



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

CSE NdB


2422MHz



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

CSE NdB


2437MHz



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

CSE NdB

2452MHz






Radiated Emissions below 1GHz

Appendix F.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 5	Pass	QP	41.64M	37.99	40.00	-2.01	Vertical

Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	41.64M	37.99	40.00	-2.01	-12.93	3	Vertical	0	1.00	"Worst"	50.92	17.82	0.93	31.68
QP	51.34M	36.88	40.00	-3.12	-17.17	3	Vertical	36	1.00	-	54.05	13.57	1.03	31.77
QP	59.1M	37.98	40.00	-2.02	-18.34	3	Vertical	360	2.00	-	56.32	12.31	1.18	31.83
PK	73.65M	34.23	40.00	-5.77	-18.40	3	Vertical	87	1.25	-	52.63	12.20	1.30	31.90
PK	84.32M	34.22	40.00	-5.78	-17.07	3	Vertical	359	2.00	-	51.29	13.46	1.39	31.92
PK	213.33M	36.72	43.50	-6.78	-15.11	3	Vertical	292	1.00	-	51.83	14.71	2.18	32.00

Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	60.07M	28.00	40.00	-12.00	-18.37	3	Horizontal	88	2.00	-	46.37	12.27	1.20	31.84
PK	84.32M	26.00	40.00	-14.00	-17.07	3	Horizontal	255	1.50	-	43.07	13.46	1.39	31.92
PK	141.55M	29.34	43.50	-14.16	-13.28	3	Horizontal	69	2.00	-	42.62	16.87	1.81	31.96
PK	199.75M	33.08	43.50	-10.42	-14.91	3	Horizontal	251	1.25	-	47.99	14.98	2.10	31.99
PK	216M	40.67	46.00	-5.33	-15.07	3	Horizontal	260	2.00	-	55.74	14.73	2.20	32.00
PK	219.15M	41.30	46.00	-4.70	-14.92	3	Horizontal	256	1.50	"Worst"	56.22	14.87	2.21	32.00




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	2.39G	53.48	54.00	-0.52	31.20	3	Vertical	4	2.77	-

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2412MHz_TX




EUT_X_1TX
Setting 88
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.369G	59.73	74.00	-14.27	31.15	3	Vertical	53	2.68	-	28.58			
AV	2.39G	47.15	54.00	-6.85	31.20	3	Vertical	53	2.68	-	15.95			
PK	2.413G	109.07	Inf	-Inf	31.26	3	Vertical	53	2.68	-	77.81			
AV	2.4112G	105.28	Inf	-Inf	31.25	3	Vertical	53	2.68	-	74.03			

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 88
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.388G	62.68	74.00	-11.32	31.20	3	Horizontal	48	2.22	-	31.48
AV	2.39G	51.11	54.00	-2.89	31.20	3	Horizontal	48	2.22	-	19.91
PK	2.413G	113.17	Inf	-Inf	31.26	3	Horizontal	48	2.22	-	81.91
AV	2.4112G	109.48	Inf	-Inf	31.25	3	Horizontal	48	2.22	-	78.23

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 88
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82411G	49.55	74.00	-24.45	7.17	3	Vertical	360	1.80	-	42.38			
AV	4.82397G	41.97	54.00	-12.03	7.17	3	Vertical	360	1.80	-	34.80			

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 88
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82384G	48.88	74.00	-25.12	7.17	3	Horizontal	338	2.18	-	41.71			
AV	4.82394G	41.11	54.00	-12.89	7.17	3	Horizontal	338	2.18	-	33.94			

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2417MHz_TX




EUT X_1TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.39G	62.56	74.00	-11.44	31.20	3	Vertical	347	2.79	-	31.36			
AV	2.39G	53.32	54.00	-0.68	31.20	3	Vertical	347	2.79	-	22.12			
PK	2.416G	117.90	Inf	-Inf	31.27	3	Vertical	347	2.79	-	86.63			
AV	2.4162G	114.26	Inf	-Inf	31.27	3	Vertical	347	2.79	-	82.99			

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2417MHz_TX




EUT X_1TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	62.04	74.00	-11.96	31.20	3	Horizontal	349	1.00	-	30.84
AV	2.39G	51.45	54.00	-2.55	31.20	3	Horizontal	349	1.00	-	20.25
PK	2.418G	115.18	Inf	-Inf	31.27	3	Horizontal	349	1.00	-	83.91
AV	2.4162G	111.38	Inf	-Inf	31.27	3	Horizontal	349	1.00	-	80.11

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	61.53	74.00	-12.47	31.20	3	Vertical	43	1.00	-	30.33
AV	2.3882G	52.57	54.00	-1.43	31.20	3	Vertical	43	1.00	-	21.37
PK	2.4362G	112.83	Inf	-Inf	31.30	3	Vertical	43	1.00	-	81.53
AV	2.4362G	109.16	Inf	-Inf	31.30	3	Vertical	43	1.00	-	77.86
PK	2.4886G	62.27	74.00	-11.73	31.41	3	Vertical	43	1.00	-	30.86
AV	2.4886G	52.69	54.00	-1.31	31.41	3	Vertical	43	1.00	-	21.28

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3854G	62.14	74.00	-11.86	31.19	3	Horizontal	44	1.51	-	30.95
AV	2.3882G	52.79	54.00	-1.21	31.20	3	Horizontal	44	1.51	-	21.59
PK	2.4378G	114.72	Inf	-Inf	31.31	3	Horizontal	44	1.51	-	83.41
AV	2.4362G	111.19	Inf	-Inf	31.30	3	Horizontal	44	1.51	-	79.89
PK	2.4886G	62.92	74.00	-11.08	31.41	3	Horizontal	44	1.51	-	31.51
AV	2.4886G	52.94	54.00	-1.06	31.41	3	Horizontal	44	1.51	-	21.53

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 120
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87388G	49.35	74.00	-24.65	7.28	3	Vertical	12	1.49	-	42.07			
AV	4.87396G	42.49	54.00	-11.51	7.28	3	Vertical	12	1.49	-	35.21			
PK	7.30956G	51.75	74.00	-22.25	10.54	3	Vertical	70	1.76	-	41.21			
AV	7.31022G	42.05	54.00	-11.95	10.54	3	Vertical	70	1.76	-	31.51			

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 120
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.8738G	49.22	74.00	-24.78	7.28	3	Horizontal	88	1.64	-	41.94			
AV	4.87396G	42.05	54.00	-11.95	7.28	3	Horizontal	88	1.64	-	34.77			
PK	7.31188G	56.30	74.00	-17.70	10.55	3	Horizontal	300	2.21	-	45.75			
AV	7.3102G	49.92	54.00	-4.08	10.54	3	Horizontal	300	2.21	-	39.38			

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2457MHz_TX




EUT X_1TX
Setting 104
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.458G	116.38	Inf	-Inf	31.34	3	Vertical	355	2.99	-	85.04			
AV	2.4562G	112.73	Inf	-Inf	31.34	3	Vertical	355	2.99	-	81.39			
PK	2.4868G	61.93	74.00	-12.07	31.40	3	Vertical	355	2.99	-	30.53			
AV	2.4838G	51.12	54.00	-2.88	31.39	3	Vertical	355	2.99	-	19.73			

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2457MHz_TX




EUT X_1TX
Setting 104
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.456G	116.66	Inf	-Inf	31.34	3	Horizontal	56	1.01	-	85.32
AV	2.4562G	112.93	Inf	-Inf	31.34	3	Horizontal	56	1.01	-	81.59
PK	2.4836G	63.93	74.00	-10.07	31.39	3	Horizontal	56	1.01	-	32.54
AV	2.4838G	53.35	54.00	-0.65	31.39	3	Horizontal	56	1.01	-	21.96

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 88
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.463G	110.58	Inf	-Inf	31.36	3	Vertical	49	1.36	-	79.22
AV	2.4628G	106.71	Inf	-Inf	31.36	3	Vertical	49	1.36	-	75.35
PK	2.4896G	62.64	74.00	-11.36	31.41	3	Vertical	49	1.36	-	31.23
AV	2.4894G	51.11	54.00	-2.89	31.41	3	Vertical	49	1.36	-	19.70

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 88
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.463G	114.82	Inf	-Inf	31.36	3	Horizontal	60	2.91	-	83.46			
AV	2.4612G	111.01	Inf	-Inf	31.35	3	Horizontal	60	2.91	-	79.66			
PK	2.485G	64.34	74.00	-9.66	31.40	3	Horizontal	60	2.91	-	32.94			
AV	2.4848G	53.45	54.00	-0.55	31.40	3	Horizontal	60	2.91	-	22.05			

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 88
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.924G	45.90	74.00	-28.10	7.40	3	Vertical	5	1.43	-	38.50			
AV	4.924G	36.49	54.00	-17.51	7.40	3	Vertical	5	1.43	-	29.09			
PK	7.39224G	49.10	74.00	-24.90	10.77	3	Vertical	96	1.59	-	38.33			
AV	7.3852G	35.04	54.00	-18.96	10.76	3	Vertical	96	1.59	-	24.28			

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 88
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.92412G	45.57	74.00	-28.43	7.40	3	Horizontal	191	1.43	-	38.17			
AV	4.92404G	33.92	54.00	-20.08	7.40	3	Horizontal	191	1.43	-	26.52			
PK	7.38628G	49.21	74.00	-24.79	10.76	3	Horizontal	253	1.59	-	38.45			
AV	7.38648G	35.18	54.00	-18.82	10.76	3	Horizontal	253	1.59	-	24.42			

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 84
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	70.32	74.00	-3.68	31.20	3	Vertical	357	2.76	-	39.12
AV	2.39G	49.75	54.00	-4.25	31.20	3	Vertical	357	2.76	-	18.55
PK	2.4136G	112.77	Inf	-Inf	31.26	3	Vertical	357	2.76	-	81.51
AV	2.4136G	102.44	Inf	-Inf	31.26	3	Vertical	357	2.76	-	71.18

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 84
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	72.35	74.00	-1.65	31.20	3	Horizontal	330	2.39	-	41.15
AV	2.39G	51.57	54.00	-2.43	31.20	3	Horizontal	330	2.39	-	20.37
PK	2.4136G	111.30	Inf	-Inf	31.26	3	Horizontal	330	2.39	-	80.04
AV	2.4136G	100.91	Inf	-Inf	31.26	3	Horizontal	330	2.39	-	69.65

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 84
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82436G	45.79	74.00	-28.21	7.17	3	Vertical	18	1.62	-	38.62			
AV	4.8246G	32.06	54.00	-21.94	7.17	3	Vertical	18	1.62	-	24.89			

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 84
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82538G	46.08	74.00	-27.92	7.18	3	Horizontal	86	1.50	-	38.90			
AV	4.82454G	32.18	54.00	-21.82	7.17	3	Horizontal	86	1.50	-	25.01			

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2417MHz_TX




EUT X_1TX
Setting 96
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	71.27	74.00	-2.73	31.20	3	Vertical	1	2.99	-	40.07
AV	2.39G	53.06	54.00	-0.94	31.20	3	Vertical	1	2.99	-	21.86
PK	2.4194G	114.44	Inf	-Inf	31.27	3	Vertical	1	2.99	-	83.17
AV	2.421G	104.60	Inf	-Inf	31.27	3	Vertical	1	2.99	-	73.33

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2417MHz_TX




EUT X_1TX
Setting 96
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3894G	71.13	74.00	-2.87	31.20	3	Horizontal	343	2.41	-	39.93			
AV	2.39G	53.47	54.00	-0.53	31.20	3	Horizontal	343	2.41	-	22.27			
PK	2.4186G	112.57	Inf	-Inf	31.27	3	Horizontal	343	2.41	-	81.30			
AV	2.4142G	102.78	Inf	-Inf	31.26	3	Horizontal	343	2.41	-	71.52			

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 113
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	66.91	74.00	-7.09	31.20	3	Vertical	1	3.00	-	35.71
AV	2.3898G	50.66	54.00	-3.34	31.20	3	Vertical	1	3.00	-	19.46
PK	2.4394G	117.83	Inf	-Inf	31.31	3	Vertical	1	3.00	-	86.52
AV	2.4414G	107.82	Inf	-Inf	31.32	3	Vertical	1	3.00	-	76.50
PK	2.4842G	71.53	74.00	-2.47	31.39	3	Vertical	1	3.00	-	40.14
AV	2.4835G	53.29	54.00	-0.71	31.39	3	Vertical	1	3.00	-	21.90

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 113
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	68.02	74.00	-5.98	31.20	3	Horizontal	354	1.55	-	36.82
AV	2.3898G	50.98	54.00	-3.02	31.20	3	Horizontal	354	1.55	-	19.78
PK	2.4322G	115.66	Inf	-Inf	31.29	3	Horizontal	354	1.55	-	84.37
AV	2.4326G	105.75	Inf	-Inf	31.29	3	Horizontal	354	1.55	-	74.46
PK	2.4842G	71.20	74.00	-2.80	31.39	3	Horizontal	354	1.55	-	39.81
AV	2.4835G	53.16	54.00	-0.84	31.39	3	Horizontal	354	1.55	-	21.77

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2437MHz_TX




EUT_X_1TX
Setting 113
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87432G	46.41	74.00	-27.59	7.28	3	Vertical	56	1.20	-	39.13			
AV	4.8734G	33.33	54.00	-20.67	7.28	3	Vertical	56	1.20	-	26.05			
PK	7.3143G	49.14	74.00	-24.86	10.56	3	Vertical	275	2.91	-	38.58			
AV	7.31414G	36.02	54.00	-17.98	10.56	3	Vertical	275	2.91	-	25.46			

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2437MHz_TX




EUT_X_1TX
Setting 113
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.8765G	46.16	74.00	-27.84	7.30	3	Horizontal	93	1.63	-	38.86			
AV	4.87634G	33.25	54.00	-20.75	7.30	3	Horizontal	93	1.63	-	25.95			
PK	7.31296G	52.41	74.00	-21.59	10.56	3	Horizontal	334	2.12	-	41.85			
AV	7.31292G	38.51	54.00	-15.49	10.56	3	Horizontal	334	2.12	-	27.95			

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2457MHz_TX




EUT X_1TX
Setting 90
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4594G	113.26	Inf	-Inf	31.35	3	Vertical	9	2.99	-	81.91
AV	2.4612G	103.27	Inf	-Inf	31.35	3	Vertical	9	2.99	-	71.92
PK	2.4838G	71.11	74.00	-2.89	31.39	3	Vertical	9	2.99	-	39.72
AV	2.4835G	52.65	54.00	-1.35	31.39	3	Vertical	9	2.99	-	21.26

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2457MHz_TX




EUT X_1TX
Setting 90
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.4586G	112.90	Inf	-Inf	31.34	3	Horizontal	46	1.03	-	81.56			
AV	2.4542G	103.15	Inf	-Inf	31.34	3	Horizontal	46	1.03	-	71.81			
PK	2.4838G	72.27	74.00	-1.73	31.39	3	Horizontal	46	1.03	-	40.88			
AV	2.4835G	53.36	54.00	-0.64	31.39	3	Horizontal	46	1.03	-	21.97			

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4644G	111.47	Inf	-Inf	31.36	3	Vertical	7	2.99	-	80.11
AV	2.4638G	101.14	Inf	-Inf	31.36	3	Vertical	7	2.99	-	69.78
PK	2.4842G	69.61	74.00	-4.39	31.39	3	Vertical	7	2.99	-	38.22
AV	2.4835G	50.31	54.00	-3.69	31.39	3	Vertical	7	2.99	-	18.92

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4636G	111.79	Inf	-Inf	31.36	3	Horizontal	50	1.09	-	80.43
AV	2.4638G	101.27	Inf	-Inf	31.36	3	Horizontal	50	1.09	-	69.91
PK	2.4836G	73.34	74.00	-0.66	31.39	3	Horizontal	50	1.09	-	41.95
AV	2.4835G	49.74	54.00	-4.26	31.39	3	Horizontal	50	1.09	-	18.35

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.38648G	48.66	74.00	-25.34	10.76	3	Vertical	289	2.23	-	37.90			
AV	7.38636G	35.24	54.00	-18.76	10.76	3	Vertical	289	2.23	-	24.48			

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.38534G	48.48	74.00	-25.52	10.76	3	Horizontal	67	1.89	-	37.72			
AV	7.38066G	35.35	54.00	-18.65	10.75	3	Horizontal	67	1.89	-	24.60			

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.39G	70.38	74.00	-3.62	31.20	3	Vertical	348	2.77	-	39.18			
AV	2.39G	50.58	54.00	-3.42	31.20	3	Vertical	348	2.77	-	19.38			
PK	2.4088G	114.03	Inf	-Inf	31.24	3	Vertical	348	2.77	-	82.79			
AV	2.4128G	100.36	Inf	-Inf	31.26	3	Vertical	348	2.77	-	69.10			

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	72.87	74.00	-1.13	31.20	3	Horizontal	328	2.40	-	41.67
AV	2.39G	53.44	54.00	-0.56	31.20	3	Horizontal	328	2.40	-	22.24
PK	2.4088G	112.81	Inf	-Inf	31.24	3	Horizontal	328	2.40	-	81.57
AV	2.4128G	99.07	Inf	-Inf	31.26	3	Horizontal	328	2.40	-	67.81

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82402G	45.66	74.00	-28.34	7.17	3	Vertical	128	2.17	-	38.49			
AV	4.82408G	31.57	54.00	-22.43	7.17	3	Vertical	128	2.17	-	24.40			

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82504G	45.92	74.00	-28.08	7.18	3	Horizontal	321	1.54	-	38.74			
AV	4.82504G	31.37	54.00	-22.63	7.18	3	Horizontal	321	1.54	-	24.19			

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2417MHz_TX




EUT X_1TX
Setting 93
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3898G	70.41	74.00	-3.59	31.20	3	Vertical	4	2.77	-	39.21			
AV	2.39G	53.48	54.00	-0.52	31.20	3	Vertical	4	2.77	-	22.28			
PK	2.4138G	116.73	Inf	-Inf	31.26	3	Vertical	4	2.77	-	85.47			
AV	2.4126G	102.34	Inf	-Inf	31.26	3	Vertical	4	2.77	-	71.08			

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2417MHz_TX




EUT X_1TX
Setting 93
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	70.69	74.00	-3.31	31.20	3	Horizontal	349	2.41	-	39.49
AV	2.39G	53.30	54.00	-0.70	31.20	3	Horizontal	349	2.41	-	22.10
PK	2.4138G	115.00	Inf	-Inf	31.26	3	Horizontal	349	2.41	-	83.74
AV	2.4124G	101.21	Inf	-Inf	31.25	3	Horizontal	349	2.41	-	69.96

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	66.13	74.00	-7.87	31.20	3	Vertical	3	3.00	-	34.93
AV	2.3898G	49.53	54.00	-4.47	31.20	3	Vertical	3	3.00	-	18.33
PK	2.4342G	118.50	Inf	-Inf	31.29	3	Vertical	3	3.00	-	87.21
AV	2.4398G	104.82	Inf	-Inf	31.31	3	Vertical	3	3.00	-	73.51
PK	2.4866G	69.40	74.00	-4.60	31.40	3	Vertical	3	3.00	-	38.00
AV	2.4835G	52.17	54.00	-1.83	31.39	3	Vertical	3	3.00	-	20.78

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	70.81	74.00	-3.19	31.20	3	Horizontal	58	1.00	-	39.61
AV	2.3898G	51.95	54.00	-2.05	31.20	3	Horizontal	58	1.00	-	20.75
PK	2.4338G	119.38	Inf	-Inf	31.29	3	Horizontal	58	1.00	-	88.09
AV	2.4326G	104.82	Inf	-Inf	31.29	3	Horizontal	58	1.00	-	73.53
PK	2.4846G	69.67	74.00	-4.33	31.40	3	Horizontal	58	1.00	-	38.27
AV	2.4835G	53.32	54.00	-0.68	31.39	3	Horizontal	58	1.00	-	21.93

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.86852G	45.87	74.00	-28.13	7.27	3	Vertical	10	1.56	-	38.60			
AV	4.86848G	32.20	54.00	-21.80	7.27	3	Vertical	10	1.56	-	24.93			
PK	7.314G	48.39	74.00	-25.61	10.56	3	Vertical	319	1.79	-	37.83			
AV	7.314G	34.72	54.00	-19.28	10.56	3	Vertical	319	1.79	-	24.16			

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87852G	46.59	74.00	-27.41	7.30	3	Horizontal	81	1.74	-	39.29			
AV	4.87692G	31.97	54.00	-22.03	7.30	3	Horizontal	81	1.74	-	24.67			
PK	7.31184G	51.61	74.00	-22.39	10.55	3	Horizontal	286	2.75	-	41.06			
AV	7.31164G	37.27	54.00	-16.73	10.55	3	Horizontal	286	2.75	-	26.72			

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2457MHz_TX




EUT X_1TX
Setting 88
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4538G	115.28	Inf	-Inf	31.34	3	Vertical	349	2.99	-	83.94
AV	2.4524G	101.12	Inf	-Inf	31.33	3	Vertical	349	2.99	-	69.79
PK	2.4836G	71.40	74.00	-2.60	31.39	3	Vertical	349	2.99	-	40.01
AV	2.4835G	52.42	54.00	-1.58	31.39	3	Vertical	349	2.99	-	21.03

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2457MHz_TX




EUT X_1TX
Setting 88
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.454G	115.71	Inf	-Inf	31.34	3	Horizontal	48	1.00	-	84.37
AV	2.4536G	102.40	Inf	-Inf	31.34	3	Horizontal	48	1.00	-	71.06
PK	2.484G	70.49	74.00	-3.51	31.39	3	Horizontal	48	1.00	-	39.10
AV	2.4836G	53.41	54.00	-0.59	31.39	3	Horizontal	48	1.00	-	22.02

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 75
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4588G	111.02	Inf	-Inf	31.34	3	Vertical	6	2.71	-	79.68
AV	2.4628G	97.23	Inf	-Inf	31.36	3	Vertical	6	2.71	-	65.87
PK	2.4836G	71.28	74.00	-2.72	31.39	3	Vertical	6	2.71	-	39.89
AV	2.4835G	48.56	54.00	-5.44	31.39	3	Vertical	6	2.71	-	17.17

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 75
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.455G	111.82	Inf	-Inf	31.34	3	Horizontal	54	1.01	-	80.48
AV	2.4548G	97.73	Inf	-Inf	31.34	3	Horizontal	54	1.01	-	66.39
PK	2.4835G	73.38	74.00	-0.62	31.39	3	Horizontal	54	1.01	-	41.99
AV	2.4835G	48.83	54.00	-5.17	31.39	3	Horizontal	54	1.01	-	17.44

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 75
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.38648G	48.60	74.00	-25.40	10.76	3	Vertical	25	2.12	-	37.84			
AV	7.3862G	34.82	54.00	-19.18	10.76	3	Vertical	25	2.12	-	24.06			

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 75
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.38636G	49.01	74.00	-24.99	10.76	3	Horizontal	124	1.60	-	38.25			
AV	7.3864G	34.79	54.00	-19.21	10.76	3	Horizontal	124	1.60	-	24.03			

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2422MHz_TX




EUT X_1TX
Setting 75
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3888G	64.12	74.00	-9.88	31.20	3	Vertical	1	2.98	-	32.92
AV	2.39G	50.51	54.00	-3.49	31.20	3	Vertical	1	2.98	-	19.31
PK	2.4392G	108.63	Inf	-Inf	31.31	3	Vertical	1	2.98	-	77.32
AV	2.4264G	96.55	Inf	-Inf	31.28	3	Vertical	1	2.98	-	65.27
PK	2.4856G	60.61	74.00	-13.39	31.40	3	Vertical	1	2.98	-	29.21
AV	2.4844G	48.53	54.00	-5.47	31.40	3	Vertical	1	2.98	-	17.13

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2422MHz_TX




EUT X_1TX
Setting 75
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3896G	65.95	74.00	-8.05	31.20	3	Horizontal	349	1.54	-	34.75
AV	2.39G	53.38	54.00	-0.62	31.20	3	Horizontal	349	1.54	-	22.18
PK	2.41G	107.03	Inf	-Inf	31.25	3	Horizontal	349	1.54	-	75.78
AV	2.4312G	95.21	Inf	-Inf	31.29	3	Horizontal	349	1.54	-	63.92
PK	2.4884G	60.42	74.00	-13.58	31.41	3	Horizontal	349	1.54	-	29.01
AV	2.484G	48.13	54.00	-5.87	31.39	3	Horizontal	349	1.54	-	16.74

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2422MHz_TX




EUT X_1TX
Setting 75
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.8446G	46.13	74.00	-27.87	7.21	3	Vertical	224	1.51	-	38.92			
AV	4.8444G	32.83	54.00	-21.17	7.21	3	Vertical	224	1.51	-	25.62			

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2422MHz_TX




EUT X_1TX
Setting 75
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.84456G	45.60	74.00	-28.40	7.21	3	Horizontal	255	2.42	-	38.39			
AV	4.84492G	32.72	54.00	-21.28	7.22	3	Horizontal	255	2.42	-	25.50			

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2437MHz_TX




EUT X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	63.95	74.00	-10.05	31.20	3	Vertical	6	3.00	-	32.75
AV	2.3898G	48.96	54.00	-5.04	31.20	3	Vertical	6	3.00	-	17.76
PK	2.453G	111.29	Inf	-Inf	31.33	3	Vertical	6	3.00	-	79.96
AV	2.4414G	99.00	Inf	-Inf	31.32	3	Vertical	6	3.00	-	67.68
PK	2.4835G	69.07	74.00	-4.93	31.39	3	Vertical	6	3.00	-	37.68
AV	2.4835G	52.98	54.00	-1.02	31.39	3	Vertical	6	3.00	-	21.59

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2437MHz_TX




EUT X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	67.83	74.00	-6.17	31.20	3	Horizontal	63	1.19	-	36.63
AV	2.389G	52.54	54.00	-1.46	31.20	3	Horizontal	63	1.19	-	21.34
PK	2.453G	111.29	Inf	-Inf	31.33	3	Horizontal	63	1.19	-	79.96
AV	2.4442G	99.21	Inf	-Inf	31.32	3	Horizontal	63	1.19	-	67.89
PK	2.4838G	70.98	74.00	-3.02	31.39	3	Horizontal	63	1.19	-	39.59
AV	2.4835G	53.39	54.00	-0.61	31.39	3	Horizontal	63	1.19	-	22.00

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2437MHz_TX




EUT X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.31516G	48.94	74.00	-25.06	10.56	3	Vertical	302	1.83	-	38.38			
AV	7.31544G	36.27	54.00	-17.73	10.56	3	Vertical	302	1.83	-	25.71			

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2437MHz_TX




EUT X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.31676G	49.29	74.00	-24.71	10.57	3	Horizontal	254	2.48	-	38.72			
AV	7.31616G	36.28	54.00	-17.72	10.57	3	Horizontal	254	2.48	-	25.71			

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2452MHz_TX




EUT X_1TX
Setting 76
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3816G	59.30	74.00	-14.70	31.19	3	Vertical	4	2.97	-	28.11
AV	2.3848G	47.29	54.00	-6.71	31.19	3	Vertical	4	2.97	-	16.10
PK	2.4628G	109.49	Inf	-Inf	31.36	3	Vertical	4	2.97	-	78.13
AV	2.456G	97.47	Inf	-Inf	31.34	3	Vertical	4	2.97	-	66.13
PK	2.4912G	68.76	74.00	-5.24	31.42	3	Vertical	4	2.97	-	37.34
AV	2.4836G	53.28	54.00	-0.72	31.39	3	Vertical	4	2.97	-	21.89

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2452MHz_TX




EUT X_1TX
Setting 76
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3696G	60.27	74.00	-13.73	31.16	3	Horizontal	55	1.20	-	29.11
AV	2.39G	47.72	54.00	-6.28	31.20	3	Horizontal	55	1.20	-	16.52
PK	2.444G	110.13	Inf	-Inf	31.32	3	Horizontal	55	1.20	-	78.81
AV	2.4472G	97.53	Inf	-Inf	31.33	3	Horizontal	55	1.20	-	66.20
PK	2.4835G	72.81	74.00	-1.19	31.39	3	Horizontal	55	1.20	-	41.42
AV	2.484G	52.04	54.00	-1.96	31.39	3	Horizontal	55	1.20	-	20.65

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2452MHz_TX




EUT X_1TX
Setting 76
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.35536G	49.44	74.00	-24.56	10.68	3	Vertical	175	1.52	-	38.76			
AV	7.35508G	36.99	54.00	-17.01	10.68	3	Vertical	175	1.52	-	26.31			

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2452MHz_TX



EUT X_1TX
Setting 76
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.3568G	49.86	74.00	-24.14	10.68	3	Horizontal	75	1.91	-	39.18			
AV	7.3568G	36.73	54.00	-17.27	10.68	3	Horizontal	75	1.91	-	26.05			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	2.4835G	53.50	54.00	-0.50	31.39	3	Horizontal	298	1.35	-

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2412MHz_TX




EUT_X_2TX
Setting 99
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3856G	61.43	74.00	-12.57	31.19	3	Vertical	330	1.56	-	30.24
AV	2.3876G	49.46	54.00	-4.54	31.20	3	Vertical	330	1.56	-	18.26
PK	2.413G	117.08	Inf	-Inf	31.26	3	Vertical	330	1.56	-	85.82
AV	2.4112G	113.44	Inf	-Inf	31.25	3	Vertical	330	1.56	-	82.19

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2412MHz_TX




EUT_X_2TX
Setting 99
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3884G	64.37	74.00	-9.63	31.20	3	Horizontal	278	1.57	-	33.17			
AV	2.388G	53.27	54.00	-0.73	31.20	3	Horizontal	278	1.57	-	22.07			
PK	2.413G	119.95	Inf	-Inf	31.26	3	Horizontal	278	1.57	-	88.69			
AV	2.4112G	116.07	Inf	-Inf	31.25	3	Horizontal	278	1.57	-	84.82			

802.11b_Nss1,(1Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 99
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82404G	51.05	74.00	-22.95	7.17	3	Vertical	143	1.50	-	43.88			
AV	4.82394G	45.74	54.00	-8.26	7.17	3	Vertical	143	1.50	-	38.57			

802.11b_Nss1,(1Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 99
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82401G	52.32	74.00	-21.68	7.17	3	Horizontal	234	2.65	-	45.15			
AV	4.82392G	47.88	54.00	-6.12	7.17	3	Horizontal	234	2.65	-	40.71			

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2437MHz_TX




EUT_X_2TX
Setting 105
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	60.09	74.00	-13.91	31.20	3	Vertical	59	1.75	-	28.89
AV	2.3894G	47.20	54.00	-6.80	31.20	3	Vertical	59	1.75	-	16.00
PK	2.4362G	118.79	Inf	-Inf	31.30	3	Vertical	59	1.75	-	87.49
AV	2.4362G	115.10	Inf	-Inf	31.30	3	Vertical	59	1.75	-	83.80
PK	2.4842G	61.93	74.00	-12.07	31.39	3	Vertical	59	1.75	-	30.54
AV	2.4835G	48.48	54.00	-5.52	31.39	3	Vertical	59	1.75	-	17.09

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2437MHz_TX




EUT_X_2TX
Setting 105
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3594G	61.11	74.00	-12.89	31.13	3	Horizontal	286	1.54	-	29.98
AV	2.3838G	48.28	54.00	-5.72	31.19	3	Horizontal	286	1.54	-	17.09
PK	2.4362G	120.65	Inf	-Inf	31.30	3	Horizontal	286	1.54	-	89.35
AV	2.4362G	117.09	Inf	-Inf	31.30	3	Horizontal	286	1.54	-	85.79
PK	2.4886G	62.90	74.00	-11.10	31.41	3	Horizontal	286	1.54	-	31.49
AV	2.4838G	49.48	54.00	-4.52	31.39	3	Horizontal	286	1.54	-	18.09

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 105
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87404G	50.74	74.00	-23.26	7.28	3	Vertical	142	1.35	-	43.46			
AV	4.87396G	46.24	54.00	-7.76	7.28	3	Vertical	142	1.35	-	38.96			
PK	7.30986G	59.30	74.00	-14.70	10.54	3	Vertical	89	2.19	-	48.76			
AV	7.30968G	53.48	54.00	-0.52	10.54	3	Vertical	89	2.19	-	42.94			

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 105
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87392G	49.16	74.00	-24.84	7.28	3	Horizontal	237	2.18	-	41.88			
AV	4.87396G	43.55	54.00	-10.45	7.28	3	Horizontal	237	2.18	-	36.27			
PK	7.30996G	55.70	74.00	-18.30	10.54	3	Horizontal	1	2.17	-	45.16			
AV	7.30968G	48.51	54.00	-5.49	10.54	3	Horizontal	1	2.17	-	37.97			

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2462MHz_TX




EUT_X_2TX
Setting 98
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.461G	120.58	Inf	-Inf	31.35	3	Vertical	304	2.21	-	89.23			
AV	2.4612G	116.87	Inf	-Inf	31.35	3	Vertical	304	2.21	-	85.52			
PK	2.4864G	64.16	74.00	-9.84	31.40	3	Vertical	304	2.21	-	32.76			
AV	2.4835G	52.22	54.00	-1.78	31.39	3	Vertical	304	2.21	-	20.83			

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2462MHz_TX




EUT_X_2TX
Setting 98
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.461G	121.36	Inf	-Inf	31.35	3	Horizontal	302	2.20	-	90.01
AV	2.4612G	117.66	Inf	-Inf	31.35	3	Horizontal	302	2.20	-	86.31
PK	2.4864G	64.50	74.00	-9.50	31.40	3	Horizontal	302	2.20	-	33.10
AV	2.486G	53.24	54.00	-0.76	31.40	3	Horizontal	304	2.21	-	21.84

802.11b_Nss1,(1Mbps)_2TX

24/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 98
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.92393G	48.47	74.00	-25.53	7.40	3	Vertical	149	1.13	-	41.07			
AV	4.92396G	40.73	54.00	-13.27	7.40	3	Vertical	149	1.13	-	33.33			
PK	7.38432G	54.64	74.00	-19.36	10.76	3	Vertical	0	2.14	-	43.88			
AV	7.38466G	46.63	54.00	-7.37	10.76	3	Vertical	0	2.14	-	35.87			

802.11b_Nss1,(1Mbps)_2TX

24/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 98
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.92382G	49.31	74.00	-24.69	7.40	3	Horizontal	136	1.20	-	41.91			
AV	4.92393G	42.39	54.00	-11.61	7.40	3	Horizontal	136	1.20	-	34.99			
PK	7.38708G	53.58	74.00	-20.42	10.76	3	Horizontal	265	2.09	-	42.82			
AV	7.38472G	45.01	54.00	-8.99	10.76	3	Horizontal	265	2.09	-	34.25			

802.11g_Nss1,(6Mbps)_2TX

23/09/2019

2412MHz_TX




EUT X_2TX
Setting 79
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	71.53	74.00	-2.47	31.20	3	Vertical	315	1.46	-	40.33
AV	2.39G	49.83	54.00	-4.17	31.20	3	Vertical	315	1.46	-	18.63
PK	2.4158G	112.19	Inf	-Inf	31.27	3	Vertical	315	1.46	-	80.92
AV	2.416G	102.82	Inf	-Inf	31.27	3	Vertical	315	1.46	-	71.55

802.11g_Nss1,(6Mbps)_2TX

23/09/2019

2412MHz_TX




EUT_X_2TX
Setting 79
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.388G	73.37	74.00	-0.63	31.20	3	Horizontal	286	2.44	-	42.17			
AV	2.3894G	51.83	54.00	-2.17	31.20	3	Horizontal	286	2.44	-	20.63			
PK	2.409G	114.61	Inf	-Inf	31.24	3	Horizontal	286	2.44	-	83.37			
AV	2.4142G	105.37	Inf	-Inf	31.26	3	Horizontal	286	2.44	-	74.11			

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 79
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82716G	45.49	74.00	-28.51	7.18	3	Vertical	357	1.70	-	38.31			
AV	4.82324G	32.06	54.00	-21.94	7.16	3	Vertical	357	170	-	24.90			

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 79
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.8322G	45.48	74.00	-28.52	7.19	3	Horizontal	1	1.61	-	38.29			
AV	4.82528G	31.66	54.00	-22.34	7.18	3	Horizontal	1	1.61	-	24.48			

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2417MHz_TX




EUT X_2TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3874G	68.71	74.00	-5.29	31.20	3	Vertical	5	1.57	-	37.51
AV	2.3878G	48.42	54.00	-5.58	31.20	3	Vertical	5	1.57	-	17.22
PK	2.4138G	113.72	Inf	-Inf	31.26	3	Vertical	5	1.57	-	82.46
AV	2.414G	104.36	Inf	-Inf	31.26	3	Vertical	5	1.57	-	73.10

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2417MHz_TX




EUT_X_2TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3868G	73.35	74.00	-0.65	31.20	3	Horizontal	294	1.20	-	42.15
AV	2.3872G	50.71	54.00	-3.29	31.20	3	Horizontal	294	1.20	-	19.51
PK	2.422G	115.90	Inf	-Inf	31.28	3	Horizontal	294	1.20	-	84.62
AV	2.4228G	106.30	Inf	-Inf	31.28	3	Horizontal	294	1.20	-	75.02

802.11g_Nss1,(6Mbps)_2TX

23/09/2019

2437MHz_TX




EUT_X_2TX
Setting 103
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3814G	67.79	74.00	-6.21	31.19	3	Vertical	6	1.22	-	36.60
AV	2.3858G	49.91	54.00	-4.09	31.19	3	Vertical	6	1.22	-	18.72
PK	2.4406G	118.58	Inf	-Inf	31.31	3	Vertical	6	1.22	-	87.27
AV	2.441G	109.54	Inf	-Inf	31.32	3	Vertical	6	1.22	-	78.22
PK	2.4858G	69.52	74.00	-4.48	31.40	3	Vertical	6	1.22	-	38.12
AV	2.4862G	51.06	54.00	-2.94	31.40	3	Vertical	6	1.22	-	19.66

802.11g_Nss1,(6Mbps)_2TX

23/09/2019

2437MHz_TX




EUT X_2TX
Setting 103
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	69.51	74.00	-4.49	31.20	3	Horizontal	288	1.78	-	38.31
AV	2.3898G	52.28	54.00	-1.72	31.20	3	Horizontal	288	1.78	-	21.08
PK	2.4406G	121.13	Inf	-Inf	31.31	3	Horizontal	288	1.78	-	89.82
AV	2.441G	111.69	Inf	-Inf	31.32	3	Horizontal	288	1.78	-	80.37
PK	2.4862G	71.46	74.00	-2.54	31.40	3	Horizontal	288	1.78	-	40.06
AV	2.4858G	53.26	54.00	-0.74	31.40	3	Horizontal	288	1.78	-	21.86

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 103
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.31504G	62.75	74.00	-11.25	10.56	3	Vertical	27	2.26	-	52.19			
AV	7.31492G	48.18	54.00	-5.82	10.56	3	Vertical	27	2.26	-	37.62			

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 103
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.31632G	54.24	74.00	-19.76	10.57	3	Horizontal	287	1.56	-	43.67			
AV	7.3164G	40.35	54.00	-13.65	10.57	3	Horizontal	287	1.56	-	29.78			

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2457MHz_TX




EUT X_2TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4538G	112.91	Inf	-Inf	31.34	3	Vertical	4	1.54	-	81.57
AV	2.4534G	103.64	Inf	-Inf	31.34	3	Vertical	4	1.54	-	72.30
PK	2.4838G	69.98	74.00	-4.02	31.39	3	Vertical	4	1.54	-	38.59
AV	2.4836G	50.12	54.00	-3.88	31.39	3	Vertical	4	1.54	-	18.73

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2457MHz_TX




EUT_X_2TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4538G	116.30	Inf	-Inf	31.34	3	Horizontal	286	1.97	-	84.96
AV	2.4534G	106.99	Inf	-Inf	31.34	3	Horizontal	286	1.97	-	75.65
PK	2.4836G	73.32	74.00	-0.68	31.39	3	Horizontal	286	1.97	-	41.93
AV	2.4836G	51.85	54.00	-2.15	31.39	3	Horizontal	286	1.97	-	20.46

802.11g_Nss1,(6Mbps)_2TX

23/09/2019

2462MHz_TX




EUT_X_2TX
Setting 76
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.469G	111.38	Inf	-Inf	31.37	3	Vertical	9	1.45	-	80.01			
AV	2.4642G	102.32	Inf	-Inf	31.36	3	Vertical	9	1.45	-	70.96			
PK	2.484G	70.35	74.00	-3.65	31.39	3	Vertical	9	1.45	-	38.96			
AV	2.4838G	48.85	54.00	-5.15	31.39	3	Vertical	9	1.45	-	17.46			

802.11g_Nss1,(6Mbps)_2TX

23/09/2019

2462MHz_TX




EUT X_2TX
Setting 76
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4688G	114.06	Inf	-Inf	31.37	3	Horizontal	295	1.53	-	82.69
AV	2.4638G	105.01	Inf	-Inf	31.36	3	Horizontal	295	1.53	-	73.65
PK	2.4835G	73.32	74.00	-0.68	31.39	3	Horizontal	295	1.53	-	41.93
AV	2.4836G	50.05	54.00	-3.95	31.39	3	Horizontal	295	1.53	-	18.66

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 76
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.38744G	57.36	74.00	-16.64	10.76	3	Vertical	194	1.74	-	46.60			
AV	7.387G	38.34	54.00	-15.66	10.76	3	Vertical	194	1.74	-	27.58			

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 76
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.394G	49.03	74.00	-24.97	10.78	3	Horizontal	0	1.56	-	38.25
AV	7.37904G	35.60	54.00	-18.40	10.73	3	Horizontal	0	1.56	-	24.87

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2412MHz_TX




EUT X_2TX
Setting 74
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3878G	61.38	74.00	-12.62	31.20	3	Vertical	7	1.57	-	30.18			
AV	2.39G	48.35	54.00	-5.65	31.20	3	Vertical	7	1.57	-	17.15			
PK	2.4168G	112.15	Inf	-Inf	31.27	3	Vertical	7	1.57	-	80.88			
AV	2.4134G	99.86	Inf	-Inf	31.26	3	Vertical	7	1.57	-	68.60			

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2412MHz_TX




EUT X_2TX
Setting 74
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.389G	66.70	74.00	-7.30	31.20	3	Horizontal	287	1.97	-	35.50			
AV	2.3896G	53.28	54.00	-0.72	31.20	3	Horizontal	287	1.97	-	22.08			
PK	2.4154G	114.02	Inf	-Inf	31.26	3	Horizontal	287	1.97	-	82.76			
AV	2.414G	101.68	Inf	-Inf	31.26	3	Horizontal	287	1.97	-	70.42			

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 74
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.83324G	45.19	74.00	-28.81	7.19	3	Vertical	198	1.46	-	38.00			
AV	4.82244G	32.49	54.00	-21.51	7.16	3	Vertical	198	1.46	-	25.33			

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 74
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.81744G	45.98	74.00	-28.02	7.15	3	Horizontal	325	1.67	-	38.83			
AV	4.82668G	32.44	54.00	-21.56	7.18	3	Horizontal	325	1.67	-	25.26			

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2417MHz_TX




EUT X_2TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3878G	65.22	74.00	-8.78	31.20	3	Vertical	11	1.56	-	34.02
AV	2.39G	49.52	54.00	-4.48	31.20	3	Vertical	11	1.56	-	18.32
PK	2.4106G	113.63	Inf	-Inf	31.25	3	Vertical	11	1.56	-	82.38
AV	2.412G	102.07	Inf	-Inf	31.25	3	Vertical	11	1.56	-	70.82

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2417MHz_TX




EUT_X_2TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	70.01	74.00	-3.99	31.20	3	Horizontal	294	1.59	-	38.81
AV	2.3898G	53.40	54.00	-0.60	31.20	3	Horizontal	294	1.59	-	22.20
PK	2.4252G	116.11	Inf	-Inf	31.28	3	Horizontal	294	1.59	-	84.83
AV	2.4128G	104.09	Inf	-Inf	31.26	3	Horizontal	294	1.59	-	72.83

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT X_2TX
Setting 96
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	62.88	74.00	-11.12	31.20	3	Vertical	3	1.22	-	31.68
AV	2.3894G	49.83	54.00	-4.17	31.20	3	Vertical	3	1.22	-	18.63
PK	2.4362G	116.14	Inf	-Inf	31.30	3	Vertical	3	1.22	-	84.84
AV	2.439G	105.04	Inf	-Inf	31.31	3	Vertical	3	1.22	-	73.73
PK	2.4835G	65.04	74.00	-8.96	31.39	3	Vertical	3	1.22	-	33.65
AV	2.4835G	50.63	54.00	-3.37	31.39	3	Vertical	3	1.22	-	19.24

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT X_2TX
Setting 96
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	64.81	74.00	-9.19	31.20	3	Horizontal	287	2.40	-	33.61
AV	2.3898G	51.22	54.00	-2.78	31.20	3	Horizontal	287	2.40	-	20.02
PK	2.4446G	119.12	Inf	-Inf	31.32	3	Horizontal	287	2.40	-	87.80
AV	2.4418G	107.38	Inf	-Inf	31.32	3	Horizontal	287	2.40	-	76.06
PK	2.4835G	69.64	74.00	-4.36	31.39	3	Horizontal	287	2.40	-	38.25
AV	2.4835G	53.32	54.00	-0.68	31.39	3	Horizontal	287	2.40	-	21.93

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 96
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.32092G	58.28	74.00	-15.72	10.59	3	Vertical	24	1.12	-	47.69			
AV	7.31448G	44.95	54.00	-9.05	10.56	3	Vertical	24	1.12	-	34.39			

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 96
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.31772G	53.55	74.00	-20.45	10.57	3	Horizontal	292	1.82	-	42.98			
AV	7.31436G	40.98	54.00	-13.02	10.56	3	Horizontal	292	1.82	-	30.42			

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2457MHz_TX




EUT X_2TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.4644G	113.26	Inf	-Inf	31.36	3	Vertical	51	1.64	-	81.90			
AV	2.4646G	101.53	Inf	-Inf	31.36	3	Vertical	51	1.64	-	70.17			
PK	2.4835G	68.26	74.00	-5.74	31.39	3	Vertical	51	1.64	-	36.87			
AV	2.4835G	52.23	54.00	-1.77	31.39	3	Vertical	51	1.64	-	20.84			

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2457MHz_TX




EUT_X_2TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4606G	116.79	Inf	-Inf	31.35	3	Horizontal	288	2.62	-	85.44
AV	2.452G	104.88	Inf	-Inf	31.33	3	Horizontal	288	2.62	-	73.55
PK	2.4835G	70.57	74.00	-3.43	31.39	3	Horizontal	288	2.62	-	39.18
AV	2.4836G	53.42	54.00	-0.58	31.39	3	Horizontal	288	2.62	-	22.03

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2462MHz_TX




EUT X_2TX
Setting 80
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4646G	112.25	Inf	-Inf	31.36	3	Vertical	12	1.73	-	80.89
AV	2.4666G	100.98	Inf	-Inf	31.37	3	Vertical	12	1.73	-	69.61
PK	2.4835G	69.69	74.00	-4.31	31.39	3	Vertical	12	1.73	-	38.30
AV	2.4835G	51.44	54.00	-2.56	31.39	3	Vertical	12	1.73	-	20.05

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2462MHz_TX




EUT_X_2TX
Setting 80
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.4614G	115.55	Inf	-Inf	31.35	3	Horizontal	298	1.35	-	84.20			
AV	2.4638G	103.91	Inf	-Inf	31.36	3	Horizontal	298	1.35	-	72.55			
PK	2.4835G	72.79	74.00	-1.21	31.39	3	Horizontal	298	1.35	-	41.40			
AV	2.4835G	53.50	54.00	-0.50	31.39	3	Horizontal	298	1.35	-	22.11			

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 80
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.38304G	51.69	74.00	-22.31	10.75	3	Vertical	300	2.02	-	40.94			
AV	7.38184G	38.11	54.00	-15.89	10.75	3	Vertical	300	2.02	-	27.36			

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 80
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.37988G	49.29	74.00	-24.71	10.75	3	Horizontal	311	1.41	-	38.54			
AV	7.38156G	36.74	54.00	-17.26	10.75	3	Horizontal	311	1.41	-	25.99			

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2422MHz_TX




EUT X_2TX
Setting 70
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3848G	64.95	74.00	-9.05	31.19	3	Vertical	2	1.34	-	33.76
AV	2.39G	49.49	54.00	-4.51	31.20	3	Vertical	2	1.34	-	18.29
PK	2.4336G	107.48	Inf	-Inf	31.29	3	Vertical	2	1.34	-	76.19
AV	2.4308G	96.44	Inf	-Inf	31.29	3	Vertical	2	1.34	-	65.15
PK	2.4844G	60.05	74.00	-13.95	31.40	3	Vertical	2	1.34	-	28.65
AV	2.4864G	48.67	54.00	-5.33	31.40	3	Vertical	2	1.34	-	17.27

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2422MHz_TX




EUT X_2TX
Setting 70
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3844G	69.68	74.00	-4.32	31.19	3	Horizontal	282	2.21	-	38.49
AV	2.39G	53.48	54.00	-0.52	31.20	3	Horizontal	282	2.21	-	22.28
PK	2.434G	110.02	Inf	-Inf	31.29	3	Horizontal	282	2.21	-	78.73
AV	2.4308G	99.18	Inf	-Inf	31.29	3	Horizontal	282	2.21	-	67.89
PK	2.4835G	61.18	74.00	-12.82	31.39	3	Horizontal	282	2.21	-	29.79
AV	2.484G	48.98	54.00	-5.02	31.39	3	Horizontal	282	2.21	-	17.59

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2422MHz_TX




EUT Z_2TX
Setting 70
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.84452G	45.13	74.00	-28.87	7.21	3	Vertical	39	1.38	-	37.92			
AV	4.8382G	32.55	54.00	-21.45	7.20	3	Vertical	39	1.38	-	25.35			

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2422MHz_TX




EUT_Z_2TX
Setting 70
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.83868G	44.78	74.00	-29.22	7.20	3	Horizontal	105	2.28	-	37.58			
AV	4.8388G	32.40	54.00	-21.60	7.20	3	Horizontal	105	2.28	-	25.20			

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT X_2TX
Setting 78
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.379G	67.26	74.00	-6.74	31.18	3	Vertical	4	1.33	-	36.08
AV	2.3894G	49.99	54.00	-4.01	31.20	3	Vertical	4	1.33	-	18.79
PK	2.433G	110.56	Inf	-Inf	31.29	3	Vertical	4	1.33	-	79.27
AV	2.433G	98.98	Inf	-Inf	31.29	3	Vertical	4	1.33	-	67.69
PK	2.4838G	72.18	74.00	-1.82	31.39	3	Vertical	4	1.33	-	40.79
AV	2.4835G	51.36	54.00	-2.64	31.39	3	Vertical	4	1.33	-	19.97

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT_X_2TX
Setting 78
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.383G	70.52	74.00	-3.48	31.19	3	Horizontal	295	2.19	-	39.33
AV	2.3894G	52.53	54.00	-1.47	31.20	3	Horizontal	295	2.19	-	21.33
PK	2.4334G	113.18	Inf	-Inf	31.29	3	Horizontal	295	2.19	-	81.89
AV	2.4522G	101.26	Inf	-Inf	31.33	3	Horizontal	295	2.19	-	69.93
PK	2.4838G	73.37	74.00	-0.63	31.39	3	Horizontal	295	2.19	-	41.98
AV	2.4842G	53.00	54.00	-1.00	31.39	3	Horizontal	295	2.19	-	21.61

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 78
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.30792G	49.11	74.00	-24.89	10.55	3	Vertical	222	1.78	-	38.56			
AV	7.3166G	35.86	54.00	-18.14	10.57	3	Vertical	222	1.78	-	25.29			

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 78
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.31708G	48.69	74.00	-25.31	10.57	3	Horizontal	324	1.49	-	38.12			
AV	7.32092G	35.80	54.00	-18.20	10.59	3	Horizontal	324	1.49	-	25.21			

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2452MHz_TX




EUT_X_2TX
Setting 70
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	59.02	74.00	-14.98	31.20	3	Vertical	61	1.53	-	27.82
AV	2.3688G	47.29	54.00	-6.71	31.15	3	Vertical	61	1.53	-	16.14
PK	2.4492G	107.09	Inf	-Inf	31.33	3	Vertical	61	1.53	-	75.76
AV	2.4672G	96.01	Inf	-Inf	31.37	3	Vertical	61	1.53	-	64.64
PK	2.4872G	67.09	74.00	-6.91	31.40	3	Vertical	61	1.53	-	35.69
AV	2.4852G	49.05	54.00	-4.95	31.40	3	Vertical	61	1.53	-	17.65

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2452MHz_TX




EUT X_2TX
Setting 70
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	63.23	74.00	-10.77	31.20	3	Horizontal	288	2.43	-	32.03
AV	2.382G	48.24	54.00	-5.76	31.19	3	Horizontal	288	2.43	-	17.05
PK	2.4484G	111.12	Inf	-Inf	31.33	3	Horizontal	288	2.43	-	79.79
AV	2.4496G	99.22	Inf	-Inf	31.33	3	Horizontal	288	2.43	-	67.89
PK	2.4852G	73.34	74.00	-0.66	31.40	3	Horizontal	288	2.43	-	41.94
AV	2.4835G	51.55	54.00	-2.45	31.39	3	Horizontal	288	2.43	-	20.16

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2452MHz_TX




EUT_Z_2TX
Setting 70
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.35772G	49.42	74.00	-24.58	10.69	3	Vertical	101	1.59	-	38.73			
AV	7.35448G	36.33	54.00	-17.67	10.68	3	Vertical	101	1.59	-	25.65			

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2452MHz_TX



EUT Z_2TX
Setting 70
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.36052G	52.22	74.00	-21.78	10.68	3	Horizontal	34	1.40	-	41.54			
AV	7.36184G	36.85	54.00	-17.15	10.69	3	Horizontal	34	1.40	-	26.16			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	53.47	54.00	-0.53	31.39	3	Horizontal	137	2.41	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2412MHz_TX




EUT_X_2TX
Setting 80
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3888G	72.83	74.00	-1.17	31.20	3	Vertical	145	1.67	-	41.63			
AV	2.388G	53.12	54.00	-0.88	31.20	3	Vertical	145	1.67	-	21.92			
PK	2.409G	118.29	Inf	-Inf	31.24	3	Vertical	145	1.67	-	87.05			
AV	2.4094G	105.86	Inf	-Inf	31.25	3	Vertical	145	1.67	-	74.61			

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2412MHz_TX




EUT_X_2TX
Setting 80
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.389G	72.07	74.00	-1.93	31.20	3	Horizontal	34	2.02	-	40.87			
AV	2.3898G	51.42	54.00	-2.58	31.20	3	Horizontal	34	2.02	-	20.22			
PK	2.4204G	120.31	Inf	-Inf	31.27	3	Horizontal	34	2.02	-	89.04			
AV	2.4198G	107.53	Inf	-Inf	31.27	3	Horizontal	34	2.02	-	76.26			

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 80
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82604G	46.51	74.00	-27.49	7.18	3	Vertical	321	1.85	-	39.33			
AV	4.82196G	31.96	54.00	-22.04	7.16	3	Vertical	321	1.85	-	24.80			

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 80
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82568G	46.43	74.00	-27.57	7.18	3	Horizontal	163	1.34	-	39.25			
AV	4.82262G	32.05	54.00	-21.95	7.16	3	Horizontal	163	1.34	-	24.89			

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2417MHz_TX




EUT_X_2TX
Setting 82
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.389G	70.60	74.00	-3.40	31.20	3	Vertical	11	1.41	-	39.40			
AV	2.3898G	50.96	54.00	-3.04	31.20	3	Vertical	11	1.41	-	19.76			
PK	2.4254G	119.41	Inf	-Inf	31.28	3	Vertical	11	1.41	-	88.13			
AV	2.4244G	106.38	Inf	-Inf	31.28	3	Vertical	11	1.41	-	75.10			

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2417MHz_TX




EUT_X_2TX
Setting 82
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3872G	72.67	74.00	-1.33	31.20	3	Horizontal	98	1.59	-	41.47
AV	2.3896G	53.26	54.00	-0.74	31.20	3	Horizontal	98	1.59	-	22.06
PK	2.4098G	120.29	Inf	-Inf	31.25	3	Horizontal	98	1.59	-	89.04
AV	2.4082G	108.17	Inf	-Inf	31.24	3	Horizontal	98	1.59	-	76.93

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT X_2TX
Setting 97
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3862G	65.21	74.00	-8.79	31.20	3	Vertical	53	2.64	-	34.01
AV	2.3898G	50.05	54.00	-3.95	31.20	3	Vertical	53	2.64	-	18.85
PK	2.4378G	120.96	Inf	-Inf	31.31	3	Vertical	53	2.64	-	89.65
AV	2.4354G	108.38	Inf	-Inf	31.30	3	Vertical	53	2.64	-	77.08
PK	2.4866G	70.70	74.00	-3.30	31.40	3	Vertical	53	2.64	-	39.30
AV	2.4835G	52.47	54.00	-1.53	31.39	3	Vertical	53	2.64	-	21.08

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT_X_2TX
Setting 97
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	68.62	74.00	-5.38	31.20	3	Horizontal	137	2.41	-	37.42
AV	2.3898G	51.45	54.00	-2.55	31.20	3	Horizontal	137	2.41	-	20.25
PK	2.4338G	123.22	Inf	-Inf	31.29	3	Horizontal	137	2.41	-	91.93
AV	2.4338G	111.82	Inf	-Inf	31.29	3	Horizontal	137	2.41	-	80.53
PK	2.4866G	71.25	74.00	-2.75	31.40	3	Horizontal	137	2.41	-	39.85
AV	2.4835G	53.47	54.00	-0.53	31.39	3	Horizontal	137	2.41	-	22.08

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 97
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.30674G	57.45	74.00	-16.55	10.54	3	Vertical	92	2.14	-	46.91			
AV	7.31286G	43.80	54.00	-10.20	10.56	3	Vertical	92	2.14	-	33.24			

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 97
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.30656G	57.40	74.00	-16.60	10.54	3	Horizontal	355	1.06	-	46.86			
AV	7.3143G	42.04	54.00	-11.96	10.56	3	Horizontal	355	1.06	-	31.48			

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2457MHz_TX




EUT_X_2TX
Setting 75
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4514G	115.69	Inf	-Inf	31.33	3	Vertical	341	1.17	-	84.36
AV	2.454G	103.22	Inf	-Inf	31.34	3	Vertical	341	1.17	-	71.88
PK	2.4854G	68.19	74.00	-5.81	31.40	3	Vertical	341	1.17	-	36.79
AV	2.4878G	48.95	54.00	-5.05	31.41	3	Vertical	341	1.17	-	17.54

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2457MHz_TX




EUT_X_2TX
Setting 75
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4652G	118.97	Inf	-Inf	31.36	3	Horizontal	304	1.06	-	87.61
AV	2.4642G	106.11	Inf	-Inf	31.36	3	Horizontal	304	1.06	-	74.75
PK	2.4835G	73.45	74.00	-0.55	31.39	3	Horizontal	304	1.06	-	42.06
AV	2.4835G	49.84	54.00	-4.16	31.39	3	Horizontal	304	1.06	-	18.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2462MHz_TX




EUT_X_2TX
Setting 78
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4644G	115.57	Inf	-Inf	31.36	3	Vertical	255	1.61	-	84.21
AV	2.4638G	103.72	Inf	-Inf	31.36	3	Vertical	255	1.61	-	72.36
PK	2.485G	68.78	74.00	-5.22	31.40	3	Vertical	255	1.61	-	37.38
AV	2.4836G	50.03	54.00	-3.97	31.39	3	Vertical	255	1.61	-	18.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2462MHz_TX




EUT_X_2TX
Setting 78
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4628G	119.47	Inf	-Inf	31.36	3	Horizontal	281	1.63	-	88.11
AV	2.4632G	106.08	Inf	-Inf	31.36	3	Horizontal	281	1.63	-	74.72
PK	2.4846G	70.44	74.00	-3.56	31.40	3	Horizontal	281	1.63	-	39.04
AV	2.4835G	53.32	54.00	-0.68	31.39	3	Horizontal	281	1.63	-	21.93

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 78
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.39704G	51.61	74.00	-22.39	10.79	3	Vertical	334	1.31	-	40.82			
AV	7.37292G	37.48	54.00	-16.52	10.73	3	Vertical	334	1.31	-	26.75			

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 78
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.37448G	50.30	74.00	-23.70	10.73	3	Horizontal	14	2.08	-	39.57			
AV	7.37358G	35.50	54.00	-18.50	10.73	3	Horizontal	14	2.08	-	24.77			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2422MHz_TX




EUT X_2TX
Setting 73
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3876G	68.58	74.00	-5.42	31.20	3	Vertical	315	1.00	-	37.38
AV	2.3892G	50.10	54.00	-3.90	31.20	3	Vertical	315	1.00	-	18.90
PK	2.4372G	114.43	Inf	-Inf	31.30	3	Vertical	315	1.00	-	83.13
AV	2.4348G	101.96	Inf	-Inf	31.30	3	Vertical	315	1.00	-	70.66
PK	2.492G	60.50	74.00	-13.50	31.42	3	Vertical	315	1.00	-	29.08
AV	2.4835G	48.04	54.00	-5.96	31.39	3	Vertical	315	1.00	-	16.65

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2422MHz_TX




EUT X_2TX
Setting 73
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.386G	73.03	74.00	-0.97	31.19	3	Horizontal	344	1.59	-	41.84
AV	2.39G	53.38	54.00	-0.62	31.20	3	Horizontal	344	1.59	-	22.18
PK	2.4072G	116.58	Inf	-Inf	31.24	3	Horizontal	344	1.59	-	85.34
AV	2.4076G	104.66	Inf	-Inf	31.24	3	Horizontal	344	1.59	-	73.42
PK	2.4835G	63.84	74.00	-10.16	31.39	3	Horizontal	344	1.59	-	32.45
AV	2.4852G	49.25	54.00	-4.75	31.40	3	Horizontal	344	1.59	-	17.85

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 73
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.85408G	45.24	74.00	-28.76	7.24	3	Vertical	209	2.50	-	38.00			
AV	4.83398G	31.42	54.00	-22.58	7.19	3	Vertical	209	2.50	-	24.23			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 73
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.84676G	44.85	74.00	-29.15	7.22	3	Horizontal	208	2.53	-	37.63			
AV	4.83512G	31.45	54.00	-22.55	7.20	3	Horizontal	208	2.53	-	24.25			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT_X_2TX
Setting 77
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	70.28	74.00	-3.72	31.20	3	Vertical	221	1.27	-	39.08
AV	2.3898G	50.39	54.00	-3.61	31.20	3	Vertical	221	1.27	-	19.19
PK	2.4418G	114.43	Inf	-Inf	31.32	3	Vertical	221	1.27	-	83.11
AV	2.443G	102.25	Inf	-Inf	31.32	3	Vertical	221	1.27	-	70.93
PK	2.485G	69.86	74.00	-4.14	31.40	3	Vertical	221	1.27	-	38.46
AV	2.4835G	52.10	54.00	-1.90	31.39	3	Vertical	221	1.27	-	20.71

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT_X_2TX
Setting 77
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	70.45	74.00	-3.55	31.20	3	Horizontal	324	1.99	-	39.25
AV	2.3898G	52.90	54.00	-1.10	31.20	3	Horizontal	324	1.99	-	21.70
PK	2.433G	116.00	Inf	-Inf	31.29	3	Horizontal	324	1.99	-	84.71
AV	2.433G	104.02	Inf	-Inf	31.29	3	Horizontal	324	1.99	-	72.73
PK	2.4858G	71.06	74.00	-2.94	31.40	3	Horizontal	324	1.99	-	39.66
AV	2.4835G	53.36	54.00	-0.64	31.39	3	Horizontal	324	1.99	-	21.97

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 77
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.3122G	51.29	74.00	-22.71	10.55	3	Vertical	43	2.65	-	40.74			
AV	7.3104G	34.10	54.00	-19.90	10.54	3	Vertical	43	2.65	-	23.56			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 77
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBm)			
PK	7.3239G	53.20	74.00	-20.80	10.59	3	Horizontal	250	1.70	-	42.61			
AV	7.32114G	35.38	54.00	-18.62	10.59	3	Horizontal	250	1.70	-	24.79			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2452MHz_TX




EUT X_2TX
Setting 71
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3852G	61.23	74.00	-12.77	31.19	3	Vertical	194	2.65	-	30.04			
AV	2.3892G	47.40	54.00	-6.60	31.20	3	Vertical	194	2.65	-	16.20			
PK	2.4392G	112.19	Inf	-Inf	31.31	3	Vertical	194	2.65	-	80.88			
AV	2.4432G	100.05	Inf	-Inf	31.32	3	Vertical	194	2.65	-	68.73			
PK	2.4864G	70.28	74.00	-3.72	31.40	3	Vertical	194	2.65	-	38.88			
AV	2.484G	51.11	54.00	-2.89	31.39	3	Vertical	194	2.65	-	19.72			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2452MHz_TX




EUT X_2TX
Setting 71
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3868G	63.18	74.00	-10.82	31.20	3	Horizontal	273	1.00	-	31.98
AV	2.388G	48.55	54.00	-5.45	31.20	3	Horizontal	273	1.00	-	17.35
PK	2.4512G	114.75	Inf	-Inf	31.33	3	Horizontal	273	1.00	-	83.42
AV	2.4552G	102.94	Inf	-Inf	31.34	3	Horizontal	273	1.00	-	71.60
PK	2.486G	73.44	74.00	-0.56	31.40	3	Horizontal	273	1.00	-	42.04
AV	2.4848G	51.14	54.00	-2.86	31.40	3	Horizontal	273	1.00	-	19.74

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2452MHz_TX




EUT_Z_2TX
Setting 71
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.36554G	48.77	74.00	-25.23	10.70	3	Vertical	358	1.59	-	38.07			
AV	7.3707G	35.57	54.00	-18.43	10.72	3	Vertical	358	1.59	-	24.85			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2452MHz_TX



EUT_Z_2TX
Setting 71
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.36362G	49.26	74.00	-24.74	10.70	3	Horizontal	147	2.04	-	38.56			
AV	7.3686G	35.65	54.00	-18.35	10.71	3	Horizontal	147	2.04	-	24.94			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	2.4835G	73.49	74.00	-0.51	31.39	3	Horizontal	301	2.89	-

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2412MHz_TX




EUT Y_1TX
Setting 88
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3814G	60.20	74.00	-13.80	31.19	3	Vertical	21	2.37	-	29.01
AV	2.3888G	48.39	54.00	-5.61	31.20	3	Vertical	21	2.37	-	17.19
PK	2.413G	108.65	Inf	-Inf	31.26	3	Vertical	21	2.37	-	77.39
AV	2.4128G	104.65	Inf	-Inf	31.26	3	Vertical	21	2.37	-	73.39

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2412MHz_TX




EUT Y_1TX
Setting 88
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3884G	63.60	74.00	-10.40	31.20	3	Horizontal	312	3.00	-	32.40
AV	2.3886G	53.43	54.00	-0.57	31.20	3	Horizontal	312	3.00	-	22.23
PK	2.413G	115.34	Inf	-Inf	31.26	3	Horizontal	312	3.00	-	84.08
AV	2.4128G	111.33	Inf	-Inf	31.26	3	Horizontal	312	3.00	-	80.07

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2412MHz_TX




EUT Y_1TX
Setting 88
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82405G	49.09	74.00	-24.91	7.17	3	Vertical	36	1.50	-	41.92			
AV	4.82393G	41.87	54.00	-12.13	7.17	3	Vertical	36	1.50	-	34.70			

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2412MHz_TX




EUT Y_1TX
Setting 88
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82384G	49.10	74.00	-24.90	7.17	3	Horizontal	351	1.28	-	41.93			
AV	4.82396G	41.96	54.00	-12.04	7.17	3	Horizontal	351	1.28	-	34.79			

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2437MHz_TX




EUT Y_1TX
Setting 89
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3726G	59.21	74.00	-14.79	31.16	3	Vertical	11	1.50	-	28.05
AV	2.3886G	46.67	54.00	-7.33	31.20	3	Vertical	11	1.50	-	15.47
PK	2.4362G	108.65	Inf	-Inf	31.30	3	Vertical	11	1.50	-	77.35
AV	2.4362G	104.79	Inf	-Inf	31.30	3	Vertical	11	1.50	-	73.49
PK	2.4882G	59.55	74.00	-14.45	31.41	3	Vertical	11	1.50	-	28.14
AV	2.4846G	47.25	54.00	-6.75	31.40	3	Vertical	11	1.50	-	15.85

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2437MHz_TX




EUT_V_1TX
Setting 89
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3866G	59.62	74.00	-14.38	31.20	3	Horizontal	326	2.64	-	28.42
AV	2.3862G	47.55	54.00	-6.45	31.20	3	Horizontal	326	2.64	-	16.35
PK	2.4378G	113.53	Inf	-Inf	31.31	3	Horizontal	326	2.64	-	82.22
AV	2.4362G	109.80	Inf	-Inf	31.30	3	Horizontal	326	2.64	-	78.50
PK	2.4838G	61.97	74.00	-12.03	31.39	3	Horizontal	326	2.64	-	30.58
AV	2.4835G	50.03	54.00	-3.97	31.39	3	Horizontal	326	2.64	-	18.64

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2437MHz_TX




EUT Y_1TX
Setting 89
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87392G	49.54	74.00	-24.46	7.28	3	Vertical	26	2.87	-	42.26			
AV	4.87397G	43.15	54.00	-10.85	7.28	3	Vertical	26	2.87	-	35.87			
PK	7.3094G	54.02	74.00	-19.98	10.54	3	Vertical	19	1.25	-	43.48			
AV	7.3097G	46.10	54.00	-7.90	10.54	3	Vertical	19	1.25	-	35.56			

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2437MHz_TX




EUT Y_1TX
Setting 89
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87401G	49.99	74.00	-24.01	7.28	3	Horizontal	345	1.11	-	42.71			
AV	4.87394G	43.93	54.00	-10.07	7.28	3	Horizontal	345	1.11	-	36.65			
PK	7.30996G	58.94	74.00	-15.06	10.54	3	Horizontal	246	2.80	-	48.40			
AV	7.30968G	53.21	54.00	-0.79	10.54	3	Horizontal	246	2.80	-	42.67			

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2462MHz_TX




EUT Y_1TX
Setting 91
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.4628G	110.00	Inf	-Inf	31.36	3	Vertical	15	1.65	-	78.64			
AV	2.4628G	106.22	Inf	-Inf	31.36	3	Vertical	15	1.65	-	74.86			
PK	2.494G	60.18	74.00	-13.82	31.42	3	Vertical	15	1.65	-	28.76			
AV	2.4916G	47.99	54.00	-6.01	31.42	3	Vertical	15	1.65	-	16.57			

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2462MHz_TX




EUT Y_1TX
Setting 91
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.462G	115.59	Inf	-Inf	31.36	3	Horizontal	306	2.87	-	84.23
AV	2.4612G	111.80	Inf	-Inf	31.35	3	Horizontal	306	2.87	-	80.45
PK	2.486G	63.46	74.00	-10.54	31.40	3	Horizontal	306	2.87	-	32.06
AV	2.4858G	53.06	54.00	-0.94	31.40	3	Horizontal	306	2.87	-	21.66

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2462MHz_TX




EUT_Y_1TX
Setting 91
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.92391G	50.88	74.00	-23.12	7.40	3	Vertical	36	3.00	-	43.48			
AV	4.92397G	45.42	54.00	-8.58	7.40	3	Vertical	36	3.00	-	38.02			
PK	7.38478G	56.02	74.00	-17.98	10.76	3	Vertical	345	1.00	-	45.26			
AV	7.3847G	48.92	54.00	-5.08	10.76	3	Vertical	345	1.00	-	38.16			

802.11b_Nss1,(1Mbps)_1TX

02/10/2019

2462MHz_TX




EUT Y_1TX
Setting 91
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.924G	50.78	74.00	-23.22	7.40	3	Horizontal	336	1.05	-	43.38			
AV	4.92397G	45.33	54.00	-8.67	7.40	3	Horizontal	336	1.05	-	37.93			
PK	7.38442G	58.76	74.00	-15.24	10.76	3	Horizontal	249	2.85	-	48.00			
AV	7.3847G	52.81	54.00	-1.19	10.76	3	Horizontal	249	2.85	-	42.05			

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2412MHz_TX




EUT Y_1TX
Setting 74
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.39G	64.50	74.00	-9.50	31.20	3	Vertical	13	2.92	-	33.30			
AV	2.3898G	47.41	54.00	-6.59	31.20	3	Vertical	13	2.92	-	16.21			
PK	2.4144G	104.60	Inf	-Inf	31.26	3	Vertical	13	2.92	-	73.34			
AV	2.4162G	94.71	Inf	-Inf	31.27	3	Vertical	13	2.92	-	63.44			

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2412MHz_TX




EUT_Y_1TX
Setting 74
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	72.66	74.00	-1.34	31.20	3	Horizontal	317	3.00	-	41.46
AV	2.39G	51.14	54.00	-2.86	31.20	3	Horizontal	317	3.00	-	19.94
PK	2.4144G	111.12	Inf	-Inf	31.26	3	Horizontal	317	3.00	-	79.86
AV	2.4162G	100.96	Inf	-Inf	31.27	3	Horizontal	317	3.00	-	69.69

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2412MHz_TX




EUT Y_1TX
Setting 74
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.8253G	45.40	74.00	-28.60	7.18	3	Vertical	205	1.71	-	38.22			
AV	4.82348G	31.86	54.00	-22.14	7.16	3	Vertical	205	1.71	-	24.70			

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2412MHz_TX




EUT Y_1TX
Setting 74
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82068G	45.19	74.00	-28.81	7.16	3	Horizontal	106	1.47	-	38.03			
AV	4.82546G	32.20	54.00	-21.80	7.18	3	Horizontal	106	1.47	-	25.02			

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2417MHz_TX




EUT_Y_1TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	64.64	74.00	-9.36	31.20	3	Vertical	14	2.93	-	33.44
AV	2.3896G	48.22	54.00	-5.78	31.20	3	Vertical	14	2.93	-	17.02
PK	2.4194G	107.62	Inf	-Inf	31.27	3	Vertical	14	2.93	-	76.35
AV	2.421G	97.82	Inf	-Inf	31.27	3	Vertical	14	2.93	-	66.55

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2417MHz_TX




EUT Y_1TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	71.73	74.00	-2.27	31.20	3	Horizontal	314	2.67	-	40.53
AV	2.39G	53.32	54.00	-0.68	31.20	3	Horizontal	314	2.67	-	22.12
PK	2.4194G	113.85	Inf	-Inf	31.27	3	Horizontal	314	2.67	-	82.58
AV	2.421G	103.99	Inf	-Inf	31.27	3	Horizontal	314	2.67	-	72.72

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2437MHz_TX




EUT Y_1TX
Setting 98
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3866G	64.34	74.00	-9.66	31.20	3	Vertical	25	2.95	-	33.14
AV	2.3898G	49.07	54.00	-4.93	31.20	3	Vertical	25	2.95	-	17.87
PK	2.4302G	108.98	Inf	-Inf	31.29	3	Vertical	25	2.95	-	77.69
AV	2.4322G	99.01	Inf	-Inf	31.29	3	Vertical	25	2.95	-	67.72
PK	2.4946G	61.01	74.00	-12.99	31.42	3	Vertical	25	2.95	-	29.59
AV	2.4954G	47.54	54.00	-6.46	31.42	3	Vertical	25	2.95	-	16.12

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2437MHz_TX




EUT Y_1TX
Setting 98
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	66.04	74.00	-7.96	31.20	3	Horizontal	322	2.65	-	34.84
AV	2.3898G	51.37	54.00	-2.63	31.20	3	Horizontal	322	2.65	-	20.17
PK	2.4394G	114.65	Inf	-Inf	31.31	3	Horizontal	322	2.65	-	83.34
AV	2.439G	104.63	Inf	-Inf	31.31	3	Horizontal	322	2.65	-	73.32
PK	2.4846G	73.03	74.00	-0.97	31.40	3	Horizontal	322	2.65	-	41.63
AV	2.4838G	52.70	54.00	-1.30	31.39	3	Horizontal	322	2.65	-	21.31

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2437MHz_TX




EUT Y_1TX
Setting 98
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.31342G	55.15	74.00	-18.85	10.56	3	Vertical	33	1.33	-	44.59			
AV	7.31236G	40.63	54.00	-13.37	10.55	3	Vertical	33	1.33	-	30.08			

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2437MHz_TX




EUT Y_1TX
Setting 98
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.31516G	59.76	74.00	-14.24	10.56	3	Horizontal	260	2.81	-	49.20			
AV	7.31244G	45.65	54.00	-8.35	10.55	3	Horizontal	260	2.81	-	35.10			

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2457MHz_TX




EUT Y_1TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.4504G	106.96	Inf	-Inf	31.33	3	Vertical	13	1.69	-	75.63			
AV	2.452G	97.31	Inf	-Inf	31.33	3	Vertical	13	1.69	-	65.98			
PK	2.4836G	68.33	74.00	-5.67	31.39	3	Vertical	13	1.69	-	36.94			
AV	2.4835G	49.79	54.00	-4.21	31.39	3	Vertical	13	1.69	-	18.40			

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2457MHz_TX




EUT Y_1TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4522G	112.31	Inf	-Inf	31.33	3	Horizontal	299	2.88	-	80.98
AV	2.461G	102.56	Inf	-Inf	31.35	3	Horizontal	299	2.88	-	71.21
PK	2.4838G	72.65	74.00	-1.35	31.39	3	Horizontal	299	2.88	-	41.26
AV	2.4835G	53.48	54.00	-0.52	31.39	3	Horizontal	299	2.88	-	22.09

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2462MHz_TX




EUT Y_1TX
Setting 72
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4644G	108.94	Inf	-Inf	31.36	3	Vertical	320	2.87	-	77.58
AV	2.466G	98.68	Inf	-Inf	31.37	3	Vertical	320	2.87	-	67.31
PK	2.4836G	72.01	74.00	-1.99	31.39	3	Vertical	320	2.87	-	40.62
AV	2.4835G	49.56	54.00	-4.44	31.39	3	Vertical	320	2.87	-	18.17

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2462MHz_TX




EUT Y_1TX
Setting 72
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4634G	109.77	Inf	-Inf	31.36	3	Horizontal	316	2.87	-	78.41
AV	2.4636G	99.56	Inf	-Inf	31.36	3	Horizontal	316	2.87	-	68.20
PK	2.484G	72.23	74.00	-1.77	31.39	3	Horizontal	316	2.87	-	40.84
AV	2.4835G	49.80	54.00	-4.20	31.39	3	Horizontal	316	2.87	-	18.41

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2462MHz_TX




EUT Y_1TX
Setting 72
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.38516G	51.55	74.00	-22.45	10.76	3	Vertical	247	1.76	-	40.79			
AV	7.38356G	35.92	54.00	-18.08	10.75	3	Vertical	247	1.76	-	25.17			

802.11g_Nss1,(6Mbps)_1TX

02/10/2019

2462MHz_TX




EUT Y_1TX
Setting 72
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.38756G	49.45	74.00	-24.55	10.77	3	Horizontal	323	1.04	-	38.68			
AV	7.38508G	35.61	54.00	-18.39	10.76	3	Horizontal	323	1.04	-	24.85			

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2412MHz_TX




EUT Y_1TX
Setting 73
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	64.08	74.00	-9.92	31.20	3	Vertical	14	2.93	-	32.88
AV	2.3898G	48.60	54.00	-5.40	31.20	3	Vertical	14	2.93	-	17.40
PK	2.4174G	106.39	Inf	-Inf	31.27	3	Vertical	14	2.93	-	75.12
AV	2.417G	94.16	Inf	-Inf	31.27	3	Vertical	14	2.93	-	62.89

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2412MHz_TX




EUT Y_1TX
Setting 73
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3896G	72.04	74.00	-1.96	31.20	3	Horizontal	315	2.41	-	40.84			
AV	2.39G	53.36	54.00	-0.64	31.20	3	Horizontal	315	2.41	-	22.16			
PK	2.409G	112.81	Inf	-Inf	31.24	3	Horizontal	315	2.41	-	81.57			
AV	2.413G	99.94	Inf	-Inf	31.26	3	Horizontal	315	2.41	-	68.68			

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2412MHz_TX




EUT Y_1TX
Setting 73
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82128G	46.87	74.00	-27.13	7.16	3	Vertical	54	1.69	-	39.71			
AV	4.82404G	32.81	54.00	-21.19	7.17	3	Vertical	54	1.69	-	25.64			

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2412MHz_TX




EUT Y_1TX
Setting 73
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82624G	46.15	74.00	-27.85	7.18	3	Horizontal	67	1.61	-	38.97			
AV	4.82784G	32.39	54.00	-21.61	7.18	3	Horizontal	67	1.61	-	25.21			

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2417MHz_TX




EUT Y_1TX
Setting 81
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	61.97	74.00	-12.03	31.20	3	Vertical	28	2.92	-	30.77
AV	2.3898G	47.39	54.00	-6.61	31.20	3	Vertical	28	2.92	-	16.19
PK	2.4224G	108.13	Inf	-Inf	31.28	3	Vertical	28	2.92	-	76.85
AV	2.4198G	95.94	Inf	-Inf	31.27	3	Vertical	28	2.92	-	64.67

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2417MHz_TX




EUT Y_1TX
Setting 81
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	71.78	74.00	-2.22	31.20	3	Horizontal	330	2.43	-	40.58
AV	2.39G	53.26	54.00	-0.74	31.20	3	Horizontal	330	2.43	-	22.06
PK	2.414G	114.66	Inf	-Inf	31.26	3	Horizontal	330	2.43	-	83.40
AV	2.4126G	101.46	Inf	-Inf	31.26	3	Horizontal	330	2.43	-	70.20

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT Y_1TX
Setting 94
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	65.64	74.00	-8.36	31.20	3	Vertical	15	1.50	-	34.44
AV	2.3898G	50.09	54.00	-3.91	31.20	3	Vertical	15	1.50	-	18.89
PK	2.4338G	110.64	Inf	-Inf	31.29	3	Vertical	15	1.50	-	79.35
AV	2.433G	97.25	Inf	-Inf	31.29	3	Vertical	15	1.50	-	65.96
PK	2.4838G	65.41	74.00	-8.59	31.39	3	Vertical	15	1.50	-	34.02
AV	2.4835G	50.04	54.00	-3.96	31.39	3	Vertical	15	1.50	-	18.65

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT_V_1TX
Setting 94
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	67.02	74.00	-6.98	31.20	3	Horizontal	310	2.92	-	35.82
AV	2.3898G	50.85	54.00	-3.15	31.20	3	Horizontal	310	2.92	-	19.65
PK	2.4338G	117.35	Inf	-Inf	31.29	3	Horizontal	310	2.92	-	86.06
AV	2.4422G	104.03	Inf	-Inf	31.32	3	Horizontal	310	2.92	-	72.71
PK	2.4838G	69.30	74.00	-4.70	31.39	3	Horizontal	310	2.92	-	37.91
AV	2.4835G	53.26	54.00	-0.74	31.39	3	Horizontal	310	2.92	-	21.87

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT Y_1TX
Setting 94
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.30218G	56.86	74.00	-17.14	10.52	3	Vertical	348	1.11	-	46.34			
AV	7.31052G	42.26	54.00	-11.74	10.54	3	Vertical	348	1.11	-	31.72			

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT Y_1TX
Setting 94
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.31838G	57.82	74.00	-16.18	10.57	3	Horizontal	284	2.89	-	47.25			
AV	7.31046G	43.82	54.00	-10.18	10.54	3	Horizontal	284	2.89	-	33.28			

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2457MHz_TX




EUT Y_1TX
Setting 82
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4624G	107.99	Inf	-Inf	31.35	3	Vertical	28	1.31	-	76.64
AV	2.462G	95.78	Inf	-Inf	31.35	3	Vertical	28	1.31	-	64.43
PK	2.4862G	66.00	74.00	-8.00	31.40	3	Vertical	28	1.31	-	34.60
AV	2.4836G	49.41	54.00	-4.59	31.39	3	Vertical	28	1.31	-	18.02

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2457MHz_TX




EUT Y_1TX
Setting 82
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4538G	114.44	Inf	-Inf	31.34	3	Horizontal	320	2.93	-	83.10
AV	2.4498G	101.39	Inf	-Inf	31.33	3	Horizontal	320	2.93	-	70.06
PK	2.4838G	72.21	74.00	-1.79	31.39	3	Horizontal	320	2.93	-	40.82
AV	2.4835G	52.81	54.00	-1.19	31.39	3	Horizontal	320	2.93	-	21.42

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2462MHz_TX




EUT Y_1TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4594G	105.08	Inf	-Inf	31.35	3	Vertical	17	1.62	-	73.73
AV	2.4648G	92.89	Inf	-Inf	31.36	3	Vertical	17	1.62	-	61.53
PK	2.4842G	67.03	74.00	-6.97	31.39	3	Vertical	17	1.62	-	35.64
AV	2.4952G	47.25	54.00	-6.75	31.42	3	Vertical	17	1.62	-	15.83

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2462MHz_TX




EUT Y_1TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.459G	110.38	Inf	-Inf	31.34	3	Horizontal	301	2.89	-	79.04
AV	2.4648G	97.52	Inf	-Inf	31.36	3	Horizontal	301	2.89	-	66.16
PK	2.4835G	73.49	74.00	-0.51	31.39	3	Horizontal	301	2.89	-	42.10
AV	2.4835G	48.49	54.00	-5.51	31.39	3	Horizontal	301	2.89	-	17.10

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2462MHz_TX




EUT Y_1TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.37876G	49.23	74.00	-24.77	10.73	3	Vertical	215	2.24	-	38.50			
AV	7.38668G	35.65	54.00	-18.35	10.76	3	Vertical	215	2.24	-	24.89			

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2462MHz_TX




EUT Y_1TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.38932G	52.42	74.00	-21.58	10.78	3	Horizontal	119	1.99	-	41.64			
AV	7.38884G	35.79	54.00	-18.21	10.78	3	Horizontal	119	1.99	-	25.01			

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2422MHz_TX




EUT Y_1TX
Setting 67
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	62.67	74.00	-11.33	31.20	3	Vertical	16	2.92	-	31.47
AV	2.3896G	49.08	54.00	-4.92	31.20	3	Vertical	16	2.92	-	17.88
PK	2.4144G	103.08	Inf	-Inf	31.26	3	Vertical	16	2.92	-	71.82
AV	2.4172G	90.61	Inf	-Inf	31.27	3	Vertical	16	2.92	-	59.34
PK	2.4912G	59.85	74.00	-14.15	31.42	3	Vertical	16	2.92	-	28.43
AV	2.4888G	47.51	54.00	-6.49	31.41	3	Vertical	16	2.92	-	16.10

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2422MHz_TX




EUT Y_1TX
Setting 67
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	69.01	74.00	-4.99	31.20	3	Horizontal	310	2.44	-	37.81
AV	2.388G	53.35	54.00	-0.65	31.20	3	Horizontal	310	2.44	-	22.15
PK	2.414G	108.68	Inf	-Inf	31.26	3	Horizontal	310	2.44	-	77.42
AV	2.4144G	96.04	Inf	-Inf	31.26	3	Horizontal	310	2.44	-	64.78
PK	2.484G	60.66	74.00	-13.34	31.39	3	Horizontal	310	2.44	-	29.27
AV	2.4848G	48.00	54.00	-6.00	31.40	3	Horizontal	310	2.44	-	16.60

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2422MHz_TX




EUT Y_1TX
Setting 67
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.2722G	50.70	74.00	-23.30	10.42	3	Vertical	123	1.28	-	40.28			
AV	7.26068G	37.26	54.00	-16.74	10.38	3	Vertical	123	1.28	-	26.88			

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2422MHz_TX




EUT Y_1TX
Setting 67
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.26572G	50.19	74.00	-23.81	10.40	3	Horizontal	303	2.29	-	39.79			
AV	7.25628G	36.90	54.00	-17.10	10.37	3	Horizontal	303	2.29	-	26.53			

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT Y_1TX
Setting 74
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	63.88	74.00	-10.12	31.20	3	Vertical	21	2.93	-	32.68
AV	2.3898G	48.69	54.00	-5.31	31.20	3	Vertical	21	2.93	-	17.49
PK	2.4218G	104.32	Inf	-Inf	31.27	3	Vertical	21	2.93	-	73.05
AV	2.4218G	91.69	Inf	-Inf	31.27	3	Vertical	21	2.93	-	60.42
PK	2.4878G	60.24	74.00	-13.76	31.41	3	Vertical	21	2.93	-	28.83
AV	2.4878G	48.09	54.00	-5.91	31.39	3	Vertical	21	2.93	-	16.70

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT Y_1TX
Setting 74
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	69.50	74.00	-4.50	31.20	3	Horizontal	321	2.66	-	38.30
AV	2.3898G	53.36	54.00	-0.64	31.20	3	Horizontal	321	2.66	-	22.16
PK	2.4218G	110.63	Inf	-Inf	31.27	3	Horizontal	321	2.66	-	79.36
AV	2.4226G	98.02	Inf	-Inf	31.28	3	Horizontal	321	2.66	-	66.74
PK	2.4835G	66.68	74.00	-7.32	31.39	3	Horizontal	321	2.66	-	35.29
AV	2.4835G	52.07	54.00	-1.93	31.39	3	Horizontal	321	2.66	-	20.68

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT Y_1TX
Setting 74
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.31364G	49.56	74.00	-24.44	10.56	3	Vertical	176	2.60	-	39.00			
AV	7.3178G	36.44	54.00	-17.56	10.57	3	Vertical	176	2.60	-	25.87			

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT Y_1TX
Setting 74
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.31508G	50.58	74.00	-23.42	10.56	3	Horizontal	116	2.53	-	40.02			
AV	7.30368G	36.59	54.00	-17.41	10.53	3	Horizontal	116	2.53	-	26.06			

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2452MHz_TX




EUT Y_1TX
Setting 69
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3672G	58.53	74.00	-15.47	31.15	3	Vertical	6	1.69	-	27.38
AV	2.3764G	47.05	54.00	-6.95	31.17	3	Vertical	6	1.69	-	15.88
PK	2.4468G	102.93	Inf	-Inf	31.32	3	Vertical	6	1.69	-	71.61
AV	2.4528G	90.66	Inf	-Inf	31.33	3	Vertical	6	1.69	-	59.33
PK	2.4835G	65.45	74.00	-8.55	31.39	3	Vertical	6	1.69	-	34.06
AV	2.484G	49.36	54.00	-4.64	31.39	3	Vertical	6	1.69	-	17.97

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2452MHz_TX




EUT Y_1TX
Setting 69
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3604G	59.39	74.00	-14.61	31.13	3	Horizontal	315	2.91	-	28.26
AV	2.39G	47.52	54.00	-6.48	31.20	3	Horizontal	315	2.91	-	16.32
PK	2.444G	108.67	Inf	-Inf	31.32	3	Horizontal	315	2.91	-	77.35
AV	2.4564G	96.29	Inf	-Inf	31.34	3	Horizontal	315	2.91	-	64.95
PK	2.484G	71.70	74.00	-2.30	31.39	3	Horizontal	315	2.91	-	40.31
AV	2.4835G	53.38	54.00	-0.62	31.39	3	Horizontal	315	2.91	-	21.99

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2452MHz_TX




EUT Y_1TX
Setting 69
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.36008G	49.59	74.00	-24.41	10.68	3	Vertical	189	2.86	-	38.91			
AV	7.35828G	37.02	54.00	-16.98	10.69	3	Vertical	189	2.86	-	26.33			

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2452MHz_TX



EUT Y_1TX
Setting 69
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.35072G	50.01	74.00	-23.99	10.66	3	Horizontal	246	2.64	-	39.35			
AV	7.358G	36.62	54.00	-17.38	10.69	3	Horizontal	246	2.64	-	25.93			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	2.4835G	53.49	54.00	-0.51	31.39	3	Vertical	176	2.89	-

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2412MHz_TX




EUT_Y_2TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3832G	59.67	74.00	-14.33	31.19	3	Vertical	24	1.51	-	28.48			
AV	2.39G	47.73	54.00	-6.27	31.20	3	Vertical	24	1.51	-	16.53			
PK	2.411G	108.26	Inf	-Inf	31.25	3	Vertical	24	1.51	-	77.01			
AV	2.4112G	104.44	Inf	-Inf	31.25	3	Vertical	24	1.51	-	73.19			

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2412MHz_TX




EUT_Y_2TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3856G	63.48	74.00	-10.52	31.19	3	Horizontal	202	1.19	-	32.29			
AV	2.39G	53.41	54.00	-0.59	31.20	3	Horizontal	202	1.19	-	22.21			
PK	2.411G	111.95	Inf	-Inf	31.25	3	Horizontal	202	1.19	-	80.70			
AV	2.4108G	107.82	Inf	-Inf	31.25	3	Horizontal	202	1.19	-	76.57			

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82397G	48.29	74.00	-25.71	7.17	3	Vertical	344	1.52	-	41.12			
AV	4.82397G	39.09	54.00	-14.91	7.17	3	Vertical	344	1.52	-	31.92			

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82384G	45.18	74.00	-28.82	7.17	3	Horizontal	17	1.51	-	38.01			
AV	4.82401G	36.85	54.00	-17.15	7.17	3	Horizontal	17	1.51	-	29.68			

802.11b_Nss1,(1Mbps)_2TX

24/09/2019

2437MHz_TX




EUT_Y_2TX
Setting 92
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	60.24	74.00	-13.76	31.20	3	Vertical	155	1.72	-	29.04
AV	2.389G	49.28	54.00	-4.72	31.20	3	Vertical	155	1.72	-	18.08
PK	2.4362G	109.98	Inf	-Inf	31.30	3	Vertical	155	1.72	-	78.68
AV	2.4362G	106.38	Inf	-Inf	31.30	3	Vertical	155	1.72	-	75.08
PK	2.4835G	59.88	74.00	-14.12	31.39	3	Vertical	155	1.72	-	28.49
AV	2.4835G	49.40	54.00	-4.60	31.39	3	Vertical	155	1.72	-	18.01

802.11b_Nss1,(1Mbps)_2TX

24/09/2019

2437MHz_TX




EUT_Y_2TX
Setting 92
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	62.75	74.00	-11.25	31.20	3	Horizontal	198	1.53	-	31.55
AV	2.389G	53.35	54.00	-0.65	31.20	3	Horizontal	198	1.53	-	22.15
PK	2.4378G	112.71	Inf	-Inf	31.31	3	Horizontal	198	1.53	-	81.40
AV	2.4362G	109.10	Inf	-Inf	31.30	3	Horizontal	198	1.53	-	77.80
PK	2.4906G	61.12	74.00	-12.88	31.41	3	Horizontal	198	1.53	-	29.71
AV	2.48351G	51.69	54.00	-2.31	31.39	3	Horizontal	198	1.53	-	20.30

802.11b_Nss1,(1Mbps)_2TX

24/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 92
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.31184G	58.02	74.00	-15.98	10.55	3	Vertical	245	2.31	-	47.47			
AV	7.31168G	52.41	54.00	-1.59	10.55	3	Vertical	245	2.31	-	41.86			

802.11b_Nss1,(1Mbps)_2TX

24/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 92
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.31G	51.32	74.00	-22.68	10.54	3	Horizontal	283	2.03	-	40.78			
AV	7.3117G	40.87	54.00	-13.13	10.55	3	Horizontal	283	2.03	-	30.32			

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2462MHz_TX




EUT Y_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.463G	108.04	Inf	-Inf	31.36	3	Vertical	152	1.50	-	76.68
AV	2.4612G	104.09	Inf	-Inf	31.35	3	Vertical	152	1.50	-	72.74
PK	2.4838G	59.95	74.00	-14.05	31.39	3	Vertical	152	1.50	-	28.56
AV	2.4835G	49.21	54.00	-4.79	31.39	3	Vertical	152	1.50	-	17.82

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2462MHz_TX




EUT Y_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.461G	110.34	Inf	-Inf	31.35	3	Horizontal	197	1.06	-	78.99			
AV	2.4612G	106.66	Inf	-Inf	31.35	3	Horizontal	197	1.06	-	75.31			
PK	2.4835G	61.10	74.00	-12.90	31.39	3	Horizontal	197	1.06	-	29.71			
AV	2.496G	49.72	54.00	-4.28	31.42	3	Horizontal	197	1.06	-	18.30			

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.38694G	56.09	74.00	-17.91	10.76	3	Vertical	244	2.22	-	45.33			
AV	7.38666G	48.93	54.00	-5.07	10.76	3	Vertical	244	2.22	-	38.17			

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	7.38392G	52.35	74.00	-21.65	10.75	3	Horizontal	324	1.01	-	41.60			
AV	7.38668G	39.22	54.00	-14.78	10.76	3	Horizontal	324	1.01	-	28.46			

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Y_2TX
Setting 66
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3862G	62.00	74.00	-12.00	31.20	3	Vertical	209	1.50	-	30.80			
AV	2.3862G	47.02	54.00	-6.98	31.20	3	Vertical	209	1.50	-	15.82			
PK	2.417G	106.77	Inf	-Inf	31.27	3	Vertical	209	1.50	-	75.50			
AV	2.416G	97.59	Inf	-Inf	31.27	3	Vertical	209	1.50	-	66.32			

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Y_2TX
Setting 66
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.39G	73.27	74.00	-0.73	31.20	3	Horizontal	306	2.73	-	42.07			
AV	2.39G	51.71	54.00	-2.29	31.20	3	Horizontal	306	2.73	-	20.51			
PK	2.41G	111.37	Inf	-Inf	31.25	3	Horizontal	306	2.73	-	80.12			
AV	2.41G	102.04	Inf	-Inf	31.25	3	Horizontal	306	2.73	-	70.79			

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 66
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82392G	46.09	74.00	-27.91	7.17	3	Vertical	242	1.63	-	38.92			
AV	4.82464G	32.21	54.00	-21.79	7.17	3	Vertical	242	1.63	-	25.04			

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 66
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82718G	45.40	74.00	-28.60	7.18	3	Horizontal	57	1.51	-	38.22			
AV	4.82592G	32.10	54.00	-21.90	7.18	3	Horizontal	57	1.51	-	24.92			

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2417MHz_TX




EUT_Y_2TX
Setting 74
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3884G	65.59	74.00	-8.41	31.20	3	Vertical	208	1.51	-	34.39
AV	2.3896G	47.83	54.00	-6.17	31.20	3	Vertical	208	1.51	-	16.63
PK	2.4184G	108.85	Inf	-Inf	31.27	3	Vertical	208	1.51	-	77.58
AV	2.4188G	99.45	Inf	-Inf	31.27	3	Vertical	208	1.51	-	68.18

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2417MHz_TX




EUT Y_2TX
Setting 74
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	73.13	74.00	-0.87	31.20	3	Horizontal	301	2.74	-	41.93
AV	2.3892G	50.95	54.00	-3.05	31.20	3	Horizontal	301	2.74	-	19.75
PK	2.4222G	112.81	Inf	-Inf	31.28	3	Horizontal	301	2.74	-	81.53
AV	2.4126G	103.53	Inf	-Inf	31.26	3	Horizontal	301	2.74	-	72.27

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2437MHz_TX




EUT Y_2TX
Setting 89
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	61.89	74.00	-12.11	31.20	3	Vertical	12	1.81	-	30.69
AV	2.3898G	48.18	54.00	-5.82	31.20	3	Vertical	12	1.81	-	16.98
PK	2.4446G	111.08	Inf	-Inf	31.32	3	Vertical	12	1.81	-	79.76
AV	2.4394G	101.71	Inf	-Inf	31.31	3	Vertical	12	1.81	-	70.40
PK	2.4835G	70.12	74.00	-3.88	31.39	3	Vertical	12	1.81	-	38.73
AV	2.4835G	50.80	54.00	-3.20	31.39	3	Vertical	12	1.81	-	19.41

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2437MHz_TX




EUT Y_2TX
Setting 89
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3898G	66.36	74.00	-7.64	31.20	3	Horizontal	289	2.97	-	35.16			
AV	2.387G	51.66	54.00	-2.34	31.20	3	Horizontal	289	2.97	-	20.46			
PK	2.4346G	117.02	Inf	-Inf	31.30	3	Horizontal	289	2.97	-	85.72			
AV	2.435G	107.87	Inf	-Inf	31.30	3	Horizontal	289	2.97	-	76.57			
PK	2.4835G	71.33	74.00	-2.67	31.39	3	Horizontal	289	2.97	-	39.94			
AV	2.4842G	51.72	54.00	-2.28	31.39	3	Horizontal	289	2.97	-	20.33			

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 89
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87052G	45.70	74.00	-28.30	7.27	3	Vertical	124	2.34	-	38.43			
AV	4.87756G	31.88	54.00	-22.12	7.30	3	Vertical	124	2.34	-	24.58			

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 89
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87486G	45.90	74.00	-28.10	7.28	3	Horizontal	117	1.73	-	38.62			
AV	4.87458G	32.10	54.00	-21.90	7.28	3	Horizontal	117	1.73	-	24.82			

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2457MHz_TX




EUT Y_2TX
Setting 77
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.4616G	108.50	Inf	-Inf	31.35	3	Vertical	349	1.32	-	77.15			
AV	2.4612G	99.69	Inf	-Inf	31.35	3	Vertical	349	1.32	-	68.34			
PK	2.4854G	67.69	74.00	-6.31	31.40	3	Vertical	349	1.32	-	36.29			
AV	2.4846G	49.52	54.00	-4.48	31.40	3	Vertical	349	1.32	-	18.12			

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2457MHz_TX




EUT Y_2TX
Setting 77
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.4586G	117.78	Inf	-Inf	31.34	3	Horizontal	305	2.95	-	86.44			
AV	2.455G	104.37	Inf	-Inf	31.34	3	Horizontal	305	2.95	-	73.03			
PK	2.4838G	73.45	74.00	-0.55	31.39	3	Horizontal	305	2.95	-	42.06			
AV	2.4835G	53.20	54.00	-0.80	31.39	3	Horizontal	305	2.95	-	21.81			

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2462MHz_TX



EUT Y_2TX
Setting 65
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4636G	105.99	Inf	-Inf	31.36	3	Vertical	0	1.61	-	74.63
AV	2.4636G	96.46	Inf	-Inf	31.36	3	Vertical	0	1.61	-	65.10
PK	2.4836G	67.09	74.00	-6.91	31.39	3	Vertical	0	1.61	-	35.70
AV	2.4835G	48.01	54.00	-5.99	31.39	3	Vertical	0	1.61	-	16.62